Cov.

made

REC

1967.

RADSTOCK.

1911 - ~~30~~20

FORM A2.
BRITISH RAINFALL.

26 APR 1912

Kept at Radst

in the County of Some

by Geo. H Gi

in.

ound 8 ft. · in.

Level 330 ft.

lock room

he Radstock

ance Direction

IMPORTANT NOTE.—Rain should be me… …e result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·14	·08			·03				·13	·08	1
2	·06		·07		·21		·04	·08			·03	·02	2
3	·02				·29			·15			·25	·27	3
4								·05		·07	·13	·02	4
5			·13								·29	·41	5
6	·62		·13					·65		·11	·66	·03	6
7			·04					·04			·15	·52	7
8	·04		·20								·55	·02	8
9	·06										·01	·49	9
10	·07										·11	·55	10
11	·15	·01	·50		·40						·03	·35	11
12	·33				·14						·63	·14	12
13			·68						·07		·47	·37	13
14									·27	·31	·04	·44	14
15		·06	·03								·17	·13	15
16		·03	·02			·04					·24	·05	16
17		·06				·29					·48	·53	17
18		·06	·06			·12					·07	·64	18
19		·40		·07		·06				·05	·04	·27	19
20		·06	·04	·02		·04			·58	·35	·07	·55	20
21		·10	·12	·17		·07				·53		·50	21
22		·17	·14					·47	·05	·32		·26	22
23		·30	·60	·02		·17				·35		·60	23
24		·07				·14		·13	·05	·20		·30	24
25		·26				·23				·62		·20	25
26		·07	·01	·21		·08				·08		·51	26
27		·20		·50				·01		·03		·10	27
28		·70	·25	·01	·16			·12	·08		·07	·16	28
29				·47									29
30				·25		·30	·01			·44			30
31										·22			31
Total	1·36	2·55	3·16	1·80	1·20	1·54	0·08	1·70	1·10	3·68	4·62	8·51	TOTAL for year 31·30
No. of Rain Days	9 ~~18~~	15 ~~24~~	17 ~~7~~	10	5	11	3	9	6	14	21	28	148

9,000, IX. '10.

Cov. 2

made

REGISTER OF RAINFALL

FORM A2.
BRITISH RAINFALL.

26 APR 1912

Kept at Radstock

in the County of Somerset

by Geo. H Gibson.

RADSTOCK URBAN DISTRICT COUNCIL
G. H. GIBSON,
SURVEYOR.

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 8 ft. · in.
" " " Sea Level 330 ft.

Time of Observation 12 o'clock noon

Nearest Railway Station
Name Radstock
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·14	·08			·03				·13	·08	1
2	·06		·07		·21		·04	·08			·03	·02	2
3	·02				·29			·15			·25	·27	3
4								·05		·07	·13	·02	4
5			·13								·29	·41	5
6	·62		·13					·65		·11	·66	·03	6
7			·04					·04			·15	·52	7
8	·04		·20								·55	·02	8
9	·06										·01	·49	9
10	·07										·11	·55	10
11	·15	·01	·50		·40						·03	·35	11
12	·33				·14						·63	·14	12
13			·68						·07		·47	·37	13
14									·27	·31	·04	·44	14
15		·06	·03								·17	·13	15
16		·03	·02			·04					·24	·05	16
17		·06				·29					·48	·53	17
18		·06	·06			·12					·07	·64	18
19		·40		·07		·06				·05	·04	·27	19
20		·06	·04	·02		·04			·58	·35	·07	·55	20
21		·10	·12	·17		·07				·53		·50	21
22		·17	·14	·				·47	·05	·32		·26	22
23		·30	·60	·02		·17				·35		·60	23
24		·07				·14		·13	·05	·20		·30	24
25		·26				·23				·62		·20	25
26		·07	·01	·21		·08				·08		·51	26
27		·20		·50				·01		·03		·10	27
28		·70	·25	·01	·16			·12	·08		·07	·16	28
29				·47									29
30				·25		·30	·01			·44			30
31										·22			31
Total	1·36	2·55	3·16	1·80	1·20	1·54	0·08	1·70	1·10	3·68	4·62	8·51	TOTAL for year 31·30
No. of Rain Days	9. ~~18~~	15 ~~24~~	17. ~~9~~	10	5	11	3	9	6	14	21	28	148

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Radstock
in the County of Somerset
by Geo H Gibson

RADSTOCK URBAN DISTRICT COUNCIL
G. H. GIBSON, SURVEYOR.

RAIN GAUGE
Pattern Symons
Diameter of top 8 in.
Height of top above Ground 8 ft. 0 in.
" " " Sea Level 330 ft.

Time of Observation Noon

Nearest Railway Station
Name G.W. & S.&D. Jt. Rys
Distance ½ mile Direction West.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·43

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·29	·30			·10	·05		·30	·07	·36	1
2			·11			1·02	·07			·70			2
3			·34			·05	·27						3
4			·38			·25		·51				·03	4
5	·18		·88		·53	·45		·06	·08		·23		5
6	·69	·21	·24		·18			1·05				·37	6
7	·17	·10	·01			·05	·17	·93				·08	7
8	·08	·55	·50		·03	·74	·13	·15				·17	8
9	·32	·02	·35			·08		·04				·01	9
10	·05		·77	·11		·11						·76	10
11	·11	·08	·32			·07		·07			·10	·04	11
12						·01						·60	12
13		·36	·01	·06			·03				·07	·14	13
14			·14									·15	14
15	·20	·03	·02		·24			·32				·09	15
16	·12				·17	·58						·85	16
17	1·04		·48			·03		·24		·10	·04	·08	17
18	·84		·45			·03		·63			·03	·17	18
19			·48					·19		·08		·07	19
20		·15	·12		·05	·07	·13	·30		·25		·02	20
21			·60		·06			·63		·98			21
22	·15	·32	·29		·60			·02		·49		·05	22
23	·47	·06	·08		·09	·03	·55	·37		·09	·04	·14	23
24	·28	·37	·18			·23		·40		·06	·13	·84	24
25	·05	·02	·02			·26	·03			·24	·52	·23	25
26	·01					·16		·67		·49		·67	26
27							·30	·23		·17	·12	·12	27
28		·01				·25	1·06	·60		1·44	·77	·75	28
29							·08			·70	·78	·73	29
30						·03	·20	·02	·70	·50			30
31							·33			·35			31
Total	4·76	2·28	7·06	0·47	1·95	4·50	3·45	7·48	0·78	6·98	2·90	7·52	TOTAL for year 50·13
No. of Rain Days.	16	13	23	3	9	20	14	21	2	16	12	25	174

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
10 JAN 1914

G. H. GIBSON, SURVEYOR.
RADSTOCK URBAN DISTRICT COUNCIL.

Kept at Radstock
in the County of Somerset
by Geo. H. Gibson

Lat. Long.
Time of Observation noon
Nearest Railway Station Radstock.
Diameter of Rain Gauge eight in.
Height of top of Gauge above Ground 8 ft. 0 in.
" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·46	·19		·06					·73		·01	·08	1
2		·27	·25	·09					·38		·27	·21	2
3	·05	·11	·04	·04	·18		·08		·01	·05	·22	·15	3
4	·82		·19	·01	·79							·21	4
5	·76				·25				1·45	·05	·02	·18	5
6	·01				·26	·48	·14		·13	·15	·03	·70	6
7	·07				·12	·16	·03			1·16		·06	7
8		·60			·63	·13	·10			·82	·33	·02	8
9		·76			·10			·04		·01		·02	9
10		·12	·16			·11			·10		·17		10
11	·97		·03		·01					·61	·15		11
12	·20				·27						·85		12
13				·09	·23			·02	·02		·16		13
14			·03		·04		·05	·05	·25		·13		14
15	·13		·25	·13						·07	·35		15
16	·40	·10	·62	·93					·01		·13	·05	16
17	·10		·80	·04					·05		·01		17
18	·12		·30								·05		18
19	·09				·09		·05						19
20	·95					·20			·50	·02			20
21	·13		·49	·25						·19	·62		21
22	·04		·27	·10			·10						22
23	1·10		·48	·40		·08			·20		·09		23
24	·01							·28			·10	·43	24
25		·03								·03	·02		25
26				·52						·02		·09	26
27		·14		·40				·27		·12		·23	27
28	·13		·34	·42				·16				·16	28
29	·07			·38						·16			29
30	·03		·60	·65						·64	·02		30
31	·91									·45			31
Total	7·55	2·32	4·85	4·51	2·97	1.16	0·55	0·82	3·83	4·55	3·73	2·59	YEAR'S TOTAL 39·43
Rain Days.	22	9	15	16	12	6	7	6	12	16	20	14	155

W.7,000, XI. 13

WD written 13·III·15

Ex DL

Cor. for W.D. 17·III·15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

4 JAN 1915

Kept at Radstock.
in the County of Somerset.
by Geo. H. Gibson.

RADSTOCK URBAN DISTRICT COUNCIL
G. H. GIBSON, SURVEYOR

Lat. 51·15 Long. 2·30
Time of Observation 12 noon.
Nearest Railway Station Radstock.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 8 ft. 0 in.
" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·49

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·15					·24			·25	·44	1
2				·14			·05	·44			·38	·06	2
3							·82				·78	·52	3
4	·06			·19	·48			·36			·12	·60	4
5	·15		·25	·48	·15		·38	·84			·88	·36	5
6	·14		·27	·49	·03			·07				·36	6
7		·23		·69	·34		·21					·32	7
8	·04	·67	·48	·05	·48	·09	·29	·27			·03	·16	8
9	·02		1·06	·08	·37	·39			·09				9
10	·15		·10	·20	·12	·87		·07	·15				10
11		·26		·07	·02				·19			·17	11
12		·16	·67		·10	·17	·10				·13	·43	12
13		·22	·15						·36		·13	·31	13
14		·35	·75						·16	·19		·53	14
15		·49	·55					·55		·34	·34		15
16			·22					·48	·04		·14		16
17									·30				17
18		·87	·25									1·09	18
19		·02	·05				·45		·03			·58	19
20		·14	·25				·77					·04	20
21		·59	·11								·05	·19	21
22		·87				·22				·16			22
23		·03	·16		·20	·40		·01		·30			23
24		·12	·21		·01					·49			24
25		·02	·13				·45	·21			·20	·05	25
26	·03		·04				·11	·20		·52		·58	26
27							·15			·07	·40	·50	27
28	·04		·07							·16	·45	·25	28
29	·29		·24								·11	1·25	29
30		✕	·04				·08			·22	·34		30
31		✕		✕	·09	✕			✕	·23	✕	1·08	31
Total	– 0·92	·15 ~~5·04~~ 5·19	– ~~6·20~~ 6·05	– 2·39	– 2·39	– 2·04	·24 ~~3·86~~ 4·10	– ~~3·74~~ 3·50	– 1·32	·35 ~~2·68~~ 3·03	·44 ~~4·83~~ 4·92	·49 ~~9·87~~ 9·92	YEAR'S TOTAL ~~45·28~~ 45·77
Rain Days.	9	~~15~~ 16	~~22~~ 21	9	12	6	~~12~~ 13	~~12~~ 11	8	~~10~~ 11	16	22	~~153~~ 154

W. 8,000. X. 14.

corred for W D 2 11.v.16. 40 HMW cndly B. 5.v.16 2077

FORM A. BRITISH RAINFALL.

13 JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at RADSTOCK

in the County of Somerset.

by Geo H Gibson

1

Lat. 51·15 N. Long. 2·30

Time of Observation Noon

Nearest Railway Station RADSTOCK

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 8 ft. 0 in.

" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·43.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·49		0·13					0·05	0·19		1·26	0·35	1
2	0·21	0·21			0·10			0·46		0·31		0·15	2
3	0·48	0·30	0·12	0·65				0·32		0·07		0·51	3
4	0·39	0·10	0·12		0·18		0·28		0·11			0·43	4
5	0·05											0·27	5
6	0·06	0·93		0·18				0·15				0·38	6
7	0·39	0·09		0·19			0·52	0·05				0·21	7
8	0·40	0·46		0·04	0·44		0·18					0·23	8
9	0·23	0·45						0·15			0·53	0·40	9
10	0·01	0·12										0·57	10
11	0·22		0·14	0·12				0·04					11
12								0·03		0·03	0·99	0·24	12
13	0·14	0·65		0·06	0·70			0·40			0·19		13
14		0·50			0·84				0·12			0·21	14
15	0·07						0·03	0·72		0·10		0·98	15
16		0·10			0·14		0·30	0·19				0·16	16
17		(0·41)			0·47			0·03					17
18	0·37	0·58			0·57		0·89					0·08	18
19		0·19											19
20					0·08							0·29	20
21	0·20			0·65	0·03					0·14			21
22	0·15	0·46			0·10		0·38					0·09	22
23		0·27	0·42	0·02			0·43		0·42	0·06		0·25	23
24		0·05	0·13				0·25			(0·10)		0·50	24
25			0·01	0·10			0·55			0·58		0·32	25
26						0·53	0·04		0·14			0·09	26
27		0·12				0·02	0·13					0·62	27
28						0·08			0·11	0·61			28
29								0·05	(0·79)	0·03			29
30		✕				0·23				0·16	0·24	0·46	30
31	0·27	✕		✕		✕	0·04		✕	0·66	✕	0·18	31
	–	·13	–	–	–	–	·05	·19	–	1·26	·35	·43	YEAR'S TOTAL
Total	~~4·13~~	~~6·99~~	~~1·07~~	~~0·91~~	~~3·65~~	~~0·86~~	~~4·02~~	~~2·64~~	~~1·83~~	~~3·85~~	~~3·21~~	~~4·04~~	~~41·13~~
	3·64	7·12	·84	·91	3·65	·86	4·07	2·78	1·64	5·11	2·30	8·[illegible]5	41·07 ✓
Rain Days.	~~14~~ 16	~~18~~ 19	~~7~~ 6	9	11	14	~~13~~ 14	13	~~7~~ 6	~~12~~ 13	5	24	140 ✓

W. 8,000. X. 15.

and for WD
Exd C.E.E

2021

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at RADSTOCK

in the County of SOMERSET

by Geo H. Gibson

Lat. 51·15 N Long. 2·30 W
Time of Observation 12 o'clock noon
Nearest Railway Station RADSTOCK
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 8 ft. in.
" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·06.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·43		0·60						0·18	0·02	0·50		1
2	0·41		0·17		0·18		0·20			0·78	0·01		2
3	0·52		0·05			0·08				0·54	0·23		3
4		1·37			0·21	0·07			0·13	0·45			4
5	0·21	0·04				0·52			0·38		0·97		5
6		0·05			0·32	0·10				0·34	0·16		6
7	0·16	0·20	0·13		0·32	0·10	0·44			0·14	0·99		7
8					0·04					0·12	0·34		8
9					0·45	0·09				0·03			9
10						0·25	0·15					0·08	10
11	0·08		0·03	0·13									11
12			0·08			0·27	0·04						12
13		0·60	0·02				0·14	0·04					13
14		0·47	0·11		0·18	0·01		0·22					14
15	0·05	0·40	0·09		0·09			0·35		0·12			15
16		0·28		0·30	0·02			0·32					16
17	0·09							0·47				0·04	17
18	0·15			0·04				0·13	0·54	0·39			18
19	0·03		0·45	0·16						0·08			19
20	0·25		0·25								0·58		20
21		0·07	0·55	0·40							0·07		21
22	0·25		0·32	0·02	0·09							1·20	22
23				0·14		0·09				0·49		0·71	23
24		0·32				0·16		0·18		0·18	0·46		24
25					0·68			0·18		0·57	0·03		25
26			0·15					0·25		0·01			26
27			0·20			0·28		1·33	0·59	0·58			27
28			2·19			0·03		0·13		0·37			28
29		0·80	0·01			0·18		0·28	0·79	0·60		0·91	29
30		✕						1·97		0·73		0·64	30
31		✕		✕		✕			✕	0·47	✕		31
Total	– ~~2·63~~ 2·20	·60 ~~4·60~~ 5·20	– ~~5·40~~ 4·80	1·19	2·58	2·23	0·97	·18 ~~5·85~~ 6·03	·02 ~~2·61~~ 2·45	·50 ~~7·01~~ 7·49	– ~~4·34~~ 3·84	·06 ~~3·58~~ 3·64	YEAR'S TOTAL ~~42·99~~ 42·62
Rain Days.	12	11	17	7	11	14	5	13	6	20	11	6	133

W. 8,000, VIII. 16

cwdyB. Dates uncertain

1931

REGISTER OF RAINFALL IN 1917.

FORM A.
BRITISH RAINFALL.

1 JAN 1918

Kept at Surveyor's residence
in the County of Somersetshire. RADSTOCK
by G. H. Gibson

Lat. 51·15° Long. 2·30
Time of Observation noon.
Nearest Railway Station G. W. R.
Diameter of Funnel of Rain Gauge 8 ins. in.
Height of top of Gauge above Ground 8 ft. — in.
" " " " Sea Level 330 — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·06							0·56	0·17		0·18.		1
2	0·01.		0·18			0·24.			0·41.		0·14.		2
3				Snow 0·99		0·14.							3
4							1·08	0·03		1·03 ~~0·13.~~			4
5			0·21				0·05	0·31		0·09			5
6			0·28			0·27			0·59	0·37.	0·18.		6
7										0·48.	0·12.		7
8	0·62			0·43			0·25	0·40					8
9	0·32		0·90	0·05			0·35		0·07	0·43			9
10	0·15		0·20				0·05	0·74	0·08.	0·19.	0·11	0·10	10
11			0·27						0·09.		0·19.		11
12	0·08		0·53	0·45				0·60		0·37			12
13					0·50			0·62	0·13	0·67			13
14			0·11			0·21.		0·61.					14
15			0·27	0·13				0·36.					15
16							1·09			0·39.		0·23.	16
17		0·26.			0·13		0·06	0·11.		0·29			17
18							0·35		0·39.				18
19						0·06							19
20			0·14			0·35.			0·61.		0·06		20
21		0·45			0·41.			0·37.					21
22							0·09.			0·09			22
23			Snow. 0·28					0·24.					23
24						0·02		0·54.					24
25		0·13.			0·14.	0·25		0·27.		0·23.	0·01.		25
26		0·10.	0·06					0·08.	0·05.	0·52			26
27					0·29.			0·83	0·19.	0·36.			27
28					0·83.	0·21.		1·83					28
29			0·11		0·12.	3·47.		0·23					29
30		×				0·06	0·08	0·17.		0·42		0·21.	30
31		×	0·26	×		×	0·24.	0·27	×	0·20.	×		31
Total	1·24.	0·94	3·80	2·05	2·42	5·28	3·69.	9·17.	2·78	6·13	0·99	0·54.	YEAR'S TOTAL 39·03
Rain Days.	6	4	14	5	7.	11	11	20	11	16	8	3.	116.

15

copy WD

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 8·1·19

Kept at RADSTOCK
in the County of Somerset.
by Geo H Gibson

RADSTOCK S.O.

Lat. 55·15 Long. 2·30
Time of Observation
Nearest Railway Station RADSTOCK
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 8 ft. 0 in.
" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·13.	·06					·06.		·15.		1
2								·79.			·54.		2
3		·21.		·37.	·23.						·04.	·43.	3
4		·06.		·30				·16.					4
5		·01.						·06.		·14.	·54		5
6				·52.	·26.			·26.	·04	28.	·34	·10.	6
7	·14.	·49.						·26.		·15.		·14.	7
8		·23.			·58.				·34.	·14	·37.		8
9		·02.							·72.	·20.		·005.	9
10		·23.		·42.		·02.	·54		·40.	·15.		·37.	10
11				·10.			·46						11
12	·03.		·05.				·27.						12
13		·15.					·48.					·32.	13
14							·52.		1·35.	·15.			14
15	·64.		·10.			·25.	·45.		·12.			·33.	15
16	1·16.			Snow. ·77.			·37.		30.			·33.	16
17	·63			·30.					17.				17
18	·19			·10			·51.	·09.	·20.			·27.	18
19	·68.					·69.	·07		·35.				19
20			·09					·03.	·43.			·41.	20
21		·16.					·40.		·28.	·13.		·20.	21
22		·06.					·16.		1·02				22
23							·79.		·38.			·44.	23
24							·16.				·09.		24
25									·09.	·09			25
26			·10.				·43.				·08.		26
27												·30.	27
28								·81.	·35.				28
29			·23.				·26.		·38.		·23		29
30		╳	·37					·20.	·98			·03.	30
31		╳		╳		╳		·03.	╳		╳		31
Total	3·47.	·13 ~~1·62.~~ 1·75	·06 ~~1·07~~ 1·00	~~2·94.~~ 2·88	1·07.	0·96	5·87.	·06 ~~2·69.~~ 2·75	~~7·96~~ 7·90	·15 ~~1·43.~~ 1·58	~~2·38.~~ 2·23	3·72.	YEAR'S TOTAL 35·18.
Rain Days.	7.	10.	7.	9.	3.	3.	15.	10	19	9	9.	14.	115.

W. 8,000, IX. 17.

WD 1804

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at RADSTOCK

in the County of Somerset

by G. A. Gibson.

Lat. 55·15 N Long. 2·30.

Time of Observation

Nearest Railway Station Radstock.

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 8 ft. 0 in.

" " " " Sea Level 330. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·31

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·21		·41				·05	·50	1
2	·80		·08				·54		·16			1·09	2
3	·11		·02		·40		·18	·04	·20		·10	·26	3
4	1·24				·18		·10		·15			·32	4
5	1·84	·36	·85				·12		·44			·18	5
6	·05		·44						·36			·35	6
7	·65	·16			·06						·14	·08	7
8	·14		·31		·07								8
9	·15												9
10	·04		·48								·29		10
11			·11	·28			·36					·35	11
12	·08		·36		·24							·12	12
13	·07			·18		·21				·36		·28	13
14	·40		·06	·52			·15			·03		·09	14
15	·84			·61						·07		·02	15
16	·16	·26										·35	16
17											·10		17
18		·95						·06			·22		18
19	·19	·30	·76					·30			·28		19
20	·45	·26					·88	·56					20
21						·42	·18		·25			·27	21
22	·14		1·10						·04			·06	22
23		·82							·12		·05	·20	23
24						·18				1·09	·19	·02	24
25		·03						·07				·58	25
26	·15							·60	·08	·29		·06	26
27	·10		·20	·42				1·20		·81		·70	27
28				·09								·08	28
29			·45								·13	·30	29
30		✕	·02	·06				·05		·29		·15	30
31		✕		✕		✕		·08	✕		✕	·53	31
TOTAL	~~7·60~~ 7·60	3·14	5·24	·21 ~~2·16~~ 2·37	~~1·16~~ ·95	·41 ~~0·81~~ 1·22	~~2·92~~ 2·51	2·96	1·80	·5 ~~2·94~~ 2·99	·50 ~~1·55~~ 2·09	·31 ~~6·94~~ 6·75	39·53 YEAR'S TOTAL ~~39·22~~
Days with ·01 in. or more	19	8	14	8 ~~7~~	5 ~~6~~	4 ~~3~~	8 ~~9~~	9	9	8 ~~7~~	10	24	~~125~~ ~~126~~

RADSTOCK Somt U.D.C.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

37·53

To x ML WD

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at RADSTOCK.
in the County of Somerset
by Geo. H. Gibson

Lat. 51·15 Long. 2·30
Time of Observation 12 Noon.
Nearest Railway Station RADSTOCK.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 8 ft. 0 in.
" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·30

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·31						·47			·54	·79	·37	1
2					·40		·12	·10	·10	·42	·09	·53	2
3	·20			·48			·04	·39	·02				3
4				·18			·60			·79			4
5					·28								5
6			·23				·68	·61		·39			6
7			·33		·20		·08	·06		·09			7
8				·27			·26			·03			8
9	·23	·29	·10	·38			·37						9
10	·73	·23		·20		·11	·36						10
11	1·21	·29		·21		·18	·48						11
12	·22			·35		·20	·20				·14		12
13		·07		·25		·60	·09						13
14	·22	·03	·62	·05	·29				·15				14
15	·07	·03	·37	·54						·67	·48		15
16		·15		·10						·15			16
17			·02	·20	·09	·05	·06		·13	·13			17
18					·20	1·68	·23	·02					18
19	·12			·19	·03	·09		·32					19
20		·06		·43	·06	·20						·17	20
21				·03								·45	21
22				·07			·23				·25		22
23	·05						·09					·44	23
24							·75				·09	·46	24
25			·23				·08					·08	25
26	·12					·09							26
27	·28		·25	·28			·03	·22			·08	·09	27
28	·21		·12				·05						28
29	·90	·04			·20	·40	·22					·36	29
30	·20	✕	·10		·06		·08				·21	·32	30
31	·18	✕	·20	✕	·06	✕	·06		✕		✕	·43	31
						·47			·54	·79	·37	·30	YEAR'S TOTAL
TOTAL	~~5.25~~ 4·94	1·19	2·57	4·21	1·87	~~3·60~~ 4·07	~~5·63~~ 5·16	1·72	~~0·40~~ ·94	~~3·21~~ 3·46	~~2·13~~ 1·71	~~3·70~~ 3·63	~~35·48~~ 35·47
Days with ·01 in. or more	15 ~~16~~	9	11	17	11	11 ~~10~~	22 ~~23~~	7	5 ~~4~~	9	8	11	~~136~~
Days with ·04 in. or more	15 ~~16~~	7	10	16	10	11 ~~10~~	21 ~~22~~	6	4 3	8	8	11	127

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

R N 1911

RIMPTON
SOMERSET

1911- 1914

FORM A2.
BRITISH RAINFALL.
12 MAR 1912

Kept at Rimpton
in the County of Som
by H H George Andre

n
ter of top .... in.
t of top above Ground .... ft. .... in.
„ „ Sea Level .... ft.
vation
ay Station { Name / Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03		.04	.02				.04			.01	.01	1
2				.09	.22			.11		.08	.15	.12	2
3					.12						.04	.06	3
4			.10								.16	.32	4
5	.04		.02					.24		.05	.10		5
6	.15		.08					.03		.04	.13	.66	6
7	.02										.07		7
8	.04	.01	.15								.12	.52	8
9	.11		.02								.08	.44	9
10	.10	.04	.10		.40						.09	.18	10
11	.25	.03			.01						.38	.09	11
12			.71					.01				.27	12
13									.26			.30	13
14		.06										.67	14
15		.05	.01			.07					.19	.05	15
16						.25					.32	.36	16
17		.01	.04			.08					.10	.41	17
18		.16	.11	.09		.08				.01	.03	.39	18
19		.13				.18			.12	.10	.10	.42	19
20	.03	.03	.13	.03		.01			.08	.03		.48	20
21	.01	.06	03	.03				.66	.04	.48		.12	21
22	.10	.04	.20	.01						.33		.36	22
23		.08				.11			.06	.11	.07	.10	23
24	.01	.09				.52		.02		.40		.17	24
25		.07		.13		.10			.02	.07			25
26		.05		.17	.13			.02		.06	.01	.37	26
27		.20	.09	.02				.09	.13	.05		.06	27
28		.16		.26				.16			.05		28
29				.76		.20	.12		.12	.19			29
30						.10		.15		.15	.08		30
31										.07			31
Total	.89	1.27	1.83	1.61	.88	1.70	.12	1.53	83	2.22	2.28	6.93	TOTAL for year 22.09
No. of Rain Days.	12	17	15	11	5	11	1	11	8	16	20	24	151

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

12 MAR 1912

REGISTER OF RAINFALL IN 1911

EpRL

Kept at Rimpton

in the County of Somerset 3

by H H Gouge Andrews (H a Boy)

RAIN GAUGE
Pattern
Diameter of top ... in.
Height of top above Ground ... ft. ... in.
" " " Sea Level ... ft.

Time of Observation

Nearest Railway Station
Name
Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03		.04	.02				.04			.01	.01	1
2				.09	.22			.11		.08	.15	.12	2
3					.12						.04	.06	3
4			.10								.16	.32	4
5	.04		.02					.24		.05	.10		5
6	.15		.08					.03		.04	.13	.66	6
7	.02										.07		7
8	.04	.01	.15								.12	.52	8
9	.11		.02								.08	.44	9
10	.10	.04	.10		.40						.09	.18	10
11	.25	.03			.01						.38	.09	11
12			.71					.01			–	.27	12
13									.26			.30	13
14		.06										.67	14
15		.05	.01			.07					.19	.05	15
16						.25					.32	.36	16
17		.01	.04			.08					.10	.41	17
18		.16	.11	.09		.08				.01	.03	.39	18
19		.13				.18			.12	.10	.10	.42	19
20	.03	.03	.13	.03		.01			.08	.03		.48	20
21	.01	.06	03	.03				.66	.04	.48		.12	21
22	.10	.04	.20	.01						.33		.36	22
23		.08				.11			.06	.11	.07	.10	23
24	.01	.09				.52		.02		.40		.17	24
25		.07		.13		.10			.02	.07			25
26		.05		.17	.13			.02		.06	.01	.37	26
27		.20	.09	.02				.09	13	.05		.06	27
28		.16		.26				.16			.05		28
29				.76		.20	.12		.12	.19			29
30						.10		.15		.15	.08		30
31										.07			31
Total	.89	1.27	1.83	1.61	.88	1.70	.12	1.53	83	2.22	2.28	6.93	TOTAL for year 22.09
No. of Rain Days.	12	17	15	11	5	11	1	11	8	16	20	24	151

W. 8,000, X. '11.

BRITISH RAINFALL. FORM A.
21 JAN 191

REGISTER OF RAINFALL IN 1912

Exd DJ

Kept at Rimpton
in the County of Somerset 3
by H. H. Genge-Andrews

Lat. Long.
Time of Observation 9·0 A.M.
Nearest Railway Station Marston Magna G.W.R
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. 0 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·06		·02	·12	·04	·23	·04	·80		·32	1
2			·34	·02	·02	·08	·21			·03			2
3			·12			·23	·09	·49	·02		·03		3
4	·22	·01	·53		·05	·20					·34		4
5	·44	·14	·25					·41				·20	5
6	·40	·04			·14		·87	·49				·08	6
7	·02	·30	·19		·21	·54	·12	·17	·02			·12	7
8	·16	·15	·51			·07	·02	·02					8
9	·01	·02	·21	·06		*·14	·03	·08				·35	9
10		·10				·40				·01	·05	·28	10
11	·08	·06									·03	·24	11
12		·42	·08	·03			·03					·03	12
13							·01					·05	13
14	·09		·30		·05			·15				·03	14
15	·11	·03	·09		·34	·51		·18		·01		·29	15
16	·73		·11		·10			·10		·04		·01	16
17	·38		·07	·02	·01	·26		·70			·02	·06	17
18		·01	·27			·14		·16		·02	·10	·14	18
19	·41	·03	·17				·11	·12			·03		19
20		·01	·20		·10		·01	·24		·34			20
21		·04	·06		·25			·15		·25			21
22	·29	·16	·11		·04		·03	·30		·07			22
23	·14	·38	·16					·90		·04	·12	·17	23
24	·09	·01				·55		·18		·01		·23	24
25	·02					·03		·30		·11	·30	·48	25
26		·01					·07	·20		·26	·49	·25	26
27						·13	·68	·19		·82	·01	·20	27
28		·06				·12	·10	·10	·10	·55	·53	·57	28
29		·10	·03			·06	·13	·08	·64	·54	·01	·04	29
30			·01		·01	·11	·16		·28	·37			30
31			·44				·10			·02		·03	31
Total	3·59	2·08	4·31	·13	1·34	3·69	2·81	5·94	1·10	4·29	2·06	4·19	YEAR'S TOTAL 35·53
Rain Days.	16	20	22	4	13	17	18	23	6	18	13	22	192

W. 7,500, XI. ·12

7/on

Mid-Wessex.

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL. 8 APR 1914

Ex. Hf

✓ *Kept at* Rimpton.

in the County of Somerset. 3

by H. H. George-Andrews

Rev H A Boys.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·31	·10	·14	·07	·18	-	-		·01	·15	·24	1
2	·07	·07	-	·09	·07	-	·05	-		·02	·08	-	2
3	·17	-	·04	-	·34	-	-	-		-	-	·24	3
4	·79	-	·01	-	·22	-	-	-		·14	-	·12	4
5	·02	·02	-	-	·11	·22	-	-	1·80	·01	·06	·12	5
6	·02	·06	·05	-	·23	·18	·09	-	-	1·07	·05	·43	6
7	-	·20	-	-	·31	·01	·15	-	-	·43	·16	-	7
8	-	·04	-	-	·21	·01	·02	-	-	·01	-	-	8
9	-	·02	-	-	·07	·03	·02	·26	·01	·01	·13	-	9
10	·26	-	·01	-	-	-	-	·01	-	·15	·15	·01	10
11	·57	·02	-	·23	·20	-	-	-	-	·13	·21	-	11
12	-	·01	·01	-	·27	-	-	-	-	·01	·31	-	12
13	·08	-	-	-	-	-	-	·04	·58	-	·25	-	13
14	·10	-	·13	·01	-	·01	-	-	·42	-	·26	-	14
15	·19	·03	·18	·45	-	-	·04	·03	·20	-	-	·01	15
16	·28	-	·35	·07	-	-	·01	-	·06	-	·02	-	16
17	·01	-	·01	·08	-	-	·01	·01	-	-	-	·01	17
18	·09	-	·25	·02	·03	-	-	-	-	-	·08	-	18
19	·62	-	·10	·02	-	·23	·05	-	·47	-	-	-	19
20	·01	-	·20	-	-	-	-	-	-	·15	·16	-	20
21	-	-	·25	·18	·06	-	·06	-	-	·07	·48	·01	21
22	·68	-	·20	·13	-	-	-	·02	·22	-	·01	·05	22
23	-	-	-	-	-	·10	-	·04	-	-	·03	·62	23
24	·02	-	-	·06	-	-	-	·16	-	-	·01	-	24
25	-	·12	-	·10	-	-	-	-	-	·02	-	·02	25
26	-	-	-	·32	-	-	-	(·25)	-	·01	-	·23	26
27	·05	-	·25	·11	-	-	-	-	-	·06	·01	-	27
28	·08	-	·15	(·26)	-	-	-	-	-	·19	-	·06	28
29	·09		·35	(·36)	·02	-	-	-x	-	·27	-	-	29
30	·35		-	·03	-	-	-	-	-	·39	-	-	30
31	·35		-		-		-	·75		·02		·01	31
Total	4·90	·90	2·64	(2·66)	2·21	·97	·50	(1·57)	3·76	3·17	2·61	2·18	YEAR'S TOTAL 28·07
Rain Days.	22	11	18	18	14	9	10	11	12	20	19	15	179

W.7,000, XI. 13

Fm Mid-Wessex Association.

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
23 MAR 1915

Kept at Rimpton

in the County of Somerset. 3

by H. H. Genge Andrews

Rev H A Boys

Lat. .... Long. ....

Nearest Railway Station ....

Time of Observation ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " Sea Level .... ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–												1
2	–												2
3	·02												3
4	·10												4
5	·03												5
6	–												6
7	–												7
8	·01												8
9	–												9
10	·01												10
11	–												11
12	–												12
13	–												13
14	–												14
15	·02												15
16	–												16
17	–												17
18	–												18
19	–												19
20	–												20
21	–												21
22	–												22
23	–												23
24	–												24
25	·08												25
26	–												26
27	·19												27
28	–												28
29	·05												29
30	–												30
31	·02												31
Total	·53												TOTAL for year
No. of Rain Days	10												

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

SALTFORD

SOMERSET

1911 - 1919

REG 1911

FORM A2. BRITISH RAINFALL.

pennis Glushe

n. 2749

1912

Kept at Saltfor

in the County of Some

by C. Trimb

top 8 in.

above Ground 0 ft. 8 in.

„ Sea Level 100 ft.

9. am

ion Name Saltford

Distance 600 y Direction ESE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04		·03	·07				·01			·06	·02	1
2			~~·~~	·04	·23			·19		·08	·36	·14	2
3			·02		·34			·01			·10	·03	3
4			·15						·03	·02	·28	·43	4
5			·05					·57		·03	·56	·04	5
6	·35		·11					·07			·12	·46	6
7	·02										·11		7
8	·10		·16									·42	8
9	·11										·07	·37	9
10	·03	·12	·39		·10							·02	10
11	·30		·01								·56	·27	11
12			·54						·03		·40	·20	12
13			·04		·31				·43	·07		·45	13
14		·02									·01	·77	14
15		·02				·02				·01	·31	·05	15
16		·07				·28					·42	·33	16
17		·06				·06					·03	·42	17
18		·48	·14	·12		·15				·04	·02	·35	18
19		·03		·04		·04			·24	·12	·06	·31	19
20	·01	·02	·16	·07		·03			·21	·04		·48	20
21		·23	·05			·02		·07		·60		·25	21
22		·02	·56			·10				·14		·61	22
23		·29	·27	·05		·06			·06	·13 ·18	·12	·18	23
24	·02	·14				·30		·04		·68		·12	24
25		·09		·08		·07		·02		·61		·24	25
26	·01	·08		·28	·06	·02	·31	·02		·14	·04	·23	26
27		·26	·15	·04				·11	·14		·07	·13	27
28		·40		·55		·01		·08			·03	·01	28
29				·09		·38	·01		·14	·20	·01		29
30				·02		·01				·20	·02	·02	30
31										·39			31
Total	·99	2·33 2·33	2·71 2·71	1·48	1·04	1·64	·32	1·19	1·28	2·82	3·99	7·57	27·36 TOTAL for year 27·36
No. of Rain Days	10	16	16	12	5	15	2	11	8	17	22	28	162

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

18 JAN 1912

REGISTER OF RAINFALL IN 1911

ND

Kept at Saltford ~~Somerset~~

in the County of Somerset

by C. Trimby

RAIN GAUGE
Pattern japanned Glaisher no. 2741
Diameter of top 8 in.
Height of top above Ground 0 ft. 8 in.
" " " Sea Level 100 ft.

Time of Observation 9. am

Nearest Railway Station
Name Saltford
Distance 600 y Direction ESE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04		·03	·04				·01			·06	·02	1
2			[illegible]	·07	·23			·19		·08	·36	·14	2
3			·02		·34			·01			·10	·05	3
4			·15						·03	·02	·28	·43	4
5			·05					·57		·03	·86	·04	5
6	·35		·11					·07			·12	·26	6
7	·02										·44		7
8	·10		·16									·42	8
9	·11										·07	·37	9
10	·13	·12	·39		·10							·24	10
11	·20		·01								·36	·25	11
12			·54						·03		·40	·20	12
13			·04		·31				·43	·07		·45	13
14		·02									·01	·97	14
15		·02				·02				·01	·31	·05	15
16		·07				·28					·42	·33	16
17		·06				·06					·03	·42	17
18		·48	·14	·12		·15				·04	·02	·35	18
19		·03		·04		·04			·24	·12	·06	·31	19
20	·01	·02	·10	·07		·03			·21	·04		·40	20
21		·23	·05			·02		·07		·60		·25	21
22		·02	·50			·10				·14		·61	22
23		·20	·27	·05		·06			·08	13 ·18	·02	·18	23
24	·02	·14				·39		·04		·60		·12	24
25		·09		·08		·05		·02		·01		·24	25
26	·01	·08		·28	·06	·02	·31	·02		·14	·04	·23	26
27		·26	·15	·04				·11	·14		·07	·13	27
28		·40		·55		·01		·08			·03	·01	28
29				·09		·38	·01		·14	·20	·01		29
30				·02		·01				·20	·02	·02	30
31										·39			31
Total	·99	2·33 2·33	2·71 2·71	1·48	1·04	1·64	·32	1·19	1·28	2·82	3·99	7·57	TOTAL for year 27·36 27·36
No. of Rain Days	10	16	16	12	5	15	2	11	8	17	22	29	162

9,000, IX. '10.

Cwd for auth. 26.11.13 ~~Certificate of accuracy~~ No 2614 24.3.05

FORM A2.
BRITISH RAINFALL.
JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at [illegible]altford House

in the County of Somerset

by C. Trinity
Gardener to Col. Rolleston

RAIN GAUGE Pattern Japanned Glaisher
Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 100 ft.

Time of Observation 9.30 am

Nearest Railway Station Name ~~[illegible]~~ Saltford G.W.R.
Distance 2m Direction S.S.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·18			·18	·52		·01	·75		·27	1
2			·14			·21	·19						2
3	·02		·10			·19	·03	·42	·10	·02	·03	·03	3
4	·23		1·02		·10	·32		·14			·15		4
5	·39		·12		·02	·02		·65				·12	5
6	·40	·15	·05		·09		·02	·62			·02	·12	6
7	·01	·19	·11		·04	·44		·13				·02	7
8	·34	·19	·43			·06	·14	·02				·04	8
9	·05	·01	·34	·21		·02	·01	·05				·34	9
10	·02	·05	–			·12		·02			·02	·15	10
11	·09	·06				·08						·35	11
12	·01	·40	·05	·06		·03	·03				·01	·07	12
13		·02	·01					·07			·01	·20	13
14	·13	·01	·55		·34	·03		·06					14
15	·08	·11			·17	·46		·03				·58	15
16	·68		·14		·01	·07		·13		·08	·09	·06	16
17	·41		·05		·01	·11		·49				·18	17
18	·54		·59					·06			·01	·16	18
19	·05	·08	·05			·08	·09	·44		·16	·01		19
20	·02	·02	·49		·26		·13	·07		·52			20
21	·01	·03	·20		·75		·02	·18		·25			21
22	·41	·27	·15		·15		·03	·15		·04	·02	·15	22
23	·43	·52	·40			·01	·42	·87		·13	·07	·35	23
24	·05		·11			·20	·02	·05		·01		·16	24
25						·37		·83		·05	·57	·25	25
26		·04					·24	·28		·42	·68	·22	26
27		·01				·12	1·63			·81	·09	·55	27
28		·07				·05	·20	·44	·09	·81	·34	·68	28
29		·08				·09	·29	·05	·46	·32		·09	29
30						·09	·16		·10	·24			30
31			·11		·08		·37	·02				·09	31
Total	4·37	2·31	5·40 5·40	·27	2·02	3·35	4·54	6·27	·76	4·36	2·17	5·36	TOTAL for year 41.16
No. of Rain Days.	21	19	22	2	12	23	19	25	5	10	15	24	202

W. 8,000, X. '11.

Cod for auth 25.III.14 W D

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL

8-I-JAN 1914

Kept at Saltford House nr Bristol

in the County of Somerset

by Caleb Trimby, Gardener

Rain Gauge certified by British Rainfall 21.3.05 No 2614

Lat. 51° 24' 20" Long. 2° 27' W

Time of Observation 9.30 am

Nearest Railway Station Saltford 9 miles

Diameter of Rain Gauge eight in.

Height of top of Gauge above Ground 1 ft. ~~in.~~

Sea Level 100. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·02	·17	·23	·05	·02				·36		·11	·12	1
2	·04	·15	·01	·05			·06		·02	·14	·22		2
3	·08	·01	·18		·40					·02	·02	·39	3
4	·17	·01	·20		·45				·81	·17 33			4
5	·02	·04			·16	·17	·20		·26		·04	·07	5
6	·01	·03	·19		·15	·05	·01			·69	·08	·58	6
7	·01	·24	·04		·21	·08	·02			·34	·02	1.38 ·21	7
8	·01	·05			·21	·33	·02			·16 1.52		·03	8
9		·11	·02	·01	·04	·12 ·75		·65	·07		·06	·03	9
10	·14		·01					·04		·20	·09		10
11	·63	·02	·02	·05	·08					·02	72	·26	11
12	·08				·15				·04	·01	·12		12
13	·02		·03				·01	·04	·18	·01	·16		13
14	·14		·22	·10				·01	·02	·15 1.91	·07	·03	14
15	·21	·10	·40	·74				·03	·02		·22	·04	15
16	·34		·53	·06				·01	·18		2·00		16
17	·03	·01	·01	·06			·03		·04 1.98		·12		17
18	·10		·15	·11		·01					·05		18
19	·46			·01	·02	·02	·05		·26 2.24		·07		19
20	·10		·14	·05						·02 1.93	·07		20
21			·17	·08	·23		·08				·32		21
22	·57		·55		·02			·02	·23		2·52		22
23	·01					·14 92		·16	·02		·02	·22	23
24	·08	·02						·03					24
25		·03		·17					·01 2.50		·01	·04	25
26		·04	·	·31				·21				·20	26
27	·02		·12	·32						·20		1.78 ·02	27
28	·20		·11	·25						·08		·03	28
29	·01		·48	·49	·01			·11		·17	·15		29
30	·42									·34	·06		30
31	·22		·10					·14		·02			31
Total	4·76	1·03	3·91	2·91	2·15	0·92	·48	1·45	2·50	2·74	2·78	1·83	YEAR'S TOTAL 27·45
Rain Days.	27	15	22	17	14	8	9	12	15	17	21	15	192

2·15 1·45 27·46

W. 7,500, XI. ·12

cwd for arith 12.11.15

FORM A.
BRITISH RAINFALL
28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Saltford House
in the County of Somerset
by C. Trinity gardener

Lat. 51.25N Long. 2.27W
Time of Observation 9.30 am
Nearest Railway Station Saltford G.W.Rly
Diameter of Rain Gauge Eight in.
Height of top of Gauge above Ground — ft. 8 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·11		[illegible]	·11	·40			·07	·02	1
2				·24			·75				·77	·47	2
3			·03	·15	·21		·03	·22			·05	·14	3
4	·20		·06	·21	·20		·21	·08			·43	·52	4
5	·07		·10	·28	·04		·09	·13			·07	·12	5
6		·05	·11	~~1.00~~ ·30	·04	·01	·06	·11			·02 ~~1.41~~	·30	6
7		·55	·23	·25	·23	·04	·34	·08				·15	7
8	·05	·22	~~·98~~	·06	·07	·02	·11	·09	·08		·01	·05	8
9	·18		·26	·18		·74	1.50	·02	·11			·77	9
10		·21	1.77 ·01	·15	·03	[illegible]		1.21	·25 ·44		·01	·01	10
11		·09	·26		·13	·21	·06				·04	·41	11
12		·12	·11			·01	·22		·24		·14	·27	12
13		·25	·30			[illegible]	1.78		·21	·20	·07	2.52 ·61	13
14		·22	·45					·14	·02	·23	·23	·01	14
15		·02	·19					·36	·09	·02	·16	3.14	15
16		~~1.67~~	3.09				·22	1.71	·21				16
17		·37	·22				[illegible]		1.21	·02		·73	17
18		·01	·01				·21		·01	·47		·33	18
19		·15	·27				·58		1.22			·05	19
20		·56	3.59 ·12				2.61				[illegible]	·14	20
21		·45				·10				·11		·61	21
22		·03			·13	·34		·03		·13		5.00	22
23		·05	·18		·04	1.94		1.74		·15			23
24			·14		·22		·06			·20	·07	·04	24
25	·06		·04					·21		·34	·02	·27	25
26			4.07				·13	·03		1.40 ·14	·19	·46	26
27	·07						2.80	1.98		·07	~~2.04~~ ·29	·86	27
28	·01	·06	·10		·04		·02			·03	·40	~~6.03~~	28
29	·18		·04		·07		·02			·13	·21		29
30	·01		·02							·21	·45	·66	30
31							·11			·17		·07	31
Total	·83	~~3.36~~ 3.35	4.23	~~1.60~~ 1.69	1.22	1.94	2.95	1.98	1.22	2.15	~~3.74~~ 3.73	6.76	YEAR'S TOTAL 32·05
Rain Days.	9	17	23	10	13	9	18	13	9	15	21	24	181 ✓

W.7,000, XI. 13

2096

FORM A.
BRITISH RAINFALL

3 1916

REGISTER OF RAINFALL IN 1915

Kept at Saltford nr Bristol
in the County of Somerset
by Caleb [illegible]

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge
Rain Gauge No 2749 certified 21.3.05 at 62 Camden Sq
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·30	·10			·07			·12	·10	·29	·02	·18	1
2	·44	·27	·18	·16		·01		·49	·07	·05		·19	2
3	·52	·06	·08	·05	·12			·07	·07	~~·34~~		·23	3
4	·02	·01	·01		·06		·31					·42	4
5	·08	·67		·02				·02				·21	5
6	·33	·02		·25			·48	·03				·14	6
7	·40	·33		·08	·16		·29	·02					7
8	·38	·30		·08			·04	·10			·10		8
9	·03	·07		·02				·02			·22	·90	9
10	·20	·02	·13	·03				·48			·02	·06	10
11	·03		·02	·01	·01			·09			·22	·05	11
12	·18	·33		·11	·42			·22			·26		12
13	·08	·57			·76		·01	·23	·15		·02		13
14	·18	·02					·19	·55	·04	·04	·09	·56	14
15	·37	·08			·09		·11	·13	·06			·04	15
16		·78			·40		·80	·03				·11	16
17		·45	·01		·44							·01	17
18		·32	·02										18
19	·01	·04			·05								19
20	·30			·08			·01			·03		·15	20
21	·07	·02								·06		·20	21
22	·05	·49	·42	·05		·01	·42		·02	~~·47~~		·21	22
23		·09	·22			·01	·19		·12	·89		·54	23
24			·02	·07			·47		·45	~~·68~~		·40	24
25						·39	·21					·18	25
26		·12				·05	·42		·03			·46	26
27		·07				·18	·12			·31		·02	27
28		·06				·02			·54	·03			28
29						·17		·02			·05	·06	29
30	·21	☒				·20				·45	·26	·20	30
31	·02	☒		☒		☒	·08	·18	☒	·79	☒	·34	31
Total	4·21	5·24 5·24	1·69	·96	2·58 2·58	1·04	4·13 4·13	2·88	1·58	3·62	1·81	5[illegible]	YEAR'S TOTAL— 35·00
Rain Days.	21	24	10	13	18	9	17	17	10	11	10	24	177

W. 8,000. X. 14.

2038

FORM A.
BRITISH RAINFALL
17 MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at Saltford House Bristol

in the County of Somerset

by Col. Rolleston

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11				·15	·11	·21		·23	·23	·18		1
2	·85	·05	·04							1·08	·04		2
3	·01	·82			·07		·36		·14	·20	·15		3
4	·24	·06			·16	·54			·20	1·51 ·18	·51		4
5	·01		·03		·05	·10				·02	·40		5
6	·18	·23			·26	·29	·23			·05	1·28 ·45		6
7	·03	·10	·11		·04	1·04				·18	·21	·19	7
8	1·43 ·01	·14	·12		·73 ·31	·75	·01				1·94	·07	8
9		1·40	·30		·16	·22				·02	·01	·03	9
10		·42	·02	·12	·04	2·01	·01					·04	10
11		·02	·04	·10	·05	·09						·05	11
12	·02	·14	·06	·03	·23	2·10	·15	·12		·14			12
13	1·46	1·98 ·48	·10	·25	1·52		·97	·39		·01			13
14		·51	·07	·01	·15			·21		·08			14
15		·25	·05	·04	·01			·56		·01			15
16	·03	3·22 ·07	·64	·32	·05		·11	·82		·02			16
17	·11	·14		·04	1·73			·20	·33	·58	·92		17
18	·01	·02	·10	·01					·08	·17	·28	·07	18
19	·20	3·45	·33	·26					·98	2·97	·15	·01	19
20	·21	·05	·45	·93							·09	·85	20
21	·19	·04	·59		·14		·07				·41	·41	21
22	2·21	3·54	2·11	·03		·07	1·15			·25	·03	1·72 ·68	22
23	·04			·12		·02		·17		·13	·15	·15	23
24		·24		·06	·77	2·19		·05		·38	·02	·27	24
25		·22	·15	1·14	2·64			·22	·01	·02	·27	·06	25
26	·03	·10	·10			·22		·42	·30	·36		2·88	26
27	·11	·08	1·61		·24	·02		·08	·02	·40	·01		27
28		·12	·29	·12		·02			·04	·94	·02	·51	28
29		·54	4·26 ·05	1·26		·29		1·24	·01	·76		·72	29
30		╳				2·74				·48		4·11 ·02	30
31		╳		╳		╳		·05	╳	·15	╳	·03	31
Total	2·39	4·85	4·31	1·26	2·88	2·74	1·15	4·49	1·34	6·94 6·94	3·47	4·16	YEAR'S TOTAL 40·03
Rain Days.	18	23	19	13	17	13	8	13	10	23	18	16	193

W. 8,000. X. 15.

W 410

1948

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
5 JAN 1919

Kept at Sallfon House nr Bristol
in the County of Somerset
by C. Trinity Gardener to Colonel Rolleston

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·23	Snow ·19				·87	·22		·04		1
2	·01		·01	·24		·23		·12			·05		2
3	·26		·22	·03			·25	·04		1·05			3
4		x	·09	·01			·06	·15	·01	·22			4
5	·27		·17	·33 ·82		·16	·31		·50	·38	·11		5
6	·01		·56 1·06						1·73	·55	·20		6
7	·15						·08	·22		·33		·02	7
8	·26			·12			·56	·67	·02		·02	·07	8
9	·02		·13		·08		1·01	·33	·04	·12	·14		9
10			·22	·18				2·40 ·42			·42		10
11	·01		·45	1·12 ·28	·25			·25	·09	·08			11
12	·26		·01	·01	·68			·26		·52	·10		12
13	1·18		·12	·02	·79	·02		3·18 ·11	·10	·05			13
14		Snow &	2·01 ·20	1·62 ·08		·48	·01	·29	·03	·01			14
15		Rain		·01			·15	·08		·05		·12	15
16		·31		·16			·05	·01		·26		·34	16
17		·02		·15 2·42	·27	·06	·38	·05	·49	·10	·05		17
18		·33			·01	·03	1·58 ·02	3·61 ·05	·52		·62		18
19	·01	·42	·05		·91	·04		·07	·07		·01		19
20		·11	·05		·24	·14		·01	·05		·01		20
21		·05	Snow ·28		1·31	·85		·61		·01			21
22		·91	·02 2·21			·44 1·12		·10		·15			22
23		·18			·20 1·51			3·88 ·24			·01	·04	23
24		·01	·01			·81 1·65	·02	·37		·2	24		24
25		1·12 ·05	·03 2·65				·03	·4		·15			25
26		·01			·06			·82	·14 2·17	·25	·02		26
27					1·09	·02		·86					27
28			·07		·05	1·61		1·02			·02		28
29			·20 2·92			·27	·10	·02		·73	·02	·12	29
30		X	·08			3·59	·11	·15		·27			30
31		X	·15	X		X		·05	X	·03	X	·05	31
Total	1·00 ✓	1·18 ✓	3·15 ✓	2·03 ✓	2·71 ✓	3·59 ✓	2·26	7·49 ✓	2·67 ✓	5·87 ✓	·81	·59 ✓	YEAR'S TOTAL 33·34
Rain Days.	10 ✓	11 ✓	21 ✓	14 ✓	10 ✓	12 ✓	13	28 ✓	14 ✓	23 ✓	14 ✓	7	179

V. 8,000, VIII. 16

29

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
3-1-19

Kept at [illegible]

in the County of [illegible]

by C. [illegible]

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		·01		·05	·02			·28		·03	·49		Jan A 1919 ·33 1
2		·05		·16				·4		·02	·05	·31	2
3		·23		·11	·32			·05 ·27	·11	·05	·01		3
4		·09		·03				·04		·03	·72	·03	4
5		·81		·18 ·02	·29			·28	·03	·17	1·27 ·12		5
6	·11	·48		·26	·63			1·19	·11	·20 ·16		·06	6
7		·15		·07	·78				·24	·30		4	7
8		81 ·01		·66	·32					·76 ·17	·28	·05	8
9		·14		·2[illegible]		·27	·63		·81 1,33	·07	1·67 ·93	·2[illegible]	9
10	·11	·02		·1[illegible]			·43		·74 ·07 ·26	1·00 ·08	[illegible]	·27	10
11		·19	·05	·14			·25		·80		·0[illegible]	·2[illegible]	11
12	·03	·15	·12		·32		·07		·05			·0[illegible]	12
Snow 13	·11				·08		·38 ·06		5·18 ·35	·05		·49	13
14	·21		·02		·72 ·07	·04	·72		·31	·08		1·66 ·13	14
15	·57 ·84			·39		·15	2·16 ·24		3,84	·03		·32	15
16	·63			·83		·06	·03		·13	·01		·0[illegible]	16
17	·13 ·28		·05	·06	·01	1·52	·19	·10	·15	1·25 ·02		2·1[illegible] ·18	17
18	·65		·34	2·17		·23	·37		4·02 ·86	·01		·11	18
19	2·99 ·64		·19 ·53	·01			~~[illegible]~~ ·09	·01	·27	·05		2·9[illegible] ·05	19
20	·03	·15		·16		·02	·07	1·29	·32	1·33 ·02			20
21	·03	·07		2·34		1·52	·06		·71	·03	·01	·06	21
22	3·34	[illegible]			·03		~~2·3[illegible]~~ ·02		5·18 ·16	·05		·39	22
23	·11				·15	·83	·54		·10	1·40	·31	2·97 ·05	23
24		·11			·99		·02	·06	5·94		·05		24
25							~~1·88~~ ·08	1-07		·02	1,81		25
26				·02			·63		·04	·13	·0[illegible]	·22	26
27		·01	·02				~~1·49~~ ·11	·22	·15		·04	·04	27
28		·08	·25						6·13		·13	·15	28
29		X	·06						·96		·02	·06	29
30		X	·26					·01		·04	·08	2·47 ·10	30
31		X	·10	X		X		·02	X	·01	X	·3[illegible]	31
Total	3·20	1·73	1·22	2·36	1·99	1·65	5·00 ~~5·78~~	2·67	7·09	1·53	2·21	3,92	33·97 34·04
Rain Days.	13	17	10	15	10	7	19	12	22	19	16	24	189

W. 8,000, IX. 17.

1920

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

and part

9 JAN 20

Kept at P.O. Saltford ~~Saltford~~ W. 1806

in the County of Co. ~~Somerset~~

by Col. Rollestone

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·33		·04	·01	·31		·31		·01	·21		·99	1
2	·12		·02		[illegible]		·05		[illegible]		·13	·34	2
3	·96		·24		[illegible]				·14		·04	·58	3
4	·41	·13	·45		·02	·05	·30	·15	·15			·11	4
5	~~1.52~~ ·02	·55	1.73 ·69		·08 ·20		·69		·42 ·87		·07	2.02 ·38	5
6	·22	[illegible]	·13								·02	·14	6
7	~~2.06~~ ·19	·2	·32	·05								·08 57	7
8	·15		1.89 ·12	·11									8
9	·12		[illegible]	·15							[illegible]		9
10	~~[illegible]~~ ·02		·21	·02						·06	[illegible]	·19	10
11	[illegible]		2.3 ·22	·05 ·10	·08		·41					·05	11
12	[illegible]		·15	·24	[illegible]	·33	·02			·25		·27	12
13	·06		2.67	·7			·03			·02		·08	13
14	·32	[illegible]		·89 ·55			·13		·04			[illegible]	14
15	~~3.21~~ ·27			1.44 ·02			1.28	·04	·85	·06		·28	15
16	·15	·68		1.46						·42 [illegible]	·02	·38	16
17	~~[illegible]~~	1.13 ·27				·02		·01		[illegible]	·18	·01	17
18		1.52	·52				·16	·26		[illegible]	·14	·05	18
19	·27	·29	·17			·12	1.44	·30	·11		·22	·10	19
20	~~3.90~~ ·23	·15	4.16 ·28			·22 ·75	·68	1.66 ·25	·05		·13 ·02	·13	20
21	~~4.13~~	·47	·02				·03	·01 ·92	·54		·02	[illegible]	21
22		[illegible] ·05	4.46			1.02	·11 3.07		·11 ·16			·29	22
23									·15	·66	·15	·35	23
24				[illegible]		·06			·03	·96 [illegible]	·19	·08	24
25	·08			[illegible]		·03		·68			[illegible]	4.68 ·16	25
26	·17 ~~[illegible]~~		·17	·03		·01		·06 1.66	·14 1.48		·02	·34	26
27	·12		·04	·38 1.85				[illegible]				·05	27
28	·03		·22 4.89					·37 2.50			·03	[illegible] ·39	28
29	·01			·08						·16	·09	·23	29
30		X		·23		·28		·11		·04	·16	·30	30
31	·12	X		X		X			X		X	·15	31
Total	[illegible]	2.58	4.89	2.17	·58	1.09	3.07	~~2.61~~ 2.62	1.48	2.13	2.40	6.38	YEAR'S TOTAL ~~33.05~~ ~~[illegible]~~
Rain Days.	~~23~~ 24	16		16	~~7~~6	10	12	15	12	9	18	29	~~158~~ 178

W. 8,000, IX. 17.

FORM A. BRITISH RAINFALL.

2.1.19

REGISTE

SAMPF~~ORD~~ BRETT
SOMERSET
1918-19

Kept at Sampford Br
in the County of Somerset
by John Tracy

3·16
9 a.m.
Williton
in Gauge 5 in.
ove Ground 1 ft. 3 in.
Sea Level 110 ft.

IMPORTANT NOTE.—R… and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·05	-	·03	·03	-	-	·85	·03	·03	·85	-	1
2	-	·05	-	·02	-	-	-	·54	·02	·01	-	·13	2
3	-	·12	·01	·04	·05	-	-	-	·06	·05	·03	-	3
4	-	·08	-	·01	-	-	-	·02	·04	·01	·76	·20	4
5	-	·01	·11	·04	·01	-	-	·29	·16	·20	·17	·03	5
6	·17	·23	-	·24	-	·02	-	-	·04	·20	-	·04	6
7	-	·16	-	·03	·28	·02	-	-	·41	·26	·33	·03	7
8	·10	·02	-	-	-	-	-	-	·16	·26	·04	·04	8
9	·02	·13	-	·08	-	·11	·18	-	·40	·01	·01	·30	9
10	·02	-	-	·20	-	·04	·51	-	·22	·12	-	·39	10
11	·02	-	·05	·03	-	-	·23	-	·25	·04	·07	·10	11
12	-	·07	·22	-	·08	·02	·04	-	·06	-	-	·01	12
13	·20	·03	·01	-	·01	-	·03	-	·41	·04	-	·15	13
14	·33	-	-	-	·02	·09	·19	-	·24	·17	-	·12	14
15	1·78	·01	-	·26	·03	·37	·30	-	·02	·08	-	·27	15
16	·41	-	-	1·19	-	·32	-	-	·27	-	-	·26	16
17	·33	-	·02	·27	-	-	·31	·02	·01	·01	-	·24	17
18	·77	-	·03	-	-	·59	·30	-	1·43	·13	-	·36	18
19	·07	·07	·05	·01	-	-	·11	-	·05	·07	-	·18	19
20	·24	·14	-	·04	-	-	·82	-	·15	·32	-	[illegible]	20
21	·08	·02	-	·04	-	·03	·02	-	·84	·08	-	·23	21
22	-	-	-	-	·06	-	·26	-	·09	·03	-	·29	22
23	·03	·02	-	-	·15	-	·27	~~·06~~	·10	-	-	·02	23
24	-	·14	-	-	-	-	·06	·06	·17	-	·07	·02	24
25	-	-	-	-	·24	-	·13	·60	-	·08	·07	·03	25
26	-	-	-	·03	·04	-	·58	·02	·05	·02	·05	·03	26
27	-	·11	·07	-	-	-	·06	·40	·17	-	·24	·02	27
28	-	·09	·23	-	-	-	-	-	·03	-	·07	·02	28
29	-	X	·05	-	-	-	-	-	1·25	·02	·01	·05	29
30	-	X	·28	-	-	-	-	-	·03	·01	·17	·04	30
31	-	X	·31	X	-	X	-	·07	X	·01	X	-	31
Total	4·57 ✓	1·55 ✓	1·44 ✓	2·56 ✓	1·12 ✓	1·61 ✓	4·40 ✓	2·57 ✓	7·20 ✓	2·28 ✓	2·94 ✓	3·64 ✓	YEAR'S TOTAL 35·88
Rain Days.	15 ✓	19 ✓	13 ✓	17 ✓	12 ✓	10 ✓	18 ✓	10 ✓	29 ✓	25 ✓	15 ✓	27 ✓	210 ✓

W. 8,000, IX. 17.

REGISTE

FORM A.
BRITISH RAINFALL.
2.1.19

Kept at Sampford Brett
in the County of Somerset
by John Tracy

Lat. 51·7 Long. 3·16
Time of Observation 9 a.m.
Nearest Railway Station Williton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·03	–	·03	·03	–	–	·85	·03	·03	·85	–	1
2	–	·05	–	·02	–	–	–	·54	·02	·01	–	·13	2
3	–	·12	·01	·04	·05	–	–	–	·06	·07	·03	–	3
4	–	·08	–	·01	–	–	–	·02	·04	·01	·76	·20	4
5	–	·01	·11	·04	·01	–	–	·29	·18	·20	·17	·03	5
6	·17	·23	–	·24	–	·02	–	–	·04	·20	–	·04	6
7	–	·16	–	·03	·38	·02	–	–	·41	·26	·33	·03	7
8	·10	·02	–	–	–	–	–	–	·18	·26	·04	·04	8
9	·02	·13	–	·08	–	·11	·18	–	·40	·01	·01	·30	9
10	·02	–	–	·20	–	·04	·57	–	·22	·13	–	·39	10
11	·02	–	·05	·03	–	–	·23	–	·25	·04	·07	·10	11
12	–	·07	·22	–	·08	·02	·04	–	·06	–	–	·01	12
13	·20	·03	·01	–	·01	–	·03	–	·41	·04	–	·15	13
14	·33	–	–	–	·02	·09	·19	–	·24	·17	–	·12	14
15	1·78	·01	–	·26	·03	·37	·30	–	·02	·08	–	·27	15
16	·41	–	–	1·19	–	·32	–	–	·27	–	–	·26	16
17	·33	–	·02	·27	–	–	·31	·02	·01	·01	–	·24	17
18	·77	–	·03	–	–	·59	·30	–	1·43	·13	–	·36	18
19	·07	·07	·05	·01	–	–	·11	–	·05	·07	–	·18	19
20	·24	·14	–	·04	–	–	·82	–	·15	·32	–	–	20
21	·08	·02	–	·04	–	·03	·02	–	·84	·08	–	·23	21
22	–	–	–	–	·06	–	·26	–	·09	·03	–	·29	22
23	·03	·02	–	–	·15	–	·27	~~·06~~	·10	–	–	·12	23
24	–	·14	–	–	–	–	·06	·06	·17	–	·07	·02	24
25	–	–	–	–	·24	–	·13	·60	–	·08	·07	·03	25
26	–	–	–	·03	·04	–	·58	·02	·05	·02	·05	·03	26
27	–	·11	·07	–	–	–	·06	·40	·17	–	·24	·02	27
28	–	·09	·23	–	–	–	–	–	·03	–	·07	·02	28
29	–	×	·05	–	–	–	–	–	1·25	·02	·01	·05	29
30	–	×	·28	–	–	–	–	–	·03	·01	·17	·04	30
31	–	×	·31	×	–	×	–	·07	×	·01	×	–	31
Total	4·57	1·55	1·44	2·56	1·12	1·61	4·40	2·57	7·20	2·28	2·94	3·64	YEAR'S TOTAL 35·88
Rain Days.	15	19	13	17	12	10	18	10	29	25	15	27	210

W. 8,000, IX. 17.

Sox. Hob

1909

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Sampford Brett

in the County of Somerset

by John Tracey

Lat. 51·10 Long. 5·20

Time of Observation 9 a.m.

Nearest Railway Station Williton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	29	01	03	02	08	-	23	-	03				1
2	09	-	02	-	02	-	11	-	77				2
3	18	-	30	-	-	-	-	-	11				3
4	98	32	38	-	-	23	12	03	33				4
5	04	33	72	-	06	-	04	-	20				5
6	67	13	04	-	-	-	-	-	-				6
7	25	-	17	04	-	-	-	-	02				7
8	20	-	24	·01	-	02	-	-	-				8
9	40	-	02	10	-	-	-	-	-				9
10	·02	-	31	·02	19	-	-	-	-				10
11	·02	-	27	04	07	-	11	-	-				11
12	14	-	17.	-	-	10	-	-	02				12
13	04	02	04	32	-	-	03	-	05				13
14	32	07	-	75	24	-	04	-	06				14
15	32	03	-	07	01	-	-	-	-				15
16	12	81	-	-	-	-	-	-	-				16
17	01	69	-	02	-	01	-	05	-				17
18	11	04	70	01	-	-	03	09	07				18
19	30	28	34	-	-	04	59	33	32				19
20	33	15	21	-	-	12	-	21	-				20
21	02	92	02	-	-	-	19	-	-				21
22	-	02	-	-	-	-	16	-	10				22
23	-	-	-	-	-	-	-	-	05				23
24	-	-	-	02	-	07	-	-	-				24
25	06	-	-	02	-	0[illegible]	-	44	40				25
26	04	-	14	02	-	07	-	08	-				26
27	14	-	10	33	-	-	-	61	-				27
28	04	-	28	-	-	-	-	28	-				28
29	03	X	01	18	-	-	-	11	-				29
30	-	X	03	13	-	25	-	24	-				30
31	02	X	03	X	-	X	08	-	X		X		31
Total	5·18	3·82	4·57	2·10	0·67	0·87	1·83	2·47	2·23				Year's Total
Days with ·01 in. or more	27	14	23	17	7	10	12	11	14				

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
-2 MAY 1912

SAMPFORD BRETT
RECTORY
SOMERSET
1911

REGIST 11

Kept at Sampford Bre Snowdon 5 in.
in the County of Som ve Ground 1 ft. — in.
Sea Level 120 ft. about ?
by Rev Henry H- 9 a.m.
Jan & Feb. by late Rev.
Name Williton
Distance 1 mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									—	·03	—	·01	1
2									—	·16	·24	·20	2
3									—	—	·15	·03	3
4									—	·05	·20	·05	4
5									—	·03	·27	·73	5
6									—	—	·04	·22	6
7									—	—	·61	·03	7
8									—	—	·14	1·04	8
9									—	—	—	·43	9
10									—	—	·04	·30	10
11									—	—	·53	·27	11
12									·01	—	·27	·25	12
13									·49	—	·04	·45	13
14									—	·03	·01	1·38	14
15									—	·01	·42	·05	15
16									—	·01	·17	·35	16
17									—	—	·07	·55	17
18									—	·08	·06	·38	18
19									·10	·09	·07	·63	19
20									·34	·18	—	·51	20
21								·08	·02	·66	—	·27	21
22								—	·07	·24	—	·67	22
23								—	·10	·18	·04	·08	23
24								·07	—	·50	—	·66	24
25								—	·06	·05	—	·11	25
26								—	—	·21	—	·26	26
27								·34	·19	·10	·01	·17	27
28								·01	—	—	·22	—	28
29								—	·06	·14	·01	—	29
30								—	—	·28	·09	·02	30
31								—	X	·14	X	—	31
Total	1·03	1·52						~~·50~~	1·44	3·17	3·70	9·50	TOTAL for year
No. of Rain Days.	8	14							10	20	22	28	

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

-2 MAY 1912

REGISTER OF RAINFALL IN 1911

Kept at Sampford Brett Rectory

in the County of Somerset 4

by Rev. Henry H. Triff (from Aug)
Jan. & Feb. by late Rev. A. Foster.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 120 ft. about ?

Time of Observation 9 a.m.

Nearest Railway Station
Name Williton
Distance 1 mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1									—	·03	—	·01	1
2									—	·16	·24	·20	2
3									—	—	·15	·03	3
4									—	·05	·20	·05	4
5									—	·03	·27	·73	5
6									—	—	·04	·22	6
7									—	—	·61	·03	7
8									—	—	·14	1·04	8
9									—	—	—	·43	9
10									—	—	·04	·30	10
11									—	—	·53	·27	11
12									·01	—	·27	·25	12
13									·49	—	·04	·45	13
14									—	·03	·01	1·38	14
15									—	·01	·42	·05	15
16									—	·01	·17	·35	16
17									—	—	·07	·55	17
18									—	·08	·06	·38	18
19									·10	·09	·07	·63	19
20									·34	·18	—	·57	20
21								·08	·02	·66	—	·27	21
22								—	·07	·24	—	·67	22
23								—	·10	·18	·04	·08	23
24								·07	—	·50	—	·06	24
25								—	·06	·05	—	·11	25
26								—	—	·21	—	·26	26
27								·34	·19	·10	·01	·17	27
28								·01	—	—	·22	—	28
29								—	·06	·14	·01	—	29
30								—	—	·28	·09	·02	30
31								—		·14		—	31
Total	1·03	1·52						~~·50~~	1·44	3·17	3·70	9·50	TOTAL for year
No. of Rain Days.	8	14							10	20	22	28	

W. 8,000, X. '11.

SHEPTON MALLET
CHARLTON
SOMERSET
1911 – 1920

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

F 1911

Snowdon

Kept at Charlto
of top 5 in.
top above Ground 1 ft. – in.
in the County of So
„ „ Sea Level 480·8 ft.
by C E Burr
ion 9 a.m
Station { Name Shepton Mallet Somerset & Dorset Joint Rly Co
Distance ¼ mile Direction SW.

IMPORTANT N .m., and the result entered to the previous day. If an ost universal rule, he is earnestly requested to add the reading wing year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·20	·08				·07			·03	·04	1
2	·07		·02	·38	·46			·23		·04	·34	·20	2
3			·01		·30			·01			·10	·17	3
4	·01	·01	·15	·01		·17			·01	·04	·28	·45	4
5	·12		·06					·78		·12	·18		5
6	·46		·13					·01		·02	·17	·49	6
7	·04										·24		7
8	·12		·25									·39	8
9	·18										·05	·25	9
10	·11	·05	·48		·50						·01	·55	10
11	·46	·06	·01		·06						·60	·31	11
12		·01	·84						·07		·30	·32	12
13			·01		·02				·30	·01	·12	·57	13
14		·20								·01	·01	·87	14
15		·11	·02			·02					·38	·05	15
16		·01				·35					·51	·31	16
17			·01			·13					·08	·51	17
18	·01	·28	·07	·09		·18				·01	·04	·39	18
19		·13		·05		·26			·35	·20	·02	·48	19
20	·01	·05	·05	·24					·02	·06		·42	20
21		·28	·01	·01				·02		·34		·22	21
22	·07	·01	·31	·15		·01			·01	·75		·59	22
23		·23	·07	·03		·21			·25	·17		·18	23
24		·35				·65		·10		·66		·24	24
25	·01	·12		·38		·13		·03	·01	·05		·31	25
26		·07		·35	·03			·05		·16	·01	·47	26
27		·74	·17	·10				·14	·15	·01	·03	·33	27
28		·49		·40				·06			·05	·01	28
29		X		·37		·64	·01		·14	·76			29
30		X				·15				·20	·11	·03	30
31		X		X		X			X	·14	X	·01	31
Total	1·67	3·20	2·87	2·64	1·37	2·90	·01	1·50	1·31	3·75	3·66	9·16	TOTAL for year 34·04
No. of Rain Days	13	18	19	14	6	12	1	11	10	19	22	28	173.

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Charlton Brewery Shepton Mallet
in the County of Somerset 2
by C E Burnell

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. = in.
" " " Sea Level 480·8 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Shepton Mallet Somerset & Dorset Joint Rly Co
Distance ¼ mile Direction SW.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·20	·08				·07			·03	·04	1
2	·07		·02	·38	·46			·23		·04	·34	·20	2
3			·01		·30			·01			·10	·17	3
4	·01	·01	·15	·01		·17			·01	·04	·28	·45	4
5	·12		·06					·78		·12	·18		5
6	·46		·13					·01		·02	·17	·49	6
7	·04										·24		7
8	·12		·25									·39	8
9	·18										·05	·25	9
10	·11	·05	·48		·50						·01	·55	10
11	·46	·06	·01		·06						·60	·31	11
12		·01	·84						·07		·30	·32	12
13			·01		·02				·30	·01	·12	·57	13
14		·20								·01	·01	·87	14
15		·11	·02			·02					·38	·05	15
16		·01				·35					·51	·31	16
17			·01			·13					·08	·51	17
18	·01	·28	·07	·09		·18				·01	·04	·39	18
19		·13		·05		·26			·35	·20	·02	·48	19
20	·01	·05	·05	·24					·02	·06		·42	20
21		·28	·01	·01				·02		·34		·22	21
22	·07	·01	·31	·15		·01			·01	·75		·59	22
23		·23	·07	·03		·21			·25	·17		·18	23
24		·35				·65		·10		·66		·24	24
25	·01	·12		·38		·13		·03	·01	·05		·31	25
26		·07		·35	·03			·05		·16	·01	·47	26
27		·74	·17	·10				·14	·15	·01	·03	·33	27
28		·49		·40				·06			·05	·01	28
29		X		·37		·64	·01		·14	·76			29
30		X				·15				·20	·11	·03	30
31		X		X		X			X	·14	X	·01	31
Total	1·67	3·20	2·87	2·64	1·37	2·90	·01	1·50	1·31	3·75	3·66	9·16	TOTAL for year 34·04
No. of Rain Days	13	18	19	14	6	12	1	11	10	19	22	28	173.

9,000, IX. '10.

Ex ML

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
4 - JAN 1913

Kept at Charlton, Shepton Mallet

in the County of Somerset 2

by C E Burrell

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 480·8 ft.

Time of Observation 9 am

Nearest Railway Station
Name Shepton Mallet S&DRy.
Distance SSW. Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·07			·23	·15	·03	·01	·68		·56	1
2			·29	·02		·17	·42				·04		2
3	·02		·14	·01		·36	·20	·46	·08		·02	·20	3
4	·30		·76		·04	·32		·16			·27		4
5	·52	·07	·31		·01	·01		·37	..		·01	·30	5
6	·81	·21			·19		·54	·94	..			·06	6
7	·05	·25	·12	·01	·23	·83		·16	..		·01	·14	7
8	·36	·21	·59	·01		·06		·15	·01			·10	8
9	·02	·04	·42	·11		·11	·12	·06			·02	·72	9
10	·04	·10				·01		·19			·03	·14	10
11	·09	·06	·02									·54	11
12	·05	·54	·10	·05		·01	·01					·01	12
13		·	·05			·08						·15	13
14	·18	·	·73		·10	·01		·58				·01	14
15	·06	·13	·01	·01	·30	·86		·09				·96	15
16	·84	·01	·49		·28	·02		·26		·08	·05	·07	16
17	·71	-	·20			·08		·92		·	·03	·07	17
18	·10	-	·65					·10		·16	·01	·13	18
19	·02	·17	·10			·09	·07	·16		·03		·01	19
20	·08	·03	·46		·04	·04	·03	1·71		·56	·04		20
21		·24	·36		·38	—		·16		·50			21
22	·34	·23	·07		·38	—	·04	·47		·04	·02	·03	22
23	·26	·51	·46			·05		1·40		·10	·30	·37	23
24	·07	·03	·04			·30	·01	·02		·04		·20	24
25	·02	·01				·08	·01	·48		·10	·31	·51	25
26		·01					·19	·09		·37	·33	·21	26
27		·01				·15	·97			1·19	·03	·57	27
28		·12				·06	·01	·43	·08	·63	·69	·52	28
29		·06	·01			·24	·11	·03	·47	·38	—	·01	29
30		X				·19	·33	·03	·19	·40	—		30
31		X	·47	X	·03	X	25 [illegible]	·11	X	·05	X	·16	31
Total	4·94	3·04	6·92	·22	1·98	4·36	3·46	9·56	·84	5·31	2·21	6·69	TOTAL for year 49·53
No. of Rain Days.	21	21	24	7	11	24	17	26	6	16	17	26	216

W. 8,000, X. '11.

✓

REGISTER ~~Ex~~ OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN. 1914

Kept at Charlton, Shepton Mallet

in the County of Somerset 2

by C E Burnell (Mr)

Lat. 51° 10' 5" Long. 2° 30' 5" W.

Time of Observation 9 a m

Nearest Railway Station Shepton Mallet S 1914

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 480·8 - ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·33	·19	·01	·19				·28	·04	·13	·48	1
2	·04	·05	·02	·08	·11		·07		·01	·13	·06	·01	2
3	·18	·01	·08	·01	·39						·01	·17	3
4	1·15		·05		·48	·01	·03		·78	·15	·03	·27	4
5	·02	·06			·32	·60	·01		·40		·03	·10	5
6	·05	·03	·14		·08	·19	·05			·66	·05	·53	6
7	·01	·22	·05		·28	·02	·04			·41	·33		7
8	·01	·03			·31	·08	·01			·09	—	·02	8
9		·06	·01		·07	·22	·65	·30	·03		·11	·06	9
10	·14		·06	·03	·01			·07		·25	·17		10
11	·50	·01	·02	·43	·18	·13				·05	·71	·01	11
12		·01	—		·23		·01		·03	·01	·14	·01	12
13	·02		·16			·03	—	·13	·78	·01	·22		13
14	·10		·14	·06	·03		·01	·01	·20	·03	·58	·02	14
15	·25	·05	·31	·42			·01	·02	·04		·05	·02	15
16	·22	—	·68	·17			·03				·01		16
17	·06	—	·01	·04		·01	·18				·03		17
18	·08		·14	·17		·02					·11		18
19	·87		·06	-	·14	·21	·04		·63	·01			19
20	·04		·06	·06						·09	·20		20
21			·07	·16	·32		·09			·01	·53		21
22	1·34		·29	·14	·02	·11		·07	·22				22
23	·02		·01			·01					·05	·42	23
24	·11	·03		·15				·04			·03		24
25		·11		·14							·03	·13	25
26		·01		·40				·28		·01		·19	26
27	·03		·17	·38						·07	·01	·06	27
28	·23		·05	·31						·16		·06	28
29	·04	X	·57	·35	·01			·17		·43		·02	29
30	·40	X		·08						·44	·17		30
31	·18	X	·05	X		X		·53	X	—	X		31
Total	6·09	1·01	3·39	3·59	3·17	1·64	1·23	1·50	3·40	3·05	3·79	2·58	YEAR'S TOTAL 34·44
Rain Days.	25	14	24	20	17	13	14	10	11	19	14	15	209

W. 7,500, XI. ·12

W. M9

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Charlton, Shepton Mallet
in the County of Somerset 2
by Mr C E Burnell

Lat. 51° 10' 5" Long. 2° 30' 5" W
Time of Observation 9 a.m.
Nearest Railway Station S.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 480·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·05		·01	·23	·45			·06	·04	1
2				·09			·58	·18			1·02	·55	2
3	·03		·39	·19	·42		·16	·46		·03	·11	·10	3
4	·16		·34	·27	·08		·23	·43			·56	·50	4
5	·16		·44	·52	·23		·09	·01			·03	·13	5
6		·18	·05	·29	·04		·57	·09			·04	·20	6
7	·06	·51	·15	·15	·38	·08	·40	·29	·01			·09	7
8	·23	·08	1·40		·25	·34	·09	·25	·04			—	8
9	·38		·33	·20	·05	·83		·15	·33			—	9
10	·18	·11	·01	·10	·16	·01			·47		·03	—	10
11		·13	·82			·21	·05		·13		·05	·31	11
12		·11	·33		·01		·01		·38		·08	·26	12
13		·41	·32						·27	·18	·11	·76	13
14		·21	·23				·01	·36	·12	·31	·34		14
15	·01	·04	·18				·26	·54	·04	·01	·15		15
16			·01				·13		·23				16
17		·33	·29				·03		·01			·55	17
18		·04	·11				·56		·01			·62	18
19			·67				1·02		·01		·05	·09	19
20		·59	·15			·01						·29	20
21		·62	·03			·34				·11			21
22		·03	·01		·17	·28		·09		·30			22
23		·18	·28		·07	·05				·31			23
24			·11		·01		·04			·24	·26	·06	24
25	·04		·15				·04	·36		·46	·01	·29	25
26			·01				·04	·12		·01	·36	·62	26
27	·12									·07	·19	·20	27
28	·01	·20	·14							·10	·40	1·09	28
29	·17	X	·29		·08					·20	·23	·01	29
30		X	·03			·03				·22	·40	·84	30
31	·03	X		X		X	·27		X	·25	X	·10	31
Total	1·58	3·77	7·28	1·86	1·95	2·19	4·75	3·78	2·05	2·80	4·48	7·70	YEAR'S TOTAL 44·19
Rain Days.	13	16	28	9	13	11	20	14	13.	15	20	22	194

W.7,000, XI. 13

~~W~~ DL [illegible] 6.V.16

2115

REGISTER OF RAINFALL IN 1915.

FORM A. BRITISH RAINFALL.

Kept at Charlton, Shepton Mallet

in the County of Somerset

by C E Burnell.

2

Lat. 51°·10'·5" Long. 2°·30'·5" W

Time of Observation 9 a m.

Nearest Railway Station Somerset & Dorset J Rly S Mallet

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 480·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·51	·36			·08			·03	·09	·28	·02	·27	1
2	·51	·37	·27	·24		·15		·97		·16		·46	2
3	·16	·11	·16	·30	·16	·01	·08		·05	·01		·57	3
4	·01	~~[illegible]~~ 01			·07							·34	4
5	·11	·44	·01	·03				·27				·36	5
6	·56	·05		·36			·66	·23				·27	6
7	·30	·65		·03	·21		·19			·01		·30	7
8	·31	·35		·09				·13				·04	8
9	·01	·04		·13				·01			·67	·83	9
10	·31	·03	·11	·02				·19		·01	·01	·06	10
11	·04		·17	·03			·01	·33		·01	·76	·09	11
12	·26	·34		·19	·51			·76		·06	·22	·01	12
13	·03	·90			·62			·05	·12		·03	·01	13
14	·04	·06					·31	·67	·16	·05		1·26	14
15	·26	·01			·21		·17	·05	·08		·16	·15	15
16		·66			·60		1·43	·03	·02			·15	16
17		·55			·30			·02					17
18		·16	·01		·01						·02		18
19	·02				·08		·34				·01		19
20	·49			·09						·02		·13	20
21	·07	·12					·02			·12		·19	21
22	·09	·25	·48	·05		·05	·55		·01	·01		·30	22
23		·02	·08				·36		·14	1·12		·39	23
24			·01	·06			·16		·31	·84		·18	24
25						·27	·26					·49	25
26		·05				·01	·13		·01			·69	26
27		·10				·25	·58			·51		·02	27
28		·09				·03		·04	·75	·15	·01		28
29		×				·24		·01			·11	·08	29
30	·16	×		·04						·54	·34	·50	30
31	·10	×		×		×	·13		×	1·20	×	·17	31
Total	4·35	5·72	1·30	1·66	2·85	1·01	5·38	3·79	1·74	5·10	2·36	8·25	YEAR'S TOTAL 43·51
Rain Days.	21	23	7	14	11	8	16	16	11	17	12	27	185

W. 8,000. X. 14.

2056

FORM A.
BRITISH RAINFALL.
4 JAN 19

REGISTER OF RAINFALL IN 1916.

Kept at The Charlton Brewery, Shepton Mallet
in the County of Somerset
by E. Burnell

Lat. 51° 10′ 5″ Long. 2° 30′ 5″ W
Time of Observation 9 am
Nearest Railway Station Shepton Mallet Somerset & Dorset Jt Rly
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. " in.
" " " " Sea Level 480·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·01	—	—	·24	·08	·04	—	·13	·97	·37	—	1
2	·39	·11	·02	—	·11	—	·07	—	—	·67	·05	—	2
3	·01	·95	—	—	·18	—	—	—	·13	·50	·27	—	3
4	·23	·08	—	·02	—	·59	·03	—	·32	·36	·54	—	4
5	·19	·01	·02	—	·42	·45	—	—	—	·05	·87	—	5
6	·09	·24	·01	—	·20	·09	·81	—	—	·06	·59	—	6
7	·01	·14	·20	—	·15	·08	·05	—	—	·08	·49	·25	7
8	—	·23	·03	—	·30	·11	—	—	—	—	·08	·11	8
9	—	—	—	—	·14	—	·05	—	—	·18	·12	·03	9
10	·01	·56	·02	·13	·08	·01	·03	—	—	·05	·02	·14	10
11	·18	—	·02	·29	·01	·07	—	—	·07	—	·01	—	11
12	—	·08	·07	23	·26	—	·50	·06	—	·22	·01	—	12
13	—	·36	·14	[illegible]	—	—	—	1·09	·01	—	—	—	13
14	·01	·41	·03	·10	·25	—	—	·17	—	·01	—	—	14
15	—	·26	·07	·02	·01	—	—	·21	—	·03	—	—	15
16	·06	·06	—	·47	·03	—	·07	1·00	—	·03	—	—	16
17	·25	·41	—	·02	—	—	—	·05	1·18	·52	·08	—	17
18	·05	·08	·06	·11	—	—	—	—	·05	·15	·22	·10	18
19	·22	—	·47	·44	—	—	—	—	—	—	·38	·02	19
20	·19	·10	·34	—	—	—	—	—	—	—	·30	·81	20
21	·06	·05	·34	—	·07	—	·15	—	—	—	—	·47	21
22	·01	—	—	·01	—	·05	—	—	—	·35	·06	·51	22
23	·01	·20	—	—	—	·11	—	·24	—	·30	·17	·18	23
24	—	·19	·05	·18	1·28	·16	—	·07	—	·81	·04	·27	24
25	—	·36	·17	—	·12	—	·01	·89	·01	·02	·15	·01	25
26	·03	·06	·12	—	—	·33	—	·02	·93	·55	—	—	26
27	·04	·13	1·33	—	—	·01	—	·87	·50	·25	—	—	27
28	—	·24	·06	—	·01	·05	—	·10	·25	·24	·01	·75	28
29	—	·52	·09	—	—	·55	—	2·45	·07	·98	·01	·50	29
30	—	X	—	—	—	—	—	—	—	35	—	·02	30
31	—	X	—	X	·01	X	—	·10	X	·21	X	·16	31
Total	2·12	5·84	3·66	2·02	3·87	2·74	1·81	7·32	3·65	7·94	4·84	4·33	YEAR'S TOTAL 50·14
Rain Days.	20	~~24~~ 25	20	13	19	15	11	14	12	25	22	16	~~210~~ 212

W. 8,000. X. 15.

1.65

FORM A.
BRITISH RAINFALL.

3. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Charlton Brewery, Shepton Mallet
in the County of Somerset
by E Burnell

Lat. 51° 10′ 5″ Long. 2° 30′ 5″ W.
Time of Observation 9 a.m.
Nearest Railway Station Shepton Mallet. Somerset & Dorset Joint Rly.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 480·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·11	·25	-	·15	-	·85	·16	-	·07	-	1
2	·04	-	·04	·15	-	·12	-	·07	·18	-	·02	-	2
3	·04	-	-	·02	-	-	·88	-	-	·37	·05	-	3
4	-	·05	·13	-	-	-	·05	·05	-	·36	-	-	4
5	·43	-	·25	·39	-	·24	-	-	·27	·36	·10	-	5
6	-	-	·22	-	-	-	-	-	-	·02	·23	·01	6
7	·41	-	-	-	-	-	·09	·57	-	·23	·01	-	7
8	·27	-	·12	·11	-	·01	·60	·95	·06	·57	·24	·09	8
9	-	-	·06	·05	·04	-	·03	·20	·08	·40	·25	-	9
10	·17	-	·32	·21	-	-	-	·20	·11	·01	-	-	10
11	·10	-	·64	·33	·01	-	-	·22	·06	·20	·03	-	11
12	-	-	·01	-	·42	-	-	·47	-	·98	·01	-	12
13	-	-	·18	-	-	·04	-	·26	·24	·02	-	·03	13
14	-	-	·14	·18	-	-	-	·28	·03	-	-	-	14
15	-	·02	-	-	-	-	·27	·10	·01	·24	-	·03	15
16	-	·15	-	·23	·03	-	·02	-	·01	·62	-	·33	16
17	-	·01	-	·37	·06	-	·63	·09	·47	·12	·02	-	17
18	·01	·06	-	-	-	·01	·30	·01	·62	·01	·04	-	18
19	-	·61	·15	-	-	·05	-	·02	·08	-	·18	-	19
20	-	·05	·05	-	·29	·06	-	·30	-	-	·02	-	20
21	-	-	·19	-	-	·16	-	-	-	·02	-	-	21
22	-	-	·05	-	-	-	-	·08	-	·04	-	-	22
23	-	·19	-	-	·10	-	-	·75	-	-	·02	·02	23
24	-	·01	-	-	-	·35	·25	·08	-	·20	·01	-	24
25	-	·10	·02	-	-	-	·15	-	·10	·25	-	-	25
26	-	-	-	-	·21	·01	-	1·28	·33	·26	·06	-	26
27	-	-	-	-	·89	·16	-	1·14	-	·02	·01	-	27
28	-	·01	·11	-	·04	3·70	-	·60	-	·01	-	·07	28
29	-	X	·11	-	-	·54	·03	·13	-	·44	-	·18	29
30	-	X	·24	-	-	-	·33	·13	-	·12	-	-	30
31	-	X	·13	X	-	X	-	·01	X	·11	X	·01	31
Total	1·47	1·26	3·27	2·29	2·09	5·60	3·63	8·84	2·81	5·98	1·37	·77	YEAR'S TOTAL [illegible]
Rain Days.	8	11	21	11	10	14	13	25	16	25	18	9	181

W. 8,000, VIII. 16

S = Snow.

128

39·38

Excd gre

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL
7.1.

Kept at Charlton Brewery, Shepton Mallet
in the County of Somerset.
by The Charlton Brewery Co. Ltd

Lat. 51° 10′ 5″ Long. 2° 30′ 5″ W.
Time of Observation 9 a.m.
Nearest Railway Station Shepton Mallet. Somerset & Dorset Jnt Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 480·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·02	-	·01	·07	-	-	·41	-	·01	·62	·04	1
2	-	·01	-	·24	-	-	-	·51	·15	·01	·06	·11	2
3	-	·05	·02	·10	·15	-	-	-	·02	·03	·02	·05	3
4	-	·03	-	-	-	-	-	·10	·02	·07	·65	·11	4
5	-	·01	·01	-	·08	-	-	·33	·06	·36	·01	·03	5
6	·20	·94	-	·45	-	-	-	·04	·05	·11	-	·18	6
7	·01	·26	-	·01	·60	·04	-	·01	·21	·29	·34	·01	7
8	-	-	-	-	-	-	-	·06	·39	·28	-	-	8
9	·03	·18	-	·47	-	·39	·85	-	·41	·20	·03	·36	9
10	·12	-	-	·06	-	-	·73	-	·14	·17	·02	·56	10
11	-	·05	·11	-	-	-	·49	-	·44	·06	·06	·25	11
12	-	·10	·10	-	·45	-	·07	-	·20	-	-	·10	12
13	·19	·01	-	-	·17	·01	·24	-	·85	·12	-	·20	13
14	·25	-	·01	-	·01	·14	·46	-	·27	·24	-	·16	14
15	·97	-	-	·61	·06	·24	·56	-	-	·01	-	·26	15
16	·38	-	-	·54	-	-	·02	-	·22	-	-	·31	16
17	·34	-	·02	·20	·02	-	·26	·19	·04	·01	-	·15	17
18	·75	-	-	-	-	·94	·02	-	·24	·01	-	·39	18
19	·06	·02	·12	-	-	-	·31	·08	·16	·02	-	·15	19
20	·06	·28	-	·12	-	·08	·40	·01	·12	·07	-	-	20
21	·03	·04	-	-	-	·04	·18	-	·60	·03	·03	·11	21
22	-	-	-	-	·06	-	·48	-	·32	·01	-	·45	22
23	·23	-	-	-	·30	-	·34	·06	·09	-	·02	·03	23
24	-	·19	-	-	-	·04	·15	-	·22	-	·12	-	24
25	·01	-	-	-	-	-	·22	1·12	-	-	·02	-	25
26	-	·01	-	-	-	-	·57	-	·04	·02	·25	·56	26
27	-	·18	·02	-	-	-	-	·23	·38	·01	·30	·15	27
28	-	·09	·18	-	-	-	-	-	-	-	·28	·50	28
29	-		·16	-	-	-	-	-	1·12	-	-	·06	29
30	-		·43	-	-	-	-	·22	·03	·04	·12	·10	30
31	-		·29		-		-	-		·03		-	31
Total	3·63	2·47	1·47	2·81	1·97	1·92	6·35	3·37	6·79	2·21	2·95	5·38	YEAR'S TOTAL 41·39
Rain Days.	15	18	12	11	14	9	18	14	26	24	17	26	201

W. 8,000, IX. 17.

1839

REGISTER OF RAINFALL IN 19 19.

FORM A.
BRITISH RAINFALL.

6 JAN 20

Kept at CHARLTON BREWERY, SHEPTON MALLET
in the County of SOMERSET.
by C. E. Burnell Esq^re ~~THE CHARLTON BREWERY CO. LTD.~~

Lat. 51° 10′ 5″ Long. 2° 30′ 5″ W
Time of Observation 9 a.m.
Nearest Railway Station S & D. Ry. S. Mallet
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 480.8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·77		·10		·18		·89		·02	·18		1·01	1
2	·08		·03		·08		·06		·29		·08	·28	2
3	1·09		·15		·20				·10		·06	·79	3
4	·26	·14	·54			·08	·02	·12	·48			·06	4
5	·06	·35	·71		·06		·01		·40		·03	·81	5
6	·39	·11	·23									·18	6
7	·25		·40	·14								·01	7
8	·13		·15										8
9	·02		·08	·15	·05	·04							9
10	·09		·07	·12						·04		·22	10
11	·05		·27	·22	·26	·01	·22					·06	11
12	·04		·06			·16	·01			·42	·28	·05	12
13	·04		·03	·53			·02				·01	·01	13
14	·50	·09		·66	·01		·17					·11	14
15	·10	·01		·05						·04		·32	15
16	·09	·85						·01			·25	·01	16
17	-	·22						·01			·63	·01	17
18	-	·01	·68					·48	·02		·27	·03	18
19	·46	·27	1·02			·11	·99	·47	·26		·25	·13	19
20	·58	·17	·07			·18		·23	·01			·06	20
21	-	·64	·01				·69	·02	·04		·02	·27	21
22	-	·25				·01	·05		·19		·15	·51	22
23	-									·66	·06	·16	23
24	-			·04		·13	·02			1·23	·05	·31	24
25	·10			·13		·04		1·06	·02		·05	·21	25
26	·12		·20	·12		·01		·41	·18			·38	26
27	·22		·01	·42				·59				·08	27
28	-		·41					·51			·49	·72	28
29	·02	✕		·05				·02		·11		·07	29
30	-	✕	·01	·19		·13		·29		·02	·61	·53	30
31	-	✕		✕		✕	·04		✕		✕	·36	31
Total	5·46	3·11	5·23	2·82	·84	·90	3·19	4·22	2·01	2·70	3·29	7·75	YEAR'S TOTAL 41·52
Rain Days.	22	12	21	13	7	11	13	13	12	8	16	29	177

W. 6,500, VII. 18. w w c

1754

5 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Charlton, Shepton Mallet
in the County of Somerset
by C. E. Burnell

Lat. 51° 10′ 5″ Long. 2° 30′ 5″ W.
Time of Observation 9 a.m.
Nearest Railway Station S. & D. Ry. S. Mallet
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. " in.
" " " " Sea Level 480·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·15	·38		·33	·16	·11	·19	·26	·48	1
2	·22			·12			·16	·47	·20	·15		·10	2
3	·07	·02		·04	·05		·58		·03	·76		·01	3
4			·06	·09			·07	·71		·16			4
5			·09	·23	·36		·62	·14	·01	·20			5
6			·33	·04	·23		·13			·03			6
7	·02		·09	·65			·22		·01	·02	·02		7
8		·13		·54	·12		1·00			·02			8
9	·85	·14	·07	·26		·14	·06	·07	·01				9
10	·40	·46	·25	·06		·19	·61						10
11	·65		·13	·57	·37		·16					·03	11
12	·29	·02	·01	·16		·60	·04				·13		12
13	·25	·22	·47	·14									13
14	·21		·30	·49			·02		·18	·28	·40	·02	14
15	·02	·13	·04	·30	·04	·07	·04		·17	·29	·06		15
16			·06	·07		·07	·32		·11	·06	·27		16
17	·09		·09	·25	·34	·05			·41			·01	17
18	·08	·01	·04	·14	·06	·05		·51	·23		·01		18
19	·07	·02		·17	·01	·14			·08				19
20	·12	·16		·12		·70	·04		·02			·40	20
21				·02			·21		·01	·13		·17	21
22	·02			·21		·01	·03	·08	·01			·53	22
23							·63					·34	23
24	·02		·17	·05							·10	·07	24
25		·11	·06		·22	·03	·38						25
26	·33		·14		·02	·01	·10				·08	·06	26
27	·22	·02	·05	·61		·68	·03					·25	27
28	·99	·02	·08	·06	·15	·04	·11					·05	28
29	·20		·12		·06	·02	·02				·22	·29	29
30	·03	×	·01	·11	·22	·26	·44		·45		·27	·26	30
31	·17	×	·32	×	·82	×			×	·87	×	·20	31
TOTAL	5·32	1·46	2·98	5·65	2·65	3·06	6·35	2·14	2·04	3·16	1·82	3·27	YEAR'S TOTAL 39·99
Days with ·01 in. or more	22	13	22	26	16	16	25	4	16	10	11	17	204

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

17 7 20 25 13 12 21 7 9 10 9 13 163

SHEPTON MALLET
FIELD HOUSE
SOMERSET

1911-15, 17-20

REG … 11

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Field House … owden

in the County of Somerse … 5 in.

by F. H. Berryma … ve Ground 1 ft. - in.

Sea Level 500 ft.

0 a.m.

Name Shepton Mallet

Distance Direction

IMPORTANT NOTE.– … d the result entered to the previous day. If an Obser … iversal rule, he is earnestly requested to add the reading … year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	–	·12	·09	–	–	–	·09	–	–	·02	·06	1
2	·02	–	·05	27	·47	–	–	·05	–	·04	35	·11	2
3	–	–	·02	–	·29	–	–	·20	–	–	10	·18	3
4	–	–	·17	–	–	·14	–	·01	–	·05	24	·42	4
5	·02	–	·02	–	–	–	–	·75	–	·13	20	·04	5
6	·57	–	·20	–	–	–	–	·01	–	·03	18	·45	6
7	·05	–	–	–	–	–	–	–	–	–	23	–	7
8	·10	–	·23	–	–	–	–	–	–	–	–	·42	8
9	·18	–	–	–		–	–	–	–	–	05	·28	9
10	·10	·06	·44	–	·46	–	–	–	–	–	02	·39	10
11	·47	04	·03	–	·06	–	–	–	–	–	60	·25	11
12	–	–	·82	–	–	–	–	–	·06	–	20	·10	12
13	–	–	–	–	–	–	–	–	·34	·02	07	·77	13
14	–	·25	–	–	–	–	–	–	–	·03	09	·76	14
15.	–	·12	06	–	–	·03	–	–	–	–	25	·16	15
16	–	–	–	–	–	·35	–	–	–	–	59	·29	16
17	–	–	–	–	–	·11	–	–	–	–	09	·44	17
18	–	·28	·10	·09	–	·16	–	–	–	·03	·04	·43	18
19	–	·13	–	·05	–	·29	–	–	·31	·13	03	·18	19
20	·03	·03	·04	·06	–	–	–	–	·05	·14	–	·68	20
21	–	·30	–	·18	–	–	–	–	–	·34	–	·27	21
22	·08	–	·33	·14	–	–	–	–	·02	·71	–	·62	22
23	–	·24	·10	·04	–	·24	–	–	·23	·11	–	·15	23
24	–	·21	–	–	–	·63	–	·12	–	·77	–	·22	24
25	–	·23	–	·34	–	·13	–		–	–	–	·29	25
26	–	·04	–	·27	·04	–	–	·06	–	·21	–	·44	26
27	–	·62	·19	·14	–	–	–	·10	·16	–	03	·32	27
28	–	·64	–	·38	–	–	–	·12	–	–	09	·05	28
29	–		–	·37	–	·50	·03	–	·12	·69	–	–	29
30	–		–	–	–	·21	–	–	–	·19	08	·04	30
31	–		–		–		–	–		·14		·02	31
Total	1·69	3·19	2·92	2·42	1·32	2·79	·03	1·51	1·29	3·76	3·55	8·83	TOTAL for year 33·30
No. of Rain Days.	11	14	16	13	5	11	1	10	8	17	21	29	156

W. 8,000, X. '11.

REG[illegible] 11

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Field House Shepton Mallet

in the County of Somerset 2

by F. H. Berryman

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 500 ft.

Time of Observation 8. 0 a.m.

Nearest Railway Station
Name Shepton Mallet
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	-	·12	·09	-	-	-	·09	-	-	·02	·06	1
2	·02	-	·05	·27	·47	-	-	·05	-	·04	35	·11	2
3	-	-	·02	-	·29	-	-	·20	-	-	10	·18	3
4	-	-	·17	-	-	·14	-	·01	-	·05	24	·42	4
5	·02	-	·02	-	-	-	-	·75	-	·13	20	·04	5
6	·57	-	·20	-	-	-	-	·01	-	·03	18	·45	6
7	·05	-	-	-	-	-	-	-	-	-	23	-	7
8	·10	-	·23	-	-	-	-	-	-	-	-	·42	8
9	·18	-	-	-		-	-	-	-	-	05	·28	9
10	·10	·06	·44	-	·46	-	-	-	-	-	02	·39	10
11	·47	04	·03	-	·06	-	-	-	-	-	60	·25	11
12	-	-	·82	-	-	-	-	-	·06	-	20	·10	12
13	-	-	-	-	-	-	-	-	·34	·02	07	·77	13
14	-	·25	-	-	-	-	-	-	-	·03	09	·76	14
15.	-	·12	06	-	-	·03	-	-	-	-	25	·16	15
16	-	-	-	-	-	·35	-	-	-	-	59	·29	16
17	-	-	-	-	-	·11	-	-	-	-	09	·44	17
18	-	·28	·10	·09	-	·16	-	-	-	·03	·04	·43	18
19	-	·13	-	·05	-	·29	-	-	·31	·13	03	·18	19
20	·03	·03	·04	·06	-	-	-	-	·05	·14	-	·68	20
21	-	·30	-	·18	-	-	-	-	-	·34	-	·27	21
22	·08	-	·33	·14	-	-	-	-	·02	·71	-	·62	22
23	-	·24	·10	·04	-	·24	-	-	·23	·11	-	·15	23
24	-	·21	-	-	-	·63	-	·12	-	·77	-	·22	24
25	-	·23	-	·34	-	·13	-		-	-	-	·29	25
26	-	·04	-	·27	·04	-	-	·06	-	·21	-	·44	26
27	-	·62	·19	·14	-	-	-	·10	·16	-	03	·32	27
28	-	·64	-	·38	-	-	-	·12	-	-	09	·05	28
29	-		-	·37	-	·50	·03	-	·12	·69	-	-	29
30	-		-	-	-	·21	-	-	-	·19	08	·04	30
31	-		-		-		-	-		·14		·02	31
Total	1·69	3·19	2·92	2·42	1·32	2·79	·03	1·51	1·29	3·76	3·55	8·83	TOTAL for year 33·30
No. of Rain Days.	11	14	16	13	5	11	1	10	8	17	21	29	156

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

2 JAN 1913

Kept at Field House, Shepton Mallet
in the County of Somerset. 2
by S. H. Berryman

Lat. Long.
Time of Observation 8 a.m.
Nearest Railway Station Shepton Mallet.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·08	—	—	·30	·13	·03	·01	·70	—	·57	1
2	—	—	·26	·03	—	·17	·54	—	—	·01	·05	—	2
3	·01	—	·10	·01		·35	·21	·61	·08	—	·03	·18	3
4	·29	—	·74	—	·03	·34		·06	—	—	·27	·01	4
5	·28	—	36	—	·02	—		·29	—	—	·03	·25	5
6	1·00	·27	—	—	·09	—	·53	·89	—	—		·12	6
7	·06	44	—	—	·29	·84		·29	—	—	·01	·11	7
8	·32	03	·57	·02	—	·10	·12	·16	02	—	—	·10	8
9	·04	04	·61	·08	—	·02	·02	·04	—	—	—	·68	9
10	—	·11	—	—	—	·03		·20	—	—	·06	·15	10
11	·14	·06	·03	—	—	—		—	—	—	—	·54	11
12	·05	54	·10	·07	—	—	·02	—	—	—	—	·01	12
13	—	03	·06	—	—	·09		—	—	—	·03	·13	13
14	·20	—	·66	—	·07	·01		·47	—	—	—	·01	14
15	·08	·12	·05	—	·37	·81		·15	—	—	—	·91	15
16	·55	—	·49	—	·28	—		·16	—	·08	·04	·08	16
17	·68	—	·06	—	—	·09		·96	—	—	·03	·02	17
18	·24	—	·77	—	—	—		·08	—	·14	·02	·19	18
19	·29	15	·12	—	—	·09	·09	·15	—	·04	·02	·02	19
20	·07	—	·46	—	·04	·07	·03	1·81	—	·61	·04	—	20
21	·01	16	·35	—	·39	—		17	—	·49	—	—	21
22	·34	31	—	—	·35	—	·05	·23	—	·06	·03	·04	22
23	·29	53	·45	—	·02	·07		1·41	—	·14	·29	·35	23
24	·07	04	·04	—	—	·16		·20	—	·04	—	·18	24
25	·02	01	—	—	—	·18		·50	—	·04	·31	·49	25
26	—	—	—	—	—	—	·16	11	—	·40	·27	·17	26
27	—	·02	—	—	—	·15	·89	—	—	1·09	·09	·48	27
28	—	·10	—	—	—	·06	·02	·41	07	·67	·56	·54	28
29	—	·05	—	—	—	·22	·12	·04	44	·28	·07	·02	29
30	—		·02	—		·17	·31	·04	21	·46	—	—	30
31	—		·49		·05		·28	·12		·07		13	31
Total	5·03	3·01	6·87	·21	2·00	4·32	3·52	9·58	·83	5·32	2·25	6·48	YEAR'S TOTAL 49·42
Rain Days.	21	18	22	5	12	24	16	26	6	17	19	27	~~211~~

past 8 am

210

W. 7,500, XI. ·12

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

2 - JAN 1914

Kept at Field House, Shepton Mallet

in the County of Somerset

2

by F. H. Berryman

Lat. .... Long. ....

Time of Observation 8 a.m.

Nearest Railway Station G.W.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·36	·18	-	·17	-	-	-	30	·05	·12	·52	1
2	·09	06	·02	·11	·09	-	·07	-	·01	·17	·07	·02	2
3	12	-	·08	·02	·43	-	-	-	-	-	-	·15	3
4	1·18	-	·06	-	·54	·01	·07	-	·66	·12	04	·24	4
5	·03	·07	-	-	·10	·62	·01	-	·55	-	·04	·15	5
6	·05	·04	·14	-	·31	·20	·01	-	-	·71	·07	58	6
7	·02	·20	·07	-	·20	·04	·06	-	-	·35	·32	-	7
8	·01	·04	-	-	·31	·09	-	-	-	·06	-	·03	8
9	-	·07	-	-	·04	·19	·64	32	·04	-	·11	·06	9
10	·09	-	07	·06	·02	·03	-	·01	-	25	·17	-	10
11	·58	-	·03	·43	·20	·15	-	-	-	·08	·70	·01	11
12	-	·02	-	-	·22	-	·02	-	·03	-	·14	·01	12
13	·05	-	·15	-	-	·04	-	·13	·81	·01	·23	-	13
14	·10	·01	·14	·04	·05	-	-	·01	·09	04	49	-	14
15	·21	·06	·21	·34	-	-	·04	·02	·16	-	·12	·04	15
16	·20	-	·66	·23	-	-	·03	-	-	-	·01	-	16
17	·06	-	·09	·04	-	-	·14	-	-	-	·02	-	17
18	·09	-	·12	·14	-	·01	·03	-	-	-	·12	-	18
19	·71	-	·10	-	·08	·23	·04	-	·62	-	-	-	19
20	·08	-	·10	·06	-	-	-	-	-	·10	·11	-	20
21	-	-	·06	·17	·36	-	·09	-	-	-	·59	-	21
22	1·24	-	·28	·17	·03	·01	-	·09	·23	-	-	-	22
23	·02	-	·01	-	-	·11	-	-	-	-	·05	·45	23
24	·12	·03	-	·13	-	-	-	·02	-	-	·04	-	24
25	-	07	-	·13	-	-	-	-	-	-	·04	·12	25
26	-	·05	-	·39	-	-	-	·28	-	·01	-	·20	26
27	·04	-	·13	·34	-	-	-	-	-	·11	·01	·08	27
28	·22	-	·09	·32	-	-	-	-	-	·14	-	·03*	28
29	·05		·53	·35	-	-	-	·12	-	39	·01	·10*	29
30	·38		-	-	-	-	-	-	-	43	·11	-	30
31	·19		07		·01		-	·55		-		-	31
Total	5·93	1·08	3·39	3·47	3·16	1·73	1·25	1·55	3·50	3·02	3·73	2·79	YEAR'S TOTAL 34·60
Rain Days.	25	13	~~22~~ 23	18	17	13	13	10	11	16	24	17	~~199~~ 200

* Snow

W.7,000, XI. 13

REGISTER ~~Ex DL~~ OF RAINFALL IN 19*14*

FORM A.
BRITISH RAINFALL.
13 JAN 1915

Kept at *Field House, Shepton Mallet*
in the County of *Somerset* 2
by *Mr. F. H. Berryman*

Lat. .... Long. ....
Nearest Railway Station *G. W.*
Time of Observation *8 a.m.*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *-* in.
" " " Sea Level *500* ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	02	·03	-	-	·33	·46	-	-	·08	·06	1
2	-	-	-	·12	·01	-	·58	·12	-	-	1·08	·56	2
3	-	-	36	18	39	-	·11	·43	-	·03	.09	·08	3
4	·14	-	·34	·26	·09	-	·21	·40	-		·54	·50	4
5	·18	-	·42	·54	·23	-	·10	·02	-		·08	·11	5
6	·01	·17	·05	·27	·04	-	·43	·08	-		·05	·20	6
7	·01	·44	·14	·17	·34	·04	·42	·15	-		·01	·09	7
8	·24	·07	1·31	-	·26	·35	·07	·32	·03		-	-	8
9	·38	-	·44	·18	·04	·82	-	·12	·25		-	-	9
10	·18	·09	·01	·08	·14	-	-	·02	·53		·06	-	10
11	-	·13	·82	·03	-	·20	·08	-	·13		·07	·30	11
12	-	·10	·32	-	·01	-	-	-	·36		·01	·29	12
13	-	·34	·17	-	-	-	-	-	·27	·16	·18	·84	13
14	-	·18	·33	-	-	-	-	·36	·12	·37	·30	-	14
15	-	·04	·17	-	-	-	·22	52	·05	·02	·15	-	15
16	-	-	·01	-	-	-	·12	-	·20	-	-	-	16
17	-	·33	·29	-	-	-	·03	-	·02	-	-	·35	17
18	-	·01	·15	-	-	-	·57	-	-	-	-	·81	18
19	-	·15	·26	-	-	-	1·03	-	·01	-	·04	·09	19
20	-	·47	·72	-	-	·01	-	-	-	-	-	·30	20
21	-	·59	·06	-	-	·39	-	-	-	·11	-	-	21
22	-	03	-	-	·16	·26	-	·08	-	·28	-	-	22
23	-	18	·27	-	·08	·05	-	-	-	29	-	-	23
24	-	-	·11	-	02	-	·04	-	-	·28	·25	·05	24
25	·05	-	·16	-	-	-	·05	·35	-	·44	·01	·27	25
26		-	·01	-	-	-	·04	·17	-	·02	·36	·53	26
27	·14	-	-	-	-	-	-	-	-	·08	·13	·18	27
28	·01	17	·15	-	-	-	-	-	-	·13	·41	1·16	28
29	·16		·29	-	·09	-	-	-	-	·23	·20	-	29
30	-		·04	-	-	·03	-	-	-	·24	·40	·84	30
31	·02		-		·02		·22			·23		·04	31
Total	1·52	3·49	7·42	1·86	1·92	2·15	4·65	3·60	1·99	2·91	4·50	7·65	TOTAL for year 43·66
No. of Rain Days	12	17	27	10	15	9	18	15	11	15	21	21	191

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

Esc DL

2116

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
10 JAN 1916

Kept at Field House, Shepton Mallet
in the County of Somerset
by Mr F. H. Berryman

2

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station G. W.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ______ in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.52	.34	.01	-	18	-	-	.09	.09	.27	.06	.30	1
2	.50	.35	.27	.19	-	.10	-	.79	.02	.11	-	.44	2
3	.18	.11	.16	.31	15	.09	03	-	-	-	-	.49	3
4	-	.01	-	-	.09	-	-	-	-	-	-	.37	4
5	.11	.40	.02	-	-	-	-	.26	-	-	-	.34	5
6	.57	08	-	.39	-	-	.41	.17	-	-	-	.27	6
7	.30	.62	-	.03	.18	-	40	.01	-	.01	-	.37	7
8	.31	.39	-	.02	-	-	-	.10	-	-	-	.03	8
9	.02	.05	-	.24	-	-	-	.04	-	-	.73	.81	9
10	.31	04	.07	.03	-	-	-	.16	-	.02	-	.07	10
11	.06	-	.24	.04	-	-	.01	.24	-	-	.58	.10	11
12	.25	.22	-	.22	.47	-	-	1.11	-	.08	.39	-	12
13	.05	1.03	-	-	.67	-	-	.12	.12	-	.04	-	13
14	.05	.06	-	-	-	-	.23	.59	.16	.07	-	1.22	14
15	.25	-	-	.01	.23	-	.13	.05	.09	-	.16	.14	15
16	-	.55	-	-	66	-	1.50	.06	.02	-	-	.17	16
17	-	.61	-	-	25	-	-	.06	-	-	-	-	17
18	-	.17	-	-	.06	-	-	-	-	-	-	-	18
19	-	-	-	-	.09	-	.33	-	-	-	-	-	19
20	.48	-	-	.09	-	-	-	-	-	.02	-	.12	20
21	.03	.14	-	-	-	-	.02	-	-	.11	-	.26	21
22	.19	26	43	.05	-	.04	.54	-	-	-	-	.30	22
23	-	03	.11	-	-	-	.45	-	.14	1.17	-	.34	23
24	-	-	-	.05	-	-	.16	-	.32	.85	-	.25	24
25	-	-	-	.02	-	.26	.29	-	-	-	-	.45	25
26	-	05	-	-	-	.01	.16	-	-	-	-	.67	26
27	-	10	-	-	-	.25	.53	-	-	49	-	.02	27
28	-	.09	-	-	-	.05	-	.04	.76	19	-	-	28
29	-	✕	-	-	-	.24	.01	.01	-	-	.12	.06	29
30	17	✕	-	-	-	.05	-	-	-	48	.36	.41	30
31	.09	✕	-	✕	-	✕	.11	-	✕	1.10	✕	.20	31
Total	4.44	5.70	1.31	1.69	3.03	1.09	5.31	3.90	1.72	4.97	2.44	8.20	YEAR'S TOTAL 43.80
Rain Days.	19	22	8	14	11	9	17	17	9	14	8	25	173

W. 8,000. X. 15.

Exd CJE

FORM A.
BRITISH RAINFALL.

16 JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Field House Shepton Mallet

in the County of Somerset

by Fredk. H Berryman

Lat. .... Long. ....

Time of Observation 9. a. m

Nearest Railway Station Shepton Mallet G.W.R.

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·16	·	·96	·29	·	·07	·	1
2		·0	·28			·16	·	·08	·01	·	·03	·	2
3						·	·99	·	·	·38	·06	·	3
4						·	·04	·05	·	·35	·	·	4
5	·40				·0	·25	·	·	·27	·32	·11	·	5
6						·	·	·	·	·05	·25	·	6
7				·77		·	·23	·55	·	·23	·02	·	7
8						·	·59	·93	·10	·54	·24	·10	8
9		·0	·70			·	·03	·21	·04	·42	·27	·	9
10						·	·	·29	·13	·	·	·	10
11						·	·	·15	·06	·	·04	·	11
12	·97				·05	·	·	·45	·	1.17	·01	·	12
13						·05	·	·33	·24	·04	·	·02	13
14				·92		·	·09	·26	·03	·24	·	·	14
15						·	·19	·24	·03	·60	·	·25	15
16		·25				·	·04	·	·	·13	·	·09	16
17			1·29			·	·63	·10	·46	·03	·04	·	17
18						·01	·31	·02	·60	·	·03	·	18
19	·3				·44	·05	·	·	·10	·	·17	·	19
20						·08	·	·35	·07	·02	·02	·	20
21				·70		·26	·	·	·	·	·	·	21
22						·	·	·13	·	·04	·	·	22
23		·86				·	·	·55	·	·	·02	·04	23
24			·47			·38	·25	·13	·	·17	·	·	24
25						·	·04	·02	·11	·22	·	·	25
26					·37	·01	·	·96	·33	·27	·06	·	26
27						·14	·	1·13	·	·05	·01	·	27
28				·0		3·67	·	·55	·	·	·	·08	28
29						·43	·03	·11	·	·43	·	·17	29
30		X				·	·32	·12	·	·10	·	·	30
31		X	·46	X	1·16	X	·	·08	X	·11	X	·	31
Total	1·40	1·11	2·20	~~2·29~~	2·02	5·65	3·78	~~9·15~~	2·81	5·91	1·45	·75	YEAR'S TOTAL ~~39·52~~
Rain Days.				2·39		13	14	8·75	16	22	17	7	39·22.

25

W. 8,000, VIII. 16

Exd M S

50

FORM A.
BRITISH RAINFALL
10 1 19

REGISTER OF RAINFALL IN 1918

Kept at Field House Shepton Mallet

in the County of Somerset.

by F. H Berryman.

Lat. ______ Long. ______

Time of Observation Same as before

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ______

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.01		.09	.08			.45	·	.01	.60	·	1
2		.01		.11	·			.46	.19	.06	.07	.07	2
3		.06	.02	.11	.16			·	.03	·	.01	.09	3
4		.01		·	·			.10	.02	.05	.63	.11	4
5			.01	.02	.09			.35	.08	.38	.02	.03	5
6	.20	.90	·	.46	·			.06	.05	.11	·	.18	6
7		.26	·	.01	.64	.04		.02	.49	.30	.32	.02	7
8	.01		·	·	·	·		.04	.12	.29	.04	.06	8
9	.04	.17	·	.44	·	.40	.84	·	.43	.17	·	.19	9
10	.11		·	.06	·	·	.68	·	.14	.18	.02	.59	10
11		.04	.14	·	·	·	.48	·	.49	.11	.06	.22	11
12		.10	.12	·	.44	·	.22	·	.18	·	·	.15	12
13	.19			·	.17	·	.18	·	.86	.12		.16	13
14	.25		.01	·	.02	.17	.43	·	.26	.23		.22	14
15	.99		·	.78	.08	.25	.51	·	.01	·		.24	15
16	.23		·	.46	.02	·	.02	·	.23	·		.41	16
17	.55		.02	.24	·	·	.24	.16	.05	.03		.06	17
18	.72			·	·	.92	.04	·	.26	.02		.38	18
19	.07		.13	·	·	·	.32	.09	.16	.01		.21	19
20	.09	.26	·	.15	·	.09	.42	.02	.11	.08		·	20
21	.03	.04	·	·	·	.04	.15	·	.59	.03		.14	21
22		.01	·	·	.11	·	.48	.03	.31	.02		.47	22
23	.19	.01	·	·	.28	·	.35	·	.04	—	.06	.03	23
24	·	.20		·	·	.07	.15	.01	.22	·	.11	·	24
25	.01			·	·		.18	1.16	·	·	.03	·	25
26				·	·		.59	.01	.27	.03	.23	.49	26
27			.02	·	·			.24	.38	.0	.29	.17	27
28		.19	.16	·	·				·	.01	.28	.48	28
29		.11	.17	·	·				1.13	·	.03	.07	29
30		✕	.42	·	·			.14	.03	.04	.16	.10	30
31		✕	.23	✕	·	✕		.05	✕	.03	✕	·	31
Total	3.68	2.38	1.45	2.93	2.09	1.98	6.28	3.39	7.13	2.31	2.96	5.34	YEAR'S TOTAL 41.92
Rain Days.	15	16	12	12	11	8	18	17	27	22	17	26	201

W, 6,500, VII. 18. w w c

1840

FORM A.
BRITISH RAINFALL.
5 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Field House Shepton Mallet
in the County of Somerset.
by Fredk. H Berryman.

Lat. 51° 11' 3" N. Long. 2° 32' 27" W.
Time of Observation 8. a.m.
Nearest Railway Station Shepton Mallet G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·75	·	·10	·	·14	·	·81	·	·	·18	·	1·03	1
2	·10	·	·02	·	·13	·	·07	·	·27	·	·05	·16	2
3	·08	·	·10	·	·21	·	·02	·	·14	·	·10	·91	3
4	·24	·12	·53	·	·	·08	·12	·12	·42	·	·	·09	4
5	·08	·46	·89	·	·09	·	·01	·	·48	·	·05	·77	5
6	·36	·12	·18	·	·02	·	·	·	·	·	·11	·27	6
7	·22	·	·45	·13	·	·	·	·	·	·	·	·01	7
8	·14	·	·10	·	·	·02	·	·	·	·	·	[illegible]	8
9	·01	·	·08	·12	·01	·02	·	·	·	·	·02	·	9
10	·11	·	·08	·17	·05	·	·	·	·	·06	·	·21	10
11	·06	·	·24	·22	·25	·	·24	·	·	·	·	·06	11
12	·05	·	·11	·01	·	·21	·04	·	·	·46	·155	·04	12
13	·03	·	·05	·38	·	·	·03	·	·	·	·	·02	13
14	·49	·08	·	·77	·	·	·18	·	·	·	·	·10	14
15	·10	·	·	·06	·	·	·	·	·	·04	·	·31	15
16	·10	·76	·	·	·	·	·	·	·	·	·26	·	16
17	·01	·28	·	·	·	·	·	·02	·	·	·62	·02	17
18	·	·17	·64	·	·	·	·22	·49	·08	·	·21	·04	18
19	·29	·26	1·07	·	·	·10	·84	·39	·20	·	·23	·15	19
20	·74	·21	·13	·	·	·21	·0	[illegible]	·02	·	·06	·08	20
21	·	·65	·	·	·	·	·73	·02	·05	·	·	·27	21
22	·	·25	·	·	·	·02	·09	·	·19	·	·15	·46	22
23	·	·	·	·	·	·	·	·	·	·47	·05	·23	23
24	·	·	·	·07	·	·12	·	·	·03	1·35	·04	·32	24
25	·13	·	·	·22	·	·07	·	1·08	·	·	·10	·24	25
26	·05	·	·18	·17	·	·02	·	·45	·22	·	·	·38	26
27	·26	·	·02	·41 5	·	·01	·	·15	·	·	·	·11	27
28	·01	·	·52	·01	·	·	·	·68	·	·	·475	·75	28
29	·02	·	·	·05	·	·	·	·04	·	·11	·	·09	29
30	·	X	·	·18	·	·14	·	·27	·	·03	·12	·54	30
31	·01	X	·	X	·	X	·07	·01	X	·	X	·28	31
Total	4·44	3·36	5·49	2·97	·90	1·02	3·47	4·30	2·15	2·70	2·79	7·94	YEAR'S TOTAL 41·53
Rain Days.	25	11	19	15	8	12	14	13	11	8	17	28	181

W. 6,500, VII. 18. W W C

Std Wards

175

6 JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Field House, Shepton Mallet
in the County of Somerset
by (Mr) Fredk H. Berryman

Lat. 51° 11′ 3″ N. Long. 2° 32′ 27″ W.
Time of Observation 8 am
Nearest Railway Station Shepton Mallet G W Ry.
Diameter of Funnel of Rain Gauge 5″ in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14	.	.	.16	.37	.	.37	.12	.07	.14	.25	.49	1
2	.13	.	.02	.13	.01	.	.18	.54	.27	.15	.	.10	2
3	.12	.04	.	.05	.05	.	.55	.	.03	.68	.	.01	3
4	.	.	.06	.13	.	.	.11	.74	.	.20	.	.0	4
5	.	.	.09	.23	.28	.	.41	.15	.	.09	.	.0	5
6	.	.	.37	.	.31	.	.38	.	.	.15	.	.01	6
7	.02	.	.05	.73	.02	.	.11	.	.01	.02	.02	.	7
8	.02	.16	.	.47	.14	.	1.12	.	.	.03	.	.01	8
9	.64	.08	.10	.29	.	.13	.04	.08	.	.	.	.	9
10	.67	.57	.22	.08	.	.18	.60	.	.	.	.03	.	10
11	.61	.	.13	.64	.30	.	.15	.	.	.	.	.	11
12	.29	.02	.02	.17	.09	.59	.05	.	.	.	.06	.	12
13	.27	.19	.48 x	.14	.	.	.	.	.	.	.05	.02	13
14	.13	.07	.31	.46	.	.	.02	.	.18	.28	.28	.	14
15	.08	.15	.06	.28	.04	.10	.05	.	.21	.31	.17	.	15
16	.	.01	.09	.12	.	.02	.35	.	.11	.06	.31	.	16
17	.09	.	.01	.32	.29	.02	.	.	.38	.	.	.	17
18	.08	.	.14	.06	.13	.06	.	.55	.26	.	.	.01	18
19	.08	.01	.	.29	.02	.19	.	.	.08	.	.	.	19
20	.15	.18	.	.14	.	.68	.05	.	.01	.	.	.19	20
21	.	.	.	.	.	.	.20	.	.01	.10	.	.34	21
22	.02	.	.	.23	.	.01	.04	.08	.01	.	.	.54	22
23	.01	.	.	.	.	.	.66	.01	.	.	.	.32	23
24	.02	.	.17	.05	.	.	.	.	.	.01	.11	.06	24
25	.	.13	.07	.	.12	.02	.32	.	.	.	.01	.	25
26	.35	.	.15	.	.21	.07	.14	.	.	.	.09	.06	26
27	.22	.02	.06	.64	.10	.78	.05	.	.	.	.01	.24	27
28	1.05	.02	.10	.06	.10	.06	.13	.	.	.	.	.03	28
29	21	.	.13	.	.07	.03	.02	.	.	.	.22	.27	29
30	.04	✕	.	.12	.21	.22	.43	.	.48	.	.30	.23	30
31	.20	✕	.34	✕	.02	✕	.01	.	✕	1.09	✕	.24	31
TOTAL	5.64	1.65	3.17	5.99	2.88	3.16	6.54	2.27	2.11	3.31	1.91	3.17	YEAR'S TOTAL 41.80
Days with ·01 in. or more	25	14	x Snow 22	24	20	16	26	8	14	14	14	18	215
Days with ·04 in. or more	20	9	19	24	16	11	23	7	9	11	10	12	171

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

SHEPTON MALLET
GRAMMAR SCH
SOMERSET
1911 - 1918

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REGI 911

Kept at Shepton Mallet

in the County of — So

by William Eldrid

Snowdon

op 5 in.

above Ground 1 ft.

" Sea Level 475 ft.

9 a.m.

on { Name Shepton Mallet.
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·07	–	0·18	0·08	–	–	–	0·08	–	–	0·04	0·06	1
2	0·02	–	0·07	0·27	0·44	–	–	0·21	–	0·05	0·35	0·16	2
3	–	–	0·01	–	0·33	–	–	0·02	–	–	0·10	0·15	3
4	–	0·01	0·16	–	–	0·18	–	–	0·01	0·04	0·29	0·42	4
5	0·14	–	0·04	Snow 0·01	–	–	–	0·75	–	0·11	0·19	0·02	5
6	0·41	–	0·14	–	–	–	–	0·01	–	0·02	0·19	0·43	6
7	0·03	–	–	Snow 0·01	–	–	–	–	–	–	0·24	–	7
8	0·10	–	0·23	–	–	–	–	–	–	–	–	0·40	8
9	0·18	–	0·03	–	–	–	–	–	–	–	0·04	0·46	9
10	0·10	0·05	0·45	–	0·45	–	–	–	–	–	0·01	0·37	10
11	0·45	Part Snow 0·09	–	–	0·06	–	–	–	–	–	0·70	0·31	11
12	–	–	Part Snow 0·90	–	–	–	–	–	0·06	–	0·18	0·29	12
13	–	–	0·01	–	0·01	–	–	–	0·30	0·02	0·13	0·52	13
14	–	0·17	–	–	–	–	–	–	–	0·01	0·01	0·83	14
15	–	0·12	0·02	–	–	0·03	–	–	–	–	0·31	0·10	15
16	–	–	–	–	–	0·35	–	–	–	–	0·55	0·40	16
17	–	–	–	–	–	0·12	–	–	–	–	0·08	0·37	17
18	–	0·28	0·08	0·08	–	0·18	–	–	–	0·01	0·05	0·37	18
19	–	0·13	~~0·06~~	0·06	–	0·25	–	–	0·32	0·19	0·03	0·48	19
20	0·02	0·05	0·06	0·21	–	–	–	–	0·04	0·06	–	0·46	20
21	–	0·29	~~0·37~~	0·03	–	–	–	0·03	–	0·37	–	0·20	21
22	0·07	–	0·31	0·15	–	0·01	–	–	0·01	0·74	–	0·61	22
23	–	0·26	0·08	0·04	–	0·21	–	–	0·23	0·17	–	0·26	23
24	–	0·34	–	–	–	0·65	–	0·12	–	0·66	–	0·16	24
25	–	0·12	–	0·37	–	0·13	–	0·04	0·01	0·03	–	0·32	25
26	–	0·06	–	0·35	0·03	–	–	0·04	–	0·18	Part Snow 0·01	0·46	26
27	–	0·66	0·18	0·09	–	–	–	0·16	0·15	–	Part Snow. 0·04	0·36	27
28	–	0·52	–	0·39	–	–	–	0·06	–	–	0·07	0·01	28
29	–		–	0·36	–	0·60	0·03	–	0·14	0·74	–	–	29
30	–		–	–	–	0·17	–	–	–	0·21	0·10	0·04	30
31	–		–		–		–	–		0·15		0·01	31
Total	1·59	3·15	2·95	2·50	1·32	2·88	0·03	1·52	1·27	3·76	3·71	9·03	TOTAL for year 33·71
No. of Rain Days.	11	15	17	15	6	12	1	11	10	18	22	29	167

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Shepton Mallet Grammar School

in the County of Somerset 2

by William Eldridge B.A. B.Sc.

RAIN GAUGE: Pattern	Snowdon
Diameter of top	5 in.
Height of top above Ground	1 ft.
" " " Sea Level	475 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Shepton Mallet.

Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·07	–	0·18	0·08	–	–	–	0·08	–	–	0·04	0·06	1
2	0·02	–	0·07	0·27	0·44	–	–	0·21	–	0·05	0·35	0·16	2
3	–	–	0·01	–	0·33	–	–	0·02	–	–	0·10	0·15	3
4	–	0·01	0·16	–	–	0·18	–	–	0·01	0·04	0·29	0·42	4
5	0·14	–	0·04	Snow 0·01	–	–	–	0·75	–	0·11	0·19	0·02	5
6	0·41	–	0·14	–	–	–	–	0·01	–	0·02	0·19	0·43	6
7	0·03	–	–	Snow 0·01	–	–	–	–	–	–	0·24	–	7
8	0·10	–	0·23	–	–	–	–	–	–	–	–	0·40	8
9	0·18	–	0·03	–	–	–	–	–	–	–	0·04	0·46	9
10	0·10	0·05	0·45	–	0·45	–	–	–	–	–	0·01	0·37	10
11	0·45	Part Snow 0·09	–	–	0·06	–	–	–	–	–	0·70	0·31	11
12	–	–	Part Snow 0·90	–	–	–	–	–	0·06	–	0·18	0·29	12
13	–	–	0·01	–	0·01	–	–	–	0·30	0·02	0·13	0·52	13
14	–	0·17	–	–	–	–	–	–	–	0·01	0·01	0·83	14
15	–	0·12	0·02	–	–	0·03	–	–	–	–	0·31	0·10	15
16	–	–	–	–	–	0·35	–	–	–	–	0·55	0·40	16
17	–	–	–	–	–	0·12	–	–	–	–	0·08	0·37	17
18	–	0·28	0·08	0·08	–	0·18	–	–	–	0·01	0·05	0·37	18
19	–	0·13	~~0·05~~	0·06	–	0·25	–	–	0·32	0·19	0·03	0·48	19
20	0·02	0·05	0·06	0·21	–	–	–	–	0·04	0·06	–	0·46	20
21	–	0·29	~~0·32~~	0·03	–	–	–	0·03	–	0·37	–	0·20	21
22	0·07	–	0·31	0·15	–	0·01	–	–	0·01	0·74	–	0·61	22
23	–	0·26	0·08	0·04	–	0·21	–	–	0·23	0·17	–	0·26	23
24	–	0·34	–	–	–	0·65	–	0·12	–	0·66	–	0·16	24
25	–	0·12	–	0·37	–	0·13	–	0·04	0·01	0·03	–	0·32	25
26	–	0·06	–	0·35	0·03	–	–	0·04	–	0·18	Part Snow 0·01	0·46	26
27	–	0·66	0·18	0·09	–	–	–	0·16	0·15	–	Part Snow. 0·04	0·36	27
28	–	0·52	–	0·39	–	–	–	0·06	–	–	0·07	0·01	28
29	–		–	0·36	–	0·60	0·03	–	0·14	0·74	–	–	29
30	–		–	–	–	0·17	–	–	–	0·21	0·10	0·04	30
31	–		–		–		–	–		0·15		0·01	31
Total	1·59	3·15	2·95	2·50	1·32	2·88	0·03	1·52	1·27	3·76	3·71	9·03	TOTAL for year 33·71
No. of Rain Days.	11	15	17	15	6	12	1	11	10	18	22	29	167

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at SHEPTON MALLET GRAMMAR SCHOOL

2

in the County of SOMERSET.

by WILLIAM ALDRIDGE. B.A., B.Sc.

Lat. 51·12 N. Long. 2·32 W.

Time of Observation 9 A.M.

Nearest Railway Station SHEPTON MALLET. S&D

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 475 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	--	0.07	--	--	0.26	0.10	0.03	0.01	0.70	--	0.54	1
2	-	--	0.27	0.03	--	0.14	0.43	--	--	--	0.05	--	2
3	0.03	--	0.14	0.01	--	0.35	0.19	0.61	0.07	--	0.05	0.19	3
4	0.31	--	0.74	--	0.02	0.33	--	0.06	--	--	0.29	--	4
5	0.54	0.03	0.32	--	0.01	--	--	0.34	--	--	0.02	0.27	5
6	0.75	0.25	--	--	0.18	--	0.54	0.93	--	--	0.01	0.10	6
7	0.05	0.25	0.12	--	0.20	0.88	--	0.24	--	--	0.02	0.20	7
8	0.36	0.23	0.67	0.01	--	0.05	0.10	0.17	0.01	--	--	0.02	8
9	0.03	0.04	0.39	0.11	--	0.02	0.01	0.06	--	--	0.03	0.72	9
10	0.07	0.11	--	--	--	0.02	--	0.15	--	--	0.05	0.14	10
11	0.06	0.06	0.02	--	--	--	--	--	--	--	--	0.53	11
12	0.05	0.56	0.09	0.06	--	0.01	0.02	--	--	--	--	0.01	12
13	-	0.01	0.06	--	--	0.08	--	--	--	--	0.03	0.13	13
14	0.19	--	0.73	--	0.10	--	--	0.56	--	--	--	0.01	14
15	0.07	0.13	--	0.01	0.32	0.85	--	0.09	--	--	--	0.93	15
16	0.84	0.01	0.50	--	0.28	0.01	--	0.24	--	0.08	0.04	0.08	16
17	0.71	--	0.07	--	--	0.06	--	0.89	--	--	0.04	0.05	17
18	0.08	--	0.71	--	--	--	--	0.10	--	0.18	0.01	0.15	18
19	0.03	0.17	0.10	--	--	0.09	0.08	0.12	--	0.03	0.01	0.01	19
20	0.07	0.03	0.44	--	0.03	0.05	0.02	1.82	--	0.59	0.04	--	20
21	--	0.23	0.35	JJ	0.36	--	--	0.16	--	0.49	--	--	21
22	0.33	0.23	0.07	--	0.33	--	0.04	0.47	--	0.07	0.03	0.03	22
23	0.30	0.49	0.45	--	--	0.07	--	1.32	--	0.11	0.29	0.35	23
24	0.07	0.03	0.04	--	--	0.22	--	0.07	--	0.05	--	0.13	24
25	0.02	--	--	--	--	0.10	0.01	0.49	--	0.07	0.32	0.50	25
26	--	--	--	--	--	--	0.15	0.10	--	0.40	0.35	0.20	26
27	--	0.02	--	--	--	0.13	0.95	--	--	1.09	0.03	0.45	27
28	--	0.11	--	--	--	0.05	0.02	0.42	0.08	0.66	0.63	0.50	28
29	--	0.05	0.01	--	--	0.20	0.10	0.08	0.45	0.36	0.02	0.02	29
30	--		--	--	--	0.17	0.30	--	0.20	0.44	--	--	30
31	--		0.46		--		0.21	0.10		0.07		0.14	31
Total	4.96	3.04	6.82	0.23	1.83	4.14	3.27	9.62	0.82	5.39	2.36	6.40	YEAR'S TOTAL 48.88
Rain Days.	21	20	23	6	10	22	17	25	6	16	21	26	213

W. 7,500, XI. ·12

Exe DL

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

3 JAN 19

Kept at Shepton Mallet Grammar School 2

in the County of Somerset

by Wm Aldridge B.A., B.Sc.

Lat. 51·12N Long. 2·32W.

Time of Observation 9 a.m.

Nearest Railway Station Shepton Mallet (S&D)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 475 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	0·36	0·17	0·02	0·15	–	–	–	0·27	0·03	0·11	0·50	1
2	0·07	0·04	0·02	0·07	0·09	–	0·07	–	0·01	0·13	0·07	0·01	2
3	0·21	–	0·06	0·01	0·47	–	–	–	–	–	–	0·15	3
4	1·12	–	0·05	–	0·46	0·01	0·06	–	0·69	0·15	0·04	0·22	4
5	0·02	0·08	–	–	0·19	0·61	0·01	–	0·47	–	0·03	0·17	5
6	0·05	0·04	0·16	–	0·20	0·18	0·03	–	–	0·66	0·06	0·53	6
7	0·01	0·20	0·06	–	0·25	0·07	0·03	–	–	0·34	0·34	–	7
8	0·01	0·03	–	–	0·28	0·02	0·01	–	–	0·10	–	0·02	8
9	–	0·07	0·01	–	0·04	0·21	0·73	0·29	0·04	–	0·11	0·07	9
10	0·15	–	0·06	0·05	0·02	0·01	–	0·01	–	0·25	0·17	–	10
11	0·49	–	0·02	0·46	0·22	0·14	–	–	–	0·05	0·69	0·01	11
12	–	–	–	–	0·21	–	–	–	0·02	–	0·15	–	12
13	0·03	–	0·15	–	–	0·03	0·01	0·12	0·81	–	0·25	–	13
14	0·10	0·02	0·16	0·06	0·04	–	–	–	0·20	0·05	0·50	0·01	14
15	0·21	0·05	0·34	0·38	–	–	0·02	0·01	0·04	–	0·14	0·03	15
16	0·23	–	0·70	0·22	–	–	0·03	–	–	–	–	–	16
17	0·07	–	0·02	0·01	–	–	0·18	–	–	–	0·05	–	17
18	0·08	–	0·13	0·13	–	0·03	–	–	0·01	–	0·10	–	18
19	0·77	–	0·06	–	0·09	0·23	0·03	–	0·62	–	–	–	19
20	0·05	–	0·08	0·06	–	–	–	–	–	0·10	0·17	–	20
21	–	–	0·06	0·16	0·37	–	0·09	–	–	0·02	0·51	–	21
22	1·31	–	0·27	0·12	0·03	0·07	–	0·07	0·23	–	–	–	22
23	0·03	–	0·01	–	–	0·04	–	0·05	–	–	0·04	0·41	23
24	0·13	0·03	–	0·13	–	–	–	–	–	–	0·04	–	24
25	–	0·09	–	0·14	–	–	–	–	–	–	0·04	0·12	25
26	–	0·02	–	0·37	–	–	–	0·27	–	–	0·01	0·20	26
27	0·04	–	0·15	0·34	–	–	–	–	–	0·09	0·02	0·07	27
28	0·23	–	0·05	0·31	–	–	–	–	–	0·13	–	0·11	28
29	0·05		0·51	0·35	–	–	–	0·11	–	0·40	0·02	–	29
30	0·38		–	0·05	–	–	–	–	–	0·47	0·15	–	30
31	0·19		0·05		0·01		–	0·53		–		–	31
Total	6·03	1·03	3·35	3·44	3·12	1·65	1·30	1·46	3·41	2·97	3·81	2·63	YEAR'S TOTAL 34·20
Rain Days.	25	12	24	20	17	13	13	9	12	15	24	16	200

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 6 - JAN 1915

Kept at Shepton Mallet Grammar School

in the County of Somerset

2

by William Aldridge, B.A, B.Sc.

Lat. 51° 12′ N Long. 2° 32′ W.

Time of Observation 9 a.m.

Nearest Railway Station Shepton Mallet S&D.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ „ „ „ Sea Level 475 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	0·01	0·04	–	–	0·33	0·57	–	–	0·07	0·05	1
2	–	–	–	0·09	0·04	–	0·55	0·02	–	–	1·05	0·52	2
3	–	–	0·40	0·18	0·36	–	0·12	0·42	–	0·02	0·10	0·07	3
4	0·15	–	0·36	0·27	0·08	–	0·21	0·54	–	–	0·55	0·48	4
5	0·16	–	0·42	0·48	0·23	–	0·08	0·01	–	–	0·06	0·12	5
6	0·01	0·18	0·05	0·30	0·04	–	0·42	0·07	–	–	0·05	0·19	6
7	0·07	0·55	0·15	0·18	0·36	0·06	0·42	0·26	–	–	0·01	0·08	7
8	0·21	0·03	1·31	–	0·25	0·34	0·04	0·21	0·03	–	–	–	8
9	0·38	–	0·37	0·20	0·06	0·82	–	0·13	0·34		–	–	9
10	0·17	0·09	0·01	0·09	0·13	–	–	–	0·45	–	0·05	–	10
11	–	0·12	0·79	0·01	–	0·20	0·07	–	0·14	–	0·05	0·34	11
12	–	0·10	0·33	–	0·01	–	–	–	0·34	–	0·02	0·32	12
13	–	0·34	0·27	–	–	–	–	–	0·27	0·18	0·16	0·78	13
14	–	0·20	0·23	–	–	–	–	0·35	0·14	0·32	0·35	–	14
15	–	–	0·18	–	–	–	0·25	0·54	0·03	0·02	0·11	–	15
16	–	–	0·01	–	–	–	0·13	–	0·22	–	–	–	16
17	–	0·30	0·27	–	–	–	0·03	–	0·01	–	–	0·56	17
18	–	0·04	0·10	–	–	–	0·57	–	–	–	–	0·61	18
19	–	0·11	0·76	–	–	–	1·00	–	0·02	–	0·04	0·10	19
20	–	0·49	0·16	–	–	0·01	–	–	–	–	–	0·30	20
21	–	0·61	0·03	–	–	0·35	–	–	–	0·11	0·01	0·01	21
22	–	0·06	0·01	–	0·16	0·26	–	0·07	–	0·29	–	–	22
23	–	0·20	0·27	–	0·07	0·06	–	–	–	0·30	–	0·01	23
24	–	–	0·10	–	–	–	0·03	–	–	0·24	0·27	0·05	24
25	0·04	–	0·15	–	–	–	0·05	0·36	–	0·44	0·02	0·35	25
26	–	–	0·01	–	–	–	0·04	0·13	–	0·02	0·32	0·50	26
27	0·14	–	–	–	–	–	–	–	–	0·06	0·18	0·20	27
28	0·01	0·17	0·20	–	–	–	–	–	–	0·11	0·40	1·18	28
29	0·17	✕	0·23	–	0·08	–	–	0·01	–	0·21	0·20	0·01	29
30	–	✕	0·03	–	–	0·03	–	–	–	0·24	0·43	0·85	30
31	0·02	✕	–	✕	–	✕	0·23	–	✕	0·26	✕	0·20	31
Total	1·53	3·59	7·21	1·84	1·87	2·13	4·57	3·69	1·99	2·82	4·50	7·88	YEAR'S TOTAL 43·62
Rain Days.	12	16	28	10	13	9	18	15	11	15	22	24	193.

W. 8,000. X. 14. Av. for 13 yrs. 39·00 in. falling on 200·5 dys. P.T.O.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

4. JAN 1916

Kept at Grammar School, Shepton Mallet
in the County of Somerset
by William Eldridge B.A., B.Sc.

2

Lat. 51°12′N Long. 2°32′W
Time of Observation 9 a.m.
Nearest Railway Station Shepton Mallet S+D.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 475 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·39	0·36	0·01	–	0·16	–	–	0·25	0·08	0·27	0·03	0·27	1
2	0·50	0·34	0·27	0·23	–	0·15	–	0·72	0·03	0·09	–	0·43	2
3	0·18	0·10	0·16	0·28	0·16	0·01	0·02	0·01	–	–	–	0·50	3
4	0·02	–	–	–	0·07	–	–	–	–	–	–	0·32	4
5	0·12	0·44	0·02	–	–	–	–	0·25	–	–	–	0·55	5
6	0·57	0·07	–	0·37	–	–	0·48	0·21	–	–	–	0·26	6
7	0·30	0·63	–	0·03	0·19	–	0·35	0·01	–	–	–	0·36	7
8	0·33	0·35	–	0·02	–	–	0·01	0·12	–	–	0·02	0·02	8
9	0·02	0·06	–	0·21	–	–	–	0·01	–	–	0·70	0·81	9
10	0·30	0·04	0·11	0·08	–	–	–	0·16	–	0·01	0·01	0·06	10
11	0·04	–	0·21	0·03	–	–	0·01	0·33	–	–	0·66	0·11	11
12	0·29	0·37	–	0·20	0·48	–	–	1·02	–	0·07	0·30	–	12
13	0·02	0·91	–	–	0·66	–	–	0·05	0·12	–	0·03	0·01	13
14	0·04	0·01	–	–	–	–	0·29	0·56	0·15	0·05	–	1·21	14
15	0·26	–	–	0·01	0·21	–	0·09	0·07	0·08	–	0·15	0·15	15
16	–	0·63	–	–	0·61	–	1·46	0·04	0·01	–	–	0·18	16
17	–	0·52	–	–	0·28	–	–	0·03	–	–	–	0·01	17
18	–	0·16	–	–	0·02	–	–	–	–	–	0·01	–	18
19	0·01	0·01	–	–	0·08	–	0·33	–	–	–	–	–	19
20	0·49	–	–	0·09	–	–	–	–	–	0·02	–	0·11	20
21	0·13	0·11	–	–	–	–	0·02	–	–	0·10	–	0·23	21
22	0·10	0·37	0·45	0·06	–	0·04	0·53	–	–	–	–	0·29	22
23	–	0·04	0·09	–	–	–	0·40	–	0·13	1·28	–	0·46	23
24	–	–	–	0·05	–	–	0·15	–	0·30	0·68	–	0·25	24
25	–	–	0·01	0·02	–	0·28	0·26	–	0·01	–	–	0·32	25
26	–	0·03	–	–	–	0·01	0·16	–	–	–	–	0·65	26
27	–	0·10	–	–	–	0·26	0·61	–	–	0·47	–	0·01	27
28	–	0·09	–	–	–	0·04	–	0·03	0·76	0·15	–	–	28
29	–	X	–	–	–	0·24	0·02	0·01	–	–	0·11	0·06	29
30	0·22	X	–	0·01	–	0·05	–	–	–	0·54	0·34	0·47	30
31	0·03	X	–	X	–	X	0·10	0·01	X	1·12	X	0·11	31
Total	4·36	5·74	1·33	1·64	2·92	1·08	5·29	3·89	1·64	4·85	2·36	8·21	YEAR'S TOTAL 43·34
Rain Days.	21	22	9	15	11	9	18	19	10	13	11	27	185

W. 8,000. X. 15.

2058

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Shepton Mallet Grammar School

in the County of Somerset

by William Claridge B.A, B.Sc

Lat. 51°12′ N Long. 2°32′ W

Time of Observation 9 a.m.

Nearest Railway Station Shepton Mallet S&D

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 475 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·12	–	0·01	–	0·22	0·08	0·02	–	0·11	0·76	0·34	–	1
2	0·20	0·08	0·01	–	0·12	–	0·10	–	–	0·79	0·04	–	2
3	0·01	0·91	–	–	0·10	–	–	–	0·13	0·46	0·25	–	3
4	0·23	0·08	–	0·01	0·11	0·43	0·01	–	0·31	0·28	0·61	–	4
5	0·18	0·01	0·03	–	0·38	0·48	–	–	–	0·05	0·78	–	5
6	0·08	0·26	0·02	–	0·20	0·06	0·81	–	–	0·06	0·68	–	6
7	0·01	0·15	0·21	–	0·13	0·09	0·05	–	–	0·07	0·47	0·24	7
8	–	0·27	0·02	–	0·29	0·01	–	–	–	–	0·08	0·12	8
9	–	0·02	–	–	0·15	0·10	0·01	–	–	0·16	0·10	0·10	9
10	–	0·52	0·02	0·12	0·08	0·01	0·07	–	–	0·03	0·03	0·07	10
11	0·01	–	0·04	0·24	0·02	0·06	–	–	0·06	–	0·01	–	11
12	0·16	0·06	0·04	0·29	0·24	–	0·48	0·06	–	0·19	0·02	–	12
13	–	0·35	0·16	–	–	–	–	0·95	0·01	0·01	–	–	13
14	0·01	0·39	0·03	0·11	0·23	–	–	0·16	–	–	–	–	14
15	0·01	0·23	0·07	0·05	0·01	–	–	0·20	–	0·03	–	–	15
16	0·06	0·06	0·01	0·40	0·04	–	0·07	0·93	–	0·02	–	–	16
17	0·22	0·38	–	0·02	0·01	–	–	0·05	1·12	0·50	0·10	–	17
18	0·03	0·10	0·16	0·11	–	–	–	–	0·05	0·14	0·23	0·09	18
19	0·11	–	0·38	0·44	–	–	–	–	–	–	0·35	0·02	19
20	0·28	0·09	0·36	–	–	–	–	–	–	–	0·29	0·91	20
21	0·05	0·08	0·34	–	0·06	–	0·19	–	–	–	0·02	0·45	21
22	0·02	–	0·01	–	0·02	0·04	–	–	–	0·36	0·06	0·65	22
23	0·01	0·25	–	0·14	–	0·11	–	0·23	–	0·29	0·13	0·17	23
24	–	0·22	0·04	0·03	1·39	0·14	–	0·06	–	0·76	0·03	0·28	24
25	–	0·53	0·17	–	0·12	0·01	–	0·78	–	0·04	0·15	0·02	25
26	0·03	0·06	0·12	–	–	0·30	–	0·01	0·86	0·49	0·01	0·01	26
27	0·04	0·15	1·81	–	–	0·01	–	0·69	0·48	0·21	–	0·01	27
28	–	0·25	0·12	–	–	0·05	–	0·15	0·24	0·38	–	0·70	28
29	–	0·65	0·08	–	–	0·53	–	2·69	0·06	0·76	–	0·48	29
30	–	X	–	–	–	–	–	0·01	–	0·33	0·01	0·03	30
31	–	X	–	X	–	X	–	0·10	X	0·17	X	0·17	31
Total	1·87	6·15 6·15	4·26	1·96	3·92	2·53	1·81	7·07	3·43	7·34	4·79	4·52	YEAR'S TOTAL 49·65 49·65
Rain Days.	21	25	24	12	20	17	10	15	11	25	23	18	221

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

2 JAN 1918

Kept at Shepton Mallet Grammar School

in the County of Somerset

by William Aldridge, B.A., B.Sc.

Lat. 51°12'N Long. 2°32'W

Time of Observation 9 A.M.

Nearest Railway Station Shepton Mallet

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 475 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.01	0.01	0.10	0.38	-	0.13	-	0.90	0.33	-	0.06	-	1
2	0.04	-	0.03	0.11	-	0.15	-	0.08	0.01	-	0.02	-	2
3	0.03	-	-	0.02	-	-	0.84	0.01	-	0.36	0.05	-	3
4	-	0.05	0.15	-	-	-	0.05	0.06	-	0.35	-	-	4
5	0.41	0.01	0.18	0.38	-	0.23	-	-	0.24	0.33	0.11	-	5
6	-	-	0.22	-	-	0.01	-	-	-	0.05	0.23	-	6
7	0.36	-	-	-	-	-	0.08	0.52	-	0.20	0.02	0.01	7
8	0.38	-	0.15	0.10	-	0.01	0.65	0.92	0.08	0.55	0.22	0.08	8
9	-	-	0.07	0.06	0.03	-	0.03	0.21	0.04	0.41	0.25	-	9
10	0.19	-	0.28	0.15	-	-	-	0.23	0.13	0.01	-	-	10
11	0.08	-	0.67	0.56	-	-	-	0.20	0.05	0.19	0.03	-	11
12	0.02	-	0.03	0.01	0.37	-	-	0.38	-	1.00	0.01	-	12
13	-	-	0.16	0.03	-	0.05	-	0.25	0.22	0.03	-	0.01	13
14	-	-	0.17	0.11	-	-	0.09	0.38	0.04	0.01	-	-	14
15	-	-	-	-	-	-	0.15	0.10	0.03	0.23	-	0.29	15
16	0.01	0.23	~~0.07~~	0.20	0.02	-	0.05	0.01	-	0.59	-	0.07	16
17	-	-	-	0.36	0.06	-	0.65	0.08	0.49	0.11	0.03	-	17
18	0.01	0.07	-	-	-	0.01	0.30	0.01	0.57	0.01	0.03	-	18
19	-	0.56	0.12	-	-	0.04	-	0.03	0.08	-	0.18	-	19
20	0.02	0.06	0.08	-	0.25	0.07	-	0.29	-	-	0.02	-	20
21	-	0.01	0.30	-	0.01	0.21	-	-	-	0.02	-	-	21
22	-	-	0.01	-	-	-	-	0.10	-	0.04	-	-	22
23	-	0.17	-	-	0.10	-	-	0.59	-	-	0.02	0.02	23
24	-	0.02	0.01	-	-	0.37	0.22	0.09	-	0.18	0.01	-	24
25	-	0.10	0.02	-	-	0.01	0.08	0.01	0.10	0.25	-	-	25
26	-	0.01	-	-	0.21	0.01	-	1.16	0.33	0.27	0.05	-	26
27	-	-	-	-	0.89	0.12	-	1.14	-	0.03	0.02	-	27
28	-	0.01	0.10	-	0.01	3.64	-	0.55	-	0.01	0.01	0.08	28
29	-	X	0.10	-	-	0.63	0.02	0.12	0.01	0.40	-	0.20	29
30	0.01	X	0.25	-	-	-	0.32	0.12	-	0.10	-	0.01	30
31	-	X	0.11	X	-	X	-	0.01	X	0.10	X	-	31
Total	1.57	1.31	3.32	2.47	1.95	5.69	3.53	8.55	2.75	5.83	1.37	0.77	YEAR'S TOTAL 39.11
Rain Days.	13	13	23	13	10	16	14	28	16	26	19	9	200

W. 8,000, IX. 17.

51

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

Kept at Shepton Mallet Grammar School
in the County of Somerset
by William Eldridge B.A., B.Sc.

Lat. 51°12′ N. Long. 2°32′ W.
Time of Observation 9 a.m.
Nearest Railway Station Shepton Mallet
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 475 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
								1. 0·40					
1	–	0·01	0·10	0·01	0·07	–	–	2. 0·51	–	0·01	0·57	–	1
2	–	0·01	–	0·26	–	–	–	3. –	0·12	0·01	0·05	0·10	2
3	–	0·05	0·01	0·09	0·15	–	–	4. 0·10	0·02	0·04	0·02	0·05	3
4	–	0·05	–	–	–	–	–	5. 0·32	0·01	0·07	0·54	0·09	4
5	–	–	0·02	0·02	0·09	–	–	6. 0·04	0·06	0·31	0·02	0·03	5
6	0·20	0·83	–	0·39	–	–	–	7. –	0·03	0·11	–	0·16	6
7	–	0·25	–	0·02	0·58	0·02	–	8. 0·06	0·29	0·32	0·33	0·02	7
8	0·01	0·01	–	–	–	–	–	9. –	0·28	0·26	0·02	0·04	8
9	0·03	0·15	–	0·45	–	0·40	0·83	10. –	0·38	0·17	0·01	0·19	9
10	0·13	–	–	0·06	–	–	0·65	11. –	0·17	0·17	0·02	0·65	10
11	0·01	0·04	0·11	–	–	–	0·42	12. –	0·41	0·08	0·06	0·25	11
12	–	0·08	0·12	–	0·45	–	0·07	13. –	0·19	–	0·01	0·11	12
13	0·23	0·01	–	–	0·17	–	0·31	14. –	0·85	0·11	–	0·24	13
14	0·20	–	0·01	–	0·01	0·16	0·45	15. –	0·25	0·22	–	0·12	14
15	0·95	–	–	0·19	0·05	0·22	0·53	16. –	0·01	0·02	–	0·25	15
16	0·47	–	0·01	0·98	0·01	–	0·03	17. 0·15	0·21	–	–	0·30	16
17	0·26	–	0·01	0·21	0·04	–	0·24	18. –	0·03	0·01	–	0·14	17
18	0·69	–	–	–	–	0·90	0·03	17. 0·07	0·25	–	–	0·39	18
19	0·09	0·021	0·12	–	–	–	0·28	20. –	0·14	0·03	–	0·14	19
20	0·01	0·27	–	0·11	–	0·08	0·42	21. –	0·10	0·07	–	–	20
21	0·03	0·03	–	–	–	0·03	0·14	22. –	0·56	0·03	–	0·12	21
22	0·01	0·01	–	–	0·05	–	0·45	23. 0·04	0·30	0·02	–	0·45	22
23	0·21	–	–	–	0·30	–	0·36	24. –	0·09	–	0·03	0·02	23
24	0·01	0·20	–	–	–	0·05	0·13	25. 1·20	0·20	–	0·10	–	24
25	0·01	–	–	–	–	–	0·21	0·01	0·01	–	0·03	0·01	25
26	–	0·01	–	–	–	–	0·52	27. 0·20	0·03	0·02	0·24	0·53	26
27	–	0·20	0·02	–	–	–	–	28. –	0·36	–	0·28	0·11	27
28	–	–	0·16	–	–	–	–	29. –	–	–	0·30	0·45	28
29	–	×	0·17	–	–	–	–	30. 0·23	1·14	–	0·01	0·05	29
30	–	×	0·40	–	–	–	–	31. 0·02	0·03	0·03	0·15	0·09	30
31	–	×	0·22	×	–	×	–	×	×	0·02	×	–	31
Total	3·55	2·22	1·48	2·79	1·97	1·86	6·07	3·35	6·52	2·13	2·79	5·10	YEAR'S TOTAL 39·83
Rain Days.	18	18	14	12	12	8	18	14	28	22	19	27	210

W, 6,500, VII. 18. w w c

SHEPTON ~~—~~ MALLET
OAKHILL
HILLYLANDS
SOMERSET
1911 - 1917

vanth 20.II.12

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REG 1911

nowden

Kept at Hillylands Ga
top 5 in.
p above Ground ft. 10 in.
in the County of Some
Sea Level 659 ft.
9 a m
by E. Stock
tion { Name Binegar
Distance 2 miles Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0 .6	—	0.30	0·9	0 ·1	—	—	0 ·7	—	—	0 ·7	0 ·4	1
2	0 ·3	—	0 ·3	0.37	0·54	—	—	0·19	—	0 ·4	0·44	0·22	2
3	0 ·2	0·2	0·4	—	0. 35	—	—	0 ·7	—	—	0.16	0 ·4	3
4	—	0 ·1	0.20	0·2	—	0.56	—	0 ·3	—	0 ·6	0.53	0.45	4
5	0 ·7	—	0 ·6	0.1	—	—	—	0(85)	—	0.10	0·30	—	5
6	0.44	—	0.13	—	—	—	—	0 ·1	—	—	0·24	0. 51	6
7	0 ·5	—	—	0.1	—	—	—	—	—	—	0·36	—	7
8	0. 32	—	0.34	—	—	—	—	—	—	—	0 ·1	0. 45	8
9	0·25	—	0 ·1	—	—	—	—	—	—	—	0. 12	0·50	9
10	0.14	0 ·8	0.58	—	0·21	—	—	—	—	—	0 ·1	0.53	10
11	0·49	0 ·3	0 ·1	—	0. 32	—	—	—	—	—	0. 83	0. 35	11
12	0 ·3	—	0.95	—	—	—	—	—	0 ·6	—	0·45	0.22	12
13	—	—	0 ·2	—	0·2	—	—	—	0.33	0 ·7	0. 40	0.60	13
14	—	0.21	—	—	—	—	—	—	—	0 ·1	0 ·3	0·99	14
15	—	0.16	0 ·4	—	—	0 ·4	—	—	—	(·1	0. 52	0. 17	15
16	—	0·5	—	—	—	0.36	—	—	—	—	0. 53	0. 52	16
17	—	0 ·4	—	—	—	0.12	—	—	—	—	0 ·8	0.48	17
18	—	0. 40	0. 10	0.10	—	0.12	—	—	—	0 ·2	0·4	0. 44	18
19	0 ·1	0.13	—	—	—	0.31	—	—	0·51	0. 25	0 ·4	.58	19
20	0 ·2	0·4	0. 12	0.56	—	0 ·1	—	—	0. 15	0 ·9	—	0. 41	20
21	—	0.43	0 ·1	0 ·4	—	0 ·1	—	1·00	—	0. 45	—	0. 33	21
22	0 ·8	0 ·1	0. 24	0.13	—	—	—	—	0 ·1	0. 59	—	0. 82	22
23	—	0·22	0.10	0 ·4	—	0. 26	—	—	0. 30	0.15	—	0. 36	23
24	—	0.49	—	0 ·4	—	0. 59	—	0.18	—	0. 72	—	0. 21	24
25	0 ·3	0·34	0 ·1	0. 44	—	0 .11	—	0 ·4	—	0 .3	0 ·2	0. 46	25
26	—	0 ·7	—	0·52	0·2	0 ·1	—	0 ·4	—	0. 21	—	0. 61	26
27	—	0. 86	0. 21	0. 16	—	—	—	0·20	0·16	—	0 . 4	0·29	27
28	—	0 68	—	0·41	0 ·1	—	—	0. 14	—	—	—	0 ·2	28
29	—		—	0. 53	—	0.68	0 ·1	—	0.35	0. 99	0 8	0 ·1	29
30	—		—	0 ·1	—	0. 3	—	—	—	0·21	0 . 7	0 ·2	30
31	—		—		0 ·8		—	—		0. 19		—	31
Total	2.04	4.27	3.50	3.48	1.57	3.21	0 ·1	2.83	1.82	4.19	5.37	10.63	TOTAL for year 42.96
No. of Rain Days.	15	19	3·50 20	17	9	14	1	12	1·87 8	18	23	28	42·96 184

W. 8,000, X. '11.

anth 20.II.12

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Hillylands Oakhill Nr Bath

in the County of Somerset

by E. Stock Gardener

RAIN GAUGE: Pattern Snowden
Diameter of top 5 in.
Height of top above Ground ft. 10 in.
" " " Sea Level 659 ft.

Time of Observation 9 a m

Nearest Railway Station: Name Binegar
Distance 2 miles Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.6	—	0.30	0.9	0.1	—	—	0.7	—	—	0.7	0.4	1
2	0.3	—	0.3	0.37	0.56	—	—	0.19	—	0.4	0.44	0.22	2
3	0.2	0.2	0.4	—	0.35	—	—	0.7	—	—	0.16	0.4	3
4	—	0.1	0.20	0.2	—	0.56	—	0.3	—	0.6	0.53	0.45	4
5	0.7	—	0.6	0.1	—	—	—	0(83)	—	0.10	0.30	—	5
6	0.44	—	0.13	—	—	—	—	0.1	—	—	0.24	0.51	6
7	0.5	—	—	0.1	—	—	—	—	—	—	0.36	—	7
8	0.32	—	0.34	—	—	—	—	—	—	—	0.1	0.45	8
9	0.25	—	0.1	—	—	—	—	—	—	—	0.12	0.50	9
10	0.14	0.8	0.58	—	0.21	—	—	—	—	—	0.1	0.53	10
11	0.49	0.3	0.1	—	0.32	—	—	—	—	—	0.83	0.35	11
12	0.3	—	0.95	—	—	—	—	—	0.6	—	0.45	0.22	12
13	—	—	0.2	—	0.2	—	—	—	0.33	0.7	0.40	0.60	13
14	—	0.21	—	—	—	—	—	—	—	0.1	0.3	0.99	14
15	—	0.16	0.4	—	—	0.4	—	—	—	0.1	0.52	0.17	15
16	—	0.5	—	—	—	0.36	—	—	—	—	0.53	0.52	16
17	—	0.4	—	—	—	0.12	—	—	—	—	0.8	0.48	17
18	—	0.40	0.10	0.10	—	0.12	—	—	—	0.2	0.4	0.44	18
19	0.1	0.13	—	—	—	0.31	—	—	0.51	0.25	0.4	.58	19
20	0.2	0.4	0.12	0.56	—	0.1	—	—	0.15	0.9	—	0.41	20
21	—	0.43	0.1	0.4	—	0.1	—	1.00	—	0.45	—	0.33	21
22	0.8	0.1	0.24	0.13	—	—	—	—	0.1	0.59	—	0.82	22
23	—	0.22	0.10	0.4	—	0.26	—	—	0.30	0.15	—	0.36	23
24	—	0.49	—	0.4	—	0.59	—	0.18	—	0.72	—	0.21	24
25	0.3	0.34	0.1	0.44	—	0.11	—	0.4	—	0.3	0.2	0.46	25
26	—	0.7	—	0.52	0.2	0.1	—	0.4	—	0.21	—	0.61	26
27	—	0.86	0.21	0.16	—	—	—	0.20	0.16	—	0.4	0.29	27
28	—	0.68	—	0.41	0.1	—	—	0.14	—	—	—	0.2	28
29	—		—	0.53	—	0.68	0.1	—	0.35	0.99	0.8	0.1	29
30	—		—	0.1	—	0.3	—	—	—	0.21	0.7	0.2	30
31	—		—		0.8		—	—		0.19		—	31
Total	2.04	4.27	3.58 3.50	3.48	1.57	3.21	0.1	2.83	1.82 1.87	4.19	5.37	10.63	TOTAL for year 42.96 42.96
No. of Rain Days.	15	19	20	17	9	14	1	12	8	18	23	28	184

W. 8,000, X. '11.

Cord fr auth 25.11.13

W

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.
2 JAN. 1913

Kept at Hillylands Oakhill Nr Bath
in the County of Somerset
by E Stock, Gardiner

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Binegar 2 miles
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 659 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.34

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.2	~	0.9	~	~	0.45	0.24	~	0.2	0.85	~	0.48	1
2	~	~	0.32	0.1	~	0.16	0.41	~	~	~	0.4	~	2
3	0.9	~	0.7	0.2	~	0.36	0.14	0.74	0.24	~	0.3	0.36	3
4	0.56	~	0.95	0.2	0.6	0.25	~	0.3	0.3	~	0.28	~	4
5	0.56	0.3	0.45	~	0.5	0.1	~	0.39	~	~	0.2	0.25	5
6	0.93	0.23	~	~	0.24	0.13	0.7	1.23	~	~	0.1	0.29	6
7	0.5	0.34	0.15	0.2	0.28	0.70	0.1	0.24	~	~	~	0.23	7
8	0.42	0.24	0.75	~	~	0.4	~	0.19	0.3	~	~	0.3	8
9	0.4	0.5	0.42	0.22	~	0.3	0.23	0.4	~	~	0.3	1.5	9
10	0.3	0.11	0.1	~	~	~	~	0.7	~	~	0.11	0.14	10
11	0.11	0.9	0.3	~	~	~	~	~	~	~	0.3	0.58	11
12	0.4	0.75	0.18	0.6	~	0.6	0.2	~	~	~	0.1	0.4	12
13	~	0.3	0.6	~	~	0.12	~	~	~	~	0.3	0.19	13
14	0.19	~	0.84	~	0.24	0.1	0.1	0.86	~	~	~	0.8	14
15	0.4	0.17	0.5	0.1	0.35	0.95	~	0.10	~	~	~	1.32	15
16	0.82	~	0.67	~	0.24	0.2	~	0.30	~	0.14	0.5	0.12	16
17	1.18	~	0.4	~	0.2	0.11	~	1.12	~	~	0.4	0.11	17
18	0.3	~	1.1	~	~	~	~	0.10	~	0.22	0.1	0.15	18
19	0.6	0.26	0.15	~	~	0.7	0.11	0.22	~	0.9	0.1	0.2	19
20	0.4	0.4	0.36	~	0.7	~	0.5	1.89	~	0.70	0.4	~	20
21	0.2	0.15	0.63	~	0.45	~	0.1	0.14	~	0.55	~	~	21
22	0.45	0.29	0.8	~	0.23	~	0.8	0.63	~	0.4	0.8	0.11	22
23	0.31	0.44	0.43	~	0.1	0.18	~	1.56	~	~	0.32	0.32	23
24	0.9	0.6	0.8	~	~	0.52	0.2	0.8	~	0.12	~	0.34	24
25	0.1	0.2	~	~	~	0.36	~	0.60	~	0.10	0.43	0.54	25
26	~	0.2	~	~	~	~	0.17	0.16	~	0.44	0.54	0.19	26
27	~	0.2	0.2	~	~	0.20	1.10	~	~	1.31	0.4	0.87	27
28	~	0.9	~	~	~	0.9	0.3	0.54	0.11	0.67	0.63	0.53	28
29	~	0.9	~	~	~	0.14	0.28	0.3	0.53	0.45	0.2	0.3	29
30	~		0.1	~	~	0.5	0.34	0.1	0.22	0.54	~	~	30
31	~		0.51		0.2		0.28	0.14		0.3		0.34	31
Total	6.09	3.58	8.39	0.36	2.26	5.04	3.63	11.44	1.18	6.23	2.86	8.68	YEAR'S TOTAL 50.72
Rain Days.	23	21	26	4	13	23	19 11	25	4	15	22	26	227

W. 7,500, XI. ·12

8·39 2·26 3·63 6·15 50·76

endly Pondsmead 25.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3-JAN 1914

Kept at Hillylands Oakhill nr Bath

in the County of Somerset

by E Stock Gardener

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Binegar 2 miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 659 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ~

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.1	0.38	0.21	0.4	0.8	~	~	~	0.33	0.6	0.13	0.36	1
2	0.8	0.7	0.3	0.13	0.9	~	0.9	~	0.1	0.6	0.12	0.4	2
3	0.19	0.1	0.15	0.1	0.41	~	~	~	~	~	~	0.26	3
4	1.30	~	0.11	~	0.62	0.1	0.3	~	0.68	0.15	0.6	0.29	4
5	0.5	0.9	~	~	0.22	0.58	~	~	0.42	~	0.3	0.12	5
6	0.12	0.5	0.14	~	0.17	0.23	0.16	~	~	0.76	~	0.55	6
7	0.2	0.29	0.10	~	0.25	0.19	0.5	~	~	0.58	0.3	0.1	7
8	0.2	0.7	~	~	0.33	0.7	0.1	~	~	0.12	(.30)	0.5	8
9	~	0.12	0.26	~	0.8	0.39	0.5	0.50	0.10	~	0.14	0.21	9
10	0.19	~	0.19	0.3	0.1	~	~	0.3	~	0.27	0.17	~	10
11	0.61	~	0.8	0.32	0.31	0.11	~	~	~	0.7	0.97	0.3	11
12	0.1	~	~	~	0.33	~	~	~	0.10	0.X	0.18	0.2	12
13	0.5	~	0.16	~	0.1	0.1	0.1	0.8	0.80	~	0.31	~	13
14	0.13	0.1	0.25	0.18	~	~	0.1	0.1	0.16	0.14	0.50	0.11	14
15	0.29	0.7	0.46	0.43	~	~	0.4	0.2	~	~	0.25	~	15
16	0.24	~	0.85	~	~	~	0.15	0.1	0.3	~	0.3	~	16
17	0.14	~	0.1	0.12	~	~	~	~	0.2	~	0.25	~	17
18	0.12	~	0.21	0.23	~	0.6	0.1	~	~	~	0.11	~	18
19	0.61	~	0.7	~	0.15	0.12	0.2	~	0.65	0.2	0.1	0.1	19
20	0.14	~	0.17	0.5	~	~	~	~	~	~	0.23	~	20
21	~	~	~	0.19	0.12	~	0.8	~	~	~	0.48	~	21
22	1.40	~	0.27	0.8	0.8	0.10	~	0.4	0.25	~	~	~	22
23	0.3	~	~	~	~	0.5	~	0.3	0.1	~	0.7	0.42	23
24	0.16	0.3	~	0.16	~	~	~	0.40	~	0.2	0.4	~	24
25	~	0.10	~	0.21	~	~	~	~	~	~	0.9	0.15	25
26	~	0.3	~	0.50	~	~	~	0.30	~	~	0.2	0.24	26
27	0.4	~	0.17	0.51	~	~	~	~	~	0.15	0.4	0.10	27
28	0.22	~	0.9	0.38	~	~	~	~	~	0.17	~	0.14	28
29	0.2		0.68	0.39	~	~	~	0.10	~	0.32	0.7	~	29
30	0.64		0.1	~	~	~	~	~	~	0.52	0.53	~	30
31	0.18		0.6		~		~	0.58		0.5		~	31
Total	6.98	1.32	4.73	3.96	3.26	1.92	1.19	1.85	3.56	3.46	5.16	3.11	YEAR'S TOTAL 40.50
Rain Days.	27	13	23	18	16	12	13	12	13	17	26	18	207

W.7,000, XI. 13

cnd for arith 11·III·15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 - JAN 1915

Kept at Hillylands Oakhill n.r. Bath
in the County of Somerset
by E Stock. Gardiner for Lady Reid

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Binegar
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground .... ft. 10 in.
" " " " Sea Level 659 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~	~	0 .1	0 .4	~	0 .2	0.29	0.50	~	~	0 .8	0 .6	1
2	~	~	0.50	0.11	0 .2	~	0.51	0.21	~	~	1.23	0.45	2
3	0 .1	~	0.71	0.27	0 .9	~	0.28	0.51	~	0 .1	0.10	0.11	3
4	0.18	~	0.65	0.32	~	~	0.15	0.54	~	~	0.57	0.71	4
5	0.20	~	~	0.66	0.36	~	0.24	0 .2	~	~	0 .5	0.17	5
6	0 .1	0.15	0 .8	0.35	0 .9	~	0.22	0.23	~	~	0 .2	0.36	6
7	0 .7	0.69	0.29	0.34	~	0 .7	0.48	0.27	0 .1	~	~	0 .9	7
8	0.39	0 .6	1.55	0 .1	0.41	0.39	0 .4	0.26	0.20	~	~	~	8
9	0.53	~	~	0.24	0 .4	0.78	~	0 .9	0.31	~	~	~	9
10	0 .4	0.10	~	0.10	~	~	~	~	0.61	~	0 .5	~	10
11	~	0.10	0.95	~	0 .6	0.25	0 .6	~	0.2	~	0 .9	0.35	11
12	~	0.12	0.35	~	0 .3	0 .4	~	~	0.38	~	0.14	0.30	12
13	~	0.39	0.43	~	~	~	~	~	0.42	0.20	0.28	0.88	13
14	~	0.28	0.40	~	~	~	~	0.33	0 .8	0.34	0.31	~	14
15	0 .1	0 .4	0.35	~	~	~	0.34	0.89	0 .5	0 .3	0.16	~	15
16	~	~	0 .1	~	~	~	0 .8	~	0.35	~	~	~	16
17	~	0.54	0.36	~	~	~	0 .4	~	0 .5	~	~	0.76	17
18	~	0 .7	0 .7	~	~	~	0.68	~	~	~	~	0.71	18
19	~	0.17	0.75	~	~	~	0.97	~	~	~	~	0.46	19
20	~	0.59	0.25	~	~	0 .3	~	~	~	~	~	0.32	20
21	~	0.62	0 .2	~	~	0.42	~	~	~	0.14	~	0 .1	21
22	~	0 .5	0 .1	~	0.15	0.45	0 .1	0.15	~	0.38	~	~	22
23	~	0.15	0.31	~	0 .6	0 .4	0 .3	~	~	0.28	~	~	23
24	~	~	0.21	~	0 .4	~	~	~	~	0.41	0.44	~	24
25	~	~	0.14	~	0 .1	~	0 .6	0.45	~	0.63	0 .2	0.39	25
26	~	~	0 .1	~	~	~	0 .7	~	~	0.60	0.55	0.55	26
27	0.13	~	~	~	~	~	0 .1	~	~	0.10	0.13	0.23	27
28	0 .5	0.31	0.30	~	~	~	~	~	~	0.23	0.45	1.33	28
29	0.28	~	0.23	~	0 .8	~	~	~	~	0.31	0.38	~	29
30	0 .1	X	0 .4	~	~	~	~	~	~	~	0.48	1. 1	30
31	0 .4	X	~	X	0 .1	X	0.33	~	X	0.32	X	0 .8	31
Total	1.95	4·43 4.48	8.98 8.89	2.44	1.45	2.49	4·89 4.89	4.45	2.48	3.44	5.53	9.33	YEAR'S TOTAL 51.86
Rain Days.	14	17	26	10	14	10	19	13	11	14	19	21	188

W. 8,000. X. 14.

51·86

crd pr auth 5.V.16

2064

FORM A.
BRITISH RAINFALL.

5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Hillglands Oakhill nr Bath
in the County of Somerset
by E Stoke Gardner for Lady Reid

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Binegar station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 659 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.68	0.38	—	—	0.16	—	—	0.29	0.38	0.31	0.1	0.35	1
2	0.36	0.39	0.37	0.26	—	0.9	—	0.87	0.8	0.12	—	0.48	2
3	0.42	0.2	0.28	0.44	0.19	0.6	0.4	—	—	—	—	0.50	3
4	0.2	—	0.1	—	0.8	—	—	0.1	—	—	—	0.46	4
5	0.19	0.61	0.4	0.2	0.1	—	—	0.31	—	—	—	0.41	5
6	0.56	0.8	—	0.44	—	—	0.59	0.20	—	—	—	0.29	6
7	0.36	0.71	—	0.5	0.26	—	0.35	0.2	—	—	—	0.41	7
8	0.41	0.47	—	0.3	—	—	—	0.13	—	—	0.6	0.3	8
9	0.2	0.6	—	0.19	—	—	—	0.2	—	—	0.79	0.88	9
10	0.55	0.5	0.8	0.3	—	—	—	0.40	—	0.1	0.1	0.10	10
11	0.3	0.11	0.8	0.2	—	—	0.14	0.38	—	0.3	0.89	0.10	11
12	0.26	0.39	—	0.20	0.63	—	—	0.66	—	0.12	0.39	0.1	12
13	0.5	1.26	—	—	1.26	—	—	0.5	0.10	0.1	0.3	0.2	13
14	0.10	0.6	—	—	—	—	0.8	1.10	0.26	0.3	0.14	1.40	14
15	0.39	0.3	—	—	0.24	—	0.13	0.7	0.10	0.7	—	0.18	15
16	—	0.91	—	—	0.64	—	1.45	0.4	0.6	—	—	0.17	16
17	—	0.65	—	—	0.82	—	—	0.4	—	—	—	0.3	17
18	—	0.28	—	—	0.10	—	—	—	—	—	—	—	18
19	—	—	—	—	0.2	—	0.38	—	—	0.1	0.2	—	19
20	0.77	0.1	—	0.13	—	—	—	—	—	0.3	—	0.13	20
21	0.13	0.14	—	—	—	—	0.3	—	—	0.9	—	0.18	21
22	0.11	0.33	0.48	0.5	—	0.5	0.74	—	—	0.1	—	0.34	22
23	—	0.7	—	—	—	—	0.42	—	0.15	1.30	0.1	—	23
24	—	—	0.13	0.8	—	—	0.54	—	0.32	0.83	—	1.9	24
25	—	—	—	0.2	—	0.22	0.22	—	—	—	—	0.29	25
26	—	0.7	0.6	—	—	0.1	0.22	—	0.1	—	—	0.70	26
27	—	0.4	—	0.3	—	0.25	0.46	—	—	0.48	—	0.2	27
28	—	0.10	—	—	—	0.4	—	0.2	0.85	0.16	—	—	28
29	—		—	—	—	0.18	—	—	—	—	0.15	0.10	29
30	0.30	✕	—	—	—	0.6	—	—	—	0.56	0.35	0.40	30
31	0.1	✕	—	✕	—	✕	0.11	0.4	✕	1.28	✕	0.24	31
Total	5.71	7.14	1.53	1.58	4.41 ~~4.37~~	0.96	5.90	4.65	2.31	5.45	2.85	9.31 8.31	YEAR'S TOTAL 58.23 ~~57.19~~
Rain Days.	20	24	9	15	12	9	16	18	10	18	12	27	190

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
2 JAN 1917

Kept at Hillylands Oakhill Nr Bath
in the County of Somerset
by Lady Reid

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station 2 miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 659 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.22	0.20	0.20	0.1	0.41	0.6	0.22	—	0.7	0.58	0.80	—	1
2	0.61	0.11	0.4	—	0.10	—	0.6	—	0.2	0.76	0.4	—	2
3	0.7	0.98	—	—	0.19	—	—	—	0.19	0.64	0.27	—	3
4	0.26	0.10	—	0.1	0.10	0.82	—	—	0.29	0.17	0.65	—	4
5	0.18	0.1	0.5	—	0.38	0.31	—	—	—	—	0.81	—	5
6	0.10	0.34	0.2	—	0.23	0.10	0.86	—	—	—	0.73	0.23	6
7	0.15	0.1	0.26	—	0.9	0.16	0.3	—	—	0.30	0.49	0.18	7
8	0.1	0.25	0.16	—	0.38	0.3	—	—	—	—	0.6	—	8
9	—	0.3	—	—	0.28	0.20	—	—	—	0.27	0.7	—	9
10	—	0.57	0.6	0.24	0.6	—	0.1	—	—	0.3	0.3	0.19	10
11	0.2	0.2	0.8	0.23	0.5	0.9	—	—	0.3	—	0.1	—	11
12	0.34	0.16	0.4	0.31	0.30	—	0.61	0.11	—	0.25	—	—	12
13	—	0.44	0.21	—	—	—	—	0.52	—	0.2	—	—	13
14	0.2	0.44	0.4	0.9	0.38	—	—	0.30	—	—	—	—	14
15	0.3	0.34	0.10	0.8	0.1	—	—	0.75	—	—	—	—	15
16	0.5	0.13	—	0.60	0.3	—	0.4	0.61	—	0.14	—	—	16
17	0.29	0.33	—	0.7	—	—	—	0.4	1.33	0.60	0.12	—	17
18	0.18	0.11	0.19	0.21	—	—	—	—	0.5	0.12	0.42	—	18
19	0.21	—	0.46	0.81	—	—	—	—	—	—	0.30	0.25	19
20	0.35	0.10	0.57	0.1	0.6	—	—	—	—	—	0.34	0.45	20
21	0.8	0.10	0.53	—	—	[illegible]	0.20	—	—	—	0.3	0.70	21
22	0.3	—	0.1	0.3	—	0.[illegible]	—	—	—	0.41	0.11	1.0	22
23	—	0.29	0.1	0.23	1.30	0.[illegible]	—	0.25	—	0.39	0.30	0.27	23
24	—	0.23	0.5	0.8	0.17	~~0.19~~	—	0.6	—	0.75	0.5	0.12	24
25	0.3	0.49	0.18	—	—	[illegible]	—	0.23	—	—	0.25	—	25
26	0.7	0.5	0.13	—	—	0.35	—	0.2	0.53	0.47	0.5	—	26
27	0.10	0.20	1.80	—	—	0.2	—	0.20	0.65	0.23	—	0.10	27
28	—	0.40	0.13	—	—	0.76	—	0.6	0.39	0.62	0.6	1.27	28
29	—	0.57	0.16	—	—	0.60	—	3.41	0.8	1.8	0.2	0.82	29
30	—	X	0.1	—	—	—	—	—	—	0.44	0.1	0.9	30
31	—	X	—	X	—	X	—	0.17	X	0.18	X	0.13	31
Total	3.31	6.82	5.31	3.91	4.44	3.20	2.03	7.23	3.63	8.45	5.52	5.80	YEAR'S TOTAL 58.74
Rain Days.	22	27	~~26~~ 25	15	18	15	8	14	11	21	24	13 14	214

W. 8,000, VIII. 16

P. made ✓ [illegible] ~~R.~~ C.F.C. 1915

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

4 JAN 1918

Kept at Hillylands . Oakhill . Nr Bath
in the County of Somerset
by Lady Reid

Lat. Long.
Time of Observation 9 a m.
Nearest Railway Station 2 miles
Diameter of Rain Gauge 9 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 659 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	7	—	12	55	—	17	—	1·07 1007	77	—	13	—	1
2	17	—	3	13	—	18	—	16	—	1	2	—	2
3	12	—	—	4	—	—	—	1	—	15	10	—	3
4	—	16	13	1	—	—	77	9	—	85	—	—	4
5	54	—	30	65	—	28	—	1	36	40	24	—	5
6	—	—	27	—	—	—	—	—	—	13	20	2	6
7	53	—	—	—	—	—	21	51	—	34	3	6	7
8	46	—	—	17	—	—	87	83	2	95	29	8	8
9	—	—	25	7	7	—	3	57	6	52	22	—	9
10	28	—	38	26	—	—	—	27	13	4	—	—	10
11	11	—	41	52	—	—	—	43	3	25	5	—	11
12	2	—	3	2	42	—	—	26	—	115	—	—	12
13	—	—	17	—	—	3	—	17	56	6	—	2	13
14	—	—	15	13	—	—	3	71	12	—	—	—	14
15	—	—	1	—	—	—	11	1	2	29	—	5	15
16	2	15	—	36	—	—	4	—	1	58	—	25	16
17	—	3	—	34	13	—	67	15	61	13	—	19	17
18	2	6	—	—	—	1	67	1	72	—	4	—	18
19	—	60	19	—	—	3	—	—	10	—	10	—	19
20	—	11	7	—	32	9	—	42	3	—	3	—	20
21	—	—	41	—	—	25	—	—	—	6	—	—	21
22	—	—	4	—	—	—	—	12	—	11	—	—	22
23	—	—	—	—	8	—	—	77	—	—	—	—	23
24	—	22	—	—	—	43	11	15	—	46	6	1	24
25	—	2	5	—	—	—	—	1	11	46	—	—	25
26	—	8	—	—	28	—	—	1·69	62	35	18	—	26
27	—	—	—	—	74	11	—	1·36	—	—	3	—	27
28	—	—	14	—	5	54	—	59	—	—	9	—	28
29	—	—	25	—	—	399	2	17	—	55	—	27	29
30	5	✕	15	—	—	—	5	27	—	22	—	—	30
31	—	✕	24	✕	—	✕	33	3	✕	13	✕	—	31
Total	233	143	384	325 3·25	209 204	611	391	16·84 1684	427	819	181	95	YEAR'S TOTAL 4902 49·02
Rain Days.	12	9	21	13	8	12	13	27	16	23	16	9	179

W. 8,000. X. 14.

227

SHEPTON MALLET
PILTON.
SOMERSET

1911 - 1920

R 1911

Recd. by Boys 22. II. 12

FORM A2. BRITISH RAINFALL.
9 JAN 1912

Kept at Pilto

in the County of Som

by James D.

laker. Negretti + Zambra

top 5 in.

p above Ground 1 ft. 3 in.

„ Sea Level 354 ft.

9 o'clock

tion { Name Shepton Mallet
Distance 2 miles Direction East

IMPORTANT NOT , and the result entered to the previous day. If an O universal rule, he is earnestly requested to add the rea ng year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·31				·15				·11	·09	1
2	·06		·09	·10	·02			·05			·05	·03	2
3	·02		·01	·58	·36			·18		·04	·31	·15	3
4	·01			·02	·25			·04			·09	·10	4
5			·12			·35				·10	·20	·36	5
6	·12		·02	·02				·75			·15	·06	6
7	·36		·18					·01			·18	·41	7
8	·03	·02		·02							·22	·03	8
9	·08		·21								·02	·40	9
10	·13		·01								·05	·40	10
11	·13	·47	·33		·88							·28	11
12	·40	·04	·02		·30						·60	·20	12
13	·02		·90		·02				·04		·12	·28	13
14			·01						·35	·03	·11	·56	14
15		·15								·02		1·01	15
16		·10	·01			·05					·47	·03	16
17						·40					·13	·32	17
18		·01		·02		·11					·08	·38	18
19		·26	·05	·09		·14				·03	·06	·30	19
20		·11	·04	·03		·30			·33	·18	·02	·54	20
21	·03	·08		·14					·06	·08		·31	21
22	·01	·19	·02	·05						·27		·20	22
23	·05	·01	·34	·12		·02			·02	·52		·61	23
24		·18	·10	·02		·28			·19	·34		·14	24
25		·17				·54		·09		·38		·22	25
26		·20		·25		·17				·10		·29	26
27		·09		·32				·06		·06	·02	·37	27
28		·64		·06				·17	·17		·05	·35	28
29		31	·01	·46				·06			·05		29
30				·52		·44	·03		·12	·62		·03	30
31						·15				·22	·09	·02	31
Total	1·45 1·45	~~2·32~~ 2·63	~~2·78~~ 2·47	2·82 2·82	1·83 1·83	~~2·80~~ 2·95	~~·18~~ ·03	1·41 1·41	1·28 1·28	~~2·99~~ 3·10	~~3·09~~ 3·07	·01 ~~8·44~~ 8·40	TOTAL for year 31·44
No. of Rain Days.	14	17	18	17	6	12	1	9	8	15	21	30	169

W. 8,000, X. '11.

total for 1911 31·44

fwd. by Bry 22. II. 12

FORM A2.
BRITISH RAINFALL
9 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Pilton

in the County of Somerset Z

by James D. Allen

RAIN GAUGE
Pattern, Maker, Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 354 ft.

Time of Observation 9 o'clock

Nearest Railway Station
Name Shepton Mallet
Distance 2 miles Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·31				·15				·11	·09	1
2	·06		·09	·10	·02			·05			·05	·03	2
3	·02		·01	·58	·36			·18		·04	·31	·15	3
4	·01			·02	·25			·04			·09	·10	4
5			·12			·35				·10	·20	·36	5
6	·12		·02	·02				·75			·15	·06	6
7	·36		·18					·01			·18	·41	7
8	·03	·02		·02							·22	·03	8
9	·08		·21								·02	·40	9
10	·13		·01								·05	·40	10
11	·13	·47	·33		·88							·28	11
12	·40	·04	·02		·30						·60	·20	12
13	·02		·90		·02				·04		·12	·28	13
14			·01						·35	·03	·11	·56	14
15		·15								·02		1·01	15
16		·10	·01			·05					·47	·03	16
17						·40					·13	·32	17
18		·01		·02		·11					·08	·38	18
19		·26	·05	·09		·14				·03	·06	·30	19
20		·11	·04	·03		·30			·33	·18	·02	·54	20
21	·03	·08		·14					·06	·08		·31	21
22	·01	·19	·02	·05						·27		·20	22
23	·05	·01	·34	·12		·02			·02	·52		·61	23
24		·18	·10	·02		·28			·19	·34		·14	24
25		·17				·54		·09		·38		·22	25
26		·20		·25		·17				·10		·29	26
27		·09		·32				·06		·06	·02	·37	27
28		·64		·06				·17	·17		·05	·35	28
29		31	·01	·46				·06			·05		29
30				·52		·44	·03		·12	·62		·03	30
31						·15				·22	·09	·02	31
Total	1·45	~~2·72~~	~~2·78~~	2·82	1·83	~~2·80~~	~~·18~~	1·41	1·28	11 ~~2·99~~	~~3·00~~	·01 ~~8·49~~	TOTAL for year
	1·45	2·63	2·47	2·82	1·83	2·95	·03	1·41	1·28	3·10	3·07	8·40	31·44
No. of Rain Days.	14	16	18	17	6	12	1	9	8	15	21	30	169

W. 8,000, X. '11.

total for 1911 31·44

1

cord by Boys 5·III·13

REGISTER ~~OF~~ RAINFALL IN 1912

E.G. D.L.

FORM A. BRITISH RAINFALL. 8 - JAN 1913

Kept at Pilton

in the County of Somerset 2

by James D. Allen

Lat. .... Long. ....

Time of Observation 9 o'clock a.m.

Nearest Railway Station Shepton Mallet

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 354 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·08			·30	·13		·02	·66		·51	1
2			·18 ·~~0~~8			·15	·36				·06	·01	2
3	·03		·10	·02		·30	·15	·64	·07		·02	·10	3
4	·20		·58		·05	·16		·03			·30		4
5	·53	·15	·27		·04	·01		·27			·02	·26	5
6	·64	·10	·03		·29		·45	·76				·08	6
7	·06	·25	·17	·02	·11	·70		·26	·01		·03	·14	7
8	·37	·18	·80	·01		·16	·13	·12	·03			·03	8
9	·04	·04	·29	·09		·04	·02	·08			·02	·52	9
10	·07	·14	·01			·06		·32			·02	·15	10
11	·08	·05	·32									·46	11
12	·06	·55	·12	·10		·01	·03					·02	12
13	·02	·02	·06			·32		·08				·08	13
14	·20	·06	·62		·19			·35			·02		14
15	·09	·07	·04	·03	·34	·78		·10				·64	15
16	·67	·01	·42		·13	·03		·22		·08	·04	·09	16
17	·63		·10			·04		·80		·02	·08	·08	17
18	·05		·56					·11				·10	18
19		·10	·07			·16	·12	·10		·08	·04	·01	19
20	·05	·08	·48		·06	·07	·02	1·20		·56	·03		20
21		·10	·32		·33		·05	·12		·44			21
22	·21	·20	·18		·30			·20		·04	·02	·05	22
23	·20	·52	·24		·12	·04		1·25		·14	·26	·34	23
24	·04	·03	·02			·30		·03		·07		·15	24
25	·04	·02				·05		·62		·15	·25	·52	25
26		·02					·14	·11		·20	·30	·18	26
27						·13	·74			·90	·07	·34	27
28		·09				·06	·03	·36	·11	·61	·59	·50	28
29		·04	·04			·14	·13	·06	·47	·29		·04	29
30					·03	·07	·35		·22	·42			30
31	·02		·42		·09		·27	·08		·04		·12	31
Total	4·33	2·81	6·52	·27	2·08	4·08	3·12	8·27	·93	4·70	2·17	5·52	YEAR'S TOTAL 44·80 44·80
Rain Days.	23	22	26	6	13	23	16	25	7	16	18	26	221

W. 7,500, XI. ·12

✓ [illegible] 25.III.14 W DJ

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

8- JAN 1914

Kept at Pilton

in the County of Somerset

by James Dredge Allen

2

Lat. Long.

Time of Observation 9 o'clock a.m

Nearest Railway Station Shepton Mallet

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 354 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·37	·15	·03					·28	·10	·10	·50	1
2	·04	·07			·13		·07		·01	·18	·06		2
3	·17		·06	·04	·55							·14	3
4	·80		·03		·36				·72	·08		·31	4
5	·14	·07	·04		·37	·56	·05		·28	·03	·05	·11	5
6	·05	·05	·09		·06	·16	·07		·01	.67 ·~~5~~7	·05	·50	6
7	·03	·15	·07		·20	·08				·32	·28	·01	7
8	·02	·03			·20		·04			·05		·02	8
9	·01	·05			·03	·15	·48	·32	·03		·11	·04	9
10	·15		·05	·04	·03	·02		·02		·22	·16	·01	10
11	·57		·01	·37	·25	·14				·09	·60		11
12		·03			·24	·06	·03		·03	·01	·15	·02	12
13	·08	·02	·13			·02			·88		·22		13
14	·12	·06	·12	·03	·04			·10	·26		·48		14
15	·19	·02	·26	·54			·05		·05		·04	·02	15
16	·17		·60	·05						·03	·02		16
17	·06			·02			·14						17
18	·10		·12	·10			·02		·02				18
19	·60		·10	·02	·08	·21			·57	·02			19
20	·07		·09	·07						·13	·30		20
21			·06	·18	·17		·10			·02	·43		21
22	1·06		·30	·16	·03			·09	·25				22
23	·03		·07			·41			·02		·05	·50	23
24	·12			·10			·02	·03			·05		24
25		·16		·17							·04	·06	25
26		·01		·31				·24			·02	·19	26
27	·10		·17	·30						·10			27
28	·19		·07	·32						·16		·18	28
29	·06		·40	·36				·12		·25	·02		29
30	·36			·06	·03					·40	·07		30
31	·16		·06					·62					31
Total	5·45	1·09	3·05	3·27	2·77	1·51	1·07	1·54	3·41	2·86	3·30	2·61	YEAR'S TOTAL 31·93
Rain Days.	26	13	22	20	16	10	11	8	14	18	21	15	194

W.7,000, XI. 13

[illegible] 12.III.[illegible] W

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
7 - JAN 1915

Kept at Pilton

in the County of Somerset 2

by James D. Allen

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Shepton Mallet
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·23

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03	·09		·02	·33	·58			·20	·05	1
2				·06	·03		·62	·02			1·16	·48	2
3			·26	·18	·29		·02	·63		·04	·11	·07	3
4	·13			·21	·16		·15	·30			·56	·40	4
5	·20		·35	·45	·28		·10	·02			·02	·05	5
6		·15	·04	·22	·04	·02	·45	·05			·07	·16	6
7		·36	·07	·20	·35	·06	·48	·20	·02		·01	·09	7
8	·18	·03	1·20	·01	·24	·38		·14				·02	8
9	·29		·36	·15	·05	·82		·15	·51				9
10	·18	·08	·04	·08	·10				·35		·04		10
11		·10	·74		·02	·19	·10		·23		·10	·25	11
12		·08	·34						·30		·08	·30	12
13		·30	·14						·18	·18	·12	·72	13
14		·14	·31					·32	·06	·28	·30		14
15			·14				·30	·40	·07	·02	·21		15
16			·02				·13	·01	·18				16
17		·26	·23				·03		·02			·42	17
18		·04	·14				·50		~~·01~~			·48	18
19	—	·10	·65				·77		·02			·18	19
20		·44	·13			·03						·36	20
21		·51	·06			·40				·15			21
22		·01	—	—	·20	·20	·02	·06		·20			22
23		·20	·27		·10	·02				·30			23
24			·12			—	·32			·17	·20	·05	24
25	·05		·13		·05		·13	·30		·36	·02	·30	25
26			·02				·09	·14		·03	·24	·37	26
27	·18									·11	·09	·16	27
28		·14	·20		·02		·15			·14	·30	1·20	28
29	·15		·22		·11		·02			·28	·22	·01	29
30		×	·03							·14	·24	·80	30
31	·01	×		×	·01	×	·20		×	·18	×	·18	31
Total	1·37	2·94	6·24	1·65	2·05	2·14	4·91	3·32	1·94	2·58	4·29	7·10	YEAR'S TOTAL 40·53
Rain Days.	9	16	26	10	16	10	20	15	12	15	20	23	191 192

W. 8,000. X. 14.

and by Boys + for pr. W.D. 6.VII.16 Ed L.N

2114

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
6. JAN 1916

Kept at Pilton
in the County of Somerset
by James D. Allen

2

Lat. .... Long. ....
Time of Observation 9 o'clock a. m
Nearest Railway Station Shepton Mallet
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 354 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23	·25			·10		·05	·12	·08	·25	·86	·35	1
2	·50	·35	·30	·15			·06	·04			·03	·26	2
3	·13	·10	·12	·20	·31	·12		·47	·05			·40	3
4	·05	·02			·09			·03		·12		·48	4
5	·09	·41	·02				·02	·37				·18	5
6	·60	·08		·30								·27	6
7	·28	·60					·34	·26				·28	7
8	·30	·38		·10			·40	·03				·27	8
9		·05		·14							·08	·10	9
10	·27	·03	·10	·04				·03			·55	·60	10
11	·09		·28					·06				·12	11
12	·29	·32		·15	·75		·04	·16		·05	·54	·06	12
13	·05	·75			·36			·91		·09	·32		13
14	·04	·03					·02	·15	·14		·05	·02	14
15	·21			·02	·23		·17	·50	·10	·08		·86	15
16		·57			·66		·40	·13			·18	·17	16
17		·50			·21		·83	·50				·14	17
18		·15	·02					·05					18
19	·01	·03			·08						·02		19
20	·44			·11			·26						20
21	·02	·10								·02		·14	21
22	·16	·21	·42	·06			·03			·10		·26	22
23		·04				·02	·41		·03	~~·05~~		·24	23
24			·02	·06			·30		·12	1·22		·04	24
25				·07			·20		·30	·70		·38	25
26		·04				·15	·35					·20	26
27		·11				·10	·21					·52	27
28		·10				·08	·44			·46		·02	28
29						·04		·06	·65	·26		·18	29
30	·14					·20					·10	·48	30
31	·03									·36		·05	31
Total	3·93	5·22	1·28	1·40	2·79	·05 ~~·71~~ ·76	·12 ~~4·53~~ 4·60	– ~~3·87~~ 3·75	– 1·47	·86 ~~3·76~~ 4·57	·35 ~~2·73~~ 2·22	~~7·02~~ 6·72	YEAR'S TOTAL 38·71 ✓
Rain Days.	20	23	8	12	9	~~7~~ 8	18 ✓	~~17~~ 16	8 ✓	~~13~~ 13	10	26	171 ✓

W. 8,000. X. 15.

2055

-Form Mid Wessex M

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Shepton Mallet Pilton

in the County of Somersetshire 2

by Rev H A Boys J D Allen

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.12		.02		.12	.10	.03		.14	.76	.17		1
2	.24	.11	.04		.14		.11		.03	.68	.20		2
3		.68			.18				.10	.48	.11		3
4	.22	.12			.10	.46			.36	.33	.43		4
5	.24				.31	.50				.08	.80		5
6	.07	.22	.11		.11	.10	.64			.10	.53		6
7		.10	.17		.10	.11	.07			.08	.51	.31	7
8		.09	.05		.38					.02	.11	.12	8
9		.12			.16	.12	.02			.10	.13	.12	9
10		.50	.03	.10	.08		.12			.18	.05	.11	10
11	.06	.01	.06	.26	.02	.08			.09	.01	.03	.03	11
12	.16	.05	.03	.23	.22		.20	.08		.02	.02		12
13		.28						.90			.02		13
14	.03	.45	04	.11	.22			.07		.02			14
15	.03	.14	.10	.10	.01			.15					15
16	.12	.05		.32	.03		.07	.80		.04			16
17	.16	.35		.02				.05	.93	.48			17
18	.07	.28	.20	.05					.10	.16	.35	.12	18
19			.37	.24				.03		.02	.33	.03	19
20	.32	.23	.48								.10	.90	20
21	.10	.03	.25		.09		.12				.02	.40	21
22	02		.03	.03		.06				.33	.06	.49	22
23		.10		.11		.08		.25		.23	.12	.40	23
24		.26		.03	.70	.11		.06		.56	.03	.20	24
25		.50	.21		.30			.76		.46	.10	.03	25
26		.10	.08			.30		.03	.70	.23	.07		26
27		.05	1.05			.03		.54	.48	.33		.49	27
28		.26	.08			.04		.08	.45	.30			28
29		.37	.10			.48		1.61		.70		.45	29
30		X	02					.02	.02	.35		.04	30
31		X		X		X		.07	X	.35	X	.20	31
Total	1.96	5.45	3.52	1.60	3.27	2.57	1.38	5.50	3.40	7.40	4.29	4.44	YEAR'S TOTAL 44.78
Rain Days.	15	25	21	12	18	14	9	16	11	27	22	17	207

W. 8,000, VIII. 16

1964

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

19 JAN 1918

Kept at Pilton

in the County of Somerset

by James D. Allen

Lat. .... Long. ....

Time of Observation 9 o'clock a.m.

Nearest Railway Station Shepton Mallet

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ...... in.

" " " " Sea Level 354 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·19		·03	·12				·01	·02		·12		1
2	·04		·10	·26		·12		1·00	·30		·05		2
3	·05		·10	·06		·21		·12	·08	·03	·02		3
4	·04		·03	·06			1·24			·30	·04		4
5		·11 Snow	·12	·03			·08	·05	·01	·30			5
6	·34		·15	·31		·22			·30	·28	·10		6
7	·03		·12							·04	·24		7
8	·38						·09	·40		·23		·02	8
9	·39		·11	·09		·03	·45	1·00	·14	·43	·25	·10	9
10			·08	·08	·05		·25	·25	·06	·42	·40		10
11	·29		·28	·16				·23	·18		·05		11
12	·19		·50	·45				·12	·05	·20	·03		12
13			·06	·01	·27			·47		·85	·05		13
14	·03		·09			·06		·23	·23	·05		·04	14
15			·15	·12			·07	·40	·03	·03			15
16		·03					·21	·47	·03	·20		·26	16
17		·18	·03	·14			·13			·54		·10	17
18		·04		·36	·09		·50	·08	·37	·12	·04	·01	18
19	·03	·08		·02		·03	·26	·03	·55	·03	·05		19
20	·05	·52	·10			·05			·12		·14		20
21	·03	·05	·10		·27	·10		·43			·03		21
22			·35			·30		·02		·02			22
23		·02	·06					·10		·05			23
24		·14						·60		·02	·02	·02	24
25		·01	·01			·36	·25	·07		·13	·06		25
26		·16	·02					·02	·09	·16			26
27		·01			·26			1·02	·25	·26	·04		27
28		·02			1·00	·20		·95		·06	·01		28
29			·09		·15	2·70		·56	·02			·03	29
30		×	·07			·50	·05	·11		·36		·10	30
31		×	·22	×		×	·30	·08	×	·07	×		31
	–	·03	·12	–	–	–	·01	·02	–	·12		–	YEAR'S TOTAL.
Total	~~2·08~~ 1·89	~~1·37~~ 1·40	~~2·97~~ 3·06	~~2·17~~ 2·15	~~2·00~~ 2·09	~~4·88~~ 4·88	~~3·88~~ 3·89	~~8·82~~ 8·83	~~2·83~~ 2·81	~~5·18~~ 5·30	~~1·74~~ 1·67	~~·68~~ ·68	~~38·40~~ 38·51
Rain Days.	~~14~~ 13	~~13~~ 14	24	~~15~~ 14	7	13	~~13~~ 14	20	~~18~~ 17	~~26~~ 26	~~19~~ 18	9	~~196~~ 195

W. 8,000, IX. 17.

from Original ref^d to Rev H. a Boys

48

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Shepton Mallet-Pilton

in the County of Somersetshire

by J D Allen Rev H. a Boys

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 354 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.02	.10			.43	.02	.02	.53	.04	1
2		.02		.20				.46	.35	.02	.08	.10	2
3		.05	.07	.10	.17				.05	.02	.03	.05	3
4		.03	.01		.01			.10	.02	.02	.43	.08	4
5			.03		.09			.27	.08	.24	.02	.03	5
6	.21	.72	.01	.40				.06	.07	.12		.15	6
7		.23		.03	.50	.02		.01	.25	.25	.27	.02	7
8	.02	.02		.01				.03	.25	.26		.07	8
9	.02	.15		.28		.30	.66		.33	.14	.04	.24	9
10	.08	.02		.07		.02	.68		.15	.12	.03	.50	10
11	.02	.01	.10	.01			.55		.63	.14	.06	.15	11
12		.06	.25		.30		.07		.30		.02	.06	12
13	.22	.01			.28		.34		.70	.11		.20	13
14	.28		.03		.03		.33		.25	.16		.15	14
15	.90			.40	.10		.40			.02		.17	15
16	.33		.02	.65			.05		.22			.30	16
17	.34			.15			.24	.12	.62	.02		.10	17
18	.65					.75	.03	.01	21	.02		.40	18
19	.07		.12	.03			.35	.06	.20	.02		.20	19
20	.07	.16		.11		.08	.33		.15	.05			20
21	.04	.04	.02			.03	.23		.50	.03		.17	21
22	.02	.03			.06		.45		.21	.08		.33	22
23	.10				.30	.02	.43	.05	.11	.02	.02	04	23
24		.17				.03	.12		.15		.14	.03	24
25	.01				.03		.14	1.00		.02	.02		25
26							.46	.01	.03	.04	.17	.33	26
27		.21	.01					.20	.32	02	.20	.04	27
28		.07	.12							.01	.34	28	28
29			.12	.01					1.00		02	.06	29
30		X	.44					.17	02	03		.10	30
31		X	.22	X		X		.10	X	03	X		31
Total	3.38	2.00	1.57	2.47	1.97	1.25	5.86	3.08	6.59	2.03	2.42	4.39	YEAR'S TOTAL 37.01
Rain Days	17	17	15	15	12	8	18	16	27	27	17	25	217

W, 6,500, VII. 18. w w c

Ex DL

1838

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Pilton

in the County of Somerset

by J. D. Allen per Boys

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·65		·09	·01	·11		·50			·12	·03	·60	1
2	·10		·03		·06		·10		·02	·05	·05	1·00	2
3	·70		·30		·21				·20		·07	·24	3
4	·17	·10	·31		·02	·10	·02	·10	·14			·58	4
5	·04	·41	·80		·08				·38		·05	·10	5
6	·35	·10	·06		·02						·02	·60	6
7	·10		·35	·11	·01							·25	7
8	·12		·10	·02		·03						·02	8
9	·02		·06	·15	·02						·06		9
10	·13		·05	·11						·04	·03		10
11	·04		·18	·20	·17	·01	·26					·20	11
12	·03		·05	·01		·15	·03			·28	·16	·07	12
13	·05		·05	·32			·05					·06	13
14	·30	·08		·75	·03		·21			·02		·03	14
15	·18	·04		·05				·02		·07		·10	15
16	·10	·70		·01			·01			·01	·16	·25	16
17	·02	·09		·02		·01		·04			·38	·03	17
18	·05	·10	·50				·21	·46	·02		·20	·03	18
19	·50	·10	1·00			·10	·91	·41	·26		·21	·17	19
20	·30	·22	·10			·24	·01	·23	·04		·03		20
21	·02	·70					·72	·02	·04		·02	·05	21
22		·12					·12	·01	·15		·10	·16	22
23		·04	·02	·03			·02		·03	·70	·08	·30	23
24	·03	·02		·06		·15				·93	·07	·18	24
25	·16	·01		·14		·05		·93	·02	·01	·10	·28	25
26	·14		·15			·02		·65	·17		·06	·20	26
27	·03		·01	·28			·01	·40				·30	27
28			·38	·02				·75			·50	·06	28
29	·03			·07				·05		·10		·60	29
30			·03	·36		·15		·21		·04	·60	·10	30
31			·05				·06					·40	31
TOTAL	4·36	2·83	4·67	2·72	·73	1·01	3·24	4·28	1·47	2·37	2·98	6·96	YEAR'S TOTAL 37·62
Days with ·01 in. or more	26	15	22	19	10	11	16	14	12	12	21	28	206

(44,283). Wt.21,958—218. 7500. 10/19. Gp.133. A.&E.W.

1753

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Springfield Pilton

in the County of Somerset

by (Miss) J. H. Allen (per - late J. D. Allen)

Lat. .... Long. ....

Time of Observation 9 o'clock a. m.

Nearest Railway Station Shepton Mallet

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 354 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·15

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30	·16	·01	·35	·10	·03	·20	·02		·40	·40	·42	1
2	·05	·03	·02	·15	·33		·30	·10	·04	·20	·24	·08	2
3	·15	·04	·03	·14	·02		·15	·48	·25	·12	·01	·01	3
4	·0	·04	·01	·03	·10		·50		·02	·55			4
5	·0	·0	·06	·10	·02		·16	·65	·01	·23			5
6	·0	·0	·0	·15	·35		·50	·10		·15		·02	6
7	·0	·01	·32	·03	·18		·18	·02		·04			7
8	·10	·0	·04	·48	·01		·20	·02	·01	·01	·02	·02	8
9	·05	·14	·0	·50	·15		·60			·01	·01		9
10	·50	·04	·10	·21	·0	·12	·10	·02		·0			10
11	·52	·40	·15	·09	·0	·15	·50						11
12	·44	·02	·0	·50	·33	·03	·14						12
13	·24	·02	·02	·15	·03	·60	·06				·04		13
14	·25	·10	·45	·10	·0						·04		14
15	·12	·05	·25	·46	·0	·03	·02		·14	·24	·20		15
16	·03	·12	·02	·12	·0	·18	·08		·14	·30	·14		16
17	·0	·02	·12	·06	·02	·03	·31		·09	·04	·30		17
18	·05	·0	·03	·25	·25	·10	·01		·30		·02		18
19	·08	·02	·10	·10	·10	·05		·44	·24		·02		19
20	·10	·01	·0	·21	·04	·25	·02				·01	·02	20
21	·10	·18	·0	·14	·0	·55	·03		·10		·01	·23	21
22	·01	·0	·0	·02	·0	·02	·14		·01	·05		·20	22
23	·0	·0	·0	·21	·0	·02	·04	·08				·42	23
24	·02	·0	·0	·01	·0		·80	·02	·01			·26	24
25	·03	·01	·12	·05	·0			·01			·10	·05	25
26	·0	·15	·05	·0	·50	·03	·24				·01	·01	26
27	·28	·01	·10	·0	·06	·08	·20				·14	·06	27
28	·20	·02	·06	·50	·02	·50	·12					·20	28
29	1·05		·10	·03	·02	·04	·12				·14	·05	29
30	·15		·12	·0	·04	·02	·01				·30	·15	30
31	·03		·01		·22		·40					·21	31
	·16	·01	·35	·10	·03	·20	·02	—	·40	·40	~~·42~~	·15	YEAR'S TOTAL
TOTAL	~~4·88~~ 4·74	~~1·65~~ 1·50	~~2·32~~ 2·65	~~5·44~~ 5·23	~~3·09~~ 2·82	~~2·86~~ 3·03	~~6·20~~ 6·02	~~1·99~~ 1·97	~~1·42~~ 1·82	~~2·49~~ 2·73	~~2·48~~ 1·78	~~2·41~~ 2·56	~~34·20~~ 30·84
Days with ·01 in. or more	24 ~~25~~	~~21~~ 20	23 ~~28~~	27 ~~25~~	21 ~~24~~	19 ~~18~~	28 ~~24~~	12 ~~8~~	14 ~~15~~	13 ~~12~~	18	18 ~~15~~	235 237
Days with ·04 in. or more	~~19~~ 19	~~11~~ 10	~~15~~ 16	22	~~14~~ 13	11	~~23~~ 22	6	~~8~~ 9	11	~~11~~ 10	~~12~~ 13	163

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

8L

cor for part

REG

348

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

SHEPTON MALLET
PONDSMEAD

SOMERSET
1911, 13

—

Kept at Pondsmead

in the County of Somerse

by J. Fletcher

in.

und 1 ft. in.

Level 710 ft.

e

ance Direction

IMPORTANT NOTE.— e result entered to the previous day. If an Obser al rule, he is earnestly requested to add the reading in the space provided for it at the end of this p of rain, the selection and placing Rainfall Organization are given in "R ication to Dr. H. R. Mill, 62, Camden

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·65		·01			·07			·07	·08	1
2	·06		·30	·09	·55			·20		·04	·43	·18	2
3	·03		·04	·36	·34			·06	·01		·15	·04	3
4	·02	·02	·04			·76		·02		·07	·47	·45	4
5		·02	·18	·02				·86		·10	·17	·01	5
6	·10		·09	·02							·24	·52	6
7	·43		·12	·01							·33		7
8	·05		—	·01								·44	8
9	·30		·32								·13	·47	9
10	·24				·19							·59	10
11	·13	·08	·57		·31						·81	·33	11
12	·50	·03	·01					·01	·06		·49	·28	12
13	·02		·93						·35	·03	·36	·56	13
14			·02		·01					·01	·04	·99	14
15		·20				·05					·49	·11	15
16		·15	·05			·36				·01	·52	·46	16
17		·03				·13					·08	·48	17
18	·01	·03	·01			·10					·04	·45	18
19		·36	·11	·10		·27			·53	·25	·04	·51	19
20		·11		·07		·01			·16	·11		·45	20
21	·03	·05	·11	·49		·01		·81		·46		·32	21
22		·36		·02		·07			·30	·63		·77	22
23	·08	·01	·24	·15		·24				·13		·31	23
24	·01	·21	·10	·05		·60		·18		·64	·02	·26	24
25		·48				·09		·05		·05		·46	25
26	·02	·29		·44	·05			·04		·17	·03	·59	26
27		·07		·50	·01			·21	·15		·04	·28	27
28		·87	·20	·18				·15			·08	·02	28
29		·65		·42		·69			·34	·98			29
30				·52		·03	·02			·19	·08	·03	30
31	–		–	(–)	·07					·17		·01	31
Total	2·03	4·02	3·44	3·45	1·54	3·41	·02	2·66	1·90	4·04	5·11	10·45	TOTAL for year 42·07
No. of Rain Days	17	19	18	~~19~~ 17	9	14	1	12	8	17	22	29	185 183

9,000, IX. '10.

Jl

cor for part

REG

348

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

Kept at Pondsmead

in the County of Somerset

by J. Fletcher

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 710 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·65		·01			·07			·07	·08	1
2	·06		·30	·09	·55			·20		·04	·43	·18	2
3	·03		·04	·36	·34			·06	·01		·15	·04	3
4	·02	·02	·04			·76		·02		·07	·47	·45	4
5		·02	·18	·02				·86		·10	·17	·01	5
6	·10		·09	·02							·24	·52	6
7	·43		·12	·01							·33		7
8	·05		—	·01								·44	8
9	·30		·32								·13	·47	9
10	·24				·19							·59	10
11	·13	·08	·57		·31						·81	·33	11
12	·50	·03	·01					·01	·06		·49	·28	12
13	·02		·93						·35	·03	·36	·56	13
14			·02		·01					·01	·04	·99	14
15		·20				·05					·49	·11	15
16		·15	·05			·36				·01	·52	·46	16
17		·03				·13					·08	·48	17
18	·01	·03	·01			·10					·04	·45	18
19		·36	·11	·10		·27			·53	·25	·04	·51	19
20		·11		·07		·01			·16	·11		·45	20
21	·03	·05	·11	·49		·01		·81		·46		·32	21
22		·36		·02		·07			·30	·63		·77	22
23	·08	·01	·24	·15		·24				·13		·31	23
24	·01	·21	·10	·05		·60		·18		·64	·02	·26	24
25		·48				·09		·05		·05		·46	25
26	·02	·29		·44	·05			·04		·17	·03	·59	26
27		·07		·50	·01			·21	·15		·04	·28	27
28		·87	·20	·18				·15			·08	·02	28
29		·65		·42		·69			·34	·98			29
30				·52		·03	·02			·19	·08	·03	30
31	–		–	(–)	·07					·17		·01	31
Total	2·03	4·02	3·44	3·45	1·54	3·41	·02	2·66	1·90	4·04	5·11	10·45	TOTAL for year 42·07
No. of Rain Days	17	19	18	~~19~~ 17	9	14	1	12	8	17	22	29	185 183

9,000, IX. '10.

FORM B.
BRITISH RAINFALL

1 JAN 1913

To be filled and returned
to DR. H. R. MILL,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

RAINFALL IN 1912

At Pondsmead

In the County of Somerset

Rain Gauge
Diameter of Funnel 8 in.
Height of Top Above Ground 1 ft. in.
Height of Top Above Sea Level 710 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	5.98	1.06	17	22
FEB.	3 58	.72	12	23
MAR.	8 02	·94	18	27
APR.	41	·16	9	8
MAY	2 30	.45	21	12
JUNE	5 05	93	15	24
JULY	3.55	1.06	27	18
AUG.	11.18	1.86	20	25
SEPT.	1.09	.52	28	7
OCT.	6.38	1.30	26	16
NOV.	2.78	63	27	18
DEC.	8.37	1.27	14	26
Total	5869			226 ✓

Signed J Fletcher. for T Spencer Esq

[Please fill in the other side also.

W. 12,000. XI.10.

If Gauge has been moved during year state—

Date.	Distance.	Direction.
—	—	—

How was height above sea level ascertained?

State pattern and maker of Gauge, if known.

Negrettas

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.
Wall	8ft	27ft	w
Rose Pergolla	. 8	15	. S

In any case please mention

Nearest Parish Church and Railway Station.

	Name.	Distance.	Direction.
Church	Oakhill	300ft	N.E.E
Station	Binegar	mls 2 3/4	W

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address.

REMARKS ON THE YEAR.

922

69·85

[illegible] 25.III.14

[illegible] M.W.D. – totals [illegible]

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Pondsmead

in the County of Somerset

by J. Fletcher for F. Spencer. Esqr

Lat. .... Long. ....

Nearest Railway Station ....

Time of Observation 9 am

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " Sea Level 710 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.38	.21	..3	—	—	—	—	.60	—	..5	.50	1
2	10	6	4	.10	11	—	—	—	.30	..6	.14	.34	2
3	20	—	.16	..2	10	—	..9	—	1	..6	11	..4	3
4	1.27	—	.10	—	.49	—	..3	—	—	—	—	.24	4
5	..4	..7	..3	—	.56	—	..2	Tempt. 36 —	.77	.15	..6	.28	5
6	.11	..5	.14	—	.21	.60	—	—	.36	—	..3	.12	6
7	..2	.26	..9	—	.18	.21	.11	—	—	.72	..6	.58	7
8	..2	..6	—	—	.25	4	..9	—	—	.60	.27	—	8
9	—	.11	.26	—	.32	.18	—	—	—	16	—	..5	9
10	.19	—	.19	..3	..8	.36	.54	.50	..9	—	.13	.22	10
11	.60	—	..8	.32	.34	—	—	..3	—	.28	.17	—	11
12	..1	—	—	—	.32	.11	—	—	—	7	.86	..2	12
13	..5	—	.16	—	—	—	—	—	..4	—	16	..5	13
14	.12	..2	.23	~~—~~	—	—	—	—	.86	—	.28	—	14
15	.27	..7	.41	.16	—	—	..1	..9	.16	..8	.49	..9	15
16	.23	—	.83	43	—	—	..1	..3	3	—	.23	.10	16
17	.13	—	~~.21~~	.21	—	—	..4	..2	1	—	..3	—	17
18	.11	—	.24	..8	—	—	.15	—	—	—	.23	—	18
19	.65	—	..3 ~~.16~~	23	—	..7	—	—	—	—	.10	..1	19
20	..9	—	.16	—	.16	.13	..2	—	.65	..4	—	—	20
21	—	—	.20	..6	—	—	—	—	—	.10	.22	—	21
22	1.57	—	29	.18	.13	—	..8	—	—	—	.48	—	22
23	..3	—	—	.11	..6	—	—	.10	.24	—	—	.42	23
24	.15	..3	—	—	—	.14	—	—	—	—	..7	—	24
25	—	.13	—	16	—	—	—	.14	—	—	..4	.15	25
26	—	—	~~.18~~	20	—	—	—	—	—	—	..9	.22	26
27	..4	—	.18	.47	—	—	—	.30	—	—	..2	..7	27
28	.22	—	.64	.48	—	—	—	—	—	.15	..3	Snow & Rain 14+	28
29	..5		.55	37	—	—	—	—	—	14	—	—	29
30	.57		—	39	—	—	—	.11	—	24	..7	—	30
31	.16		.6	—	..1	—	—	— .60	—	47 05	.50	— (—)	31
Total	7.00	1.24	4.81	4.03	3.32	1.84	1.19	1.92	3.52	3.37	4.87	3.14	TOTAL for year 40.25
No. of Rain Days	26	.11	.23	19	15	.9	12	10	3.52 12	3.37 16	.25	.18	1.96

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

otats 19·II·12

RE 911

FORM A2.
BRITISH RAINFALL.

-5 FEB 1912

SHEPTON MALLET
SEWAGE FARM
SOMERSET

1911 – 16, 18-20

Kept at ~~Sewer~~
Shepton
in the County of So
by W Reade

op 5 in.
above Ground ft. 8 in.
„ Sea Level 310 ft.
9 am
Name G. W. R
Distance 1 mile Direction S E

IMPORTANT NOTE and the result entered to the previous day. If an Obse niversal rule, he is earnestly requested to add the readi year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·07	0·0	0·16	0·10	0·0	0·0	0·0	0·05	0·0	0·0	0·06	0·04	1
2	0·04	0·0	0·02	0·23	0·44	0·0	0·0	0·25	0·0	0·04	0·36	0·12	2
3	0·0	0·0	01 0·06	0·0	0·30	0·0	0·0	0·06	0·0	0·0	0·08	0·03	3
4	0·0	0·02	0·18	0·01	0·0	0·99	0·0	0·89	0·0	0·05	0·32	0·33	4
5	0·08	0·0	0·04	0·0	0·0	0·0	0·0	0·0	0·0	0·12	0·23	0·04	5
6	0·41	0·0	0·16	0·0	0·0	0·0	0·0	0·0	0·0	0·04	0·22	0·51	6
7	0·04	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·30	0·01	7
8	0·11	0·0	0·24	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·45	8
9	0·16	0·0	0·02	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·06	0·39	9
10	0·11	0·06	0·36	0·0	0·36	0·0	0·0	0·0	0·0	0·0	0·0	0·44	10
11	0·42	0·11	0·03	0·0	0·17	0·0	0·0	0·0	0·0	0·0	0·71	0·37	11
12	0·0	0·0	0·84	0·0	0·01	0·0	0·0	0·0	0·04	0·0	0·22	0·27	12
13	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·31	0·0	0·15	0·68	13
14	0·0	0·19	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·01	0·02	0·96	14
15	0·0	0·12	0·02	0·0	0·0	0·09	0·0	0·0	0·0	0·0	0·29	0·09	15
16	0·0	0·0	0·0	0·0	0·0	0·51	0·0	0·0	0·0	0·0	0·40	0·34	16
17	0·0	0·0	0·0	0·0	0·0	0·12	0·0	0·0	0·0	0·0	0·14	0·40	17
18	0·0	0·28	0·09	0·09	0·0	0·13	0·0	0·0	0·0	0·03	0·04	0·39	18
19	0·0	0·12	0·0	0·05	0·0	0·13	0·0	0·0	0·42	0·26	0·03	0·41	19
20	0·03	0·03	0·04	0·19	0·0	0·01	0·0	0·0	0·07	0·07	0·0	0·47	20
21	0·0	0·29	0·0	0·05	0·0	0·0	0·0	·09 0·29	0·0	0·37	0·0	0·25	21
22	0·07	0·0	0·26	0·12	0·0	0·05	0·0	0·0	0·0	0·81	0·0	0·73	22
23	0·0	0·22	0·10	0·09	0·0	0·22	0·0	0·0	0·28	0·14	0·01	0·20	23
24	0·0	0·35	0·0	0·0	0·0	0·67	0·0	0·14	0·02	0·65	0·0	0·24	24
25	0·0	0·13	0·0	0·33	0·0	0·16	0·0	0·08	0·0	0·02	0·0	0·35	25
26	0·0	0·06	0·0	0·32	0·0	0·0	0·0	0·03	0·0	0·18	0·02	0·49	26
27	0·0	0·70	0·17	0·11	0·0	0·0	0·0	0·17	0·14	0·0	0·05	0·39	27
28	0·0	0·56	0·0	0·38	0·0	0·0	0·0	0·07	0·0	0·0	0·07	0·02	28
29	0·0		0·0	0·54	0·0	0·61	0·02	0·0	0·12	0·73	0·02	0·0	29
30	0·0		0·0	0·0	0·0	0·09	0·0	0·0	0·0	0·25	0·05	0·07	30
31	0·0		07 0·0		0·0		0·0	0·0		0·13		0·02	31
Total	1·54	3·24	2·74 2·74	3·61	1·28	3·78 3·78	0·02	1·83	1·40	3·90	3·85	9·50	TOTAL for year 35·69 35·69
No. of Rain Days.	11	15	17	14	5	13	1	10	8	17	23	30	165

W. 8,000, X. '11.

stats 19·II·12

FORM A2.
BRITISH RAINFALL.
-5 FEB 1912

REGISTER OF RAINFALL IN 1911

Kept at ~~Gearage~~ farm Shepton Mallet

in the County of Somerset 2

by W Reader

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 8 in.
" " " Sea Level 310 ft.

Time of Observation 9 am

Nearest Railway Station
Name G·W·R
Distance 1 mile Direction S E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·07	0·0	0·16	0·10	0·0	0·0	0·0	0·05	0·0	0·0	0·06	0·04	1
2	0·04	0·0	0·32	0·23	0·44	0·0	0·0	0·15	0·0	0·04	0·36	0·12	2
3	0·0	0·0	01 0·06	0·0	0·30	0·0	0·0	0·06	0·0	0·0	0·08	0·03	3
4	0·0	0·02	0·18	0·01	0·0	0·99	0·0	0·89	0·0	0·65	0·32	0·33	4
5	0·08	0·0	0·04	0·0	0·0	0·0	0·0	0·0	0·0	0·12	0·23	0·04	5
6	0·41	0·0	0·16	0·0	0·0	0·0	0·0	0·0	0·0	0·04	0·22	0·51	6
7	0·04	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·30	0·01	7
8	0·11	0·0	0·24	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·45	8
9	0·16	0·0	0·02	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·06	0·39	9
10	0·11	0·06	0·36	0·0	0·36	0·0	0·0	0·0	0·0	0·0	0·0	0·44	10
11	0·42	0·11	0·03	0·0	0·17	0·0	0·0	0·0	0·0	0·0	0·71	0·37	11
12	0·0	0·0	0·84	0·0	0·01	0·0	0·0	0·0	0·04	0·0	0·22	0·27	12
13	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·31	0·0	0·15	0·68	13
14	0·0	0·19	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·01	0·02	0·96	14
15	0·0	0·12	0·02	0·0	0·0	0·09	0·0	0·0	0·0	0·0	0·29	0·09	15
16	0·0	0·0	0·0	0·0	0·0	0·51	0·0	0·0	0·0	0·0	0·40	0·34	16
17	0·0	0·0	0·0	0·0	0·0	0·12	0·0	0·0	0·0	0·0	0·14	0·40	17
18	0·0	0·28	0·09	0·09	0·0	0·13	0·0	0·0	0·0	0·03	0·04	0·39	18
19	0·0	0·12	0·0	0·05	0·0	0·13	0·0	0·0	0·42	0·26	0·03	0·41	19
20	0·03	0·03	0·04	0·19	0·0	0·01	0·0	0·0	0·07	0·07	0·0	0·47	20
21	0·0	0·29	0·0	0·05	0·0	0·0	0·0	·09 0·09	0·0	0·37	0·0	0·25	21
22	0·07	0·0	0·26	0·12	0·0	0·05	0·0	0·0	0·0	0·81	0·0	0·73	22
23	0·0	0·22	0·10	0·09	0·0	0·22	0·0	0·0	0·28	0·14	0·01	0·20	23
24	0·0	0·35	0·0	0·0	0·0	0·67	0·0	0·14	0·02	0·65	0·0	0·24	24
25	0·0	0·13	0·0	0·33	0·0	0·16	0·0	0·08	0·0	0·02	0·0	0·35	25
26	0·0	0·06	0·0	0·32	0·0	0·0	0·0	0·03	0·0	0·18	0·02	0·49	26
27	0·0	0·70	0·17	0·11	0·0	0·0	0·0	0·17	0·14	0·0	0·05	0·39	27
28	0·0	0·56	0·0	0·38	0·0	0·0	0·0	0·07	0·0	0·0	0·07	0·02	28
29	0·0		0·0	0·56	0·0	0·61	0·02	0·0	0·12	0·73	0·02	0·0	29
30	0·0		0·0	0·0	0·0	0·09	0·0	0·0	0·0	0·25	0·05	0·07	30
31	0·0		07 ~~0·10~~		0·0		0·0	0·0		0·13		0·02	31
Total	1·54	3·24	2·74 2·74	2·61	1·28	3·78 3·78	0·02	1·83	1·40	3·90	3·85	9·50	TOTAL for year 35·69 35·69
No. of Rain Days.	11	15	18	14	5	13	1	10	8	17	23	30	165

W. 8,000, X. '11.

✓

W J.C. Ca. for arith. 16. VI. 13.

FORM A2. BRITISH RAINFALL.

12 JUN 1913

REGISTER OF RAINFALL IN 1912

Kept at Sewage farm Shepton Mallet

in the County of Somerset 2

by W Reader

Rain Gauge: Pattern ...
Diameter of top 5 in.
Height of top above Ground ... ft. 8 in.
" " " Sea Level 310 ft.

Time of Observation 9 am

Nearest Railway Station: Name G. W. R
Distance 1 mile Direction S E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0 – 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·01	0·0	0·07	0·0	0·0	0·38	0·10	0·07	0·01	0·76	0·0	0·53	1
2	0·0	0·0	0·27	0·02	0·0	0·16	0·40	0·0	0·0	0·0	0·03	0·0	2
3	0·03	0·0	0·12	0·01	0·0	0·32	0·10	0·74	0·05	0·0	0·02	0·18	3
4	0·31	0·0	0·73	0·0	0·01	0·22	0·0	0·01	0·01	0·0	0·31	0·0	4
5	0·50	0·03	0·34	0·0	0·02	0·01	0·0	0·34	0·0	0·0	0·01	0·20	5
6	0·86	0·19	0·01	0·0	0·18	0·04	0·65	0·95	0·01	0·0	0·01	0·26	6
7	0·05	0·27	0·13	0·0	0·22	0·84	0·0	0·37	0·01	0·0	0·01	0·15	7
8	0·42	0·25	0·66	0·01	0·0	0·05	0·13	0·22	0·0	0·0	0·0	0·03	8
9	0·03	0·03	0·53	0·09	0·0	0·01	0·01	0·02	0·0	0·0	0·03	0·71	9
10	0·03	0·11	0·0	0·0	0·0	0·07	0·0	0·13	0·0	0·0	0·04	0·15	10
11	0·11	0·07	0·07	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·55	11
12	0·05	0·64	0·10	0·07	0·0	0·01	0·02	0·0	0·0	0·0	0·0	0·02	12
13	0·01	0·02	0·07	0·0	0·0	0·03	0·0	0·0	0·0	0·0	0·03	0·22	13
14	0·15	0·0	0·75	0·0	0·19	0·0	0·0	0·65	0·0	0·02	0·0	0·01	14
15	0·08	0·14	0·0	0·0	0·29	0·89	0·0	0·22	0·0	0·0	0·0	1·03	15
16	0·67	0·0	0·43	0·0	0·27	0·06	0·0	0·23	0·0	0·07	0·03	0·07	16
17	0·50	0·0	0·06	0·0	0·0	0·08	0·0	0·93	0·0	~~0·15~~ 0·0	0·02	0·09	17
18	0·33	0·0	1·10	0·0	0·0	0·0	0·0	0·10	0·0	~~0·03~~ 0·15	0·0	0·10	18
19	0·03	0·18	0·10	0·0	0·0	0·09	0·08	0·08	0·0	0·03	0·02	0·01	19
20	0·03	0·02	0·41	0·0	0·03	0·02	0·06	2·59	0·0	~~0·51~~ 0·63	0·05	0·0	20
21	0·0	0·22	0·46	0·0	0·41	0·0	0·0	0·20	0·0	~~0·09~~ 0·51	0·0	0·0	21
22	0·33	0·20	0·03	0·0	0·41	0·0	0·03	0·48	0·0	~~0·13~~ 0·09	0·02	0·04	22
23	0·36	0·53	0·52	0·0	0·0	0·11	0·0	1·42	0·0	~~0·09~~ 0·13	0·28	0·36	23
24	0·03	0·04	0·03	0·0	0·0	0·27	0·0	0·10	0·0	~~0·09~~ 0·09	0·0	0·27	24
25	0·02	0·0	0·0	0·0	0·0	0·16	0·0	0·61	0·0	~~0·33~~ 0·09	0·35	0·55	25
26	0·0	0·0	0·0	0·0	0·0	0·0	0·10	0·10	0·0	~~1·03~~ 0·33	0·39	0·18	26
27	0·0	0·02	0·0	0·0	0·0	0·13	0·71	0·0	0·0	~~0·64~~ 1·03	0·04	0·51	27
28	0·0	0·08	0·0	0·0	0·0	0·04	0·02	0·34	0·07	~~0·42~~ 0·64	0·65	0·55	28
29	0·0	0·03	0·01	0·0	0·0	0·27	0·11	0·03	0·51	~~0·41~~ 0·42	0·03	0·02	29
30	0·0		0·0	0·0	0·01	0·19	0·30	0·02	0·22	~~0·07~~ 0·41	0·0	0·0	30
31	0·0		0·50		0·23	0·0	0·24	0·11		0·07		0·12	31
Total	4·94	3·07	7·50	0·20	2·27	4·42	3·0~~8~~6	10·96	0·89	5·4~~5~~7	2·37	~~6·71~~ 6	TOTAL for year 51·8~~5~~6
No. of Rain Days.	23	19	24	5	12	24	16	26	8	17	20	26	220

W. 8,000, X. '11.

51·86

cd for arith 25·III·14 DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
5 FEB 1914

Kept at Sewage Farm
in the County of Somerset. 2
by W. Reader

Lat. Long.
Time of Observation 9 a. m.
Nearest Railway Station G W R
Diameter of Rain Gauge 5 ins in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·0	0·41	0·18	0·03	0·03	0·0	0·0	0·0	0·24	0·02	0·10	0·49	1
2	0·02	0·05	0·03	0·08	0·08	0·0	0·06	0·0	0·02	0·10	0·08	0·01	2
3	0·13	0·0	0·07	0·02	0·45	0·0	0·0	0·0	0·0	0·01	0·0	0·13	3
4	1·16	0·0	0·05	0·08	0·59	0·0	0·03	0·0	0·68	0·07	0·0	0·34	4
5	0·02	0·01	0·0	0·0	0·19	0·67	0·02	0·0	0·36	0·0	0·05	0·09	5
6	0·05	0·04	0·19	0·0	0·21	0 16	0·09	0·0	0·0	0·73	0·07	0·52	6
7	0·01	0·17	0·06	0·0	0·22	0·07	0·06	0·0	0·0	0·38	0·27	0·0	7
8	0·01	0·02	0·0	0·0	0·30	0·07	0·0	0·0	0·0	0·06	0·0	0·03	8
9	0·~~20~~	0·07	0·0	0·0	0·03	0·23	0·46	0·29	0·03	0·0	0·11	0·05	9
10	0·20	0·0	0·05	0·03	0·02	0·0	0·0	0·01	0·0	0·28	0·20	0·0	10
11	0·66	0·0	0·02	0·45	0·33	0·17	0·0	0·0	0·0	0·07	0·65	0·01	11
12	0·0	0·0	0·0	0·0	0·28	0·05	0·0	0·0	0·02	0·0	0·12	0·0	12
13	0·06	0·0	0·15	0·0	0·0	0·0	0·0	0·14	0·86	0·0	0·23	0·0	13
14	0·12	0·0	0·18	0·07	0·0	0·0	0·0	0·02	0·24	0·04	0·49	0·02	14
15	0·19	0·0	0·40	0·38	0·0	0·0	0·03	0·0	0·04	0·0	0·13	0·03	15
16	0·22	0·0	0·76	0·20	0·0	0·0	0·02	0·0	0·0	0·0	0·03	0·0	16
17	0·08	0·0	0·03	0·02	0·0	0·0	0·20	0·0	0·01	0·0	0·04	0·0	17
18	0·07	0·0	0·12	0·14	0·0	0·03	0·0	0·0	0·0	0·0	0·10	0·0	18
19	0·51	0·0	0·05	0·0	0·08	0·23	0·03	0·0	0·67	0·02	0·0	0·0	19
20	0·05	0·0	0·07	0·07	0·0	0·0	0·0	0·0	0·0	0·09	0·15	0·0	20
21	0·0	0·0	0·10	0·20	0·10	0·0	0·09	0·0	0·0	0·0	0·42	0·0	21
22	1·32	0·0	0·36	0·16	0·02	0·09	0·0	0·08	0·0	0·01	0·0	0·0	22
23	0·02	0·0	0·01	0·0	0·0	0·05	0·0	0·01	0·0	0·0	0·0~~6~~5	0·38	23
24	0·13	0·02	0·0	0·09	0·0	0·0	0·0	0·03	0·0	0·0	0·04	0·66	24
25	0·0	0·12	0·0	0·12	0·0	0·0	0·0	0·0	0·0	0·0	0·04	0·19	25
26	0·0	0·01	0·0	0·40	0·0	0·0	0·0	0·28	0·0	0·0	0·0	0·06	26
27	0·04	0·0	0·17	0·24	0·0	0·0	0·0	0·0	0·0	0·10	0·02	0·05	27
28	0·21	0·0	0·03	0·39	0·0	0·0	0·0	0·0	0·0	0·16	0·0	0·06	28
29	0·04		0·54	0·46	0·0	0·0	0·0	0·10	0·0	0·24	0·03	0·0	29
30	0·36		0·0	0·01	0·0	0·0	0·0	0·0	0·0	0·46	0·14	0·0	30
31	0·20		0·06		0·0	0·0	0·0	0·60		0·01		0·0	31
Total	5·88	·92 0·92	3·68 3·68	3·64 3·554	2·93 2·93	1·82	1·09	1·56	3·17	2·85 2·85	3·56 3·56	2·62 2·62	YEAR'S TOTAL 33·12 33·[illegible]
Rain Days.	25	10	23	21	15	11	11	10	11	18	23	17	195

W.7,000, XI. 13

cnd fr arith 12.III.15 W D L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
26 JAN 1915

Kept at Sewage Farm Shepton Mallet
in the County of Somerset 2
by W. Reader

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station G W R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·0	0·0	0·0	0·03	0·0	0·02	0·30	0·72	0·0	0·0	0·06	0·04	1
2	0·0	0·0	0·0	0·10	0·01	0·0	0·53	0·04	0·0	0·0	1·30	0·45	2
3	0·0	0·0	0·34	0·22	0·27	0·0	0·05	0·39	0·0	0·02	0·09	0·08	3
4	0·29	0·0	0·29	0·27	0·08	0·0	0·16	0·40	0·0	0·0	0·51	0·53	4
5	0·16	0·0	0·43	0·47	0·17	0·0	0·09	0·03	0·0	0·0	0·07	0·14	5
6	0·0	0·11	0·05	0·23	0·04	0·0	0·53	0·10	0·0	0·0	0·05	0·22	6
7	0·09	0·41	0·15	0·02	0·35	0·04	0·49	0·22	0·01	0·0	0·0	0·06	7
8	0·20	0·07	1·38	0·15	0·25	0·37	0·03	0·23	0·02	0·0	0·0	0·0	8
9	0·38	0·0	0·36	0·07	0·04	0·76	0·0	0·10	0·25	0·0	0·0	0·0	9
10	0·15	0·07	0·02	0·01	0·15	0·19	0·0	0·0	0·50	0·0	0·05	0·0	10
11	0·0	0·11	0·75	0·0	0·0	0·0	0·14	0·0	0·17	0·0	0·05	0·27	11
12	0·0	0·10	0·31	0·0	0·03	0·0	0·0	0·0	0·30	0·0	0·02	0·32	12
13	0·0	0·28	0·40	0·0	0·0	0·0	0·0	0·0	0·26	0·18	0·16	0·71	13
14	0·0	0·15	0·23	0·0	0·0	0·0	0·0	0·35	0·15	0·33	0·31	0·0	14
15	0·01	0·0	0·18	0·0	0·0	0·0	0·11	0·54	0·05	0·02	0·14	0·0	15
16	0·0	0·0	0·02	0·0	0·0	0·0	0·14	0·0	0·24	0·0	0·0	0·0	16
17	0·0	0·30	0·32	0·0	0·0	0·0	0·03	0·0	0·0	0·0	0·0	0·34	17
18	0·0	0·04	0·07	0·0	0·0	0·0	0·55	0·0	0·0	0·0	0·0	0·80	18
19	0·0	0·11	0·45	0·0	0·0	0·01	1·05	0·0	0·0	0·0	0·05	0·17	19
20	0·0	0·50	0·35	0·0	0·0	0·04	0·0	0·0	0·0	0·0	0·0	0·38	20
21	0·0	0·56	0·05	0·0	0·0	0·60	0·0	0·0	0·0	0·15	0·02	0·0	21
22	0·0	0·08	0·0	0·0	0·18	0·21	0·0	0·07	0·0	0·32	0·0	0·0	22
23	0·0	0·17	0·29	0·0	0·09	0·06	0·0	0·0	0·0	0·21	0·0	0·0	23
24	0·0	0·0	0·08	0·0	0·03	0·0	0·03	0·0	0·0	0·34	0·27	0·04	24
25	0·05	0·0	0·19	0·0	0·0	0·0	0·05	0·34	0·0	0·43	0·02	0·30	25
26	0·0	0·0	0·01	0·0	0·0	0·0	0·04	0·0	0·0	0·02	0·28	0·46	26
27	0·15	0·0	0·0	0·0	0·0	0·0	0·0	0·12	0·0	0·07	0·13	0·14	27
28	0·02	0·17	0·16	0·0	0·01	0·0	0·0	0·0	0·0	0·10	0·37	1·15	28
29	0·16	0·0	0·26	0·0	0·09	0·0	0·03	0·0	0·0	0·25	0·22	0·0	29
30	0·0	X	0·03	0·0	0·0	0·0	0·0	0·0	0·0	0·24	0·35	0·85	30
31	0·02	X	0·0	X	0·0	X	0·22	0·0	X	0·25	X	0·08	31
Total	1·68 1.68	3·23	7·17 7·17	1·57	1·79	2·29	4·57	3·65	1·95	2·92 2·93	4·52	7·53	YEAR'S TOTAL 42·88 42·78
Rain Days.	12	16	26	10	15	9	19	14	10	15	21	21	1·88

W. 8,000. X. 14.

W MR cordly mm stats 6. V. 16

2119

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Skwage Farm S. Mallet

in the County of Somerset

by W. Reader

2

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station G. W. R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 8 in.

" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·10

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·50	0·33	0·01	0·0	0·15	0·0	0·0	0·20	0·15	0·27	0·05	0·28	1
2	0·49	0(·35)	0·25	0·20	0·0	0·15	0·0	0·73	0·02	0·09	0·0	0·46	2
3	0·17	0·09	0·13	0·32	0·22	0·02	0·05	0·0	0·0	0·0	0·0	0·50	3
4	0·02	0·02	0·0	0·0	0·09	0·0	0·0	0·0	0·0	0·0	0·0	0·36	4
5	0·11	0·50	0·02	0·0	0·0	0·0	0·0	0 35	0·0	0·0	0·0	0·31	5
6	0 54	0·05	0·0	0·30	0·0	0·0	0·40	0 23	0·0	0·0	0·0	0·21	6
7	0·32	0·55	0·0	0·03	0·21	0·0	0·42	0·03	0·0	0·02	0·0	0·37	7
8	0·30	0 35	0·0	0·02	0·0	0·0	0·0	0·12	0·0	0·0	0·01	0·05	8
9	0·0	0 05	0·0	0·25	0·0	0·0	0·0	0·02	0·0	0·0	0·63	0·68	9
10	0·30	0·02	0·13	0·04	0·0	0·0	0·0	0·21	0·0	0·0	0·0	0·08	10
11	0·04	0·0	0·23	0·04	0·0	0·0	0·01	0·52	0·0	0·02	0·71	0·10	11
12	0·27	0·35	0·0	0·17	0·50	0·0	0·0	1·15	0·0	0·08	0 29	0·0	12
13	0·05	0·82	0·0	0·0	0·62	0·0	0·0	0·02	0·11	0·0	0·03	0·02	13
14	0·07	0·05	0·0	0·0	0·0	0·0	0·28	0·70	0·17	0·06	0·0	1·03	14
15	0·25	0·0	0·0	0·0	0·20	0·0	0·14	0·03	0·09	0·0	0·13	0·14	15
16	0·0	0·60	0·0	0·0	0·75	0·0	1·45	0·05	0·03	0·0	0·0	0(·14)	16
17	0·0	0·54	0·0	0·0	0·26	0·0	0·0	0·02	0·0	0·0	0·0	0·0	17
18	0·0	0 18	0·0	0·0	0·03	0·0	0·0	0·0	0·0	0·0	0·01	0·0	18
19	0·02	0·02	0·0	0·0	0·09	0·0	0·29	0·0	0·0	0·0	0·0	0·0	19
20	0·45	0·0	0·0	0·11	0·0	0·0	0·0	0·0	0·0	0·01	0·0	0·12	20
21	0·11	0·09	0·0	0·0	0·0	0·0	0·02	0·0	0·0	0·10	0·0	0·31	21
22	0 12	0·24	0·36	0·05	0·0	0·04	0·52	0·0	0·02	0·0	0·0	0·27	22
23	0 0	0·03	0 12	0·06	0·0	0 0	0·67	0·0	0·11	1·26	0·0	0·38	23
24	0·0	0·0	0·0	0·04	0·0	0·0	0·19	0·0	0·29	0·76	0·0	0·35	24
25	0·0	0·0	0·0	0·0	0·0	0·18	0·28	0·0	0·0	0·0	0·0	0·35	25
26	0·0	0·03	0·0	0·0	0·0	0·03	0·23	0·0	0·01	0·0	0·0	0·60	26
27	0·0	0·11	0·0	0·0	0·0	0·27	0·41	0·0	0·0	0·46	0·0	0·0	27
28	0·0	0·08	0·0	0·0	0·0	0·08	0·0	0·03	0 73	0·10	0·0	0·0	28
29	0·20	0·0	0·0	0·0	0·0	0·23*	0·02	0·02	0·0	0·0	0·16	0·07	29
30	0 22	X	0·0	0·0	0 0	0·07	0 10	0·0	0·0	0·40	0 27	0·53	30
31	0 04	X	0·0	X	0·0	X	0·10	0·02	X	1·10	X	0·17	31
Total	4·39	5·45	1·25	1·63	3·12	1·07	5·48	4·45	1·73	4·73	2·23	7·87	YEAR'S TOTAL 43·40
Rain Days.	20	23	8	13	11	9	17	18	11	14	10	25	1·79

W. 8,000. X. 15.

2057

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

13 APR 1917

Kept at Sewage Farm Shepton Mallet
in the County of Somerset
by W. Reader

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station G. W. R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ... ft. 8 in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·10	0·01	0·03	0·0	0·22	0·08	0·11	0·0	0·09	0·76	0·27	0·0	1
2	0·30	0·07	0·02	0·0	0·11	0·0	0·14	0·0	0·02	0·76	0·03	0·0	2
3	0·05	0·83	0·0	0·0	0·15	0·0	0·0	0·0	0·13	0·45	0·23	0·0	3
4	0·23	0·10	0·0	0·0	0·11	0·35	0·0	0·0	0·32	0·16	0·54	0·0	4
5	0·19	0·02	0·02	0·0	0·35	0·47	0·0	0·0	0·0	0·04	0·77	0·0	5
6	0·05	0·27	0·0	0·0	0·19	0·10	0·69	0·0	0·0	0·07	0·63	0·0	6
7	0·06	0·15	0·20	0·0	0·16	0·17	0·02	0·0	0·0	0·08	0·45	0·20	7
8	0·0	0·20	0·07	0·0	0·25	0·06	0·0	0·0	0·0	0·0	0·08	0·13	8
9	0·0	0·08	0·0	0·0	0·37	0·08	0·01	0·0	0·0	0·16	0·11	0·06	9
10	0·0	0·53	0·0	0·14	0·05	0·02	0·05	0·0	0·0	0·03	0·02	0·13	10
11	0·0	0·0	0·05	0·29	0·02	0·08	0·0	0·0	0·06	0·0	0·03	0·0	11
12	0·11	0·07	0·06	0·25	0·25	0·0	0·45	0·09	0·0	0·19	0·01	0·0	12
13	0·10	0·34	0·14	0·0	0·0	0·0	0·0	0·69	0·03	0·01	0·0	0·0	13
14	0·02	0·39	0·03	0·11	0·25	0·0	0·0	0·32	0·0	0·02	0·0	0·0	14
15	0·01	0·19	0·09	0·09	0·0	0·0	0·0	0·31	0·0	0·03	0·0	0·0	15
16	0·05	0·04	0·0	0·45	0·05	0·0	0·08	0·64	0·0	0·02	0·0	0·0	16
17	0·16	0·38	0·0	0·02	0·0	0·0	0·0	0·07	1·10	0·45	0·16	0·0	17
18	0·05	0·08	0·14	0·09	0·0	0·0	0·0	0·0	0·08	0·16	0·35	0·08	18
19	0·10	0·0	0·48	0·42	0·0	0·0	0·0	0·0	0·0	0·0	0·32	0·03	19
20	0·27	0·10	0·40	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·21	0·82	20
21	0·05	0·08	0·38	0·0	0·05	0·0	0·21	0·0	0·0	0·0	0·0	0·69	21
22	0·06	0·0	0·0	0·0	0·0	0·09	0·0	0·0	0·0	0·32	0·06	0·59	22
23	0·02	0·04	0·0	0·15	0·0	0·06	0·0	0·25	0·0	0·32	0·12	0·17	23
24	0·0	0·29	0·03	0·05	0·96	0·27	0·0	0·06	0·0	0·69	0·03	0·25	24
25	0·0	0·36	0·17	0·0	0·15	0·0	0·0	0·69	0·0	0·01	0·17	0·0	25
26	0·03	0·22	0·11	0·0	0·0	0·31	0·0	0·02	0·75	0·47	0·01	0·0	26
27	0·05	0·09	1·54	0·0	0·0	0·02	0·0	0·37	0·45	0·18	0·0	0·0	27
28	0·0	0·30	0·11	0·0	0·0	0·06	0·0	0·09	0·30	0·57	0·0	0·70	28
29	0·0	0·72	0·08	0·0	0·0	0·64	0·0	2·38	0·06	0·74	0·02	0·45	29
30	0·0	╳	0·0	0·0	0·0	0·0	0·0	0·01	0·0	0·32	0·0	·06 0·06	30
31	0·0	╳	0·0	╳	0·0	╳	0·0	0·09	╳	0·14	╳	0·18	31
Total	1·96 1·94	5·95 ~~2·20~~	4·15 4·16	2·06	3·63 3·64	2·86	1·76 1·75	6·08	3·39 ~~3·24~~	7·15	4·62	4·54 ~~4·62~~	YEAR'S TOTAL 48·15 ~~49·22~~
Rain Days.	21	26	20	11	17	16	9	15	12	26	22	15	210

W. 8,000, VIII. 16

card for [illegible] for new stats

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
25.4.19

Kept at Sewage farm Shepton Mallet
in the County of Somerset
by W. Reader

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station G W R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0 0	0 02	0 0	0 01	0 03	0 0	0 0	0 39	0 0	0 02	0 63	0 03	1
2	0 0	0 02	0 0	0 22	0 15	0 0	0 0	0 56	0 16	0 02	0 06	0 11	2
3	0 0	0 04	0 02	0 11	0 0	0 0	0 0	0 0	0 04	0 03	0 03	0 05	3
4	0 0	0 04	0 0	0 0	0 0	0 0	0 0	0 09	0 0	0 08	0 57	0 08	4
5	0 0	0 0	0 02	0 0	0 17	0 0	0 0	0 44	0 05	0 82	0 0	0 0	5
6	0 21	0 85	0 0	0 40	0 0	0 0	0 0	0 0	0 05	0 15	0 0	0 (17)	6
7	0 0	0 26	0 0	0 03	0 63	0 02	0 0	0 07	0 17	0 36	0 31	0 03	7
8	0 02	0 0	0 0	0 0	0 0	0 0	0 0	0 03	0 33	0 29	0 03	0 04	8
9	0 06	0 15	0 0	0 43	0 0	0 40	0 85	0 0	0 54	0 11	0 0	0 23	9
10	0 11	0 0	0 0	0 07	0 0	0 0	0 48	0 0	0 19	0 17	0 02	0 53	10
11	0 0	0 04	0 16	0 0	0 0	0 0	0 31	0 0	0 44	0 05	0 65	0 23	11
12	0 0	0 08	0 15	0 46	0 46	0 0	0 08	0 0	0 21	0 0	0 0	0 13	12
13	0 16	0 0	0 0	0 0	0 13	0 01	0 48	0 0	0 77	0 11	0 0	0 22	13
14	0 25	0 0	0 0	0 0	0 02	0 15	0 41	0 0	0 28	0 22	0 0	0 15	14
15	0 98	0 0	0 0	0 58	0 09	0 27	0 49	0 0	0 0	0 02	0 0	0 26	15
16	0 38	0 0	0 02	0 63	0 0	0 0	0 03	0 0	0 18	0 0	0 0	0 29	16
17	0 33	0 0	0 03	0 19	0 0	0 0	0 26	0 15	0 01	0 01	0 0	0 14	17
18	0 63	0 0	0 0	0 0	0 0	0 91	0 20	0 0	0 25	0 03	0 0	0 37	18
19	0 08	0 01	0 15	0·02	0 0	0 0	0 25	0 09	0 18	0 02	0 0	0 15	19
20	0 03	0 25	0 0	0 11	0 0	0 07	0 63	0 01	0 15	0 08	0 0	0 0	20
21	0 04	0 04	0 0	0 0	0 0	0 02	0 14	0 0	0 52	0 02	0 0	0 09	21
22	0 0	0 02	0 0	0 0	0 08	0 0	0 43	0 0	0 45	0 05	0 0	0 44	22
23	0 20	0 0	0 0	0 0	0 37	0 01	0 47	0 07	0 10	0 0	0 02	0 0	23
24	0 0	0 21	0 0	0 0	0 0	0 0	0 16	0 03	0 23	0 0	0 12	0 0	24
25	0 0	0 0	0 0	0 0	0 0	0 0	0 19	1·23	0 0	0 0	0 03	0 08	25
26	0 0	0 01	0 0	0 0	0 0	0 0	0 53	0 0	0 04	0 05	0 20	0 52	26
27	0 0	0 18	0 0	0 0	0 0	0 0	0 0	0 23	0 37	0 02	0 28	0 10	27
28	0 0	0 12	0 18	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 28	0 48	28
29	0 0	0 0	0 12	0 0	0 0	0 0	0 0	0 0	1·06	0 0	0 0	0 09	29
30	0 0	X	0 50	0 0	0 0	0 0	0 0	0 22	0 03	0 04	0 12	0 05	30
31	0 0	X	0 19	X	0 0	X	0 0	0 04	X	0 03	X	0 0	31
Total	3·48	2·34	1·54	3·26	2·13	1·86	6·39	3·65 ~~3·85~~	6·80	2·31	2·69	5·06 ✓	YEAR'S TOTAL 41·51 ~~41·72~~
Rain Days.	14	17	14	13	10	9	18	15	25	24	15	26	197

W. 8,000, IX. 17.

X RR [illegible] 7WD 1342

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Sewage Farm Shepton Mallet
in the County of Somerset
by W Reader (Bowlish)

Lat. Long.
Time of Observation 9 Am
Nearest Railway Station G. W. R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·40

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0 0	0 0	0 0	0 0	0 23	0 0	0 14	0 04	0 0	0 0	0 0	0 60	1
2	0 70	0 0	0 05	0 0	0 18	0 0	0 57	0 0	0 0	0 13	0 0	0 92	2
3	0 09	0 0	0 02	0 0	0 07	0 0	0 13	0 0	0 20	0 02	0 09	0 29	3
4	1·14	0 0	0 23	0 0	0 20	0 0	0 0	0 0	0 13	0 0	0 07	0 75	4
5	0 37	0 18	0 46	0 0	0 0	0 05	0 04	0 05	0 89	0 0	0 0	0 07	5
6	0 04	0 45	0 68	0 0	0 09	0 0	0 02	0 0	0 48	0 0	0 04	0 75	6
7	0 34	0 17	0 21	0 0	0 01	0 0	0 0	0 0	0 02	0 0	0 0	0 24	7
8	0 27	0 0	0 44	0 18	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	8
9	0 18	0 0	0 18	0 0	0 0	0 05	0 0	0 0	0 0	0 0	0 0	0 0	9
10	0 02	0 0	0 06	0 13	0 0	0 0	0 0	0 0	0 0	0 0	0 09	0 0	10
11	0 17	0 0	0 07	0 15	0 03	0 0	0 0	0 0	0 0	0 04	0 02	0 21	11
12	0·09	0 0	0 22	0 21	0 23	0 0	0 28	0 0	0 0	0 0	0 0	0 04	12
13	0 07	0 0	0 07	0 02	0 0	0 12	0 05	0 0	0 0	0 49	0 16	0 04	13
14	0 05	0 0	0 04	0 39	0 0	0 0	0 04	0 0	0 0	0 0	0 0	0 02	14
15	0 41	0 0	0 0	0 70	0 01	0 0	0 18	0 0	0 0	0 0	0 0	0 15	15
16	0 09	0 02	0 0	0 04	0 0	0 0	0 0	0 0	0 0	0 05	0 0	0 27	16
17	0 10	0 84	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 40	0 0	17
18	0 0	0 28	0 0	0 0	0 0	0 0	0 0	0 04	0 0	0 0	0 56	0 06	18
19	0 01	0 09	0 64	0 0	0 0	0 0	0 25	0 50	0 04	0 0	0 22	0 0	19
20	0 48	0 29	1·06	0 0	0 0	0 0	0 85	0 38	0 28	0 0	0 29	0 18	20
21	0 56	0 09	0 09	0 0	0 0	0 30	0 0	0 24	0 0	0 0	0 0	0 09	21
22	0 0	0 63	0 01	0 0	0 0	0 0	0 63	0 03	0 06	0 0	0 01	0 23	22
23	0 0	0 25	0 0	0 0	0 0	0 02	0 07	0 0	0 18	0 0	0 17	0 37	23
24	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 64	0 05	0 18	24
25	0 0	0 0	0 0	0 09	0 0	0 14	0 0	0 0	0 03	1·13	0 05	0 34	25
26	0 16	0 0		0 18	0 0	0 04	0 0	0 90	0 0	0 0	0 06	0 19	26
27	0 06	0 0	0 18	0 15	0 0	0 03	0 0	0 68	0 20	0 0	0 0	0 32	27
28	0 20	0 0	0 02	0 45	0 0	0 0	0 02	0 60	0 0	0 0	0 0	0 05	28
29	0 04	0 0	0 47	0 0	0 0	0 0	0 0	0 04	0 0	0 0	0 46	0 78	29
30	0 0	×	0 0	0 07	0 0	0 0	0 0	0 0	0 0	0.13	0 0	0 11	30
31	0 0	×	0 01	×	0 0	×	0 0	0 20	×	0 03	×	0 54	31
TOTAL	5·64	3·29 ~~3·20~~	5 21 ~~5·21~~	2·99 23 ~~2·76~~	·82 ~~1·06~~	·89 ~~0 75~~	3 17 ~~3·[illegible]~~	3·66 ~~3 72~~	2 01	2 72 ~~2 77~~	3·34 ~~2·74~~	7·58 ~~7·78~~	YEAR'S TOTAL 41·32 ~~36·24~~
Days with ·01 in. or more	23	11 ~~12~~	21	14 ~~13~~	8 ~~9~~	9 ~~8~~	14	11 ~~12~~	11	9	17 ~~15~~	26	~~1·73~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

4074

Cond for WD

1756

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

JAN 192[illegible]

Kept at Sewage Farm Shepton Mallet
in the County of Somerset
by C Marshman

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station GWR
Diameter of Funnel of Rain Gauge 5 ins
Height of top of Gauge above Ground ft. 8 ins
" " " " Sea Level 314 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·16

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	040	015	00·1	035	016	002	024	003	00	039	078	045	1
2	002	00	001	017	032	00	031	015	0·10	027	025	051	2
3	009	00	003	014	00	00	0·16	042	024	018	00	008	3
4	00	004	00	009	004	00	080	00	004	065	00	002	4
5	00	00	007	012	00	00	0·10	079	00	026	00	00	5
6	00	00	007	024	033	00	047	015	00	015	00	00	6
7	00	00	041	004	025	00	023	00	00	008	00	00	7
8	00·4	00	007	066	00	00	015	00	002	002	002	00	8
9	00·3	014	00	051	012	00	013	00	00	001	00	00	9
10	061	00·6	00·9	035	00	012	004	004	00	00	00	00	10
11	053	045	022	006	00	016	0·40	00	00	00	002	00	11
12	064	00	013	065	039	002	013	00	00	00	00	00	12
13	028	001	005	013	00	064	003	00	00	00	0·10	00	13
14	022	021	047	014	00	00	00	00	00	00	002	00	14
15	017	004	031	059	009	00	001	00	024	075	025	00	15
16	00·3	004	004	024	00	0·11	003	00	015	033	014	00	16
17	009	00	007	006	031	004	034	00	008	005	026	00	17
18	007	00	008	027	006	012	00	00	029	00	00	002	18
19	013	00	005	012	004	006	00	054	003	00	00	00	19
20	007	004	00	026	00	021	00	00	010	00	00	004	20
21	00	021	00	013	00	0·60	004	00	001	00	00	018	21
22	00·2	00	00	00	00	00	027	00	002	003	00	030	22
23	001	00	00	021	00	002	002	006	002	00	00	055	23
24	004	00	00	00	00	00	051	00	00	00	00	022	24
25	004	00	013	005	00	00	00	00	00	00	009	013	25
26	00	014	005	00	013	003	034	00	00	00	00	00	26
27	031	00	012	00	006	007	015	00	00	00	011	011	27
28	016	002	004	055	00	067	013	00	00	·00	00	026	28
29	1·15	003	0·10	006	004	004	0·11	00	00	00	009	004	29
30	014	X	013	00	004	003	003	00	00	00	015	021	30
31	004	X	00	X	016	X	048	00	X	00	X	016	31
TOTAL	·15 ~~5·33~~ 5·08	·01 ~~1·58~~ 1·44	·35 ~~2·75~~ 3·09	·16 ~~[illegible]~~ 6·00	·02 ~~2·54~~ 2·40	·24 ~~2·96~~ 3·18	·03 ~~5·59~~ 5·38	- ~~2·18~~ 2·15	·39 ~~1·34~~ 1·73	·78 ~~3·31~~ 3·70	·45 ~~2·28~~ 1·95	·16 ~~3·28~~ 2·99	YEAR'S TOTAL ~~39·07~~ 39·09
Days with ·01 in. or more	25	14	23	25	16	17	26	7 ~~8~~	14 ~~13~~	13	13	16	209
Days with ·04 in. or more	20	~~11~~ 10	21 ~~20~~	25	15 ~~16~~	13 ~~12~~	20 ~~21~~	7	~~8~~ 9	10	10	14	17~~4~~ 7

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

S. made

FORM A.
BRITISH RAINFALL.

30 MAR 1914

REGIST 3

SHEPTON MALLET
THE CLOISTERS
SOMERSET
1913 - 1914

Kept at The Cloisters, ng. 2° 32' 55" W

9 am.

in the County of Somer on Shepton Mallet G. W. Ry ½ mile S + D Ry 1·1 mile

ge 5 in.

by Frank De e above Ground 1 ft. 0 in.

„ Sea Level ft.

IMPORTANT NOTE.— and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·36	·18	·02	·06	–	–	–	·27	·03	·11	·48	1
2	·06	·04	·02	·08	·09	–	·07	–	–	·11	·07	·01	2
3	·21	–	·07	·02	·44	–	–	–	–	–	–	·18	3
4	1·08	–	·05	–	·43	·01	·02	–	·71	·11	·02	·22	4
5	·02	·07	–	–	·18	·69	·01	–	·37	–	·02	·13	5
6	·05	·04	·18	–	·19	·16	·02	–	–	·61	·06	·53	6
7	·01	·19	·06	–	·22	·06	·05	–	–	·38	·29	–	7
8	·01	·03	–	–	·24	·05	·01	–	–	·10	–	·02	8
9	–	·07	·01	·01	·03	·21	·71	·35	·04	–	·10	·06	9
10	·13	–	·05	·04	·01	–	–	·31 ~~·35~~	–	·24	·15	–	10
11	·50	·01	·02	·42	·27	·14	–	–	–	·06	·74	·01	11
12	–	·01	–	–	·21	–	·01	–	·01	–	·13	·01	12
13	·04	·01	·14	–	–	·04	–	·18	·81	–	·22	–	13
14	·10	–	·17	·08	·02	–	–	·01	·21	·04	·51	·01	14
15	·22	·05	·31	·35	–	–	·01	·01	·03	–	·14	·02	15
16	·20	–	·68	·17	–	–	·02	·01	–	·01	·02	–	16
17	·07	·01	·02	·06	–	·01	·18	–	–	–	·04	·01	17
18	·07	–	·12	·15	–	·02	–	–	·01	–	·09	–	18
19	·60	–	·04	–	·09	·23	·03	–	·62	·02	–	–	19
20	·07	–	·08	·06	–	–	–	–	–	·11	·14	–	20
21	–	–	·07	·17	·16	–	·08	–	–	·01	·49	–	21
22	1·24	–	·29	·12	·02	·08	–	·06	·22	–	–	–	22
23	·02	–	·01	–	–	·03	–	·01	–	–	·05	·41	23
24	·17	·02	–	·11	–	–	–	·04	–	·01	·03	–	24
25	–	·08	–	·13	–	–	–	–	–	–	·03	·10	25
26	–	·02	–	·41	–	–	–	·27	–	–	·01	·18	26
27	·03	–	·14	·36	–	–	–	–	–	·09	·01	·06	27
28	·21	–	·07	·33	–	–	–	–	–	·16	–	·12	28
29	·03		·51	·35	–	–	–	·12	–	·37	·01	–	29
30	·36		–	·02	–	–	–	–	–	·45	·14	–	30
31	·18		·05		·01		–	·50		·01		–	31
Total	5·64	1·01	3·34	3·46	2·67	1·73	1·22	1·57	3·30	2·92	3·62	2·56	YEAR'S TOTAL 33·04
Rain Days.	26	15	24	21	17	13	13	12	11	19	25	18	214

W.7,000, XI. 13

S' made

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

30 MAR 1914

Kept at The Cloisters, Shepton Mallet

in the County of Somerset 2

by Frank Dell

Lat. 51°.11'.37"N Long. 2°.32'.55"W

Time of Observation 9 am.

Nearest Railway Station Shepton Mallet G.W.Ry ½ mile S+D Ry 1.1 mile

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·36	·18	·02	·06	—	—	—	·27	·03	·11	·48	1
2	·06	·04	·02	·08	·09	—	·07	—	—	·11	·07	·01	2
3	·21	—	·07	·02	·44	—	—	—	—	—	—	·18	3
4	1·08	—	·05	—	·43	·01	·02	—	·71	·11	·02	·22	4
5	·02	·07	—	—	·18	·69	·01	—	·37	—	·02	·13	5
6	·05	·04	·18	—	·19	·16	·02	—	—	·61	·06	·53	6
7	·01	·19	·06	—	·22	·06	·05	—	—	·38	·29	—	7
8	·01	·03	—	—	·24	·05	·01	—	—	·10	—	·02	8
9	—	·07	·01	·01	·03	·21	·71	·35	·04	—	·10	·06	9
10	·13	—	·05	·04	·01	—	—	·31 ~~·35~~	—	·24	·15	—	10
11	·50	·01	·02	·42	·27	·14	—	—	—	·06	·74	·01	11
12	—	·01	—	—	·21	—	·01	—	·01	—	·13	·01	12
13	·04	·01	·14	—	—	·04	—	·18	·81	—	·22	—	13
14	·10	—	·17	·08	·02	—	—	·01	·21	·04	·51	·01	14
15	·22	·05	·31	·35	—	—	·01	·01	·03	—	·14	·02	15
16	·20	—	·68	·17	—	—	·02	·01	—	·01	·02	—	16
17	·07	·01	·02	·06	—	·01	·18	—	—	—	·04	·01	17
18	·07	—	·12	·15	—	·02	—	—	·01	—	·09	—	18
19	·60	—	·04	—	·09	·23	·03	—	·62	·02	—	—	19
20	·07	—	·08	·06	—	—	—	—	—	·11	·14	—	20
21	—	—	·07	·17	·16	—	·08	—	—	·01	·49	—	21
22	1·24	—	·29	·12	·02	·08	—	·06	·22	—	—	—	22
23	·02	—	·01	—	—	·03	—	·01	—	—	·05	·41	23
24	·17	·02	—	·11	—	—	—	·04	—	·01	·03	—	24
25	—	·08	—	·13	—	—	—	—	—	—	·03	·10	25
26	—	·02	—	·41	—	—	—	·27	—	—	·01	·18	26
27	·03	—	·14	·36	—	—	—	—	—	·09	·01	·06	27
28	·21	—	·07	·33	—	—	—	—	—	·16	—	·12	28
29	·03		·51	·35	—	—	—	·12	—	·37	·01	—	29
30	·36		—	·02	—	—	—	—	—	·45	·14	—	30
31	·18		·05		·01		—	·50		·01		—	31
Total	5·64	1·01	3·34	3·46	2·67	1·73	1·22	1·57	3·30	2·92	3·62	2·56	YEAR'S TOTAL 33·04 ✓
Rain Days.	26	15	24	21	17	13	13	12	11	19	25	18	214 ✓

W.7,000, XI. 13

Exc DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
JAN 1915

Kept at The Cloisters, Shepton Mallet
in the County of Somerset 2
by Frank Dell

Lat. 51°.11′.32″ Long. 2°.32′.55″ W.
Time of Observation 9 am.
Nearest Railway Station Shepton Mallet (G.W.R)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 388 ft. by level from nearest Bench mark

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	·03	–	·01	·37	·45	–	–	·06	·05	1
2	–	–	–	·09	·02	–	·53	·18	–	–	1·11	·41	2
3	–	–	·38	·21	·33	–	·09	·46	–	·02	·08	·09	3
4	·18	–	·32	·25	·07	–	·20	·43	–	–	·52	·49	4
5	·14	–	·43	·47	·20	–	·08	·01	–	–	·02	·13	5
6	·01	·15	·05	·30	·03	–	·39	·09	–	–	·05	·20	6
7	·06	·52	·16	·21	·35	·06	·41	·22	–	–	·01	·07	7
8	·20	·02	1·37	·01	·27	·37	·03	·24	·03	–	–	–	8
9	·38	–	·40	·19	·04	·75	–	·14	·27	–	–	–	9
10	·16	·09	·02	·07	·15	–	–	–	·45	–	·04	–	10
11	–	·12	·80	–	·01	·20	·09	–	·16	–	·06	·29	11
12	–	·11	·30	–	·01	–	–	–	·31	–	·02	·31	12
13	–	·34	·29	–	–	–	–	–	·27	·20	·15	·72	13
14	–	·17	·23	–	–	–	·15	·34	·14	·33	·31	–	14
15	·01	–	·19	–	–	–	·12	·54	·05	·02	·14	–	15
16	–	–	·01	–	–	–	·02	–	·22	–	–	–	16
17	–	·30	·28	–	–	–	·61	–	·01	–	–	·46	17
18	–	·04	·08	–	–	–	·91	–	·01	–	–	·67	18
19	–	·11	·81	–	–	–	–	–	·01	–	·05	·11	19
20	–	·50	·20	–	–	·03	–	–	–	–	–	·29	20
21	–	·54	·02	–	–	·41	–	–	–	·13	·01	–	21
22	–	·07	–	–	·15	·20	–	·07	–	·28	–	–	22
23	–	·17	·27	–	·07	·04	·04	–	–	·23	–	·01	23
24	–	–	·10	–	·03	–	·04	–	–	·28	·28	·02	24
25	·04	–	·17	–	–	–	·04	·34	–	·43	·01	·32	25
26	–	–	·01	–	–	–	–	·11	–	·02	·31	·45	26
27	·13	–	–	–	–	–	–	–	–	·06	·15	·18	27
28	·01	·17	·21	–	·01	–	–	–	–	·10	·36	1·04	28
29	·16	X	·23	–	·08	–	–	–	–	·23	·21	–	29
30	–	X	·03	–	·01	·02	–	–	–	·25	·34	·83	30
31	·01	X	–	X	·02	X	·27	–	X	·23	X	·15	31
Total	1·49	3·42	7·36	1·83	1·85	2·09	4·39	3·62	1·93	2·81	4·29	7·29	YEAR'S TOTAL 42·37
Rain Days.	13	16	26	10	18	10	18	14	12	15	22	22	196

W. 8,000. X. 14.

cst. 20.II.12

FORM A2. BRITISH RAINFALL.

26 JAN 1912

SIDCOT
SCHOOL
SOMERSET

1911

REGIS 1911

Kept at SIDCOT Sc nowdon.

in the County of SOMER

by George W. Hul

p 5 in.

bove Ground 1 ft. 1/2 in.

„ Sea Level 277 ft.

8·30 a.m

on Name Winscombe

Distance ~~[illegible]~~ 880 yds Direction 60° W of N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·—	·03		·—	·—	·—			·—	·05	·02	1
2	·—	·—	·—		·—	·—	·—			·03	·36	·06	2
3	·—	·—	·03		·—	·—	·—			·—	·01	·—	3
4	·—	·—	·19		(·65)	·—	·—			·02	·21	·43	4
5	·—	·—	·05		·—	·—	·—			·01	·53	·02	5
6	·03	·—	·08		·—	·—	·—			·01	·30	·41	6
7	·16	·—	·—		·—	·—	·—			·—	·30	·—	7
8	·02	·—	·27		·—	·—	·—			·—	·—	·30	8
9	·31	·—	·—		·—	·—	·—			·—	·14	·34	9
10	·15	·—	·28		·06	·—	·—			·—	·03	·27	10
11	·09	·04	~~·90~~		·22	·—	·—			·—	·59	·37	11
12	·40	·—	·90		·—	·—	·—			·—	·20	·20	12
13	·—	·—	·01		·—	·—	·—			·01	·08	·53	13
14	·—	·—	·—		·—	·—	·—			·—	·08	·92	14
15	·—	·20	·—		·—	·07	·—			·—	·32	·03	15
16	·—	·04	·—		·—	·10	·—			·—	·28	·10	16
17	·—	·03	·—		·—	·03	·—			·—	·02	·16	17
18	·—	·23	·09		·—	·31	·—			·—	·—	·18	18
19	·—	·13	·—		·—	·09	·—			·06	·02	·47	19
20	·02	·03	·06		·—	·02	·—			·04	·—	·23	20
21	·—	·20	·—		·—	·05	·—			·36	·—	·28	21
22	·—	·01	·23		—	·57	·—			·16	·—	·63	22
23	·—	·10	·11		·—	·06	·—			·07	·—	·14	23
24	·—	·26	·—		·—	·57	·—			·81	·—	·29	24
25	·—	·12	·—		·—	·17	·—			·—	·—	·53	25
26	·—	·07	·—		·04	—	·29			·19	·05	·40	26
27	·—	·36	·12		·—	·01	·—			·—	·—	·13	27
28	·—	·42	·—		·—	·—	·—			·—	·07	·01	28
29	·—		·—		·—	·41	·03			·55	·—	·—	29
30	·—		·—		—	·05	·—			·16	·05	·01	30
31	·—		·—		·02		·—			·14		·—	31
Total	1·20	2·24	2·45		(·99)	2·51	0·32			2·62	3·69	7·46	TOTAL for year
No. of Rain Days.	9	15	14		(8)	14	2			15	20	27	

W. 8,000, X. '11.

est. 20.II.12.

FORM A2. BRITISH RAINFALL. 26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at SIDCOT SCHOOL

in the County of SOMERSET

by George W. Hutchinson

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. ½ in.
" " " Sea Level 277 ft.

Time of Observation 8-30 a.m.

Nearest Railway Station
Name Winscombe
Distance 880 yds Direction 60° W of N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·—	·03		·—	·—	·—			·—	·05	·02	1
2	·—	·—	·—		·—	·—	·—			·03	·36	·06	2
3	·—	·—	·03		·—	·—	·—			·—	·01	·—/	3
4	·—	·—	·19		(·65) ·—	·—	·—			·02	·21	·43	4
5	·—	·—	·05		·—	·—	·—			·01	·53	·02	5
6	·03	·—	·08		·—	·—	·—			·01	·30	·41	6
7	·16	·—	·—		·—	·—	·—			·—	·30	·—	7
8	·02	·—	·27		·—	·—	·—			·—	·—	·30	8
9	·31	·—	·—		·—	·—	·—			·—	·14	·34	9
10	·15	·—	·28		·06	·—	·—			·—	·03	·27	10
11	·09	·04	~~·90~~		·22	·—	·—			·—	·59	·37	11
12	·40	·—	·90		·—	·—	·—			·—	·20	·20	12
13	·—	·—	·0~~0~~1		·—	·—	·—			·01	·08	·53	13
14	·—	·—	·—		·—	·—	·—			·—	·08	·92	14
15	·—	·20	·—		·—	·07	·—			·—	·32	·03	15
16	·—	·04	·—		·—	·10	·—			·—	·28	·10	16
17	·—	·03	·—		·—	·03	·—			·—	·02	·16	17
18	·—	·23	·09		·—	·31	·—			·—	·—	·18	18
19	·—	·13	·—		·—	·09	·—			·06	·02	·47	19
20	·02	·03	·06		·—	·02	·—			·04	·—	·23	20
21	·—	·20	·—		·—	·05	·—			·36	·—	·28	21
22	·—	·01	·23		·—	·57	·—			·16	·—	·63	22
23	·—	·10	·11		·—	·06	·—			·07	·—	·14	23
24	·—	·26	·—		·—	·57	·—			·81	·—	·29	24
25	·—	·12	·—		·—	·17	·—			·—	·—	·53	25
26	·—	·07	·—		·04	—	·29			·19	·05	·40	26
27	·—	·36	·12		·—	·01	·—			·—	·—	·13	27
28	·—	·42	·—		·—	·—	·—			·—	·07	·01	28
29	·—		·—		·—	·41	·03			·55	·—	·—	29
30	·—		·—		·—	·05	·—			·16	·05	·01	30
31	·—		·—		·02		·—			·14		·—	31
Total	1·20	2·24	2·45		(·99)	2·52	0·32			2·62	3·69	7·46	TOTAL for year
No. of Rain Days.	9	15	14		(8)	14	2			15	20	27	

W. 8,000, X. '11.

SIMONSBATH

SOMERSET

1911 -16, 1919

XII.12

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

REGI ... 911

Snowdon

Kept at Simonsbat ... op 5 in.

... above Ground 1 ft. 3 in.

in the County of Some ... „ Sea Level 1080 ft.

... 9 a.m.

by The Rev. H. F. ... on { Name South Molton
Distance 10 Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.33	·00	.05	·20	·15	·00	·00	·17	·00	·08	·21	·01	1
2	.00	·00	·04	·04	·33	·00	·00	·49	·00	·20	·37	·52	2
3	·01	·00	·17	·01	·77	·00	·00	·02	.00	·00	·52	·23	3
4	·00	·00	·19	·01	·02	·00	·00	·23	·00	·12	·98	·93	4
5	·77	·00	.18	·01	·00	·00	·00	·28	·00	·03	·55	·14	5
6	·47	·00	·27	·02	·00	·00	·00	·08	·00	·00	·51	·95	6
7	·12	·00	·00	·00	·00	·00	·00	·00	·00	·00	·66	·03	7
8	·35	·00	·48	·00	·00	·00	·00	·00	·00	·00	·32	1·27	8
9	·25	·00	·01	·00	·00	·00	·00	·00	·00	·00	1·21	·44	9
10	·19	·09	1·24	·00	·84	·00	·00	·00	·00	·00	·01	·61	10
11	·88	·00	·07	·00	·09	·00	·00	·00	·00	·00	·65	·87	11
12	·00	·01	·90	·00	·00	·00	·00	·00	·08	·00	·36	·72	12
13	·00	·26	·01	·00	·27	·00	·00	·00	·60	·00	·17	·16	13
14	·00	·10	·02	·00	·01	·00	·00	·00	·00	·01	·17	·68	14
15	·02	·13	·02	·00	·00	·08	·00	·00	·00	·00	·66	·13	15
16	·00	·25	·04	·00	·00	·39	·00	·00	·00	·00	·36	·73	16
17	·00	·10	·08	·04	·00	·37	·02	·00	·00	·00	·33	·77	17
18	·00	·70	·20	·31	·00	·37	·00	·00	·36	·05	·27	·66	18
19	·00	·13	·00	·40	·00	·86	·00	·00	·60	·42	·70	1·01	19
20	·01	·15	·05	·63	·00	·12	·00	·02	·45	·60	·00	·30	20
21	·02	·92	·00	·04	·00	·15	·00	1·46	·25	·21	·00	·32	21
22	·07	·18	·02	·24	·00	·47	·00	·00	·42	·38	·00	·78	22
23	·03	·20	·01	·04	·00	·11	·00	·00	·00	·28	·00	·30	23
24	·04	·98	·00	·00	·01	·88	·00	·18	·24	·47	·00	·47	24
25	·27	·12	·00	·37	·00	·25	·00	·00	·16	·27	·00	·29	25
26	·05	·33	·00	1·03	·01	·00	·16	·38	·34	·46	·02	·63	26
27	·00	1·47	·14	·08	·00	·03	·00	·76	·00	·16	·00	·41	27
28	·00	·39	·01	·74	·00	·06	·00	·04	·45	·02	·25	·05	28
29	·00		·00	·56	·00	1·20	·26	·04	·06	1·21	·01	·01	29
30	·00		·00	·00	·00	·26	·10	·00	~~·08~~	·62	·13	·06	30
31	·00		·00		·00		·10	·00		·44		·02	31
Total	3.88	6.51	4.20	4.77	2.50	5.60	.64	4.15	4.01 ~~4.09~~	6.03	9.42	14.50	TOTAL for year ~~[illegible]~~ 66.21
No. of Rain Days.	17	18	22	18	10	15	5	13	13	19	23	31	204

W. 8,000, X. '11.

XII·12

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

Kept at Simonsbath

in the County of Somerset 5

by The Rev. H. F. Ramsay

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 1080 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name South Molton
Distance 10 Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.33	.00	.05	.20	.15	.00	.00	.17	.00	.08	.21	.01	1
2	.00	.00	.04	.04	.33	.00	.00	.49	.00	.20	.37	.52	2
3	.01	.00	.17	.01	.77	.00	.00	.02	.00	.00	.52	.23	3
4	.00	.00	.19	.01	.02	.00	.00	.23	.00	.12	.98	.93	4
5	.77	.00	.18	.01	.00	.00	.00	.28	.00	.03	.55	.14	5
6	.47	.00	.27	.02	.00	.00	.00	.08	.00	.00	.51	.95	6
7	.12	.00	.00	.00	.00	.00	.00	.00	.00	.00	.66	.03	7
8	.35	.00	.48	.00	.00	.00	.00	.00	.00	.00	.32	1.27	8
9	.25	.00	.01	.00	.00	.00	.00	.00	.00	.00	1.21	.44	9
10	.19	.09	1.24	.00	.84	.00	.00	.00	.00	.00	.01	.61	10
11	.88	.00	.07	.00	.09	.00	.00	.00	.00	.00	.65	.87	11
12	.00	.01	.90	.00	.00	.00	.00	.00	.08	.00	.36	.72	12
13	.00	.26	.01	.00	.27	.00	.00	.00	.60	.00	.17	.16	13
14	.00	.10	.02	.00	.01	.00	.00	.00	.00	.01	.17	.68	14
15	.02	.13	.02	.00	.00	.08	.00	.00	.00	.00	.66	.13	15
16	.00	.25	.04	.00	.00	.39	.00	.00	.00	.00	.36	.73	16
17	.00	.10	.08	.04	.00	.37	.02	.00	.00	.00	.33	.77	17
18	.00	.70	.20	.31	.00	.37	.00	.00	.36	.05	.27	.65	18
19	.00	.13	.00	.40	.00	.86	.00	.00	.60	.42	.70	1.01	19
20	.01	.15	.05	.63	.00	.12	.00	.02	.45	.60	.00	.30	20
21	.02	.92	.00	.04	.00	.15	.00	1.46	.25	.21	.00	.32	21
22	.07	.18	.02	.24	.00	.47	.00	.00	.42	.38	.00	.78	22
23	.03	.20	.01	.04	.00	.11	.00	.00	.00	.28	.00	.30	23
24	.04	.98	.00	.00	.01	.88	.00	.18	.24	.47	.00	.47	24
25	.27	.12	.00	.37	.00	.25	.00	.00	.16	.27	.00	.29	25
26	.05	.33	.00	1.03	.01	.00	.16	.38	.34	.46	.02	.63	26
27	.00	1.47	.14	.08	.00	.03	.00	.76	.00	.16	.00	.41	27
28	.00	.39	.01	.74	.00	.06	.00	.04	.45	.02	.25	.05	28
29	.00		.00	.56	.00	1.20	.26	.04	.06	1.21	.01	.01	29
30	.00		.00	.00	.00	.26	.10	.00	~~.08~~	.62	.13	.06	30
31	.00		.00		.00		.10	.00		.44		.02	31
Total	3.88	6.51	4.20	4.77	2.50	5.60	.64	4.15	4.01 ~~4.09~~	6.03	9.42	14.50	TOTAL for year ~~66.29~~
No. of Rain Days.	17	18	22	18	10	15	5	13	13	19	23	31	204

66.21

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

8 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Simonsbath

in the County of Somerset 5

by The Rev. H. F. Ramsay

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station South Molton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 1080 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.00	.00	.46	.00	.07	.34	.13	.18	.22	1.14	.00	.61	1
2	.00	.00	.47	.13	.00	.99	.17	.00	.00	.01	.05	.05	2
3	.18	.02	.60	.01	.01	.10	.42	1.25	.48	.00	.00	.26	3
4	1.06	.01	1.34	.01	.02	.05	.00	.25	.00	.00	.51	.01	4
5	1.33	.16	.42	.05	.09	.00	.00	.54	.00	.00	.05	.09	5
6	.96	.34	.07	.01	.40	.00	.00	.72	.00	.00	.03	.05	6
7	.14	.33	.21	.04	.39	.47	.18	.38	.03	.00	.04	.13	7
8	.79	.14	.31	.10	.01	.27	.01	.54	.08	.00	.00	.01	8
9	.04	.39	.33	.10	.00	.56	.13	.48	.00	.00	.05	.98	9
10	.39	.07	.01	.03	.00	.03	.26	.10	.12	.00	.63	.03	10
11	.01	.11	.01	.00	.00	.00	.23	.08	.00	.00	.19	1.20	11
12	.20	.38	.55	.02	.03	.02	.14	.04	.00	.00	.00	.37	12
13	.40	.01	.04	.00	.00	.00	.01	.27	.00	.11	.00	1.08	13
14	.30	.07	.80	.00	.11	.04	.00	.50	.00	.04	.01	.55	14
15	.32	.09	.11	.00	.09	1.49	.00	.10	.00	.00	.00	1.33	15
16	.53	.00	.79	.00	.00	.05	.00	.72	.00	.42	.02	.18	16
17	.21	.00	.31	.00	.11	.32	.00	1.10	.00	.00	.01	.60	17
18	.01	.04	.50	.00	.00	.00	.00	.72	.00	.30	.09	.20	18
19	.02	.43	.35	.00	.00	.07	.19	1.15	.00	.18	.10	.09	19
20	.10	.16	.54	.00	.13	.03	.01	.45	.00	.87	.24	.01	20
21	.01	.31	.91	.00	.46	.00	.01	.54	.00	.55	.02	.00	21
22	.26	.59	.28	.00	.14	.00	.35	.80	.00	.10	.09	.15	22
23	.20	.33	.60	.00	.00	.25	.03	1.95	.00	.56	.33	.67	23
24	.05	.11	.24	.00	.00	.55	.00	.10	.00	.14	.01	.22	24
25	.00	.01	.02	.00	.00	.79	.03	.45	.00	.24	1.19	.75	25
26	.00	.21	.01	.00	.00	.01	.00	.28	.00	.84	1.17	.35	26
27	.00	.05	.11	.00	.00	.78	.60	.00	.00	1.59	.07	1.22	27
28	.00	.13	.06	.00	.00	.38	.54	1.29	.26	.32	.64	.72	28
29	.00	.17	.02	.00	.00	.23	1.06	.25	.60	.40	.01	.24	29
30	.00		.07	.00	.26	.16	.33	.03	.06	.74	.00	.05	30
31	.00		.81		.00		.45	.20		.06		.54	31
Total	7.51	4.66	11.35	.50	2.32	7.98	5.28	15.46	1.85	8.61	5.55	12.74	YEAR'S TOTAL 83.81
Rain Days.	22	25	31	10	15	23	21	29	8	19	23	30	256

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

3 - JAN 1914

Kept at Simonsbath
in the County of Somerset 5
by The Rev. H. F. Ramsay

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station South Molton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 1080 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.25	.45	.12	.03	.00	.00	.00	.20	.02	.36	.89	1
2	.13	.67	.09	.22	.24	.00	.00	.00	.00	.00	.28	.14	2
3	.37	.02	.21	.21	.56	.00	.00	.00	.00	.00	.02	.56	3
4	1.13	.00	.33	.16	.13	.06	.07	.00	.14	.03	.14	.76	4
5	.07	.11	.12	.00	.30	1.04	.13	.00	.12	.00	.52	.61	5
6	.23	.22	.38	.00	.06	.69	.09	.00	.00	.41	.47	.70	6
7	.06	.77	.06	.00	1.08	.25	.07	.00	.00	.67	.40	.03	7
8	.02	.42	.01	.00	.38	.08	.02	.02	.00	.28	.00	.10	8
9	.01	.11	.25	.08	.24	.75	.00	.03	.08	.00	.58	.26	9
10	.98	.00	.23	.01	.14	.09	.00	.05	.00	.23	.25	.01	10
11	.99	.00	.05	.59	.48	.16	.00	.00	.05	.09	.20	.27	11
12	.49	.00	.00	.00	.09	.01	.00	.00	.10	.00	.87	.05	12
13	.08	.00	1.12	.01	.00	.01	.02	.30	.65	.00	.40	.00	13
14	.26	.00	.60	.10	.00	.00	.01	.04	.35	.15	.44	.15	14
15	.20	.00	.58	2.14	.00	.00	.00	.00	.04	.00	.46	.12	15
16	.33	.00	1.15	.15	.00	.00	.06	.00	.30	.00	.31	.00	16
17	.24	.00	.13	.22	.00	.00	.09	.00	.00	.00	.49	.00	17
18	.32	.00	.75	.68	.01	.04	.08	.00	.00	.00	.40	.00	18
19	.60	.00	.10	.00	.17	.07	.27	.00	.42	.10	.07	.00	19
20	.99	.00	.19	.27	.01	.02	.00	.00	.08	.21	1.20	.00	20
21	.00	.00	.11	.21	.15	.01	.09	.10	.00	.00	.21	.00	21
22	1.72	.00	1.21	.00	.09	.25	.02	.40	.15	.00	.01	.06	22
23	.06	.00	.03	.00	.01	.08	.00	.35	.04	.00	.11	.62	23
24	.13	.08	.00	.35	.00	.02	.00	.10	.08	.00	.23	.01	24
25	.00	.01	.00	.66	.00	.00	.00	.00	.04	.02	.23	.23	25
26	.01	.00	.00	1.17	.00	.05	.00	.04	.06	.00	.02	.86	26
27	.25	.00	.22	.24	.00	.00	.00	.00	.00	.32	.01	.07	27
28	.17	.00	.04	.49	.04	.00	.00	.00	.00	.47	.01	.35	28
29	.03		.63	.32	.03	.00	.00	.04	.00	.34	.09	.00	29
30	1.17		.00	.09	.00	.00	.00	.00	.00	.74	.39	.00	30
31	.48		.41		.23		.00	.10		.00		.00	31
Total	11.56	2.66	9.45	8.49	4.47	3.68	1.02	1.57	2.90	4.08	9.17	6.85	YEAR'S TOTAL 65.90
Rain Days.	29	10	26	22	21	18	13	12	17	15	29	21	233

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Simonsbath
in the County of Somerset 5
by The Rev. H. F. Ramsay

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station South Molton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 1080 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·02	·06	·09	·00	·21	·62	·75	·00	·00	·17	·09	1
2	·02	·00	·13	·02	·05	·00	·21	·09	·00	·00	·23	·59	2
3	·04	·00	1·05	·39	·97	·00	·00	·06	·00	·02	·01	·17	3
4	·70	·00	·52	·72	·25	·00	·54	·28	·00	·00	·31	·95	4
5	·13	·00	·70	·86	·11	·00	·00	·04	·00	·00	·00	·24	5
6	·01	·03	·37	·47	·23	·04	·83	·21	·00	·00	·17	·86	6
7	·25	·65	1·07	·64	·49	·38	·49	·67	·04	·00	·00	·14	7
8	·44	·00	1·08	·08	·36	·77	·01	·10	·00	·00	·01	·03	8
9	·70	·03	·33	·63	·19	·72	·00	·25	1·36	·00	·00	·00	9
10	·19	·66	·04	·70	·29	·12	·00	·00	·48	·00	·07	·04	10
11	·00	·29	1·54	·00	·09	·21	·00	·00	·06	·00	·28	·41	11
12	·00	·65	·24	·00	·00	·00	·00	·00	·70	·11	·52	·49	12
13	·00	·78	·48	·00	·00	·00	·11	·00	·87	·52	·84	·18	13
14	·01	·61	·75	·00	·00	·09	·03	·82	·03	·45	·64	·01	14
15	·03	·05	·66	·00	·00	·00	·06	·44	·17	·09	·92	·19	15
16	·00	·01	·03	·00	·00	·00	·11	·00	·55	·00	·00	·05	16
17	·00	1·02	·59	·00	·00	·00	·09	·00	·10	·00	·01	·96	17
18	·00	·24	·41	·00	·00	·00	·04	·00	·15	·00	·00	·71	18
19	·01	·29	·64	·00	·00	·00	1·88	·00	·12	·00	·18	·16	19
20	·00	·36	·36	·00	·00	·14	·00	·00	·01	·00	·00	·20	20
21	·00	·41	·01	·00	·00	·00	·10	·00	·00	·22	·01	·06	21
22	·00	·23	·12	·06	·06	·80	·00	·21	·00	·45	·00	·00	22
23	·00	·11	·24	·00	·00	·02	·24	·02	·00	·21	·00	·00	23
24	·00	·01	·14	·00	·00	·02	·15	·12	·00	·01	·33	·00	24
25	·27	·02	·71	·00	·00	·00	·40	·83	·00	·82	·10	·55	25
26	·25	·03	·21	·00	·00	·00	·65	·36	·00	·24	·69	·71	26
27	·13	·06	·00	·00	·00	·00	·00	·01	·00	·25	·86	·55	27
28	·08	·21	·27	·00	·12	·00	·00	·00	·00	·31	·26	1·14	28
29	·98		·28	·00	·12	·00	·01	·01	·00	·77	·57	·21	29
30	·03		·22	·00	·00	·00	·00	·00	·00	·24	1·03	·71	30
31	·22		·00		·23		·62	·00		·69		·27	31
Total	4·49	6·77	13·25	4·66	3·56	3·52	7·19	5·27	4·64	5·40	8·21	10·67	YEAR'S TOTAL 77·63
Rain Days.	19	23	29	11	14	12	20	18	13	16	22	27	224

W.7,000, XI. 13

Exe DL

2209

FORM A.
BRITISH RAINFALL.
4. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Simonsbath

in the County of Somerset

by The Rev. H. F. Ramsay

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station South Molton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 1080 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·76	·56	·00	·00	·23	·00	·00	1·05	·47	·58	·03	·67	1
2	·37	·37	·64	·26	·00	·11	·00	·41	·04	·06	·00	·58	2
3	·02	·15	·50	·49	·09	·00	·01	·10	·00	·00	·00	·60	3
4	·23	·62	·08	·00	·03	·01	·10	·06	·00	·00	·00	1·07	4
5	·40	·61	·05	·22	·00	·02	·00	·25	·00	·00	·00	·78	5
6	·69	·12	·01	·72	·00	·00	·60	·13	·00	·00	·00	·62	6
7	·75	1·16	·00	·14	·00	·00	·38	·16	·00	·16	·04	·50	7
8	·48	·52	·00	·00	·00	·00	·00	·19	·00	·00	·53	·13	8
9	·03	·42	·00	·63	·00	·00	·02	·01	·00	·00	·59	1·44	9
10	1·10	·25	·17	·08	·00	·00	·04	·45	·00	·15	·17	·09	10
11	·11	·12	·02	·00	·00	·00	·02	·02	·00	·16	1·72	·17	11
12	·35	·47	·00	·10	·49	·00	·02	·06	·00	·21	·60	·04	12
13	·08	·85	·00	·00	·98	·00	·16	·06	·14	·01	·33	·30	13
14	·41	·01	·01	·00	·00	·00	·14	·61	·27	·02	·07	2·40	14
15	·65	·00	·00	·00	·35	·00	·10	·01	·20	·04	·38	·20	15
16	·03	1·77	·00	·03	·31	·00	2·20	·00	·01	·00	·02	·01	16
17	·06	·40	·00	·00	·06	·00	·02	·00	·00	·00	·00	·00	17
18	·00	·56	·02	·00	·00	·00	·10	·00	·00	·00	·01	·00	18
19	·03	·02	·00	·18	·30	·00	·54	·00	·00	·00	·00	·00	19
20	1·24	·01	·00	·15	·00	·05	·04	·00	·00	·20	·00	·13	20
21	·65	·30	·00	·00	·02	·02	·10	·00	·03	·41	·00	1·15	21
22	·25	·14	·33	·05	·00	·05	·72	·00	·02	·19	·00	·56	22
23	·05	·17	·09	·00	·00	·02	·36	·00	·08	·94	·00	1·65	23
24	·00	·18	·01	·03	·00	·00	·26	·00	·14	·70	·00	·70	24
25	·00	·00	·02	·00	·00	·35	·56	·00	·00	·08	·02	·48	25
26	·00	·41	·00	·00	·00	·40	·18	·00	·27	·00	·00	·80	26
27	·00	·16	·00	·00	·00	·28	·15	·00	·08	·91	·00	·15	27
28	·00	·05	·17	·00	·00	·06	·04	·03	·57	·19	·01	·01	28
29	·00		·00	·00	·00	·13	·02	·00	·02	·04	·28	·12	29
30	·18	X	·00	·00	·00	·03	·02	·00	·03	·65	·43	·47	30
31	·01	X	·00	X	·00	X	·15	·21	X	·94	X	·41	31
Total	8·93	10·40	2·12	3·08	2·86	1·53	7·05	3·81	2·37	6·64	5·23	16·23	YEAR'S TOTAL 70·25
Rain Days.	24	26	14	13	10	13	27	17	15	20	16	28	223

W. 8,000. X. 15.

Exd C.F.E

2144

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
12. JAN 1917

Kept at Simonsbath
in the County of Somerset
by The Rev. H. F. Ramsay

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station South Molton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 1080 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·24	·10	·03	·00									1
2	1·49	·12	·47	·00									2
3	·03	1·42	·00	·03									3
4	·98	·44	·00	·07									4
5	·23	·39	·09	·00									5
6	·52	·63	·01	·00									6
7	·07	·22	·40	·00									7
8	·00	·36	·20	·01									8
9	·01	·09	·03	·00									9
10	·02	·90	·10	·26									10
11	·01	·01	·02	·41									11
12	·21	·31	·04	·24									12
13	·00	·86	·09	·09									13
14	·15	·80	·14	·04									14
15	·07	1·06	·04	·19									15
16	·07	·16	·00	·59									16
17	·43	·67	·00	·20									17
18	·12	1·07	·22	·29									18
19	·51	·09	·11	·64									19
20	·33	·51	·24	·00									20
21	·52	·10	·27	·02									21
22	·02	·01	·02	·00									22
23	·10	·44	·04	·27									23
24	·00	·24	·17	·00									24
25	·02	·95	·36	·00									25
26	·19	·34	·33	·00									26
27	·16	·01	1·27	·00									27
28	·01	·75	·00	·00									28
29	·00	·30	·16	·00									29
30	·00	X	·01	·00									30
31	·00	X	·00	X		X			X		X		31
Total	6·51	13.35	4·86	3.35									YEAR'S TOTAL
Rain Days.	25	29	25	15									

W. 8,000, VIII. 16

40
23
33

FORM A.
BRITISH RAINFALL.

9 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Simonsbath
in the County of Somerset
by Geo. Molland

Lat. Long.
Time of Observation
Nearest Railway Station Filleigh G.W.R
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. 1 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1·12	—	·14	—	·65	—	·28	·02	·42	·79	—	1·28	1
2	·44	—	·18	·02	·22	—	—	—	—	·25	·07	—	2
3	—	—	·19	—	·30	—	—	—	·10	—	·15	·50	3
4	·10	·42	·48	—	·02	—	·18	·38	·60	—	—	—	4
5	·33	·37	·80	—	·04	·01	·05	—	·07	—	—	·11	5
6	·47	·09	·54	—	·07	—	—	—	—	·01	—	·94	6
7	·26	·02	·95	—	·01	·03	—	—	·05	—	—	·14	7
8	·18	—	·30	·22	·03	·13	—	—	—	—	—	—	8
9	·54	—	·13	·08	·05	—	—	—	—	—	·21	1·65	9
10	·19	—	1·15	·22	·02	·04	—	—	—	—	—	·53	10
11	·29	—	·45	·34	·36	·02	·19	—	—	·22	—	·38	11
12	·25	—	·18	·07	·02	1·20	—	—	—	·03	·10	—	12
13	·25	—	·05	·78	—	—	·13	—	·05	·34	—	·12	13
14	1·03	·11	—	1·52	·17	—	·13	—	·09	·15	—	·26	14
15	·63	·10	—	·01	—	—	—	—	—	·20	—	·60	15
16	·38	1·02	—	—	·01	·05	·01	—	—	—	·53	·05	16
17	·04	—	·01	—	·04	·09	—	—	—	—	173	·21	17
18	·01	·11	·73	—	·01	—	·30	1·11	·24	—	·80	·11	18
19	·65	·72	·73	—	—	·44	·42	·94	·74	—	·83	·34	19
20	·38	·50	·44	—	—	·12	·01	·05	·14	—	·11	1·13	20
21	·05	1·20	·02	—	—	—	1·15	·17	·24	—	·03	·39	21
22	—	·45	—	—	·01	·14	·17	—	·48	—	·16	·40	22
23	—	—	—	—	—	—	·01	—	—	·30	·25	·64	23
24	·02	—	—	·02	—	·16	—	·02	·75	·79	·27	·69	24
25	·28	—	—	·04	—	—	—	·65	·16	—	·27	·42	25
26	·07	—	·29	·46	—	·02	—	—	·47	·10	—	·96	26
27	—	—	·50	·11	—	—	—	·97	—	—	—	·11	27
28	·05	—	·30	·08	—	—	—	·12	—	·25	·08	1·32	28
29	·32	—	·10	·40	—	·01	—	·33	·01	—	—	·73	29
30	—	X	·02	·44	—	·35	—	·42	·11	—	·48	·99	30
31	—	X	·24	X	—	X	·13	—	X	·10	X	·30	31
Total	8·33	5·11	8·92	4.87	2.03	2.81	3.16	5·18	4.12	3.73	6.07	15·30	YEAR'S TO 69.62
Rain Days.	25	12	24	16	17	15	14	12	17	13	16	27	208

W, 6,500, VII. 18. w w c

514

SOMERTON

BUTLEIGH COURT

SOMERSET

1911 - 1920

FORM A2.
BRITISH RAINFALL.

5 JAN 1912

REC

Kept at Butl

in the County of So

by R. Neville

tte & Zeals

in.

Ground 1 ft. 2 in.

Sea Level 95 ft.

O.M.

Name Glastonbury

Distance 4 M Direction NE

IMPORTANT NOT … the result entered to the previous day. If an Obs … ersal rule, he is earnestly requested to add the read … ear in the space provided for it at the end of this … ment of rain, the selection and placin … itish Rainfall Organization are given in … application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.13							.02	.02	1
2			.03	.15	.24			.15		.05	.25	.11	2
3					.21			.08			.06	.06	3
4			.13								.13	.31	4
5			.05					.89		.06	.15	.02	5
6	.20		.12					.03			.07	.52	6
7	.04										.02		7
8	.03		.15									.54	8
9	.07										.14	.37	9
10	.10	.04	.23		.46						.03	.23	10
11	.29	—	.02								.64	.26	11
12			.92						.02		.09	.22	12
13									.26	.02	.05	.40	13
14		.09										.87	14
15						.05					.16	.08	15
16						.40					.45	.23	16
17						.12					.07	.37	17
18		.23	.05	.20		.30				.03	.03	.35	18
19		.10		.03		.28			.19	.11	.08	.34	19
20	.03	.04	.07	.23					.07	.08		.40	20
21		.29	.03	.04					.08	.42		.19	21
22	.09		.26	.05						.82		.37	22
23		.09	.12	.04		.23			.12	.08		.09	23
24		.19				.55		.08		.65		.18	24
25		.18		.09		.15		.04	.05	.04		.19	25
26		.10		.22	.13			.03		.12	.02	.28	26
27		.40	.07	.08				.10	.20	.03	.03	.23	27
28		.29		.33				.10			.05		28
29				.53		.26	.10		.07	.36	.02		29
30				.04		.06				.12	.06	.03	30
31										.11			31
Total	.85	2.04	2.25	2.16	1.04	2.40	.10	1.50	1.06	3.10	2.62	7.26	TOTAL for year 26.38
No. of Rain Days.	146 8	12	5 5 14	14	4	10	1	9	9	16	22	27	146

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL.
5 JAN 1912

Kept at Butleigh
in the County of Somerset 2
by R. Neville Grenville Esq^r

Rain Gauge
Pattern Negretti & Zambra
Diameter of top 8 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 95 ft.
Time of Observation 9 a.m.
Nearest Railway Station
Name Glastonbury
Distance 4 m. Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.13							.02	.02	1
2			.03	.15	.24			.15		.05	.25	.11	2
3					.21			.08			.06	.06	3
4			.13								.13	.31	4
5			.05					.89		.06	.15	.02	5
6	.20		.12					.03			.07	.52	6
7	.04										.02		7
8	.03		.15									.54	8
9	.07										.14	.37	9
10	.10	.04	.23		.46						.03	.23	10
11	.29		.02								.64	.26	11
12			.92						.02		.09	.22	12
13									.26	.02	.05	.40	13
14		.09										.87	14
15						.05					.16	.08	15
16						.40					.45	.23	16
17						.12					.07	.37	17
18		.23	.05	.20		.30				.03	.03	.35	18
19		.10		.03		.28			.19	.11	.08	.34	19
20	.03	.04	.07	.23					.07	.08		.40	20
21		.29	.03	.04					.08	.42		.19	21
22	.09		.26	.05						.82		.37	22
23		.09	.12	.04		.23			.12	.08		.09	23
24		.19				.55		.08		.65		.18	24
25		.18		.09		.15		.04	.05	.04		.19	25
26		.10		.22	.13			.03		.12	.02	.28	26
27		.40	.07	.08				.10	.20	.03	.03	.23	27
28		.29		.33				.10			.05		28
29				.53		.26	.10		.07	.36	.02		29
30				.04		.06				.12	.06	.03	30
31										.11			31
Total	.85	2.04	2.25	2.16	1.04	2.40	.10	1.50	1.06	3.10	2.62	7.26	TOTAL for year
No. of Rain Days.	146 8	12	5 5 14	14	4	10	1	9	9	16	22	27	26.38 146

W. 8,000, X. '11.

Ex JL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
6 JAN 1913

Kept at Butleigh

in the County of Somerset 2

by R. NEVILLE GRENVILLE

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 8 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 95 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Glastonbury
Distance 4 Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.07			.25	.03			.53		.45	1
2			.17	.02		.11	.14				.03		2
3	.01		.04			.29	.06	.56			.03	.06	3
4	.17		.53		.03	.06					.41		4
5	.50		.19		.02			.53				.20	5
6	.58	.25			.19		.69	.35				.07	6
7		.23	.14		.13	.84		.14				.12	7
8	.35	.17	.64	.03		.16	.06	.09				.02	8
9	.03		.19	.08		.03	.02	.24				.54	9
10	.02	.15						.12			.06	.19	10
11	.08	.02	.08								.02	.41	11
12	.03	.60	.08				.03						12
13			.02	.05				.63				.03	13
14	.18		.59		.23	.02		.05					14
15	.12	.09	.05		.30	.73		.06				.48	15
16	.64		.18		.15			.15		.06	.09	.03	16
17	.39		.12			.02		.68			.03	.04	17
18	.61		.38					.18			.03	.17	18
19		.05	.08			.02	.11	.33			.03	.02	19
20	.04	.05	.53		.11		.03	.32		.43			20
21	.02	.13	.25		.35			.04		.24			21
22	.32	.14	.09		.38	.02	.02	.30		.08		.03	22
23	.09	.43	.25			.06	~~[illegible]~~	1.18		.09	.22	.29	23
24	.07	.04	.02			.48		.04		.19		.12	24
25	.06	.03				.08		.46		.10	.21	.54	25
26		.02					.06	.18		.29	.22	.20	26
27						.15	.83			.65		.27	27
28		.08				.03		.27	.09	.52	.67	.55	28
29		.03	.04			.25	.19	.06	.64	.36		.02	29
30						.11	.20	.02	.21	.23			30
31			.43				.16	.04		.03		.15	31
Total	4.31	2.51	6.16	.18	1.89	3.71	2.63	7.02	.94	3.80	2.05	5.00	TOTAL for year 39.20
No. of Rain Days.	188 20	17	24	4	10	19	15	25	3	14	13	24	39.20 188

W. 8,000, X. '11.

cnd for antte · by mo stats } 25.III.14

W DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

4 - JAN 1914

Kept at Butleigh

in the County of Somerset 2

by R. NEVILLE GRENVILLE Esq.

Lat. ……… Long. ………
Time of Observation 9 A.M.
Nearest Railway Station Glastonbury
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.32	.08	.04	.05	.06			.26			.65	1
2	.08	.12	.04	.14	.09		.05		.04	.08	.05		2
3	.10		.09	.02	.40					.15		.16	3
4	.83		.02		.58				1.09	.17	.05	.14	4
5	.02	.03			.10	.20			.27		.04	.13	5
6	.03	.06	.08		.15	.22	.07			.70	.06	.53	6
7	.02	.12	.03		.20		.76			.26	.21	.01	7
8		.02			.24	.03			.03	.02		.03	8
9		.02			.06	.08	.06	.44			.15	.03	9
10	.17	.02						.02		.15	.18		10
11	.58	.02		.22	.13					.07	.53		11
12		.02			.35				.04		.33		12
13	.05		.08					.04	.62		.17		13
14	.17		.20	.05					.17		.44		14
15	.21	.03	.22	.37				.05	.13		.06		15
16	.25		.45	.09					.07				16
17			.02				.03		.06				17
18	.10		.07	.05	.10						.09		18
19	.54		.15		.01	.37			.54	.10 .01	.10		19
20	.10		.05	.05									20
21			.12	.55	.36		.06				.41		21
22	.91		.32	.07		.08		.06	.26	.03			22
23	.02		.02			.03						.57	23
24	.03			.03				.08			.04		24
25		.05		.08				.22			.04		25
26				.33							.01	.07	26
27	.10		.19	.18						.12			27
28	.12		.07	.24						.21		.08	28
29	.07		.37	.33				.14		.31			29
30	.30							.10		.55	.02		30
31	.21		.02					.46					31
Total	5.01	.83	2.69	2.84	2.81	1.06	1.03	1.06 1.60	3.58	2.92	2.98	2.30	YEAR'S TOTAL 29.15 29.65
Rain Days.	168 23	12	21	17	14	8	6	10	13	14	19	11	168

W.7,000, XI. 13

written 15/III/15

[illegible] 12.III.15

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

REGISTER OF RAINFALL IN 19 4

Kept at Butleigh
in the County of Somerset 2
by R. Neville Grenville

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Glastonbury
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 96 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.04		.03	.09	.54			.09	.07	1
2				.07	.03		.62				.95	.45	2
3			.18	.16	.23		.09	1.37		.03	.07	.08	3
4	.24		.12	.15	.04		.14	.17			.45	.47	4
5	.16		.31	.33	.18		.05				.16		5
6		.12	.04	.23	.03		.67	.03			.06	.17	6
7		.36	.06	.18	.38		.44	.05	.05			.12	7
8	.11	.03	1.09	.03	.20	.36		.06				.02	8
9	.04		.38	.13	.05	.66		.13	.60				9
10		.07	.03	.05	.11	.03			.31				10
11		.12	.52		.13	.23			.39			.25	11
12		.11	.11				.11		.20			.40	12
13		.26	.28						.14	.20	.28	.59	13
14		.08	.19			.04		.40		.13	.26		14
15			.11				.20	.46	.09		.18	.02	15
16			.02				.06		.08				16
17		.19	.37				.02					.33	17
18		.03	.05				.31		.02			.48	18
19		.06	.42				.73	.04			.04	.08	19
20		.55	.19									.35	20
21		.54	.03			.22		.15		.12		.05	21
22		.03			.37	.26				.21			22
23		.25	.28		.05			.03		.25			23
24		.03	.25		.02		.26			.35	.09		24
25	.16		.15				.30	.33		.26	.03	.31	25
26							.21	.10		.03	.20	.42	26
27	.20						.02			.15	.05	.10	27
28		.08			.04					.09	.23	1.08	28
29	.14		.26		.12					.12	.14	.02	29
30		╳	.03							.23	.30	.67	30
31		╳		╳	.02	╳	.14		╳	.35	╳	.11	31
Total	1.05	2.91	5.47	1.37	2.00	1.83	4.46	3.86 3.85	1.88	2.52	3.58	6.64	YEAR'S TOTAL 37.56
Rain Days.	177 7	17	24	10	16	8	18	14	9	14	17	23	177

W. 8,000. X. 14.

2106

FORM A.
BRITISH RAINFALL.
12 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Butleigh Court
in the County of Somerset
by R Neville Grenville

2

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Glastonbury
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 14" in.
" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·45	·18			·06			·08	·16	·29		·13	1
2	·36	·24	·28	·11		·05		·26	·12	·08		·69	2
3	·08	·06	·08	·15	·17		·06	·02				·62	3
4	·02	·02			·02		·15					·18	4
5	·07	·42		·01				·22				·23	5
6	·53	·09		·20			·52	·08				·21	6
7	·25	·34		·07	·14		·11				·02	·23	7
8	·33	·33						·12				·02	8
9	·02	·02		·09				·02				·72	9
10	·11	·02	·08	·05		·04		·03		·01	·32	·05	10
11	·08	·02	·07	·08				·27		·02	·65	·06	11
12	·23	·31		·14	·51			·26		·03	·27		12
13	·06	·61			·56			·26	·11	·03	·19	·01	13
14	·02	·09					·19	·09	·09		·09	·49	14
15	·10				·22		·08	·02			·10	·14	15
16		·39			·42		·88	·23	·03			·16	16
17		·25			·30			·50					17
18		·09			·10								18
19	·02	·02					·17						19
20	·27			·23						·01		·09	20
21	·08	·02					·03			·09		·23	21
22	·07	·16	·38				·38					·17	22
23		·03	·08				·22		·09	1·49		·34	23
24				·06			·16		·26	·77		·48	24
25			·02	·02		·28	·66					·30	25
26		·02				·03	·24					·49	26
27		·08				·06	·09			·50			27
28		·12				·02		·03	·64	·10		·01	28
29						·25	·33				·12	·05	29
30	·10	X				·25				·38	·40	·29	30
31	·03	X		X		X	·15		X	·78	X	·16	31
Total	3·28	3·93	·99	1·21	2·50	·98	4·42	2·49	1·50	4·56	2·16	6·55	YEAR'S TOTAL 34·57
Rain Days.	21	24	7	12	10	8	17	16	8	14	9	26	142

W. 8,000. X. 15.

cndby own stats W. C3E 4048

FORM A. BRITISH RAINFALL.

23. JAN 1917

REGISTER OF RAINFALL IN 1916

Smaple

Kept at Butleigh Court

in the County of Somerset

by R. NEVILLE GRENVILLE

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Glastonbury

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07				.28	.03			.12	.34	.04		1
2	.18	.05			.02					.35	11		2
3		.83			.19	.02			.14	38	23		3
4	.20	.12			.16	36			.25	.21	.50		4
5	.15				.26	.52	.47				.50		5
6		.17			.14	.03				.10	.45		6
7		.05	.15		.10	.03	.04				.48	.30	7
8		.10	.05		.29						.17	.10	8
9					.24	.09	03			.10	.15	.09	9
10		.49	~~.07~~	.07	.03	.05						.08	10
11	.02			.24									11
12	.14	.03	.05	.08	.15		.05	13		.10			12
13		.27	.12	.04				1.10		~~Fog~~	.02		13
14	.03	.39		.09	.11			.12		.03			14
15		.10	.10					.18					15
16	.08	.10	.02	.27			02	1.25	.04	.07			16
17	.03	(.12)		.05				.09	.54	.33	.19		17
18	.09	.30	.12						.10	.11	.13	.13	18
19	.15	.07	.54	.07							.22	.04	19
20	.15	.15	.32								06	.73	20
21	.04	Water snow.	.21	.03	.05		.17						21
22		.10		10		.05		.29		.66	.05	.52	22
23	.05			.04		.03				.18	.05	.21	23
24		.48		.07	.64	.10		.05		.60	.03	.26	24
25		.46	16		.28			.72		.01	.12		25
26	.02	.07	.06			.46		.04	85	.54	.03		26
27	.02	08	1.03		.04	.02		.14	.47	.11			27
28		.23			.13	24		.06	.22	45			28
29		.58						2.11	.57	.33	.01	.10	29
30		X						.01		.33		.18	30
31		X		X		X		.06	X	.08	X	.07	31
Total	1.42	5.34	2.93	1.15	3.11	2.03	.78	6.35	3.30	5.41	3.54	2.81	YEAR'S TOTAL 38.17
Rain Days.	16	23	13	12	17	14	6	15	10	21	20	13	180

W. 8,000. X. 15.

Somerset ✓ crudely mm state ~~W~~ 1957

4 JAN 1918

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at BUTLEIGH COURT, GLASTONBURY.
in the County of Somerset
by R. NEVILLE GRENVILLE

Lat. Long.
Time of Observation
Nearest Railway Station Glastonbury
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·10	Snow ·46		·10		·82	·07		·04		1
2				·03		·09	·84	·13		·02	·02		2
3				·04						·25	·05		3
4		·12	·09				·08	·04	·02	·27			4
5	·26		·20	·16		·07			·13	·17	·06		5
6			·09							·04	·24	·01	6
7	·27		S. W				·12	·27		·24	02 ·~~24~~	·01	7
8	·06		·20	·16			·84	·68	·09	·36	·19	·06	8
9			·02		·01		·04	·27	·06	·37	·26		9
10	·21		·26	·13				·20	·07	·02			10
11	·05		·68					·35	·06	·18	·05		11
12	·04		·02	·40	·40			·58		·45	·03		12
13			·17			·01		·36	·12	·13			13
14			·13	·12			·07	·57		·05			14
15				·04			·09	·01	·01	·44		·24	15
16		·20		·03			·08	·01		·10			16
17		·02			·11		·43	·08	·37				17
18		·04		·18		·01	·27		·55		Bar: 30.5 ·02		18
19		·52	·03			·07			·14		30.3 ·03		19
20		·03	·08		·25	·08		·52	·02				20
21			Snow ·25										21
22								·18		·07			22
23		·25			·08			·55		·08		·03	23
24		·04	·02			·25	·19	·02		·07			24
25		·09					·11	·02	·05	·11	(·07)		25
26					·23	·05		·39	·15	·06			26
27					·86	·20		·82		·04			27
28		·03	·09		·15	5.76		·76				·02	28
29			·12			·23	·05	·06		·34		·07	29
30		X	·23				·04	·03		·08			30
31		X	·06	X		X			X	·14	X	~~·44~~	31
Total	·89	1·34	2·84	1·75	2·09	6·92	3·25	7·72	1·91	4·08	1·08	·44	YEAR'S TOTAL 34·31
Rain Days.	6	10	19	11	8	12	14	24	15	24	(14)	7	16~~2~~4

W. 8,000, VIII. 16

17.IV.19

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
8.1.19

Kept at Butleigh Court

in the County of Somerset

by R. Neville Grenville

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·39

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02			·17			·64		·01	·77	·01	1
2		·03		·21				·41	·05		·06	·09	2
3		·05		·08	·18				·01	·03	·02	·03	3
4		·04		·02				·09	·03	·07	·45	·07	4
5		·02	·01		·07			·36	·17	·11		·03	5
6	·22	·25		·26				·21	·05	·07		·13	6
7	·04	·14			·65	·02			·15	·12	·31	·03	7
8									·43	·35		·13	8
9		·05		·16		·16	·35		·25	·09		·23	9
10	·03	·04		·12			·57		·17	·19	·05	·49	10
11	·02		·09				·41		·20	·23	·09	·12	11
12			·08		·25		·04		·18			·01	12
13	·41				·04		·36		·47	·06		·23	13
14			·02		·01	·09	·20		·23	·21		·13	14
15	1.20			·29	·05	·06	·40					·17	15
16	·16		·09	·34			·03		·16			·12	16
17	·35		·01	·11			·27	·05	·01			·10	17
18	·77					·63	·05		·25	·06		·24	18
19	·06	·03	·10				·45		·05	·02		·12	19
20	·05	·07		·16		·03	·27		·11			·03	20
21				·02	·09		·09		·55	·10		·17	21
22	·03						·53	·05	·12	·06	·03	·41	22
23	·04						·45		·11		·02	·11	23
24		·09					·03	·03	·08		·07		24
25		·06					·07	1.03					25
26				·07			·85		·21	·02	·04	·28	26
27		·16						·14	·22	·02	·12	·02	27
28		·06	·13						1.07		·09	·14	28
29			·09						·02	·06	·05	·05	29
30		×	·43					·11			·11	·07	30
31		×	·34	×		×		·06	×	·06	×		31
Total	3·38	1·11	1·39	1·84	1·51	·99	5·42	3·18	~~4·45~~ 5·35	~~2·04~~ 1·96	2·28	3·76	YEAR'S TOTAL ~~31·35~~ 32·15
Rain Days.	13	15	11	12	9	6	18	12	26	20	15	28	185

W. 8 000, IX. 17.

1826

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at BUTLEIGH COURT, GLASTONBURY.

in the County of Somerset

by R. NEVILLE GRENVILLE

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Glastonbury.

Diameter of Funnel of Rain Gauge 8. in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·39		·05	·15	·06		·52			·18		1·04	1
2	·09		·02		·09		·19		·12		·03	·17	2
3	1·06		·39		·17				·16		·02	·60	3
4	·23	·24	·37			·06		·15	·31			·05	4
5	·03	·57	·60		·05				·34		·02	·42	5
6	·39	·13	·10									·30	6
7	·15		·33	·14									7
8	·22		·21	·07		·01							8
9	·03			·04							·13		9
10	·14		·03		·02					·05		·04	10
11	·03		·14	·15	·12		·25					·21	11
12	·10		·02				·02			·12	·13	·05	12
13	·03			·27		·09	·19			·02		·01	13
14	·35	·13		·57	·14		·16			·06		·14	14
15	·09									·08		·22	15
16	·03	·59									·17	·02	16
17		·18						·04			·30	·01	17
18	·05		·66				·16	·37			·21	·03	18
19	·62	·22	1·06			·11	·94	·43	·34		·31	·11	19
20	·47	·06	·14			·24		·27				·07	20
21	·18	·55					·58		·01		·01	·10	21
22		·06					·19		·18		·03	·13	22
23									·06	·63	·04	·08	23
24				·08		·39				1·23	·04	·45	24
25	·19	·04		·09		·01		·87	·16		·09	·15	25
26	·06		·10	·07		·01		·26			·01	·18	26
27			·04	·38		·05		·47				·07	27
28								·54			·19	·33	28
29				·07				·12		·08		·02	29
30				·22		·30		·30		·01	·38	·31	30
31			·06									·30	31
Total	4·93	2·77	4·32	2·30	·65	1·27	3·20	3·82	1·68	2·46	2-11	5·61	YEAR'S TOTAL 35·12
Rain Days.	22	11	17	13	7	10	10	11	9	10	17	28	165

W, 6,500. VII. 18, W W C

W Agd cond 1744

FORM A. I. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

3 JAN 1921

Kept at Butleigh Court

in the County of Somerset

by R. NEVILLE GRENVILLE

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Glastonbury.

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·02	·11	·27		·31	·03	·04	·24	·30	·37	1
2	·32			·21			·11	·30	·13	·11		·07	2
3	·03	·04		·10			·84			·57		·06	3
4			·10	·07			·31	·35		·24			4
5			·05	·03	·09		·48	·19		·15			5
6			·33		·04					·07			6
7	·02			·46			·23						7
8	·15	·24		·29	·08		·29						8
9	·34		·04	·15		·15	·42		·09				9
10	·43	·13	·09	·05		·17	·07						10
11	·29		·08	·33	·21	·03	·50						11
12	·17	·01	·03	·09	·04	·31	·10				·05		12
13	·23	·05	·50	·11			·02				·02		13
14	·04	·02	·22	·46			·11			·25	·16		14
15	·01	·08	·06	·21	·07	·15			·05	·33	·01		15
16	·01	·01	·04	·02		·04	·27		·11	·05	·01		16
17	·03			·16	·20	·03			·25				17
18	·06	·02	·01	·08	·09	·14	·14	·46	·26				18
19	·04			·25	·06	·25	·01	·01	·03				19
20	·05	·23		·09		·40	·12					·12	20
21							·02					·20	21
22	·03			·25				·06		·01		·36	22
23							·62	·03				·25	23
24	·06	·01	·10	·01	·06						·08	·06	24
25		·13	·05		·65	·01	·23				·02		25
26	·21		·15		·03	·03	·07				·09	·05	26
27	·22		·05	·29	·03	·41	·02					·21	27
28	·97		·07	·10	·04	·02	·05					·02	28
29	·16		·19		·02						·11	·09	29
30	·04	✕		·07	·08	·11	·45		·32		·38	·06	30
31	·08	✕	·31	✕		✕	·01		✕	·53	✕	·15	31
TOTAL	4·02	·97	2·49	3·99	2·06	2·25	5·80	1·43	1·28	2·55	1·23	2·17	YEAR'S TOTAL 30·24
Days with ·01 in. or more	25	12	20	24	17	15	25	8	9	11	11	14	191
	18	7	17	21	14	10	20	5	8	10	7	13	150

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

SOMERTON
KING~~W~~ESTON
SOMERSET

1911 - 1916

REG 1911

FORM A2.
BRITISH RAINFALL.
12 MAR 1912

Kept at Kingweston
in the County of Somer
by Aldrid

top 5 in.
above Ground 2 ft. 6 in.
„ Sea Level 200 ft.

Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.11				.04				.06	1
2			.04	.17	.21			.20		.09	.24	.12	2
3		.01	.02		.16	.01					.07	.09	3
4			.13			.02			.02	.03	.08	.37	4
5	.01		.03					.65		.07	.13	.04	5
6	.16		.13					.03		.02	.07	.46	6
7	.03		.03								.21		7
8	.05		.13								.03	.60	8
9	.14										.16	.46	9
10	.07	.04	.16		.72						.08	.20	10
11	.38	.02	.03								.62	.27	11
12			.96					.02			.07	.22	12
13									.21		.03	.41	13
14		.10									.01	.81	14
15		.07				.08					.19	.13	15
16						.40					.56	.28	16
17		.02				.11					.11	.37	17
18		.19	.11	.17		.21				.03	.05	.43	18
19	.02	.13	.02	.03		.18			.21	.16	.08	.15	19
20	.04	.05	.12	.05					.65	.06		.61	20
21	.01	.25	.02	.15				.03	.11	.45		.19	21
22	.13	.02	.25	.05				—	.02	.49		.32	22
23		.06	.10	.03		.10			12	.06	.02	.07	23
24		.11				.48		.04	—	.67		.18	24
25		.15		.13		.16		.04	.02	.10		.13	25
26		.05	.05	.22	.19			.03		.15	.02	.32	26
27		.31	.07	.11				.10	.15	.04	.03	.24	27
28		.35		.36				.16			.08	.01	28
29				.48		.24	.10		.13	.36	.02		29
30				.02		.08		.05		.15	.04	.03	30
31							.01			.15			31
Total	1.04	1.93	2.40	2.08	1.28	2.07	11	1.39	1.04	3.08	3.00	7.57	TOTAL for year 26.99
No. of Rain Days.	11	17	18	14	4	12	2	12	10	17	24	28	169

W. 8,000, X. '11.

REG 1911

FORM A2.
BRITISH RAINFALL.
12 MAR 1912

Kept at Kingweston

in the County of Somerset 3

by Aldridge (H a Boys)

RAIN GAUGE	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	2 ft. 6 in.
	" " " Sea Level	200 ft.

Time of Observation

Nearest Railway Station: Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.11				.04				.06	1
2			.04	.17	.21			.20		.09	.24	.12	2
3		.01	.02		.16	.01					.07	.09	3
4			.13			.02			.02	.03	.08	.37	4
5	.01		.03					.65		.07	.13	.04	5
6	.16		.13					.03		.02	.07	.46	6
7	.03		.03								.21		7
8	.05		.13								.03	.60	8
9	.14										.16	.46	9
10	.07	.04	.16		.72						.08	.20	10
11	.38	.02	.03								.62	.27	11
12			.96					.02			.07	.22	12
13									.21		.03	.41	13
14		.10									.01	.81	14
15		.07				.08					.19	.13	15
16						.40					.56	.28	16
17		.02				.11					.11	.37	17
18		.19	.11	.17		.21				.03	.05	.43	18
19	.02	.13	.02	.03		.18			.21	.16	.08	.15	19
20	.04	.05	.12	.05					.65	.06		.61	20
21	.01	.25	.02	.15				.03	.11	.45		.19	21
22	.13	.02	.25	.05					.02	.49		.32	22
23		.06	.10	.03		.10			.12	.06	.02	.07	23
24		.11				.48		.04		.67		.18	24
25		.15		.13		.16		.04	.02	.10		.13	25
26		.05	.05	.22	.19			.03		.15	.02	.32	26
27		.31	.07	.11				.10	.15	.04	.03	.24	27
28		.35		.36				.16			.08	.01	28
29				.48		.24	.10		.13	.36	.02		29
30				.02		.08		.05		.15	.04	.03	30
31							.01			.15			31
Total	1.04	1.93	2.40	2.08	1.28	2.07	.11	1.39	1.04	3.08	3.00	7.57	TOTAL for year 26.99
No. of Rain Days.	11	17	18	14	4	12	2	12	10	17	24	28	169

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
10 MAR 1913

Kept at Kingweston Rectory
Taunton 4 RL
in the County of Somerset 3
by Rev G Aldridge Rev H A Boys

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.09		.03	.34	.04	.03	.02	.54		.39	1
2			.20	.05		.13	.18	.03			.03		2
3	.02		.08			.31	.13	.57	.02		.04	.07	3
4	.21		.60		.03	.09					.42		4
5	.37	.04	.21		.03	.02		.53	.02		.03	.17	5
6	.66	.23			.12	.03	.36	.45				.07	6
7		.25	.16	.04	.21	.83		.21				.12	7
8	.28	.24	.37	.02		.50	.13	.19				.03	8
9	.02	.02	.43	.09		.05	.05	.04				.58	9
10		.11				.02		.08			.04	.25	10
11	.11	.04	.10					.02			.03	.33	11
12	.03	.63	.10	.08			.05	.03				.01	12
13	.01	.02	.02					.58		.02	.02	.03	13
14	.15	.02	.47		.16			.07				.01	14
15	.14	.11	.15	.03	.38	.73		.16				.46	15
16	.61	.02	.14		.16	.05		.08		.08	.07	.07	16
17	.66		.07		.02	.07		.71			.01	.02	17
18	.24	.02	.35					.10		.02	.06	.21	18
19	.03	.07	.11			.08	.12	.27			.04	.02	19
20	.04	.03	.38		.11	.03	.04	.28		.36	.02		20
21	.02	.10	.30		.34		.03	.05		.19			21
22	.31	.20	.08		.26	.07	.03	.14		.08		.03	22
23	.12	.37	.24		.02		.01	1.22		.14	.18	.27	23
24	.10	.03	.02			.20		.20		.11		.15	24
25	.10	.02				.15	.01	.37		.11	.26	.50	25
26		.02					.08	.09		.39	.30	.19	26
27						.16	.92			.70	.05	.34	27
28		.11				.06	.03	.25	.09	.52	.70	.47	28
29		.05	.04			.02	.30	.10	.45	.35			29
30			.02		.04	.19	.14		.23	.25			30
31			.44				.27	.03		03		.13	31
Total	4.23	2.75	5.07	31	1.91	4.13	2.92	6.88	83	3.89	2.30	4.92	YEAR'S TOTAL 40.14
Rain Days.	21	23	25	6	14	22	19	28	6	16	17	25	222

W. 7,500, XI. 12

from Mid-Wessex.

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

8 APR 1914

Esc. Mg.

Kept at Kingweston

in the County of Somerset. 3

by G. de Y. Aldridge

Rev. H.A. Boys

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·33	·11	·06	·10	·24	-	-	·04	-	·07	·50	1
2	·03	·13	·03	·12	·10	-	·08	-	-	·05	·07	·03	2
3	·13	·02	·08	·04	·54	-	-	-	-	·12	-	·15	3
4	·75	-	·03	-	·52	·07	·07	-	·68	·19	·08	·16	4
5	·03	·04	-	-	·06	·17	·02	-	·32	-	·05	·14	5
6	·03	·06	·08	-	·21	·27	·09	-	·02	·82	·08	·57	6
7	·03	·15	·05	-	·18	-	·23	-	-	·32	·20	·02	7
8	-	·02	-	-	·29	·03	·02	-	-	·05	-	·02	8
9	-	·04	-	·03	·07	·10	·14	·55	·05	·02	·14	·01	9
10	·10	·02	·02	·03	-	·03	-	·05	-	·14	·21	-	10
11	·61	·04	-	·25	·18	·02	-	-	-	·10	·65	·01	11
12	-	·03	-	-	·34	-	-	-	·05	·02	·20	·02	12
13	·05	·02	·03	-	-	·03	-	·04	·68	·01	·26	-	13
14	·19	·02	·24	·05	-	-	-	-	·06	·02	·06	-	14
15	·19	·04	·19	·31	-	-	-	·06	·27	-	·10	-	15
16	·27	-	·50	·13	-	-	-	·02	·14	-	-	-	16
17	-	·03	·03	·03	-	-	·02	-	·04	-	·02	·02	17
18	·13	-	·20	·07	·05	-	-	-	·02	-	·07	-	18
19	·55	-	·09	·01	·02	·62	-	-	·61	-	·02	·02	19
20	·12	-	·10	·07	-	·02	-	-	·01	·09	·05	-	20
21	-	-	·04	·32	·30	-	·07	-	-	·03	·53	-	21
22	·86	-	·36	·25	-	·02	·02	·07	·30	-	-	·01	22
23	·04	-	·14	-	-	·10	-	·02	·02	-	·05	·59	23
24	·04	·02	-	·13	-	-	-	·06	-	·03	·04	-	24
25	-	·06	-	·11	-	-	-	-	·02	-	·01	·05	25
26	-	·02	-	·40	-	-	-	·24	·02	·02	-	·30	26
27	·12	-	·20	·20	-	-	-	-	-	·10	·01	·04	27
28	·10	-	·07	·25	-	-	-	-	-	·20	-	·07	28
29	·09		·41	·34	-	-	-	·15	-	·27	-	-	29
30	·38		·02	·03	-	-	-	·60	-	·44	·02	-	30
31	·28		-		·05			·51		·02		-	31
Total	5·15	1·09	3·02	3·23	3·01	1·66	·70	2·37	3·35	3·06	2·99	2·73	YEAR'S TOTAL 32·36
Rain Days.	24	18	22	22	15	13	10	12	18	21	23	19	217

W.7,000, XI. 13

From Mid-Wessex Association.

cnd fr auth ~~v~~ mg

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
23 MAR 1915

Kept at Kingweston

in the County of Somerset 3

by Rev. G. Aldridge, Rev H A Boys.

Lat. Long.
Nearest Railway Station
Time of Observation
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·03	·03	–	·03	·09	·55	–	–	·10	·05	1
2	–	–	–	·07	·05	–	·57	·03	–	–	1·02	·67	2
3	·03	–	·20	·16	·27	·01	·17	·78	–	–	·10	·05	3
4	·19	–	·12	·17	·05	–	·13	·21	–	·04	·35	·54	4
5	·13	–	·32	·40	·08	–	·06	·02	–	–	·12	·04	5
6	–	·13	·04	·15	·04	–	·56	·04	–	–	·07	·19	6
7	–	·46	·08	·08	·30	–	·39	·07	·06	–	·03	·15	7
8	·09	–	1·26	·05	·20	·35	·02	·08	·01	–	–	·04	8
9	·02	–	·39 s.	·16	·03	·80	–	·17	·82	–	–	–	9
10	·06	·14	·06	·10	·13	·01	–	–	·40	–	·04	–	10
11	–	·12	·46	·04	·18	·28	·15	–	·25	–	·02	·22	11
12	–	·12	·12	·02	–	–	–	–	·26	·01	–	·41	12
13	–	·20	·18	–	–	–	–	–	·13	·22	·30	·76	13
14	–	·09	·33	–	–	·08	·04	·49	·06	·16	·25	·02	14
15	–	·02	·10	–	–	–	·21	·75	·10	·03	·08	·03	15
16	–	–	·02	–	–	–	·09	–	·11	–	–	–	16
17	–	·19	·30	–	–	–	·03	–	·02	–	–	·24	17
18	–	·02	·05 s.	–	–	–	·39	–	·04	–	–	·65	18
19	–	·08	·65 s.	–	–	·01	·88	–	–	–	·05	·12	19
20	–	·43	·13	–	–	–	–	–	–	–	–	·35	20
21	–	·57	·02	–	–	·50	–	·04	–	·09	–	·05	21
22	–	·03	–	–	·28	·31	·02	·06	–	·22	–	–	22
23	–	·10	·33	–	·03	·10	–	–	–	·12	–	–	23
24	–	·14	·20	–	·08	–	·26	–	–	·41	·10	·04	24
25	·08	·02	·15	–	–	–	·31	·27	–	·27	·03	·31	25
26	–	·03	·02	–	–	–	·36	·05	–	·03	·17	·55	26
27	·21	–	–	–	–	–	·12	–	–	·15	·11	·10	27
28	–	·06	·20	–	·04	–	·02	–	–	·11	·28	1·12	28
29	·10		·29	–	·14	–	–	–	–	·14	·18	·04	29
30	–		·03	–	–	–	–	–	–	·08	·25	·82	30
31	·02		–		·04		·14	–		·56		·15	31
Total	·93	2·95 ~~2·89~~	6·08	1·43	1·94	2·48	5·01	3·61	2·26	2·64	3·65 3·65	7·71	TOTAL for year 40·69
No. of Rain Days	10	19	27	12	16	11	22	15	12	16	20	26	206

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

From originals returned.

2184

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
10. MAY 1916

exp 38

Kept at Kingweston, ~~Lodge~~.

in the County of Somerset.

by Rev. G. Aldridge
per Rev H A Boys.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·56	·16			·10			·10	·14	·29		·31	1
2	·36	·27	·28	·04		·08		·32	·16	·09		·64	2
3	·08	·10	·13	·23	·22		·08	·04				·56	3
4	·03	·02	·02		·05							·23	4
5	·08	·58	·01	·01				·33				+	5
6	·60	·10		·22			·57	·04				·63	6
7	·32	·32		·12	·13		·17					+	7
8	·28	·30						·15			·03	·03	8
9	·02	·05		·11				·02			·36	·75	9
10	·19	·03	·09	·07		·03		·04				·05	10
11	·08	·03	·07	·08			·02	·37			·65	·09	11
12	·25	·35		·10	·59			·25		·11	·20		12
13	·06	·59			·60		·02	·16	·12	·01	·17	·02	13
14	·04	·13					·16	·10	·10	·05	·03	·58	14
15	·16				·22		·16	·03	·01	·02	·20	·15	15
16		·41			·41		·97	·23	·03			·16	16
17		·60			1·11		·02	·17		·02		·02	17
18		·15	·03		·10					·02			18
19	·02	·06			·06		·25						19
20	·27			·25		·03				·02		·10	20
21	·14						·07			·12		·26	21
22	·08	·16	·44				·42		·02			·26	22
23			·07				·15		·10	1·49		·41	23
24			·02	·08			·15		·23	·82		·69	24
25		·07	·05	·03		·25	·59		·02			·29	25
26						·03	·15		·01			·58	26
27		·05				·19	·04			·57			27
28		·12				·15		·03	·62	·10			28
29		✗				·17	·35	·01			·12	·12	29
30	·11	✗				·29				·41	·17	·42	30
31	·05	✗		✗		✗	·13		✗	·80	✗	·17	31
Total	3·78	4·65	1·21	1·34	3·59	1·22	4·47	2·39	1·56	4·94	1·93	7·52	YEAR'S TOTAL 38·60
Rain Days.	21	22	11	12	11	9	19	17	12	16	9	26	185

W. 8,000. X. 15.

from Mid Wessex m

2121

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Somerton Kingweston

in the County of Somersetshire

by Revd H A Boys   Rev G de Y. Aldridge

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.13				.54	.13	.03		.16	.24	.31		1
2	.17	.06			.02		.02		.02	.44	.03		2
3		.96			.20	.02			.12	.38	.36		3
4	.24	.12			.15	.22			.35	.20	.64		4
5	.11	.02	.03		.28	.43			.02	.04	.48		5
6	.01	.19	.02		.12	.02	.42			.15	.64		6
7	.03	.08	.19		.08	.07	.20			.06	.50	.28	7
8	.02	.30	.02	.02	.24						.24	.10	8
9		.03			.10	.15	.03			.19	.23	.16	9
10	.04	.51		.11	.04		.09			.02	.01	.06	10
11	.02	.02	.02	.19		.04			.04		.02		11
12	.15	.03	.05	.16	.20		.04	.06		.10	.02		12
13		.25	.17	.06			.04	.65			.03		13
14	.04	.38	.04	.04	.13			.30		.09			14
15		.13	.09	.06				.11	.04				15
16	.09	.10	.02	.21	.01		.03	.66		.08			16
17	.08	.30		.06				.51	.44	.39			17
18	.05	.09	.15	.04				.02	.15	.12	.36		18
19	.10		.50	.04							.23	.20	19
20	.10	.17	.32								.05	1.35	20
21	.05	.06	.27		.05		.15						21
22	.05			.11	.02	.05				.53	.09	.62	22
23	.02	1.03		.03		.08		.25		.39	.08	.15	23
24				.08	.71	.07		.07		.71	.04	.26	24
25			.13		.05			.57	.02	.02	.16		25
26	.02		.07			.79		.12	.89	.56	.03		26
27	.03	.13	1.21		.06	.03		.52	.49	.23			27
28		.30	.01		.14			.08	.25	.47		.14	28
29		.69				.27		2.40	.69	.28		.20	29
30		X						.02		.29		.01	30
31		X		X		X		.08	X	.07	X	07	31
Total	1.55	5.95	3.31	1.21	3.14	2.37	1.05	6.42	3.68	6.05	455	3.60	YEAR'S TOTAL 42.88
Rain Days.	21	26	18	14	19	14	10	16	14	24	21	14	211

W. 8,000, VIII. 16

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

SOUTH PETHERTON
YEABRIDGE
SOMERSET
1911 - 1916

REGI 9 11

Kept at Yeabridge S
in the County of Somers
by (Miss) E. J. Blak

top 8 in.
above Ground ft. 9
" Sea Level 100 ft.
9 a.m.
ion Name Martock
Distance 4 m. Direction N.N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·07	·01			·02				·02	1
2					·13			·18		·18	·16	·20	2
3			}		·17						·06	·04	3
4			} ·08	·02					·01		·17	·35	4
5	·12		·09	Snow ·01						·07	·09		5
6	}		·10					·56		·07	·06	·70	6
7	} ·26			Snow ·01				·01			·35		7
8	·04		·08								·03	·71	8
9	·06										·07	·59	9
10	·03	·02	·29		·70						·04	·30	10
11	·27	—	·01		·03						·59	·07	11
12			·74					·02	·01		·05	·22	12
13									·15	·02	·01	·33	13
14			·01							·02		·94	14
15			·02			·06					·27	·01	15
16	·01	·01				·30					·60	·41	16
17		·01	·09		·01	·09				·01	·15	·64	17
18	·01	·14	·07	·22	·01	·13				·03	·06	·45	18
19		·04	[illegible]			·09			·26	·24	·08	·37	19
20	·05	·06	·13 [illegible]	·02		·01			·10	·08		·41	20
21	·01	·09	·02						·02	·42		·14	21
22	·01	·04	·07						·08	·32		·27	22
23	·14	·10	·02			·21			·02	·08	·04	·12	23
24	·02	·06				·36	}	}		·46		·14	24
25		·03	Snow ·01	·04		·15	} ·t	} ·17	·05	·08	·01	·12	25
26		·03		·20	·12					·09	·03	·19	26
27		·20	·07					·02	·09	·37	·02	·09	27
28		·16		·31				·07		·01	·06	·01	28
29				·84		·13	·17	·09	·04	·11			29
30						·03		·01		·19	·14	·01	30
31										·01		·01	31
Total	1·03	·99	1·90	1·74	1·18	1·56	·17	1·15	·83	2·86	3·14	7·86	TOTAL for year 24·41
No. of Rain Days	14	14	18	10	8	11	1	11	11	20	23	28	169

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Yeabridge South Petherton 3

in the County of Somerset

by (Miss) E. J. Blake

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground ft. 9
" " " Sea Level 100 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Martock
Distance 4 m. Direction N.N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·07	·01			·02				·02	1
2					·13			·18		·18	·16	·20	2
3			}		·17						·06	·04	3
4			} ·08	·02					·01		·17	·35	4
5	·12		·09	Snow ·01						·07	·09		5
6	}		·10					·56		·07	·06	·70	6
7	} ·26			Snow ·01				·01			·35		7
8	·04		·08								·03	·71	8
9	·06										·07	·59	9
10	·03	·02	·29		·70						·04	·30	10
11	·27		·01		·03						·59	·07	11
12			·74					·02	·01		·05	·22	12
13									·15	·02	·01	·33	13
14			·01							·02		·94	14
15			·02			·06					·27	·01	15
16	·01	·01				·30					·60	·41	16
17		·01	·09		·01	·09				·01	·15	·64	17
18	·01	·14	·07	·22	·01	·13				·03	·06	·45	18
19		·04				·09			·26	·24	·08	·37	19
20	·05	·06	·13	·02		·01			·10	·08		·41	20
21	·01	·09	·02						·02	·42		·14	21
22	·01	·04	·07						·08	·32		·27	22
23	·14	·10	·02			·21			·02	·08	·04	·12	23
24	·02	·06				·36	}	}		·46		·14	24
25		·03	Snow ·01	·04		·15	} ·‡	} ·17	·05	·08	·01	·12	25
26		·03		·20	·12					·09	·03	·19	26
27		·20	·07					·02	·09	·37	·02	·09	27
28		·16		·31				·07		·01	·06	·01	28
29				·84		·13	·17	·09	·04	·11			29
30						·03		·01		·19	·14	·01	30
31										·01		·01	31
Total	1·03 ✓	·99 ✓	1·90 ✓	1·74 ✓	1·18 ✓	1·56 ✓	·17 ✓	1·15 ✓	·83 ✓	2·86 ✓	3·14 ✓	7·86 ✓	TOTAL for year 24·41 ✓
No. of Rain Days	14	14	18	10	8	11	1	11	11	20	23	28	169 ✓

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

10 MAR 1913

Kept at Yeabridge South Petherton Eng Ry
in the County of Somerset 3
by Mrs E. F. Blake Rev H. a Boys

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01		.09			.68	.01	.05	.05				1
2			.29		.04	.10	.15	.03					2
3	.01		.12	.02		.34	.27	.72	.02				3
4	.12		.84		.02			.01					4
5	.53	.13	.07		.01	.06	.01	.41					5
6	.23	.20	.01		.13	.04	.65	.81					6
7	.03	.42	.26		.05	.92	.60	.13					7
8	.22	.18	.73	.01		.58	.01	.12					8
9	.01	.02	.12	.04		.10	.01	.09					9
10	.03	.11					.01	.01					10
11	.05	.06		.09			.01	.02					11
12	.01	.41	.05				.04	.08					12
13								.01					13
14	.17	.01	.34		.38	.01		.03					14
15	.40	.05	.01	.02		.46		.02					15
16	.76	.01	.22		.05	.02		.02					16
17	.76		.08		.01	.02		.59					17
18	.07	.02	.30					.16					18
19	.01	.02	.13			.04	.18	.55					19
20	.07	.02	.31		.11			.15					20
21	.01	.06	.19		.47		.06	.11					21
22	.37	.19	.04		.14		.02	.08					22
23	.23	.37	.10					.06					23
24	.10	.01	.01			.21		.03					24
25	.10	.01				.02		.34					25
26		.02					.11	.39					26
27			.02			.30	.63						27
28		.07				.05	.04	.37	.19				28
29		.17				.04	.08	.29	.48				29
30					.04	.60	.13		.22				30
31			.30				.36						31
Total	4.30	2.56	4.63	.18	1.45	4.59	3.38	5.68	.96				YEAR'S TOTAL
Rain Days.	23	22	23	5	12	19	20	28	5				

W. 7,500, XI. ·12

cndly Bk. 25.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
JAN 1914

Kept at Yeabridge
in the County of Somerset
by Dorothy F. Blake

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Martock
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

abroad

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·08	·17				·22	·04	·15		1
2				·06	·06		·05		·02	·28			2
3				·02	·25				·06		·01	·18	3
4					·38		·03		·33	·19	·03	·20	4
5					·07	·14			·56		·08	·24	5
6					·05	·22	·07			1·91	·05	·39	6
7					·36	·02	·26			·31	·27	·02	7
8					·26	·01	·02					·01	8
9					·06	·02	·06	·55	·04	·01	·28	·02	9
10				·01	·01			·02		·12	·24		10
11				·13	·14				·02	·27	·59		11
12					·28				·02		·14		12
13						·02		·07	·39	·02	·07		13
14							·02		·20	·02	·14		14
15				·39 ~~·04~~				·04			·02	·02	15
16				·04		·02			·03				16
17				·01									17
18				·05							·03		18
19						·09			·30				19
20				·08		·02			·01	·11	·11		20
21				·14						·05	·41		21
22				·03		·05	·06	·03	·14	·02		·11	22
23								·09	·02		·08	·67	23
24				·04		·01					·01		24
25				·15					·01	·02		·04	25
26				·60				·16		·01		·17	26
27				·25						·20	·01	·07	27
28				·29						·41		snow	28
29				·29				·11	·01	·35	·01		29
30				·06				·09		·63	·01		30
31					·04		·03	·94		·02			31
Total				2·72	2·03 2·13	·62	·60	2·10	2·38	4·99	2·71	2·14 ✓	YEAR'S TOTAL ~~20·39~~
Rain Days.				19	13	11	9	10	17	20	21	14	~~134~~

W.7,000, XI. 13

end by Boys 13.III.15 DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 4 JAN 1915

Kept at Yeabridge S. Petherton

in the County of Somerset

by Miss V. Blake

Lat. 5° 56' N Long. 2° 48'

Time of Observation 9 a.m.

Nearest Railway Station Martock 4 m.

Diameter of Rain Gauge 8 in. in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·03			·01	·08	·42	~~22~~		13	·02	1
2			·01		·05		·52	·03	~~02~~		1·24	·37	2
3	·02		·08	·07	·32		·03	·23	~~06~~		·10	·07	3
4	·09		·01	·17	·06		·10	·14	~~33~~		·40	·57	4
5	·06		·11	·23	·08		·05	·01	~~56~~		·08	·05	5
6		·16		·07			·46	·02				·72	6
7		·69	·06	·07	·09	·04		·05	·04				7
8	·03		·65	·04	·11	·30		·02					8
9	·01		·46	·21	·06	·69		·19	·73 ~~04~~				9
10	·02	·32	·03	·06	·05	·02			·24			·04	10
11		·11	·23		·08	·24	·17		·01		·11	·35	11
12		·12	·05						·66	·09		·37	12
13		·23	·25				·03		·13 ~~39~~	·20	·23	·42	13
14		·16	·29			·95	·02	·69	·01 ~~20~~	·23	·26	·04	14
15	·02	·01	·11				·10	·33	·09	·06	·11		15
16	·01		·03				·01		·16 ~~03~~				16
17		·27	·19						·01			·59	17
18		·03	·09				·20		·04			·30	18
19		·03	·46				·77		·04 ~~30~~		·09	·03	19
20		·56	·15						~~04~~	·01		·41	20
21		·63	·02			·56		·06		·23			21
22					·34	·07	·04	·01		·17			22
23		·21	·18		·03	·06	·09			·37	·09		23
24	·02	·07	·03		·11					·35		·02	24
25	·07		·14		·02		·16	·23		·22	·03	·25	25
26	·03	·02	·14				·26	·06		·02	·22	·51	26
27	·23						·06			·04	·13	·16	27
28	·01	·05	·28		·04					·11	·10	·98	28
29	·10		·09		·22		·18			·17	·45	·03	29
30	·01	X	·05		·03					·24	·36	·84	30
31	·08	X		X		X	·17		X	·56	X	·21	31
Total	·84	3·67	4·22	·92	1·69	2·94	3·50	2·49	1·66	3·07	4·13 4·13	7·35	YEAR'S TOTAL 36·4~~6~~8 36·48
Rain Days.	17	17	27	~~93~~8	16	10	20	15	12	16	17	24	199

W. 8,000. X. 14.

Ex ML 2166

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.
3. JAN 1916

Kept at Yeabridge S. Petherton
in the County of Somerset
by Miss V. Blake

3

Lat. 5° 56′ Long. 2° 48′
Time of Observation 9 am.
Nearest Railway Station Martock 4 m.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	49	07			01			25	15	26	02	06	1
2	31	15	03	08				25	04	06		16	2
3	04	20	07	08	26			02		01		47	3
4	03	08			02			04				17	4
5	04	85		04		~~05~~	05	09				33	5
6	58	04		28		~~48~~	48	..				16	6
7	23	29		05		~~12~~	12	01				30	7
8	08	45				~~01~~	01	14				03	8
9		01		04				02			38	49	9
10	12	06	03	05				06		05		04	10
11	04	07		08	01			11		02	75	04	11
12	15	44		17	60			23		08	15	03	12
13	04	39			70			19	12		14	03	13
14	01	05				~~12~~	12	27	04	02		72	14
15	09	01		01	21	~~07~~	07		03		13	17	15
16		1.05			14	~~4~~	43					17	16
17		45			22			19				02	17
18		16			02								18
19					10		15						19
20	08 ~~08~~	02			01	04				06		05	20
21	15 ~~15~~	05	01	16		01	04		..	24		13	21
22	11	08	36	04		02	34		01			23	22
23		03	14				50		14	1.63		23	23
24	~~09~~			07			12		22	50		39	24
25	~~07~~			02		50	36					13	25
26	~~03~~	09				04	12					78	26
27	~~23~~	05				54	54		08	48		02	27
28	~~01~~	08				08		01	73	10	06	01	28
29	09					44	66				14	04	29
30	~~01~~	×				11	06			49	37	55	30
31	~~08~~	×		×		×	09	05	×	54	×	26	31
Total	2.68	5.22	.64	1.17	2.30	1.78	4.26	1.93	1.56	4.54	2.14	6.21	YEAR'S TOTAL
Rain Days.	18	25	6	14	12.	9	18	~~17~~ 16	~~11~~ 10	~~16~~ 15	9	29.	34.43. 18~~5~~

181

W. 8,000. X. 15.

from Mid Wessex M [illegible]

2104

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at South Petherton Yeabridge
in the County of Somersetshire
by Rev H A Boys   C. B. Blake

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.15												1
2	.10	.07											2
3	.01	1.36											3
4	.09	.09											4
5	.01	.02											5
6	.03	.14											6
7	.04	.09											7
8	.02	.05											8
9		.07											9
10		.45											10
11													11
12	.05	.02											12
13	.01	.20											13
14		.39											14
15	.01	.10											15
16	.09	.15											16
17	.09	.19											17
18	.02	.03											18
19	.09												19
20		.38											20
21	.08	.11											21
22													22
23		.61											23
24		.28											24
25													25
26													26
27	.02												27
28													28
29													29
30		✕											30
31		✕		✕		✕			✕		✕		31
Total	.91												YEAR'S TOTAL
Rain Days.	17												

W. 8,000, VIII. 16

—

STOKE-UNDER-HAM

SOMERSET

1911- 1920

9 11

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Stoke-
p 9 in.
ove Ground 1 ft. in.

in the County of So
„ Sea Level ft.

by M. A
9 a.m
Name Montacute
Distance 2 ms Direction S. E.

IMPORTANT NO … nd the result entered to the previous day. If an … niversal rule, he is earnestly requested to add the re … year in the space provided for it at the end of t … ement of rain, the selection and plac … ritish Rainfall Organization are given i… "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in. ·04	
1				·07				·3				·04	1
2			·01	·7	·19			·19		·13	·19	·22	2
3			·02		·20						·08	·05	3
4			·08								·13	·39	4
5	·09		·06	·01				·48		·09	·14		5
6	·24							·03		·09	·08	·77	6
7	·06		·12								·38		7
8	·04										·04	·79	8
9	·09										·11	·70	9
10	·03		·21		·50						·04	·40	10
11	·31	·03	·02		·09						·57	·08	11
12			·78		·02			·14			·08	·34	12
13	·07								·20		·01	·50	13
14		·02								·03		·88	14
15		·02				·09				·04	·30	·02	15
16			·02			·48					·66	·46	16
17		·01	·09			·10						·77	17
18	·14		·10	·33		·18					·16	·64	18
19	·09			·03		·02			·25	·26	·04	·38	19
20	·01	·07	·17	·02		·15			·09	·08	·14	·47	20
21		·14	·08	·03		·01			·08	·59		·15	21
22	·16	·03	·18	·02					·07	·27		·28	22
23		·13	·03	·01		·25			·05	·13	·06	·16	23
24	·02	·07				·42	··	·06		·48		·18	24
25				·07		·17		·06	·05	·07		·11	25
26				·19	·16			·02		·13	·02	·20	26
27		·22		·04				·08	·09	·31	·01	·13	27
28		·22	·10	·32				·12		7	·06	·01	28
29				·97		·16	·13		·09	·16	·01		29
30						·04		·09		·21	·11	·01	30
31										·02			31
Total	1·35	·96	2·07	2·18	1·16	2·07	·13	1·30	·97	3·09	3·42	9·13 ✓	TOTAL for year 27·83 ✓
No. of Rain Days	13	11	16	14	6	12	1	11	9	17	28	27	160

9,000, IX. '10.

11

FORM A2.
BRITISH RAINFALL.

8 - JAN 1912

Kept at Stoke-under-Ham

in the County of Somerset 3

by M. H. Gillett

RAIN GAUGE	Pattern
	Diameter of top 9 in.
	Height of top above Ground 1 ft. in.
	" " " Sea Level ft.

Time of Observation 9. a. m

Nearest Railway Station Name Montacute
Distance 2 ms Direction S. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in. ·04	
1				·07				·3				·04	1
2			·01	·7	·19			·19		·13	·19	·22	2
3			·02		·20						·08	·05	3
4			·08								·13	·39	4
5	·09		·06	·01				·48		·09	·14		5
6	·24							·03		·09	·08	·77	6
7	·06		·12								·38		7
8	·04										·04	·79	8
9	·09										·11	·70	9
10	·03		·21		·50						·04	·40	10
11	·31	·03	·02		·09						·57	·08	11
12			·78		·02			·14			·08	·34	12
13	·07								·20		·01	·50	13
14		·02								·03		·88	14
15		·02				·09				·04	·30	·02	15
16			·02			·48					·66	·46	16
17		·01	·09			·10						·77	17
18	·14		·10	·33		·18					·16	·64	18
19	·09			·03		·02			·25	·26	·04	·38	19
20	·01	·07	·17	·02		·15			·09	·08	·14	·47	20
21		·14	·08	·03		·01			·08	·59		·15	21
22	·16	·03	·18	·02					·07	·27		·28	22
23		·13	·03	·01		·25			·05	·13	·06	·16	23
24	·02	·07				·42		·06		·48		·18	24
25				·07		·17		·06	·05	·07		·11	25
26				·19	·16			·02		·13	·02	·20	26
27		·22		·04				·08	·09	·31	·01	·13	27
28		·22	·10	·32				·12		7	·06	·01	28
29				·97		·16	·13		·09	·16	·01		29
30						·04		·09		·21	·11	·01	30
31										·02			31
Total	1·35	·96	2·07	2·18	1·16	2·07	·13	1·30	·97	3·09	3·42	9·13	TOTAL for year 27·83
No. of Rain Days	13	11	16	14	6	12	1	11	9	17	28	27	160

9,000, IX. '10.

REGISTER Ex 95 OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.
9 - JAN 1913

Kept at Stoke-under-Ham
in the County of Somerset 3
by Miss Gillett

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Montacute
Diameter of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·17		·03	·47	·03	·08	·04	1·10		·40	1
2			·39	·03	·04	·07	·18	·02			·03		2
3			·10			·26	·24	·69	·02		·04	·02	3
4	·14		·92			·16		·02			·36		4
5	·47	·10	·12			·07		·51	·02		·02	·28	5
6	·30	·16			·21	·04	·37	·76				·06	6
7	·04	·42	·24		·08	·97	·35	·20				·13	7
8	·26	·23	·60			·27		·20				·02	8
9	·03	·03	·27	·09		·13	·03	·08				·20	9
10	·03	·13	·02				·01	·01			·03	·29	10
11	·04	·09						·01			·02	·38	11
12	·02	·55	·04	·08			·05	·09				·02	12
13						·01		·05				·01	13
14	·17		·33		·37			·20					14
15	·37	·04	·02		·25	·64		·01				·30	15
16	·78	·01	·20		·09	·02		·03	~~·03~~	·03	·09	·03	16
17	·87		·13		·02			·62				·06	17
18	·23	·02	·37			·04		·15	~~·01~~	·01	·03	·08	18
19	·03	·02	·19			·06	·15	·28				·03	19
20	·12	·02	·36				·05	·17	~~·31~~	·31			20
21	·01	·06	·18		·60			·11	~~·17~~	·17			21
22	·39	·24	·03		·20	·02	·03	·10	~~·17~~	·17		·03	22
23	·23	·44	·14			·02	·04	·32	[illegible]	·14	·11	·21	23
24	·11	·03	·02			·54	·02	·16				·26	24
25	·11	·03				·06	·13	·36		·13	·22	·63	25
26			·02				·72	·09		·38	·61	·27	26
27		·01				·24	·05			1·07	·06	·20	27
28		·04				·06	·09	·40	·20	·55	·66	·63	28
29		·13	·02			·02	·14	·33	·50	·58		·05	29
30					·03	·49	·50		·24	·23			30
31			·34		·01					·01		·06	31
Total	4·75	2·85	5·22	·20	1·93	4·66	3·18	6·05	1·02	4·88	2·28	4·65	YEAR'S TOTAL 41·67
Rain Days.	21	21	24	3	12	19 22	19	28	6	14	13	25	208

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
6 - JAN 1914

Kept at Stoke-under-Ham
in the County of Somerset 3
by Miss Gillett

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Montacute
Diameter of Rain Gauge 9 in.
Height of top of Gauge above Ground 1 ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·33		·08	·16	·03			·26		·20	·03	1
2	·06	·10	·14	·15	·13		·06		·02	·05	·11		2
3	·26		·06	·03	·32				·04			·14	3
4	·97		·02	·01	·42				·31	·13		·18	4
5	·03	·03			·10	·19	·03		·50		·08	·26	5
6	·05		·09		·04	·25	·05			1·40	·05	·41	6
7		·35	·02		·40	·03	·34			·30	·24		7
8		·08		·01	·25	·01	·03					·01	8
9	·04	·03		·02	·06	·03	·18	·38			·25	·02	9
10	·25	·02						·02		·11	·29		10
11	·61			·20	·07					·48	·60		11
12					·36				·05		·16		12
13	·05							·07	·58	·18	·16		13
14	·26		·02	·04			·03		·15	·12	·21		14
15	·22	·02	·25	·48				·04			·01		15
16			·42			·04			·25				16
17	·01			·10			·01		·10				17
18	·09	·03	·22	·07	·05				·03		·03		18
19	·64		·24			·09			·36				19
20	·09		·10	·10						·03	·10		20
21			·15	·18	·16		·06			·25	·42		21
22	·53			·07		·08		·03	·20	·17		·10	22
23								·03	·01	·50	·06	·65	23
24				·05		·02						·01	24
25		·08		·15		·02						·02	25
26				·73				·23				·15	26
27	·08		·21	·40				·02				·05	27
28	·06		·07	·35								·03	28
29	·09		·54	·34				·13					29
30	·44		·03	·24	·02			·03					30
31	·11				·04			·87					31
Total	4·94	1·07	2·58	3·80	2·58	·79	·79	1·85	2·86	3·72	2·97	2·06	YEAR'S TOTAL 30·01
Rain Days.	21	10	16	21	15	11	9	11	14	12	16	14	170

W.7,000, XI. 13

[illegible] 12.III.15 DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Stoke-under-Ham
in the County of Somerset 3
by Miss Gillett

Lat. .... Long. ....
Time of Observation 9 a m
Nearest Railway Station Montacute
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·04				·15	·40			·26	·06	1
2			·02	·03	·06		·55	·54			V·46	·47	2
3	·01		·06	·07	·37		·05	·01			·10	·08	3
4	·11		·02	·22	·06		·10	·17			·38	·65	4
5	·05		·13	·30	·06		·04	·01			·07	·08	5
6		·15	·02	·10	·01	·02	·55	·02	·04		·08	·38	6
7		·89	·05		·13		·05	·05				·16	7
8	·02		·84	·07	·09	·27	·14	·04				·10	8
9		·02	·47	·24	·06	1·04	·02		·76				9
10		·40	·01	·06	·05	·02		·19	·30		·04	·02	10
11		·13	·21		·09	·25	·21				·03	·36	11
12		·15	·06						·23			·32	12
13		·32	·26					~~[illegible]~~	·15		·10	·63	13
14		·20	·32			1·75	·02	·69		·28	·30	·03	14
15		·01	·10				·22	·32	·14	·19	·10		15
16			... x				·02		·15	·06			16
17		·26	·22 x						·02			·67	17
18		·02	·22			·02	·18		·10			·36	18
19		·04	·67				·84				·06	·07	19
20		·56	·08									·50	20
21		·65	·01			·43		·02		·17			21
22		.. x			·06	·10	·05			·19			22
23		·13 x	·20			·09	·02			·20		·02	23
24		·06	...		·11					·25	·08		24
25	·07		·17		·04		·23	·21		·24	·02	·38	25
26			·15				·23	·24		·02	·24	·72	26
27	·23									·11	·11	·17	27
28		·06	·23		·02					·04	·12	1·12	28
29	·08		·12		·21		·12			·20	·50	·02	29
30		╳	·06			·03				·26	·42	1·01	30
31	·12	╳		╳	·02	╳	·14		╳	·49	╳	~~[illegible]~~ ·17	31
Total	·69	4·05	4·74	1·09	1·44	4·02	3·93	2·91	1·89	2·70	4·47	8·55	YEAR'S TOTAL 40·48 40·48
Rain Days.	8	18	28 7	8	16	11	21	14	9	14	19	25	~~191~~ ~~189~~ 190

W. 8,000. X. 14.

~~W~~ DL Cord pr auth 6.V.16 (Boys confirms) 2168

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 4. JAN 1916

Kept at Stoke-under-Ham
in the County of Somerset 3
by M. H. Gillett

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Montacute
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·58	·10						·21	·10	·25		·08	1
2	·33	·19	·03	·09				·26	·05	·08		·31	2
3	·07	·23	·07	·06	·22							·33	3
4	·03	·06			·02	·04	·02	·01				·18	4
5	·12	·90		·04			·01	·08				·34	5
6	·56	·11		·28			·64	·04				·13	6
7	·25	·33		·04			·10				·01	·22	7
8	·07	·39						·14			·02	·05	8
9	·02	·01						·04			·39	·44	9
10	·16	·07	·04	·06				·03		·08	·01	·05	10
11	·03	·50		·07				·16		·02	·69	·03	11
12	·20			·10	·57			·21			·09		12
13	·04	·35			·69			·90	·09		·33	·03	13
14		·08					·15	·27	·07		·01	·67	14
15	·12	[illegible]			·21		·05			·15	·08	·20	15
16		1·14			·22		·47					·10	16
17		·54			·21								17
18		·16			·04								18
19		·01			·09	·04	·15						19
20				·10						·04		·07	20
21	·10	·07								·30		·25	21
22	·19	·08	·37	·04			·25			·02		·20	22
23	·11	·03					·60		·11	1·77		·23	23
24			·04	·04			·10		·26	·51		·40	24
25			·01	·01	[illegible]	·51	·33					·18	25
26		·07			[illegible]	·01	·09					·80	26
27		·06			[illegible]	·71				·45			27
28		·06				·07			·69	·08		·01	28
29						·48	·30	·02			·15	·07	29
30	·06					·17	·06			·50	·44	·68	30
31							·09			·70		·45	31
Total	3·04	5·54	·56	·93	2·27	2·03	3·41	2·37	1·37	4·95	2·22	6·50	YEAR'S TOTAL ~~34·85~~ 35·19
Rain Days.	18	23	6	12	9	8	16	13	7	14	11	26	~~145~~ 163

W. 8,000. X. 15.

2106

FORM A.
BRITISH RAINFALL.

8 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Stoke-under-Ham

in the County of Somerset

by Miss Gillett

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Montacute

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	~~[illegible]~~			·75		·03	~~·19~~	·19	·16	·83		1
2	·12				·02			~~·02~~	·02	·27	·22		2
3		1·60			·34	·03		~~·04~~	·04	·48	·38		3
4		·11			·02	·16		~~·07~~	·07	·02	·88		4
5			·12		·18	·08					·34		5
6	·03	·13			·12	·01	·28			·27	1·08		6
7	·10	·05	·17		·04	·09	·38			·02	·60	·22	7
8					·13	·12					·22	·08	8
9		·09			·09	·12				·07	·03	·20	9
10		·55		·06	·04		·02					·22	10
11	·01		·02	·10									11
12		·02	·13	·02	·09					·03			12
13	·03	·17	·21	·05				·35					13
14	·01	·38			·07			·04		·11			14
15		·08	·07	·05				·21		·02			15
16	·08	·16		·25			·03	·30	·03	·09			16
17	·10	·19		·05				·04	·28	·40	·47		17
18	·02	·02	·19	·06					·15		·02		18
19	·10		·53	·04							·23	·10	19
20	·10	·22	·43								·08	1·34	20
21		·14	·09		·06							·40	21
22						·05				·48	·20	·56	22
23		·10				·08		·22		·20	·26	·12	23
24		·13			1·19	·32		·03		·60	·03	·23	24
25		·90	·10					·57		·76	·18	·03	25
26			·04			·25		·04	1·24	·37			26
27		·20	1·22					·18	·20	·43			27
28		·20			·15	·04		·04	·16			·08	28
29		·54	·07			·17		2·80	·40	·23		·20	29
30		╳							·20	·37		·01	30
31		╳		╳		╳		·04	╳	·13	╳	·04	31
Total	·79	5·98	3·39	·68	3·29	1·53 1·52	·74	4·86	2·98	5·51	6·05	3·83	YEAR'S TOTAL 39·63 39·62
Rain Days.	12	21	14	9	15	13	5	13	12	21	17	15	167

W. 8,000, VIII. 16

2011

FORM A.
BRITISH RAINFALL.

8 JAN 1918

[illegible]

REGISTER OF RAINFALL IN 1917

Kept at Stoke-under-Ham
in the County of Somerset
by Miss Gillett

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Montacute
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·04	·43		·14		·60			·12		1
2			·13	·05		·06		·11					2
3	·04			·04			·84			·12	·18		3
4		·10	·27				·04	·04		·30			4
5	·13		·37	·18		·04				·10			5
6						·24			·15	·02	·12		6
7	·14						·42	·25		·22	·24		7
8	·04		·19				·26	·55	·06	·18	·12	·12	8
9			·11	·06	·07		·09	·14	·06	·20	·06		9
10	·19		·35	·24				·29	·04				10
11			·67	·31	·01			·06		·11	·04		11
12			·01		·44				·02	·15		·01	12
13	·01		·12	·01				·31		·03		·01	13
14			·05	·02			·13	·13		·02			14
15				·04			·43	·10		·17		·35	15
16							·12	·03		·17		·14	16
17		·19		·20			·27		·45	·10			17
18	·01	·07					·13	·11	·41				18
19		·87	·14			·09			·10				19
20		·10	·06		·34	·11		·18				·05	20
21			·23			·06		·01					21
22	·02		·02					·29		·07			22
23		·15			·06			·29		·06			23
24						·05	·14	·13		·04	·03		24
25		·14							·05	·10			25
26					·28	·06		·70	·05	·01	·01		26
27					·51	·27		·94		·02		·02	27
28		·04	·07		·24	1·96		·10					28
29			·05			·40	·01			·66	·01	·10	29
30			·20				·29	·04		·01			30
31										·07			31
Total	·58	1·66	3·08	1·58	1·95	3·48	3·17	5·40	1·39	2·93	·93	·80	YEAR'S TOTAL ~~27·05~~ 26·95
Rain Days.	8	8	18	11	8	12	13	22	10	23	10	8	151

W. 8,000, IX. 17.

98

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Stoke-under-Ham
in the County of Somerset
by Mrs Gillett

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Montacute
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb. ·02	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·07	·15			·63		·02	1·12	·02	1
2				·05				·20		·03	·04	·08	2
3		·24		·06	·19			·12	·03	·06	·04		3
4								·09	·23		·80	·02	4
5			·12					·22	·33	·15	·03	·18	5
6	·19	·09		·18				·06	·13			·15	6
7		·10			·32				·07	·03	·80	·18	7
8	·04	·19							·10	·27		·10	8
9		·03		·13		·15	·57		·40	·03		·25	9
10	04			·33			·29		·10	·18	·03	·41	10
11			·09				·48		·08	·67		·04	11
12		·03	·05		·24		·15		·06				12
13	·32				·17		·04		·39	·08		·02	13
14	·14		·03		·03	·20	·25		·10	·07		·22	14
15	1·40			·35	·02	·08	·44		·01	·02		·20	15
16	·55			·22			·02		·33			·07	16
17	·65			·26			·20		·03			·14	17
18	·83					·60	·14		·36	·11		·18	18
19	·10	·04		·01			·13		·01	·04		·06	19
20	·05	·10		·14			·14		·13	·06			20
21	·03						·03		·33	·16		·16	21
22	·01				·09		1·12		·10	·07		·10	22
23	·04				·07	·01	·25		·03		·07	·06	23
24		·13					·05	·06	·09		·09		24
25					·03		·16	·72	·04		·08		25
26				·06			·35			·03	·07	·15	26
27		·09	·03				·04	·05	·10	·01	·10		27
28		·16	·24					·04				·04	28
29			·06						1·13				29
30		X	·31						·10	·11	·20		30
31		X	·08	X		X			X	·06	X		31
Total	4·39	1·22	1·01	1·86	1·31	1·04	4·85	2·19	4·81	2·26	3·47	2·83	YEAR'S TOTAL 31·24
Rain Days.	14	12	9	12	10	5	19	10	26	21	13	22	173

Cnd for auth (Boyra) ~~W~~ 1887

8 JA. 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Stoke-under-Ham

in the County of Somerset

by Mrs Gillett

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Montacute

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground 1 ft. in.

„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·39		·06		·02		·72		·01	·50		·90	1
2	·12		·01				·21		·15			·01	2
3	·72		·23		·13				·22		·09	·32	3
4	·39	·30	·76				·04	·08	·41		·01	·13	4
5	·04	·27	·75						·27		·05	·20	5
6	1·10	·30	·02			·05	·04		·04		·01		6
7	·20		·36	·12									7
8	·35		·20	·11									8
9	·07				·14						·43		9
10	·23		·04							·10		·46	10
11	·01		·20	·10	·19		·31					·03	11
12	·13		·04				·03			·03	·08	·04	12
13	·05		·02	·56						·22		·06	13
14	·35	·07		·58	·13		·17		·05	·03		·27	14
15	·20	·08			·03					·16		·15	15
16	·06	·44						·19			·22		16
17	·05	·28									·04	·01	17
18	·06	·08	·75				·13				·04		18
19	·57	·20	1·10			·03	·90	·44	·42		·09	·05	19
20	·31	·02	·09			·31		·34				·01	20
21	·09	·50					·10		·04			·05	21
22		·01					·21		·21			·09	22
23										·44			23
24						·08				·94	·05	·35	24
25	·13			·04				·22			·01	·11	25
26	·12		·05									·32	26
27		·09	·09	·24				·71				·01	27
28			·33					·45			·36	·25	28
29				·09				·17		·06			29
30		×		·12		·30		·72		·01	·42	·36	30
31	·02	×		×		×			×		×	·40	31
TOTAL	5·76	2.64	5·10	1·96	·64	·77	2·86	3·32	1·82	2·49	1·90	~~4·28~~ 4·58	YEAR'S TOTAL ~~33·54~~ 33·84
Days with ·01 in. or more	24	13	18	9	6	5	11	9	10	10	14	23	152

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

max Daily Fall 1·10 in on Jan 6 and March 19.

Ed [illegible] [illegible]

1801

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Stoke-under-Ham
in the County of Somerset
by M. H. Gillett

Lat. Long.
Time of Observation 9 a. m
Nearest Railway Station Montacute
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·09	·82		·29		·10	·20	·11	~~·15~~	1
2	·58			·16				·44	·07	·05		·50	2
3		·06		·09			·96			·69		·10	3
4			·03	·05			·48	·35		·33		·03	4
5			·07	·05	·03		·46	·21		·11			5
6			·42		·07		·22			·08			6
7	·05	·13		·29	·05		·41						7
8	·07			·27			·37						8
9	·36	·01	·04	·09		·10	·03						9
10	·55		·06	·04	·13	·12	·26						10
11	·36		·10	·36	·27		·07						11
12	·12	·03	·02	·15		·23	·01				·07		12
13	·22	·05	·48	·07		·05							13
14	·01	·04	·23	·65					·10	·44	·24		14
15			·05	·25	·20		·04			·17			15
16				·16		·02	·39		·24	·05			16
17				·15	·18				·25				17
18	·05		·08	·05	·08	·20		·32					18
19	·02			·17	·17	·21							19
20		·34		·17		·31						·35	20
21				·03			·15					·08	21
22				·17				·02				·33	22
23							·37					·20	23
24			·19								·15	·02	24
25	·01	·05	·07		·70		·25						25
26	·30		·24								·07	·19	26
27	·71	·05	·13	·20	·01	·17	·02					·20	27
28	1·17		·08	·02	·03		·02				·02	·03	28
29	·37		·19								·15	·13	29
30	·04			·08	·05	·15			·40	·05	·34	·32	30
31	·01		·29				·03			·40		·09	31
TOTAL	5·00	·76	2·80	3·81	2·29	1·56	4·83	1·34	1·16	2·57	1·15	~~2·72~~ 2·57	YEAR'S TOTAL ~~29·99~~ 29·84
Days with ·01 in. or more	18	9	19	24	14	10	19	5	6	11	8	14	157
Days with ·04 in. or more	14	7	16	22	11	9	14	4	6	11	7	~~12~~ 11	~~136~~ 3 132

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

STREET
HIND HAYES
SOMERSET
1911 - 1920

FORM A2.
BRITISH RAINFALL.

JAN 1912

9 11 Lat 51·7·48
Lon 2·44·20

Kept at Hind ha

in the County of S

by Joseph C

op five in.
above Ground 1 ft. 4-5 in.
„ Sea Level 75 to 80 ft.
8·30 - 9 A m

ion { Name Glastonbury
Distance 2 Miles Direction N N W

IMPORTANT N … and the result entered to the previous day. If a … universal rule, he is earnestly requested to add the … year in the space provided for it at the end o … urement of rain, the selection and … British Rainfall Organization are give … on application to Dr. H. R. Mill, 62, ~~Camden Square, London, N.W.~~

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·16				·02				·01	1
2	·01		·01	·16	·21			·16		·01	·33	·08	2
3					·24			·05			·06	·02	3
4			·15			·01			·02	·02	·12	·25	4
5				·02 melted snow				·89		·05	·15	·15	5
6	·20		·16							·01	·14	·47	6
7	·03			·01							·27		7
8	~~·05~~		·10								·01	·51	8
9	·08										·12	·37	9
10	·05	·03	·19		·70 Thr Stm						·03	·23	10
11	·33		·01		20 Th St						·45	·16	11
12			·85					·01	·01		·10	·23	12
13			·01						·21	·01	·05	·41	13
14		·09								·01		·92	14
15		·06	·01			·08				·01	·14	·04	15
16						·30					·40	·19	16
17						·09					·10	·31	17
18		·19	·04	·20	·01	·12				·02	·01	·27	18
19		·10		·04		·13			·36	·11	·06	·33	19
20	·03	·03	·10	·20					·06	·06		·44	20
21		·28	·02	·04					·08	·60		·17	21
22	·05	·01	·21 Thr Stm 6 P.m. 22nd	·02		·02			ill, ague ·15	·64		·46	22
23		·05	·10	·01		·18				·13		·15	23
24		·18				·59		·10		·58		·14	24
25		·12		·08		·19		·03				·24	25
26		·07		·17	·10 Thr Stm			·03		·15	·03	·25	26
27		·49	·06	·09				·12	·15	·01	·02	·23	27
28		·23		·27	·01			·07			·07		28
29				·58		·30	·10		·07	·31			29
30				·03		·05				·10	·02	·02	30
31										·13			31
Total	·78	1·91	2·03	2·08	1·47	2·06	·10	1·48	1·11	2·96	2·68	7·05	TOTAL for year 25·71
No. of Rain Days	8	14	16	16	7	12	1	10	10	19	21	27	161

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1911

Lat 51.7.48
- JAN 1912

Kept at Hind Hayes Street SO
in the County of Somerset 2
by Joseph Clark F.R.M.S

RAIN GAUGE
Pattern Lon 2·44·20
Diameter of top five in.
Height of top above Ground 1 ft. 4-5 in.
" " " Sea Level 75 to 80 ft.

Time of Observation 8·30-9 AM

Nearest Railway Station
Name Glastonbury
Distance 2 Miles Direction N.N.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·16				·02				·01	1
2	·01		·01	·16	·21			·16		·01	·33	·08	2
3					·24			·05			·06	·02	3
4			·15			·01			·02	·02	·12	·25	4
5				·02 melted snow				·89		·05	·15	·15	5
6	·20		·16							·01	·14	·47	6
7	·03			·01							·27		7
8	~~·05~~		·10								·01	·51	8
9	·08										·12	·37	9
10	·05	·03	·19		·70 Thr Stm						·03	·23	10
11	·33		·01		20 Th St						·45	·16	11
12			·85					·01	·01		·10	·23	12
13			·01						·21	·01	·05	·41	13
14		·09								·01		·92	14
15		·06	·01			·08				·01	·14	·04	15
16						·30					·40	·19	16
17						·09					·10	·31	17
18		·19	·04	·20	·01	·12				·02	·01	·27	18
19		·10		·04		·13			·36	·11	·06	·33	19
20	·03	·03	·10	·20					·06	·06		·44	20
21		·28	·02	·04					·08	·60		·17	21
22	·05	·01	·21 Thr Stm 6 PM 22nd	·02		·02			ill, away ·15 }	·64		·46	22
23		·05	·10	·01		·18				·13		·15	23
24		·18				·59		·10		·58		·14	24
25		·12		·08		·19		·03				·24	25
26		·07		·17	·10 Thr Stm			·03		·15	·03	·25	26
27		·49	·06	·09				·12	·15	·01	·02	·23	27
28		·23		·27	·01			·07			·07		28
29				·58		·30	·10		·07	·31			29
30				·03		·05				·10	·02	·02	30
31										·13			31
Total	·78	1·91	2·03	2·08	1·47	2·06	·10	1·48	1·11	2·96	2·68	7·05	TOTAL for year 25·71
No. of Rain Days	8	14	16	16	7	12	1	10	10	19	21	27	161

9,000, IX. '10.

Latitude 51°7'40"
Longitude 2.44.20

Ex B.C.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

-1 JAN 1913

Kept at Hind Hayes Street, S.O.

in the County of Somerset 2

by Joseph Clark

RAIN GAUGE { Pattern
Diameter of top five in.
Height of top above Ground 1 ft. 4-5 in.
" " " Sea Level 75 to 80 ft.

Time of Observation 8.30 to 9 A.M.

Nearest Railway Station { Name Glastonbury
Distance 2 Miles Direction NNW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·10		·01	·20	·03	·02	·01	·69		·40	1
2			·07	·02		·12	·15						2
3	·01		·05			·27	·03	·62	·03		·08	·06	3
4	·19		·61		·03	·09		·02					4
5	·44		·16		·03			·36			·38	·06	5
6	·62	·18			·24	·02	·15 Thstorm	·46				·08	6
7		·27	·12		·15	·72		·16				·06	7
8	·29	·16	·40	·03		·19	·12	·10					8
9	·02	·01	·11	·09		·07	·01	·04				·49	9
10		·08				·01		·14			·04	·15	10
11		·01									·02	·40	11
12		·45		·07	·01		·04				·01		12
13	1·38		·09			·01		·61				·05	13
14			·60		·24	·01		·05					14
15	ill Bronchitis	·08	·04		·25	·72		·08				·46	15
16		·01	·14		·21			·11			·05	·05	16
17			·13			·03		·67		·02		·04	17
18			·54					·15			·04	·15	18
19		·04	·07			·04	·13	·20			·02		19
20	1·11		·40		·14	·05	·15	·69		·44	·01		20
21		·10	·27		·49		·01	·07		·23			21
22		·12	·06		·55	·03	·01	·30		·05			22
23		·54	·25		·01	·08		1·02		·10	·22	·28	23
24	·07	·02	·01			·34		·10		·35		·08	24
25	·03	·02				·13		·41		·12	·20	·66	25
26		·02					·05	·17		·28	·24	·15	26
27						·19	·75	[illegible]		·57	·01	·22	27
28						·03	·06	·32	·06	·54	·49	·41	28
29		·09	·03		·01	·01	·11	·05	·42	·29	·03	·01	29
30						·03	·18		·19	·29			30
31			·35				·20	·03		·02		·08	31
Total	4·16	2·20	4·60	·21	2·37	3·39	2·18	6·95	·71	3·99	1·84	4·44	TOTAL for year 37·04
No. of Rain Days.	~~14~~ (20)	17	22	4	14	23	17	26	5	14	15	21	(198)

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
1-JAN 1914

Ex SL

REGISTER OF RAINFALL IN 1913

Kept at Hind Hayes. Street
in the County of Somerset 2
by Joseph Clark F.R.M.S

Lat. 51°.7'.40" Long. 2°.44'.20"
Time of Observation abt 9 A.M.
Nearest Railway Station Glastonbury
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 4-5 in.
" " " " Sea Level 75 to 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		·26	·10	·14	·23				·28	·02		·57	1
2	·02	·08	·02	·03			·03		·05	·02	·11		2
3	·12		·06	·02	·35					·06		·15	3
4	·70		·02		·52		·03		1·13	·10	·03	·16	4
5	·01	·03				·22	·01		·30		·06	·11	5
6	·01	·06	·12		·25	·20	·06			·70	·05	·52	6
7	·01	·10	·02		·20					·10	·18		7
8		·01			·23	·06				·05		·02	8
9		·02		·01	·07			·54	·02		·13	·01	9
10	·19				·01	·06		·01		·28	·20		10
11	·65			·24	·31					·08	·85		11
12	·03				·35	·02			·02		·26		12
13			·16			·01	·58 on 4 days	·04	·54		·16		13
14	·23		·16	·04							·36		14
15	·22	·05	·25	·31				·02	·32		·08	·01	15
16	·24		·45	·15					·03				16
17			·01						·03				17
18	·09		·10		·08						·04		18
19	·42		·09	·05	·02	·35			·51				19
20	·10		·15	·06						·12			20
21			·13	·28	·01						·44		21
22	·81		·45	·10			·06	·06	·25	·04			22
23			·05			·10			·01		·03	·54	23
24	·05			·02				·07			·03		24
25		·06		·13					·01			·02	25
26				·30				·19			·01	·21	26
27				·15						·07		·06	27
28	·16		·24	·27						·14		·05	28
29	·06		·38	·36				·18		·22			29
30	·24									·37	·01		30
31	·15		·02					·40					31
Total	4·57	·67	2·98	2·66	2·73	1·02	·77	1·51	3·50	2·37	3·03	2·43	YEAR'S TOTAL 28·24
Rain Days.	21	9	20	18	13	8	9	9	14	15	18	13	167

W. 7,500, XI. ·12

end fr auth 12.III.15

H. R. M.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

2 - JAN 1915

Kept at Hind Hayes. parish of Street

in the County of Somerset 2

by Joseph Clark F.R.M.S

Lat. 51° 7' 40" Long. 2° 44' 20"

Time of Observation at 9 AM

Nearest Railway Station Glastonbury

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. 4·55 in.

" " " " Sea Level 75 to 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01				·28	·41			·07	·06	1
2				·10		·05	·56	·12			·98	·28	2
3			·18		·20		·05	·37		·02	·08	·04	3
4	·15		·10	·27	·05		·11	·31			·45	·46	4
5	·15		·32	·26	·25		·04				·05	·03	5
6		·09		·24	·02		·45	·06			·06	·10	6
7		·41	·06	·20	·25		·52					·10	7
8	·13	·01	·97	·02	·16	·36		·11	·04				8
9	·06		·37	·12	·04	·62			·58				9
10	·11	·04	Mel'd. hail ·08		·11	·01		·07	·36		·03		10
11		·08	·52	·06	·08	·22			·40		·01	·30	11
12		·09	·14				·13		·19			·30	12
13		·15	·32						·13	·19	·20	·38	13
14		·11	·23			·02	·03	·46	·02	·09			14
15		·01	·13				·21	·57	·06	·01	·44	·02	15
16		·16	·01				·06		·09				16
17			·35				·01		·01				17
18			·06				·25		·03			·82	18
19		·09	·39				·82	·01			·06	·04	19
20		·42	·15					·01				·33	20
21		·59	·02			·11						·01	21
22		·06			Thr storm ·35	·19	·01	·03		·29			22
23		·12	·27		·04	·05				·22			23
24		·05	·08		·02		·27	·01		·33	·08		24
25			·10				·32	·35		·23	·01		25
26	·05						·15	·10		·20	·20	·25	26
27	·18						·03			·03	·08	·41	27
28		·08	·10							·22	·21	1·17	28
29	·08		·20		·16					·18	·16		29
30			·01							·11	·36	·65	30
31	·01				·05		·16			·40		·16	31
Total	·92	2·56	5·17	1·27	1·78 1·78	1·63	4·46	2·99	1·91	2·51	3·53	5·91	YEAR'S TOTAL 34·64 34·64
Rain Days.	9	17	25	8	14	9	20	15	11	14	18	20	180 ✓

W.7,000, XI, 13

Ex 32

2110

FORM A.
BRITISH RAINFALL.
3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Hind Hayes. Street s.o

in the County of Somerset

by Joseph Clark F.R.M.S

2

Lat 51° 7' 40" Long 2° 44' 20"

Time of Observation abt 9 AM

Nearest Railway Station Glastonbury

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. 4·55 in.

" " " " Sea Level 75 to 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·51	·17			·05			·20	·20		·01	·18	1
2	·30	·32	·28	·13		·06		·16	·13	·33		·64	2
3	·06	·06	·05	·13	·11		·05	·04		·01		·56	3
4	·01	·02			·05							·24	4
5	·05	·40						·21				·22	5
6	·48	·07		·24			·46	·05				·12	6
7	·22	·34			·06		·15				·01	·29	7
8	·32	·25		·05				·11					8
9	·01	·02		·06				·01			·40	·65	9
10	·20			·06		·08		·14				·03	10
11	·07	·01	·14	·05				·18		·05	·71	·04	11
12	·24	·37		·10	·51		·01	·48		·08	·11		12
13	·04	Bar 28·7 9.30 AM ·64			·54			·03	·10		·17		13
14	·02	·11					·21	·05	·07		·05	·52	14
15	·17				·27			·07	·03	·02	·13	·08	15
16		·41			·26		·98	·41				·12	16
17		·45			·65		·01	·06					17
18		·16	·02		·07								18
19		·01			·07		·18						19
20	·28			·10									20
21	·07	·06					·01			·12		·29	21
22	·06	·15	·36	·02		·01	·26					·13	22
23		·03	·04				·49		·07	1·34		·47	23
24			·01	·03			·18		·24	·67		·10	24
25						·36	·33					·46	25
26		·02				·03	·27					·46	26
27		·07				·02	·27		·01	·48			27
28		·13							·65	·15			28
29						·24	·21	·05			·07	·04	29
30		X				·30				·38	·32	·25	30
31	·14	X		X		X	·07		X	·08	X	·12	31
Total	3·25	4·27	·90	·97	2·64	1·10	4·14	2·25	1·50	4·31	1·98	6·01	YEAR'S TOTAL 33·32
Rain Days.	19	23	7	12	11	8	17	16	9	12	10	22	5

W. 8,000. X. 14.

2052

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at Hind Hayes Street

in the County of Somerset

by Joseph Clark F.R.M.S

Lat. 51°. 7'. 40" Long 2°. 44'. 20"

Time of Observation abt 9 AM

Nearest Railway Station Glastonbury

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. 4-5 in.

" " " " Sea Level 75 to 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09		·02		·27	·03	·05		·11	·44	·17		1
2	·17	·05			·01					·36	·11		2
3		·86			·17				·13	·32	·19		3
4	·18	·05			·17	·30			·23	·09	·56		4
5	·17	·03			·26	·74				·02	·47		5
6		·15	·15 melted snow		·20	·02	·54			·11	·40		6
7	·02	·10			·07	·05	·13				·57	·28	7
8		·18	·03		·20						·15	·11	8
9		·01			·13	·06	·02			·08	·12		9
10		·45			·04		·01			·03		·08	10
11		·01		·32		·02			·02				11
12	·11	·03	·22	·06	·15		·04	·03		·12			12
13		·29		·02				·48					13
14		·40	·07	·08	·10			·05		·01			14
15	·02	·10		·04				·21		·01			15
16		·02		·25	·02		·03	1·03	·02	·03			16
17	·09			·06				·22	·53	·31	·17		17
18	·01	·37		·04					·08	·13	·10		18
19	·09		·74	·08						·01	·24	·07	19
20	·16	·14	·28								·05	·85	20
21	·04	·05	·20	·01		·91						·37	21
22	·01			·09	·09	×				·52	·05	·60	22
23	·01	·31		·03				·28		·15	·05	·18	23
24		Melted snow		·07	1·04			·03		·53	·01	·25	24
25		·46	·13		·14			·60			·15		25
26	·01	Melted snow	·04					·02	The storm ·75	·49	·03		26
27	·01	Melted snow ·10	1·01 Melted snow	[illegible]	·04			·18	·54	·07			27
28		Melted snow + rain ·20	·01	·05	·03			·02		·43		·07	28
29		Melted snow + rain ·54						1·95	·54	·38	·01	·13	2·99 29
30		✕						·01		·22			30
31		✕		✕		✕		·05	✕	·08	✕	·08	31
Total	1·19	4·90	2·90	1·20	3·13	2·13	·82	5·16	2·95	4·94	3·60	3·07	YEAR'S TOTAL 35·99
Rain Days.	16	25	14	14	18	16	7	15	10	24	19	12	190
Average Rainfall 50 years	2·67	1·99	1·85	2·09	1·97	+Summer-time 2·15	2·71	2·78	2·81	3·25	2·72	2·71	= 29·78

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL
2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Hind Hayes. Street s.o

in the County of Somerset

by Joseph Clark F.R.M.S

Lat. 51° 7' 40" Long. 2° 44' 20"

Time of Observation abt 9 A.M

Nearest Railway Station Glastonbury

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. 4·5 in.

" " " " Sea Level 75 to 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·16	melted snow ·43		·11		·69	·08		·02		1
2	·01			melted snow ·04		·03		·18	·05	·01	·01		2
3				melted snow ·04			·59			·19	·04		3
4		melted snow ·12	·09				·09	·04	·02	·30			4
5	·24		·21	·19		·11			·13	·18	·07		5
6			·08			·02				·03	·24		6
7	·22									·15	·01		7
8	·02			·17		·01	·70	·75	·07	·40	·16	·05	8
9			·17	·02		[illegible]	·03	·56	·05	·38	·21		9
10	·15		·25	·11	·04			·16	·04	·01			10
11	·05		·75	melted hail snow & sleet ·42				·28	·03	·15	·05		11
12	·02		·17		Thunder ·53			·26		·45	·01		12
13			·11	·05				·18	·09	·16		·01	13
14				·15				·21	·01				14
15				·05			·17	·01		·06			15
16		·17		·03			·15			·26		·23	16
17				·17	·16		·40	·08	·31	·05			17
18		·04			·02		·35		·53		Bar 30·45 ·01		18
19	·02	·48	·08			·10			·11				19
20		·02	·06		·22	·12		·59			Bar 30·25 ·02	·06	20
21			melted snow ·28			·10							21
22			melted snow ·03					·11		·05			22
23		·15			·06			·24		·03		·02	23
24						·35	·17	·03		·11			24
25		·13	·02				·11		·02	·18	·05		25
26			·01		·22	·04		·40	·14	·12	·03		26
27					·75	·19				·07			27
28		·02	·05		·14	×4·86		Bar 28·75 9 a.m. ·71				·01	28
29			·13			·21	·05	Bar 29·25 9 a.m. ·77		·39			29
30		X	·20				·02	·07		·10		·06	30
31		X	·08	X		X		·02	X	·12	X	·02	31
Total	·73	1·13	2·93	1·87	2·14	6·25	2·83	6·34	1·68	3·95	·93	·46	YEAR'S TOTAL 31·24
Rain Days.	8	8	19	13	9	13	12	21	15	24	14	8	164
Average Rain fall 50 years	2·67	1·99	1·85	2·09	1·97	2·15	2·71	2·78	2·81	3·25	2·72	2·77	= 29·78

× average from 3 gauges 5·20

W. 8,000, VIII. 16

43

FORM A.
BRITISH RAINFALL.
2. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Hind Hayes Street, S.O.

in the County of Somerset

by Joseph Clark F.R.M.S

Lat. 51° 7′ 40″ Long 2° 44′ 20″

Time of Observation 8 to 9 A.M.

Nearest Railway Station Glastonbury

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. 4-5 in.

" " " " Sea Level 75 to 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02			·16			·50			·69	·01	1
2				·11				·52	·01	·02	·07	·04	2
3		·06		·09	·15							·02	3
4				·01					·02	·05	·39	·02	4
5			·02		·04			·45	·14	·11	·04		5
6	·25	·18		·24				·25	·08			·11	6
7	melted snow ·01	·18			·64	·03				·21			7
8									·51	·43	·28	·06	8
9	melted snow ·02	·11		·14		·17	·23		·26	·06	Bar 30·34 ·02	·16	9
10	·05			·12			·37		·19	·16		·50	10
11	·01						·30		·20		·06		11
12		·03	·12		·23		·02		·25	·10		·09	12
13	melted snow ·27				·10		·13		·41			·13	13
14	·13		·02		·01	·03	·14		·15	·17		·16	14
15	1·11				·07	·08	·31					·10	15
16				·71			·04		·09			·15	16
17	melted snow ·74		·08	·05			·20	·14	·08				17
18	·62					·53	·21		·30	·06		·34	18
19	·02		·11				·30	·01	·05			·16	19
20	·06	·14		·11		·03	·34		·08	·01			20
21				·02		·01	·26		·41			·15	21
22	·03				·02		·39		·11	·26		·42	22
23	·02				·36		·57	·07	·13			·10	23
24		·08				·01	·12		·07		·08	·01	24
25							·10	1·02					25
26				[illegible] ·35			·51		·12	·01	·09	·24	26
27		·14						·14	·23		·10		27
28		·05	·11						·03		·03	·16	28
29									·96				29
30		✕	·42					·10	·01	·01	·09	·13	30
31		✕	·12	✕		✕		·01	✕	·02	✕		31
Total	3·34 ✓	·99 ✓	1·00 ✓	1·95 ✓	1·78 ✓	·89 ✓	4·54 ✓	3·21 ✓	4·89 ✓	1·68 ✓	1·94 ✓	3·26 ✓	YEAR'S TOTAL 29·47 ✓
Rain Days.	14 ✓	10 ✓	8 ✓	11 ✓	10 ✓	8 ✓	18 ✓	11 ✓	25 ✓	15 ✓	12 ✓	22 ✓	164 ✓
Average Rain fall 50 Years	2·67	1·99	1·85	2·09	1·97	2·15	2·71	2·78	2·81	3·25	2·72	2·71	=29·78

W. 8,000, IX. 17.

Cox

1833

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Hind Hayes Street, SO.
in the County of Somerset
by Joseph Clark F.R.M.S.

Lat. 51° 7' 40" Long. 2° 44' 20"
Time of Observation 8 to 9 A.M.
Nearest Railway Station Glastonbury
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. ~~4~~ 5 in.
" " " " Sea Level 75 to 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	inch Hund^s	inch Hund^s	inch Hund^s	inch Hund^s	inch Hund^s	inch Hund^s	inch Hund^s	inch Hund^s	inch Hund^s	inch Hund^s	inch Hund^s	inch Hund^s	
1	·45		·01	·15	·05		·42	·04		·13		·94	1
2	·08				·05		·25		·05		·02	·16	2
3	·85		·19		·15				·16		·03	·48	3
4	·23	·18	·47			·04	·01	·09	·25			·06	4
Bar 28 8 am 5	·01	·57	·70						·31		·01	·40	5
6	·41	·15										·35	6
7	·15		·38	·14									7
8	·12												8
9	·03		·22	·07		·03					·14		9
10	·05		·05	·06	·06					·07	·01	·17	10
11			·16	·14	·10							·06	11
12	·12		·03	·01		·13	·23			·14	·11	·10	12
13			·02	·21						·02		·01	13
14	·32			·59	·18		·31			·07		·11	14
15	·09	·11		·02						·07		·20	15
16	·01	·79									·13		16
17		·09			·01			·05			·30		17
18		·12	·60					·46			·19	·03	18
19	·42	·17	·89				1·22	·31	·30		·21	·11	19
20	·49	·10	·17			·30		·24			·01	·05	20
21	·02	·52					·40		·02			·09	21
22		·05					·14	·01	·14		·02	·12	22
23						·01			·07	~~·54~~	·01	·02	23
24				·04		·40	·01	·01		1·32	·05	·32	24
25	·09			·05		·03		·90			·04	·25	25
26	·25	·01		·10				·39	·13				26
27		·01	·15	·30		·04		·41				·04	27
28								·41				·30	28
29			·41	·07				·04		·09	·25 melted snow	·06	29
30		×		·21		·37		·30			·26	·36	30
31	·02 snow	×	·03	×		×			×		×	·33	31
Total	4·21	2·87	4·48	2·16	·60	1·35	2·99	3·66	1·43	2·45	1·79	5·12	YEAR'S TOTAL 33·11 ✓
Rain Days.	21	13	16	15	7	9	9	14	9	9	17	26	165 ✓
Average Rainfall 50 Years	2·67	1·99	1·85	2·09	1·97	2·15	2·71	2·78	2·81	3·25	2·72	2·77	= 29·78

W, 6,500, VII. 18. W W C

1749

8 JAN 1921

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Hind Hayes Street. so.
in the County of Somerset
by Joseph Clark F.R.M.S

Lat. 51° 7′ 40″ Long 2° 44′ 20″
Time of Observation 8 to 9 A.M.
Nearest Railway Station Glastonbury
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 4 to 5 in.
" " " " Sea Level 75 to 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in in./100	in in./100	in in./100	in in./100	in in./100	in in./100	in in./100	in in./100	in in./100	in in./100	in in./100	in in./100	
1	·02			·10	·25	[illegible]	·25			·14	·24	·35	1
2	·32		·02	·16			·22	·37	·19	·06		·04	2
3	·03	·04		·11			·62			·47		·03	3
4			·05	·04			·11	·38		·35			4
5			·05	·02	·10		·42	·05		·06			5
6			·24		·05		·22			·11			6
7	·02			·50			·33						7
8	·15	Bar 30·35 ·21		·36	·04		·35			·01			8
9	·32		·03	·15		·16	·04						9
10	·43	·12	·08	·03		·15	·53						10
11	·24		·05	·29	·28	·03	·13						11
12	·18		·01	·16	·01	·35	·02				·05		12
13	·25	·06	·40	·03					·01				13
14	·03	Bar [illegible]	·18	·35						·22	·12		14
15		·10	·03	·15	·09	·14			·16	·31	·06		15
16			·02	·01	[illegible]	·04	·20		·05	·04	·02		16
17	·01			·12	·14	·02			·27				17
18	·04	·02	·01	·07	·05	·11	·16	·44	·33				18
19	·03			·27	·02	·30			·01				19
20	·05	·25		·07		·36	·01					·15	20
21				·02			·13					·13	21
22	·02			·20				·08				·34	22
23							·52	·02				·20	23
24	·03		·10	·01	·01			·01			·07	·04	24
25		·14	·04				·22						25
26	·15		·14		·60	·03	·06				·05	·05	26
27	·18		·06	·18	·02	·35					·02	·17	27
28	·89		·07	·11	·05	·02	·05					·01	28
29	·12		·20		·02	·02					·08	·06	29
30	·01	✕		·11	·10	·13	·29		·34	·27	·46	·15	30
31	·08	✕	·27	✕	·01	✕	·01		✕		✕	·14	31
Total	3·60	·94	2·05	3·62	1·84	2·21	4·89	1·35	1·36	2·04	1·17	1·86	Year's Total 26·93
Days with ·01 in. or more	23 14	8 7	20 14	25 19	17 16	15 10	22 19	7 5	8 6	11 10	10 8	14 12	180 135

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Average Rainfall 2·67 1·99 1·85 2·09 1·97 2·15 2·71 2·78 2·81 3·25 2·72 2·77 = 29·76

STREET
(MILLFIELD)
SOMERSET
1911 - 1920

Boys'a

RE

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

Kept at Stre .... in.

in the County of Som .... Ground .... ft. .... in.

Sea Level .... ft. 2005/1

by William

Reported

Name ....

Distance .... Direction ....

IMPORTANT NOT … the result entered to the previous day. If an Ob … versal rule, he is earnestly requested to add the rea … year in the space provided for it at the end of thi … ement of rain, the selection and placi … British Rainfall Organization are given i … application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
11 1	—	—	·02	·16	—	—	[illegible]	·03	—	—	·03	·02	1
2	·01	—	·01	·18	·20	—	[illegible]	·15	—	·02	·28	·09	2
3	—	—	·01	—	·22	·03	[illegible]	·06	—	—	·06	·08	3
4	—	·02	·14	·01	—	—	—	—	·01	·02	·10	·24	4
5	·67	—	·05	·02	—	—	[illegible]	·94	—	—	·15	·18	5
6	·13	—	·12	—	—	—	[illegible]	·02	—	·04	·13	·45	6
7	·04	—	—	·02	—	—	—	—	—	·01	·25	—	7
8	—	—	·11	—	—	—	—	—	—	—	—	·52	X 8 L
9	·07	—	—	—	—	—	—	—	—	—	·12	·45	9
10	·07	·02	·19	—	·66	—	—	—	—	—	·03	·14	10
11	·32	—	—	—	·20	—	—	—	—	—	·55	·1[illegible]	11
12	—	—	·86	—	—	—	—	—	—	—	·05	·23	12
13	—	—	·01	—	—	—	—	—	·24	·01	—	·40	13
14	—	·09	·01	—	—	—	—	—	—	·04	—	·89	14
15	—	·07	·01	—	—	·09	—	—	—	—	·14	·03	15
16	—	—	—	—	—	·34	—	—	—	—	·39	·20	16
17	—	—	·01	—	—	·09	—	—	—	—	·09	·30	17
18	—	·21	·04	·18	—	·09	—	—	—	·04	·03	·25	18
19	—	·09	—	·62	—	·16	—	—	·26	·15	·08	·36	19
20	·05	·06	·1	·19	—	—	[illegible]	·01	—	·05	—	·40	20
21	—	·25	·02	—	—	—	—	—	·06	·55	—	·17	21
22	·09	·01	·25	·06	—	·02	—	—	—	·60	—	·49	22
23	—	·05	·11	—	—	·17	—	—	·12	·18	·02	·15	23
24	—	·2	—	·08	—	·58	[illegible]	·14	—	·59	—	·15	24
25	·02	·13	·01	·18	—	·18	—	—	·01	·09	—	·22	25
26	—	·09	—	—	·13	·01	—	·05	—	·06	·03	·27	26
27	—	·46	·06	·08	—	—	—	·16	·17	—	·04	·23	27
28	—	·26	—	·28	—	—	—	·08	—	·01	—	—	28
29	—		—	·64	—	·29	·10	—	·08	·30	·02	—	29
30	—		—	·04	—	·03	—	—	—	·10	·04	·05	30
31	—		—		—		—	—		·12		—	31
99 Total	14 ·85	1·99	2·14	7 2·16	1·41	2·08	·10	4 1·63	·95	2·96	2·63	7·12	TOTAL for year ~~26·30~~
No. of Rain Days.	10	15	20	15	5	13	1	10	8	19	21	27	721 164

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

RE

Kept at Street

in the County of Somerset 2

by William S. Clark

RAIN GAUGE
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " Sea Level .... ft. 2005/1

as reported before

Time of Observation ....

Nearest Railway Station { Name .... Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·02	·16	—	—	[redacted]	·03	—	—	·03	·02	1
2	·01	—	·01	·18	·20	—	[redacted]	·15	—	·02	·28	·09	2
3	—	—	·01	—	·22	·03	[redacted]	·06	—	—	·06	·08	3
4	—	·02	·14	·01	—	—	—	—	·01	·02	·10	·24	4
5	·67	—	·05	·02	—	—	[redacted]	·94	—	—	·15	·18	5
6	·13	—	·12	—	—	—	[redacted]	·02	—	·04	·13	·45	6
7	·04	—	—	·02	—	—	—	—	—	·01	·25	—	7
8	—	—	·11	—	—	—	—	—	—	—	—	·52	8
9	·07	—	—	—	—	—	—	—	—	—	·12	·45	9
10	·07	·02	·19	—	·66	—	—	—	—	—	·03	·14	10
11	·32	—	—	—	·20	—	—	—	—	—	·55	·1[illegible]	11
12	—	—	·86	—	—	—	—	—	—	—	·05	·23	12
13	—	—	·01	—	—	—	—	—	·24	·01	—	·40	13
14	—	·09	·01	—	—	—	—	—	—	·02	—	·89	14
15	—	·07	·01	—	—	·09	—	—	—	—	·14	·03	15
16	—	—	—	—	—	·34	—	—	—	—	·39	·20	16
17	—	—	·01	—	—	·09	—	—	—	—	·09	·30	17
18	—	·21	·04	·18	—	·09	—	—	—	·04	·03	·25	18
19	—	·09	—	·62	—	·16	—	—	·26	·15	·08	·36	19
20	·05	·06	·1	·19	—	—	[redacted]	·01	—	·05	—	·40	20
21	—	·25	·02	—	—	—	—	—	·06	·55	—	·17	21
22	·07	·01	·25	·06	—	·02	—	—	—	·60	—	·49	22
23	—	·05	·11	—	—	·17	—	—	·12	·18	·02	·15	23
24	—	·2	—	·08	—	·58	[redacted]	·14	—	·59	—	·15	24
25	·02	·13	·01	·18	—	·18	—	—	·01	·09	—	·22	25
26	—	·09	—	—	·13	·01	—	·05	—	·06	·03	·27	26
27	—	·46	·06	·08	—	—	—	·16	·17	—	·04	·23	27
28	—	·24	—	·28	—	—	—	·08	—	·01	—	—	28
29	—		—	·64	—	·29	·10	—	·08	·30	·02	—	29
30	—		—	·04	—	·03	—	—	—	·10	·04	·05	30
31	—		—		—		—	—		·12		—	31
Total	·85	1·99	2·14	2·~~1~~74	1·41	2·08	·10	1·6~~3~~4	·95	2·96	2·63	7·12	TOTAL for year 26·60
No. of Rain Days.	10	15	20	15	5	13	1	10	8	19	21	27	721 164

W. 8,000, X. '11.

20 X 71 X

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

6 JAN 1913
2006

Kept at Street
in the County of Somerset 2
by William S. Clark

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

All as reported before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
12 1	—	—	·05	—	·01	·22	·03	·02	·01	·69	—	·4	1
2	—	—	·09	·02	—	·12	·15	—	—	—	·08	·01	2
3	—	—	·05	—	—	·28	·03	·61	·04	—	—	·05	3
4	·2	—	·56	—	·03	·09	—	·01	—	—	·39	—	4
5	·62	—	·16	—	·03	—	—	·36	—	—	·01	·18	5
6	·50	·1	—	—	·18	·03	·25	·42	—	—	—	·13	6
7	·01	·27	·12	·01	·17	80	—	·15	—	—	—	·09	7
8	·32	·16	·4	·03	—	·21	·10	·15	—	—	—	·03	8
9	·03	·02	·12	·08	—	·05	—	·02	—	—	·01	·49	9
10	·02	·10	—	—	—	—	—	·13	—	—	·05	·17	10
11	·11	·03	—	—	—	—	—	—	—	—	·02	·37	11
12	·03	·46	·07	·06	—	·01	·05	—	—	—	—	—	12
13	—	·01	·02	—	—	—	—	·66	—	—	·01	·05	13
14	·17	·05	·62	—	·10	·01	—	·05	—	·04	—	—	14
15	·12	·05	·03	—	·39	·75	—	·08	—	—	—	·26	15
16	·72	—	·13	—	·22	·02	—	·1	—	·04	·06	·05	16
17	·85	—	·17	—	—	·02	—	·66	—	—	—	·06	17
18	·10	·01	·48	—	—	—	—	·26	—	·01	·05	·14	18
19	·03	·04	·06	—	—	·06	·14	·15	—	—	·02	·01	19
20	·06	·03	·42	—	—	·05	·10	·87	—	·45	—	—	20
21	—	·1	·33	—	·40	—	—	·05	—	·25	—	—	21
22	·33	·12	·07	—	·53	·03	·02	·3	—	·05	—	·03	XC 22
23	·12	·52	·23	—	·01	·06	—	1·14	—	·03	·25	·25	23
24	·08	·03	·01	—	—	·32	—	·01	—	·32	—	·12	24
25	·04	·02	—	—	—	·14	·04	·43	—	·12	·2	·53	25
26	—	·02	—	—	—	—	·06	·12	—	·25	·21	·16	26
27	—	—	—	—	—	·19	·73	—	—	·56	—	·22	27
28	—	·03	—	—	—	·03	·03	·32	·06	·56	·47	·43	28
29	—	·04	·03	—	—	·05	·12	·07	·44	·26	—	·02	29
30	—		—	—	·01	·04	·14	—	·20	·26	—	—	30
31	·03		·36		—		·20	·05		·03		·09	XC 31
99 Total	4·49	2·21	4·58	·20	2·08	3·58	2·19	6·69	·75	3·92	1·83	4·56	YEAR'S TOTAL 37·08
Rain Days.	21	21	23	5	12	23	16	26	5	16	14	25	207

W. 7,500, XI. 12

Ex. Dh

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL. FORM A.
3-JAN 1914
2005/1

Kept at Street
in the County of Somerset
by William S. Clark

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Glastonbury
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
13 1	—	—	·08	·01	·21	—	—	—	·31	·03	·06	·53	1
2	·04	·28	·02	·18	·03	—	·04	—	·05	·01	·08	·02	2
3	·44	·09	·06	·02	·32	—	—	—	·01	·06	—	·16	3
4	·69	—	·02	—	·58	—	·03	—	1·09	·11	·03	·14	4
5	·06	·03	—	—	·09	·17	—	—	·33	—	·06	·13	5
6	·02	·05	·14	—	·19	·24	·07	—	—	·67	·06	·52	6
7	·01	·08	·01	—	·15	·01	·54	—	—	·12	·20	—	7
8	—	·01	—	—	·26	·03	—	—	—	·05	—	·02	8
9	—	·03	—	·01	·05	·05	·08	·52	·03	·01	·12	·02	9
10	·20	—	—	·02	·02	·02	—	·02	—	·24	·22	—	10
11	·62	·03	—	·23	·26	·02	—	—	—	·08	·75	—	11
12	—	·01	—	—	·34	—	·01	—	·02	—	·26	—	12
13	·09	—	·17	—	—	·01	—	·04	·60	—	·16	—	13
14	·17	—	·18	·04	—	—	—	—	·02	·01	·36	—	14
15	·23	·03	·23	·28	—	—	—	·03	·32	—	·09	·02	15
16	·23	—	·43	·18	—	—	—	·02	·03	—	—	—	16
17	·02	—	·02	—	—	—	·02	—	·05	—	—	—	17
18	·08	—	·10	·04	·08	—	—	—	—	—	·04	—	18
19	·43	—	·10	—	·02	·39	—	—	·5	—	—	—	19
20	·11	—	·11	·07	—	—	—	—	—	·14	·05	—	20
21	—	—	·09	·28	·12	—	—	—	—	—	·40	—	21
22	·79	—	·41	·13	—	—	·07	·06	·26	·03	—	—	22
23	·20	—	·06	—	—	·10	—	—	—	—	·04	·58	23
24	·03	·01	—	·03	—	—	—	·09	—	—	·04	—	24
25	—	·04	—	·11	—	—	—	—	·02	—	·01	·03	25
26	—	·03	—	·28	—	—	—	·18	—	—	—	·23	26
27	·09	—	·18	·17	—	—	—	—	—	·06	—	·04	27
28	·10	—	·09	·26	—	—	—	—	—	·18	—	·02	28
29	·06	╳	·4	·35	—	—	—	·16	—	·22	—	—	29
30	·25	╳	—	—	—	—	—	—	—	·35	·03	—	30
31	·16	╳	·01	╳	—	╳	—	·4	╳	—	╳	—	31
99 Total	4·82	·72	2·91	2·69	2·72	1·04	·86	1·52	3·64	2·37	3·06	2·46	YEAR'S TOTAL 28·81
Rain Days.	24	13	21	19	15	10	8	10	15	17	20	14	186

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

2005/1

Kept at Millfield Street
in the County of Somerset 2
by William S. Clark

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

Q re Noted before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

14

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·01	·02	—	·05	·24	·42	—	—	·08	·05	1
2	·05	—	—	·11	·02	—	·59	·15	—	—	·94	·30	2
3	·01	—	·16	·13	·18	—	·05	·33	—	·03	·06	·04	3
4	·16	—	·12	·16	·05	—	·12	·24	—	—	·42	·40	4
5	—	—	·32	·27	·17	—	·06	—	—	—	·06	·03	5
6	—	·12	·02	·30	·08	—	·62	·04	—	—	·06	·12	6
7	—	·35	·03	·24	·26	—	·47	·05	·04	—	—	·11	7
8	·14	·03	·85	·08	·16	·40	—	·05	—	—	·02	—	8
9	·09	—	·45	·12	·04	·60	—	·06	·54	—	—	—	9
10	·14	·04	·10	·04	·11	·02	—	·03	·37	—	·02	—	10
11	—	·08	·52	·02	·09	·20	·16	—	·40	—	·02	·28	11
12	—	·08	·14	—	—	—	—	—	·19	·01	—	·32	12
13	—	·15	·21	—	—	—	—	—	·14	·18	·2	·40	13
14	—	·10	·37	—	—	·02	·05	·45	·02	·11	·23	—	14
15	—	—	·12	—	—	—	·2	·62	·06	—	·22	·03	15
16	—	—	·02	—	—	—	·06	—	·08	—	—	—	16
17	—	·17	·31	—	—	—	·01	—	·01	—	—	·31	17
18	—	·02	·13	—	—	—	·25	—	·04	—	—	·50	18
19	—	·09	·28	—	—	—	·78	—	—	—	·04	·06	19
20	—	·35	·23	—	—	·01	—	·02	—	—	—	·35	20
21	—	·55	·02	—	—	·09	—	—	—	·30	—	·01	21
22	—	·04	—	—	·30	·17	·01	·04	—	·21	—	—	22
23	—	·16	·27	—	·05	·05	—	—	—	·14	—	—	23
24	—	·06	·1	—	·01	—	·26	·01	—	·38	·10	—	24
25	·06	—	·12	—	—	—	·31	·32	—	·26	·02	·30	25
26	—	—	—	—	—	—	·15	·12	—	·02	·20	·82	26
27	·20	—	—	—	—	—	·02	—	—	·20	·07	·1	27
28	—	·07	·11	—	·05	—	—	—	—	·10	·21	1·09	28
29	·1	×	·2	—	·12	—	—	—	—	·08	·14	·01	29
30	—	×	·02	—	—	—	—	—	—	·13	·35	·6	30
31	·01	×	—	×	·06	×	·15	—	×	·4	×	·1	31
99 Total	·96	2·46	5·25	1·44	1·75	1·61	4·56	2·95	1·89	2·55	3·46	5·83	YEAR'S TOTAL
Rain Days.	10	17	26	18 11	16	10	20	16	11	15	20	23	34·71

W. 8,000. X. 14.

195

2111

REGISTER OF RAINFALL IN 1915

Kept at Millfield, Street
in the County of Somerset
by William S. Clark

Lat. as before Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in. 2005/1
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

FORM A. BRITISH RAINFALL
3 - JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
15 1	·49	·17	—	—	·06	—	—	·03	·20	·25	·03	·18	1
2	·30	·32	·28	·12	—	·06	—	·33	·13	—	—	·59	2
3	·07	·04	·05	·14	·16	—	·05	·05	—	—	—	·63	3
4	·01	·01	—	—	·03	—	—	—	—	—	—	·26	4
5	·06	·36	—	—	—	—	[illegible]	·22	—	—	—	·21	5
6	·47	·09	—	·25	—	—	·41	·05	—	—	—	·09	6
7	·22	·32	—	·06	·04	—	·20	—	—	—	·03	·31	7
8	·31	·23	—	—	—	—	—	·10	—	—	—	·01	8
9	·03	·03	—	·08	—	—	—	·02	—	—	·37	·67	9
10	·23	—	·06	·07	—	·63	[illegible]	·05	—	·04	—	·03	X 10
11	·06	·03	·11	·06	—	—	·01	·23	—	·01	·60	·05	X 11
12	·23	·27	—	·11	·50	—	—	·44	—	·09	·21	—	12
13	·05	·68	—	—	·56	—	—	·05	·10	—	·16	—	13
14	·02	·12	—	—	—	—	·15	·06	·03	·04	—	·49	14
15	·13	—	—	—	·25	—	·08	·08	·04	—	·18	·08	15
16	—	·35	—	—	·22	—	·92	·10	·01	—	—	·12	16
17	—	·52	—	—	·66	—	·01	·40	—	·01	—	·01	17
18	—	·16	—	—	·11	—	—	—	—	—	—	—	18
19	—	—	—	—	·07	—	·18	—	—	—	—	—	19
20	·29	—	—	·13	—	·01	—	—	—	·03	—	·07	20
21	·09	·08	—	—	—	·01	·02	—	—	·11	—	·23	X 21
22	·08	·17	·35	·01	—	·02	·27	—	·01	—	—	·14	22
23	—	·02	·06	—	—	—	·41	—	·05	1·20	—	·34	X 23
24	—	—	—	·06	—	—	·12	—	·23	·70	—	·23	24
25	—	—	·04	—	—	·37	·89	—	—	—	—	·44	25
26	—	·02	—	—	—	·03	·27	—	·01	—	—	·45	26
27	—	·09	—	—	—	·02	·24	—	—	·45	—	·01	27
28	—	·15	—	—	—	·02	—	·04	·65	·15	·01	—	28
29	—		—	—	—	·21	·19	·02	—	—	·03	·03	29
30	·08		—	—	—	·29	—	—	—	·85	·30	·17	30
31	·06		—		—		·08	—		·67		·19	31
99 Total	3·28	2·23	·95	1·09	2·66	1·07	4	2·27	1·46	4·19	1·95	6·03	YEAR'S TOTAL 33·09
Rain Days.	20	22	7	11	11	11	18	17	11	14	10	26	178

W. 8,000. X. 15.

Exd CFJ

2058

REGISTER OF RAINFALL IN 19

FORM A.
BRITISH RAINFALL.

10 JAN 1917

Kept at Millfield, Street

in the County of Somerset

by William S. Clark

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Glastonbury

Diameter of Funnel of Rain Gauge in. 2005/1

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date 16	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·01			·26	·04	·02	~~·44~~	·12	·38	·24		1
2	·17	·05			·07			~~·42~~	·02	·48	·03		2
3		·72			·03	·01		~~·47~~	·13	·30	·25		3
4	·19	·08			·32	·27		~~·46~~	·25	·22	·50		4
5	·18	·02	·02		·27	·63				·02	·47		5
6	·01	·14			·21	·09	·50			·11	·41	·29	6
7	·02	·10	·15		·06	·07	·15				·52	·12	7
8		·10	·06	·01	·21	·01					·15		8
9		·03			·13	·06	·03			·1	·14	·10	9
10		·45		·07	·05					·02			10
11	·01	·01		·20		·02					·01		11
12	·12	·04	·05	·11	·15		·05	·10	·02	·13			12
13		·26	·16	·02				·61			·01		13
14	·02	·32	·01	·09	·10			·06		·02			14
15	·02	·15	·06	·04				·18		·01		·01	15
16	·06	·04		·25				1·05		·02			16
17	·03	·21		·05				·19	·57	·31	·15		17
18	·02	·16	·11	·03					·08	·12	·11	·08	18
19	·07		·58	·06							·24	·02	19
20	·15	·09	·27								·07	·83	20
21	·02	·10	·20			·01						·39	21
22	·04			·11	·1	·06				·54	·05	·60	22
23	·02	·01		·04		·05		·27		·14	·05	·17	23
24		·50		·07	·87	·10		·04		·5	·02	·25	24
25		·40	·16		·21			·58			·11	·02	25
26	·01	·02	·12			·52		·04	·78	·45			26
27	·02	·10	·85		·05	·02		·18	·52	·08			27
28		·17	·02		·04			·02	·03	·27		·09	28
29		·65	·01			·21		1·96	·57	·5		·12	29
30		✕								·25		·10	30
31		✕		✕		✕		·07	✕	·05	✕		31
Total 09	1·24	4·93	2·83	1·15	3·13	2·17	·75	5·37	3·09	5·02	3·53	3·19	YEAR'S TOTAL 36·40
Rain Days.	20	27	16	14	17	16	5	14	11	23	19	15	197

W. 8,000, VIII. 16

J made

~~cyd C Jo~~

1962

REGISTER OF RAINFALL IN 19 as reported before

FORM A. BRITISH RAINFALL.

3 JAN 1918

Kept at Milfield ; Street

in the County of Somerset

by William S. Clark

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in. 2005/1

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
17													
1			·14	·21		·11		·76	·08		·02		1
2				·10		·04		·16	·06	·02	·02		2
3				·02			·61			·22	·05		3
4		·14	·09				·11	·50	·02	·36	·12		4
5			·18	·20		·12			·14	·18	·09		5
6			·06			·03				·04	·24	·01	6
7	·23						·16	·25		·15	·02	·02	7
8	·03			·16		·02	·53	·49	·06	·40	·18	·05	8
9			·02	·02	·07		·04	·36	·05	·32	·23		9
10	·16		·26	·13				·15	·07	·08			10
11	·04		·74	·05	·01			·17	·05	·16	·05		11
12	·02			·03	·41			·32		·41	·02		12
13			·16	·12		·02		·16	·10	·17	·02	·01	13
14			·12	·04				·23	·02		·01		14
15				·03			·24	·01		·09		·12	15
16		·10		·16			·12	·01		·29		·14	16
17		·05			·16		·39	·09	·31	·05			17
18		·04				·02	·32		·55				18
19		·43	·06			·12			·11				19
20		·06	·05		·22	·12		·61				·05	20
21			·05			·06		·01					21
22			·01					·12		·06			22
23			·4		·06			·34		·02		·08	23
24		·02	·03			·29	·13	·05		·12	·06		24
25		·11	·02				·21		·03	·16			25
26					·20	·04		·39	·15	·1	·04		26
27					·69	·15		·64		·08			27
28			·06		·26	5·13		·83				·02	28
29		✕	·13			·26	·05	·08		·38		·06	29
30		✕	·17				·02	·03		·1			30
31		✕	·09	✕		✕			✕	·12	✕	·03	31
Total	90 ·48	·95	2·84	1·27	2·08	6·53	2·93	6·76	1·8	4·08	1·17	·54	YEAR'S TOTAL 31·43
Rain Days.	5	8	20	13	9	15	13	24	15	24	15	11	172

W. 8,000, IX. 17.

2005/1

FORM A.
BRITISH RAINFALL.
8 JAN 1919

REGISTER OF RAINFALL IN 1918

Kept at Millfield ; Street
in the County of Somerset
by William S. Clark

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Glastonbury
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date. 18	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02			·15			·53		·01	·63	·01	1
2		·02		·13				·48		·02	·07	·06	2
3		·03		·09	·15				·03	·02	·01	·03	3
4		·01		·03				·05	·02	·06	·38	·04	4
5		·01	·02		·05			·28	·14	·10	·02	·02	5
6	·24	·21		·24				·39	·09	·08		·12	6
7		·15			·63				·08	·19	·18	·02	7
8	·01							·01	·46	·36		·04	8
9		·08		·15		·23	·35		·23	·08	·1	·13	9
10	·06			·11			·24		·21	·18	·03	·53	10
11	·02		·05		·01		·41		·22	·1	·05	·07	11
12		·04	·08		·24		·03		·25			·04	12
13	·28				·10		·16		·22	·05		·16	13
14	·12		·02		·01	·05	·15		·19	·10		·15	14
15	1·11		[illegible]	·22		·09	·30					·12	15
16	·42			·57			·04		·11			·16	16
17	·24		·16	·06			·21	·1	·10			·08	17
18	·65					·49	·14		·33	·07		·26	18
19	·04		·13				·3	·01	·08	·01		·18	19
20	·06	·14		·12		·04	·33		·09				20
21		·01		·03		·01	·26		·45	·05		·15	21
22	·01						·37		·12	·25		·42	22
23	·04				·37		·56	·07	·12			·12	23
24						·02	·15	·01	·09		·13		24
25	·01						·13	1·31		·01	·03		25
26				·40			·54		·14	·02	·08	·25	26
27		·15	·03					·15	·25			·01	27
28		·06	·11						·05		·03	·15	28
29		X	·05						·93		·01	·08	29
30		X	·36					·11	·01	·03	·1	·08	30
31		X	·17	X		X		·01	X	·03	X		31
Total	3·32	·93	1·12	2·15	1·71	·93	4·67	3·57	5·21	1·82	1·85	3·48	YEAR'S TOTAL 30·70
Rain Days.	15	13	11	12	9	7	18	14	26	21	15	27	188

W, 6,500, VII. 18. w w c

Box. 156

1834

2005

15 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19 as before

Kept at Millfield, Street

in the County of Somerset

by William L. Clark

Lat.

Long. 19

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·45		·03	·16	·83		·46			·15		·95	1
2	·09		·02		·05		·27		·07		·02	·04	2
3	·81		·2		·16				·16		·03	·59	3
4	·22	·21	·47			·05		·09	·22			·04	4
5		·59	·75		·04				·34			·41	5
6	·34	·15	·13									·35	6
7	·15		·30	·13									7
8	·13		·21										8
9	·03		·01	·07		·02					·15		9
10	·05		·05	·06	·02					·06		·16	10
11	·02		·15	·14	·1		·22					·06	11
12	·11		·04	·01		·12	·02			·14	·01	·07	12
13	·01		·03	·18			·15					·02	13
14	·32	·09		·69	·17		·18			·08		·1	14
15	·11	·04		·04						·07		·24	15
16	·03	·75									·26		16
17		·19						·06			·31		17
18	·02		·59				·18	·45			·19		18
19	·43	·21	·90			·09	1·11	·3	·29		·24	·14	19
20	·46	·11	·17			·22		·34				·02	20
21	·03	·5					·41		·02			·11	21
22		·05					·14		·15		·02	·12	22
23						·01			·11	·58	·02	·02	23
24				·06		·41				1·46	·03	·32	24
25	·12	·02		·05		·02		·85			·04	·15	25
26	·09			·07				·4	·14			·16	26
27	·17		·10	·32		·03		·39				·04	27
28			·06					·48			·22	·3	28
29			·12	·06				·05		·1		·05	29
30				·22		·27		·26			·28	·29	30
31	·01		·04				·02					·3	31
99 TOTAL	4·20	2·91	4·37	2·17	·57	1·24	3·16	3·67	1·50	2·64	1·82	5·05	YEAR'S TOTAL 33·30
Days with ·01 in. or more	23	12	20	15	7	10	11	11	9	8	14	25	165

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1750

2005/1

JAN 1921

FORM A. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Millfield, Street, Somerset

in the County of Somerset

by William S. Clark

Lat. as reported before Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.		Date
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04			·11	·25		·26		·02	·20	·25	·36		1
2	·28			·18			·17	·39	·16	·07		·05		2
3	·04	·03		·11			·70		·02	·48		·06		3
4			·07	·05			·11	·35		·34				4
5			·05		·1		·29	·08		·06				5
6			·24		·08		·37			·12				6
7				·52			·14							7
8	·17	·21		·35	·05		·52							8
9	·31		·03	·15		·16	·03							9
10	·32	·13	·08	·03		·14	·39							10
11	·34		·06	·3	·25	·02	·11							11
12	·19			·15	·02	·36	·03				·03			12
13	·25	·07	·42	·03							·04			13
14	·08		·20	·35					·09	·29	·13			14
15		·08	·05	·12	·08	·14			·11	·31	·04			15
16			·04	·07		·03	·21		·05	·05				16
17	·02			·14	·14				·26		·02			17
18	·03			·02	·08	·11	·15	·44	·38			·02	×	18
19	·02	·02		·32	·02	·25			·01					19
20	·05	·25		·07		·38						·1		20
21							·11					·18		21
22	·02			·22				·08				·38		22
23							·54	·02				·2		23
24	·03		·10								·09	·04	·02	24
25		·14	·04		·49		·20				·01			25
26	·15		·15		·05	·02	·07				·08	·05		26
27	·16		·06	·2	·02	·37					·04	·18		27
28	·90		·09	·12	·06	·03	·06					·03		28
29	·11		·22		·02	·02					·11	·06		29
30	·02	✕		·09	·08	·12	·33		·28	·02	·45	·14		30
31	·09	✕	·30	✕		✕			✕	·31	✕	·15		31
TOTAL 99	3·56	·93	2·2	3·7	1·79	2·15	4·79	1·36	1·38	2·25	1·29	1·98	YEAR'S TOTAL 27·38	
Days with ·01 in. or more	23	8	17	22	16	14	20	6	10	11	12	15	173	
Days with ·04 in. or more	15	6	16	20	12	9	18	5	8 7	10	9	13 4	~~125~~ 141	

(14,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

✓

REC 1913

2002

STREET; OVERLEIGH HOUSE

1913-20

FORM A.
BRITISH RAINFALL.
15 JAN 1914

Kept at Overleig ml-8AM

in the County of S lastonbury

4 7/8 in.

by John B.

Ground ft. 8" in.

Sea Level about 100 ft.

IMPORTANT NO the result entered to the previous day. If an C ersal rule, he is earnestly requested to add the rea r in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
none

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·27	·08	03	17				30	02	04	57	1
2	·01	09		17	03		·03		04	01	07	02	2
3	09		05		40				01	08		16	3
4	75		01		57		02		83	09	04	12	4
5		02			08	23	04		34		04	15	5
6		06	13		16	17	03			77	06	56	6
7		08	01		13	03	49	45		09	20		7
8	01	01			25	01	36	35		05		01	8
9		02			05	04			02	28	14	02	9
10	·10					02		01			20		10
11	76			25	32	01				10	·74		11
12		01			27		01		02		28		12
13	08		09					03	51		16		13
14	17		15	05							41		14
15	20	02	24	20				02	32		07	01	15
16	23		43	13		01			03				16
17			02	03					02				17
18	10		09		13		02				05		18
19	38		18			49			55		} 32		19
20	13		10	07		03				11			20
21			40	25	21						09		21
22	89		48	11			07	06	27	03			22
23	02		07			09					03	57	23
24	02			01				17			02		24
25		08		15					01			02	25
26				27		01		17				24	26
27	08		16	06						05		06	27
28	09		06	27						15	01	04	28
29	05		37	36				17		16			29
30	20									37			30
31	20							39					31
Total	4·56	·66	2·82	2·41	2·77	1·14	1·07	1·82	3·27	2·36	2·97	2·55	YEAR'S TOTAL 28·4 2840
Rain Days.	21	10	19	16	13	12	9	10	14	15	20	14	173

W.7,000, XI. 13

REC 1913

FORM A.
BRITISH RAINFALL
15 JAN 1914

Kept at Overleigh House Street
in the County of Somerset 2
by John B. Clark

Lat. Long.
Time of Observation about 8 AM
Nearest Railway Station Glastonbury
Diameter of Rain Gauge 4 7/8 in.
Height of top of Gauge above Ground ft. 8" in.
" " " " Sea Level about 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
none

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·27	·08	03	17				30	02	04	57	1
2	·01	09		17	03		·03		04	01	07	02	2
3	09		05		40				01	08		16	3
4	75		01		57		02		83	09	04	12	4
5		02			08	23	04		34		04	15	5
6		06	13		16	17	03			77	06	56	6
7		08	01		13	03	49	45		09	20		7
8	01	01			25	01	36	35		05		01	8
9		02			05	04			02	28	14	02	9
10	·10					02		01			20		10
11	76			25	32	01				10	·74		11
12		01			27		01		02		28		12
13	08		09					03	51		16		13
14	17		15	05							41		14
15	20	02	24	20				02	32		07	01	15
16	23		43	13		01			03				16
17			02	03					02				17
18	10		09		13		02				05		18
19	38		18			49			55		} 32		19
20	13		10	07		03				11			20
21			40	25	21						09		21
22	89		48	11			07	06	27	03			22
23	02		07			09					03	57	23
24	02			01				17			02		24
25		08		15					01			02	25
26				27		01		17				24	26
27	08		16	06						05		06	27
28	09		06	27						15	01	04	28
29	05		37	36				17		16			29
30	20									37			30
31	20							39					31
Total	4·56	·66	2·82	2·41	2·77	1·14	1·07	1·82	3·27	2·36	2·97	2·55	YEAR'S TOTAL 28·41 2840
Rain Days.	21	10	19	16	13	12	9	10	14	15	20	14	173

W.7,000, XI. 13

Exc 8f

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
JAN 9 1915

Kept at Overleigh House Street
in the County of Somerset
by J. B. Clark

2

Lat. 51° 7½' N Long. 2° 44' W
Time of Observation week day 8 AM. Sunday 9
Nearest Railway Station Glastonbury
Diameter of Rain Gauge 4⅞ in.
Height of top of Gauge above Ground ft. 8" in.
" " " " Sea Level about 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·56

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·01		·04	·23	·61			·06	·05	1
2				·09			·58				1·07	·25	2
3			·18	·11	·17		·07	·38		·02	·06	·01	3
4	·17		·13	·13	·03		·11	·23			·44	·41	4
5	·17		·31	·27	·12		·04				·05	·07	5
6		·11	·03	·26	·01		·66	·02			·05	·05	6
7	·11	·37	·03	·23	·23	·03	·55	·05	·04				7
8	·06	·01	·92	·02	·12	·36		·04					8
9	·12		·4	·1	·04	·64		·08	·64				9
10		·04		·02	·1	·02			} ·71		·02		10
11		·09	·43	·03	·11	·19	·15				·01	·28	11
12		·08	·12						·18			·33	12
13		·1	·16			·01			·12	·2	·24	·41	13
14		·07	·36				·03	·48	·01	·08	·21		14
15			·11				·17	·51	·07		·23	·02	15
16			·01				·06		·06				16
17		·12	·29				·01					·13	17
18		·01	·1				·28		·05			·64	18
19		·05	·3				·85	·02			·06	·06	19
20		·32	·21					·01				·34	20
21		·58	·02			·09		·02		·29			21
22		·04	·24		·36	·16		·03		·22			22
23		·13	[illegible]		·04	·02				·12			23
24		·09	·11		·01		·28	·01		·37	·09		24
25	·05						·25	·33		·27	·02	·22	25
26			·16				·24	·11			·21	·34	26
27	·19	[illegible]					·01			·17	·06	·1	27
28		·05	·16		·04					·1	·18	1·23	28
29	·08		·13		·13					·08	·12		29
30		╳								·12	·29	·61	30
31		╳		╳	·04	╳	·15		╳	·5	╳	·1	31
Total	·95	2·26	4·91	1·27	1·55	1·56	4·72	2·93	1·88	2·54	3·47	5·65	YEAR'S TOTAL 33·69
Rain Days.	8	17	23	11	15	10	19	16	10	13	19	20	181

W. 8,000. X. 14.

cordly sun stats (at Obs' suggestion)
5.V.16

2109

REGISTER OF RAINFALL IN 1915

Kept at Overleigh House, Street
in the County of Somerset
by John B Clark

2

Lat. 51' 7½" Long. 2' 44" W
Time of Observation usually 8 AM
Nearest Railway Station Glastonbury
Diameter of Funnel of Rain Gauge 4⅞ in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level abt - 100 ft.

FORM A.
BRITISH RAINFALL.
3 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·1

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·56	·16			·05			·03	·17	·32		·19	1
2	·32	·29	·23	·12		·06		·31	·14	·02		·60	2
3	·07	·40	·04	·13	·17		·05					·60	3
4	·01	·02			·03							·25	4
5	·07	·40						·24				·22	5
6	·44	·09		·20			·46	·03				·31	6
7	·30	·29		·06			·16						7
8	·32	·24					·01	·10					8
9	·01	·02		·06				·01			·34	·69	9
10	·22	·01	·04	·06		·14		·06		·03		·03	10
11	·08	·01	·08	·06				·22			·66	·04	11
12	·22	·32		·09	·49			·41		·08	·19		12
13	·06	·73			·59			·10	·09	·01	·15		13
14	·01	·04					·11	·07	·06		·03	·38	14
15	·11				·24		·04	·01	·03		·15		15
16		·36			·23		·88	·07	·01			·11	16
17		·41			·75		·01	·26				·01	17
18		·13			·08					·01			18
19					·07								19
20	·29			·12			·17			·01		·07	20
21	·08	·08					·02			·09		·23	21
22	·08	·14	·35	·02			·27					·10	22
23			·06				·35		·05	1·36		·36	23
24				·04			·20		·27	·70		·47	24
25			·03			(·37)	·44					·22	25
26		·02		·01		·05	·31					·40	26
27		·06				(·02)	·23			·51			27
28		·11				(·02)	·30	·04	·67	·14	·01		28
29						(·21)		·01			·06	·08	29
30		X				(·29)				·40	·34	·18	30
31	·11	X		X		X	·08		X	·76	X	·13	31
Total	3·36	4·33	·83	·97	2·70	~~·25~~ (1·16)	4·09	1·97	1·49	4·44	1·93	5·67	YEAR'S TOTAL ~~32·03~~ (32·94)
Rain Days.	19	22	7	12	10	~~3~~ (8)	18	16	9	14	9	22	~~161~~ (166)

W. 8,000. X. 15.

Ex DL

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
15. JAN 1917

Kept at Overleigh House Street

in the County of Somerset

by John B. Clark

Lat. 51° 7½' Long. 2° 44' W

Time of Observation 8 AM

Nearest Railway Station Glastonbury

Diameter of Funnel of Rain Gauge 4⅞ in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level about 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·01		·34		·01		·1	·42	·21		1
2	·14	·03			·02					·38	·01		2
3		·79			·02				·12	·3	·3		3
4	·19	·06			·3	·25			·26	·28	·68		4
5	·14				·2	·66				·01	·39		5
6		·14			·2	·02	·52			·09	·36		6
7	·03	·08	·11		·07		·17				·53	·28	7
8	·04	·15	·03		·22	·02					·18	·12	8
9	·01	·05			·13	·09	·04			·07	·17	·08	9
10		·45		·06	·03		·01					·01	10
11		·01		·25		·02			·01				11
12	·16	·02	·05	·07	·14		·02	·04		·09			12
13		·25	·18	·02				·73			·01		13
14	·02	·28	·01	·07	·09			·08		·02			14
15		·16	·06	·05	·01			·17					15
16	·07	·06		·16			·01	·99	·01	·03			16
17	·02	·25		·05				·31	·55	·3	·17		17
18	·13	·11	·14	·03					·1	·12	·17	·03	18
19	·15	·11	·59	·05							·2	·04	19
20	·02		·26								·05	·76	20
21			·2		·06							·39	21
22		·07	·01	·07	·01	·04				·54	·05	·71	22
23		} snow ·5 ?		·06		·03		·27		·13	·04	·17	23
24				·02	1·02	·06		·03		·56		·24	24
25		·32	·13		·21			·6			·14		25
26	·01	·1	·03			·55		·03	·82	·48	·01		26
27	·02	·08	1·07		·05	·02		·14	·52	·04			27
28		·21		·03	·03			·02	·03	·44		·07	28
29		·7				·21		2·09	·61	·35		·14	29
30		X						·01		·22		·08	30
31		X		X	·01	X		·05	X	·04	X		31
Total	1·16	4·98	2·88	·99	3·16	1·97	·78	5·56	3·13	4·91	3·67	3·12	YEAR'S TOTAL 36·31
Rain Days.	16	25	15	14	20	12	7	15	11	21	18	14	188

W. 8,000, VIII. 16

1960

REGISTER OF RAINFALL IN 1917

Kept at Overleigh House, Street
in the County of Somerset
by John B Clark

Lat. 51'7½" Long. 2'44"
Time of Observation 8 AM
Nearest Railway Station Glastonbury
Diameter of Funnel of Rain Gauge 4 7/8 in.
Height of top of Gauge above Ground – ft. 8 in.
" " " " Sea Level abt 100 ft.

FORM A.
BRITISH RAINFALL.
8 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	~~·04~~		·10	·41		·10		·73	·06		·02		1
2	·01			·02		·02		·21	·04				2
3				·04			·68			·20	·06		3
4		·11	·10				·08	·04	·03	·25			4
5	·25		·23	·19		·12			·14	·18	·06		5
6				·01		·02				·04	·24		6
7	·22						·14	·25		·15	·01		7
8	·03		} ·16	·16			·63	·52	·08	·41	·23	·07	8
9				·02	·06		·03	·36	·05	·28	·18		9
10	·11		·28	·11				·15	·04	·09			10
11	·05		·81	·36	·01			·16	·08	·16	·05		11
12					·56			·29		·42	·01		12
13			·17	·11		·01		·17	·11	·18		·01	13
14			·10	·04				·22	·02				14
15				·03			·22			·04		·14	15
16		·17		·03			·18	·07		·27		·12	16
17				·18	·13		·39		·30	·06			17
18		·05				·01	·30		·53		·01		18
19	·03	·47	·08			·09			·11		·01		19
20		·05	·07		·23	·12		·17					20
21			·27			·06							21
22			·02					·10		·05			22
23		·19			·06			·32		·02		·06	23
24		·10	·01			·20	·12	·02		·10	·05		24
25			·01				·06		·01	·14			25
26					·25	·03		·38	·13	·08	·03		26
27					·74	·15		·73		·16			27
28		·02	·07		·20	5·61		·81		·32		·02	28
29			·13			·25	·08	·05				·06	29
30		✕	·19				·01	·01		·11		·03	30
31		✕	·06	✕		✕			✕	·12	✕		31
Total	·70	1·16	2·86	1·71	2·24	6·79	2·92	5·76	1·73	3·83	·96	·51	YEAR'S TOTAL 31·17
Rain Days.	7	8	19	14	9	14	13	21	15	23	13	8	164

W. 8,000, IX. 17.

EX Mp

42

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Overleigh House Street
in the County of Somerset
by John B. Clark

Lat. 51′ 7½″ Long. 2′ 44″ W. 1
Time of Observation 8. AM (Sunday 9.30)
Nearest Railway Station Glastonbury 1 19
Diameter of Funnel of Rain Gauge 4 7/8″ in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level abt 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·34

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01	·05	·15	·18			·6			·72		1
2		·01		·13				·48	·02	·02	·06	·03	2
3		·02		·11	·15				·02	·01	·01	·03	3
4		·03						·06	·01	·03	·33	·02	4
5			·01		·04			·44	·12	·1	·03		5
6	·24	·18		·21				·19	·1			·11	6
7		·13			·64	·03		·01	·08	·18	·16	·02	7
8	·03	·02							·26	·42	·05	·04	8
9	·01	·1		·15		·19	·37		·23	·08		·1	9
10	·03			·11			·23		·17	·18	·03	·56	10
11	·01	·01	·04	·01			·41		·16	·08	·08	·05	11
12		·03	·09				·02		·25			·04	12
13	·20				two days ·22		·2		·41	·05		·14	13
14	·11		·02			·08	·12		·15	·1		·16	14
15	1·15			·29	·07		·33					·09	15
16	·45		·09	·32		·07	·04		·09			·14	16
17	·29			·06			·2	·1	·08			·06	17
18	·55			·01		·5	·11		·32	·05		·18	18
19	·04		·09				·32	·01	·09			·14	19
20	·04	·11		·12		·04	·22		·08				20
21	·02		·01	·02		·01	·1		·43	·09		·16	21
22	·01				·08		·4		·11			·41	22
23	·02				·2		·55		·11	·19		·09	23
24		·07				·01	·1	·01	·07		·08		24
25							·07	1·20			·02		25
26				·35			·67		·19	·02	·06	·17	26
27								·15	·22		·1	·01	27
28		·16	·06						·04		·04	·14	28
29			·06					~~·08~~	1·01			·06	29
30		×	·35					·08	·03	·02	·08	·07	30
31		×	·11	×		×		·03	×		×		31
Total	3·20	·88	·98	2·04	1·58	·93	4·46	3·36	5·07	1·62	1·85	3·02	YEAR'S TOTAL 28·99
Rain Days.	16	13	12	14	9	8	18	13	27	16	15	25	186

W, 6,500, VII. 18. w w c

6 x M L

1832

10 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Overleigh House Street

in the County of Somerset

by John B Clark.

Lat 51'7½" N Long 2'44" W

Time of Observation 8 AM

Nearest Railway Station Glastonbury

Diameter of Funnel of Rain Gauge 47/8 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level abt 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34		·01	·18	·04		·47		·01	·28		1·05	1
2	·08				·07		·25		·05		·02	·09	2
3	·82		·16		·18				·22		·03	·63	3
4	·24	·21	·51			·05		·11	·11			·05	4
5	·02	·60	·83		·03				·37			·35	5
6	·39	·16	·10									·33	6
7	·17		·29	·12									7
8	·12		·21								·01		8
9	·03		·01	·06	·01	·02					·13		9
10	·04		·03	·04	·02					·07		·17	10
11	·02		·13	·14	·08		·24				·	·07	11
12	·11		·07		·01	·11	·02			·13	·12	·06	12
13	·01		·02	·18			·22					·02	13
14	·20			·63	·22		·17			·07		·11	14
15	·07	·17		·02						·08		·18	15
16	·01	·75									·14		16
17		·19						·08			·31		17
18	·05		·55				·18	·44	·02		·15	·02	18
19	·43	·18	·92			·06	1·06	·35	·30		·33	·10	19
20	·47	·10	·18			·21		·35			·01	·06	20
21	·03	·50					·47		·02			·08	21
22		·04					·18		·16		·02	·11	22
23						·02		·01	·13	·68	·01	·05	23
24				·03		·35	·01			1·39	·03	·37	24
25	·18	·02		·05		·02		·85			·06	·11	25
26	·01		·11			·01		·[illegible]8				·12	26
27	·13		·05	·24		·04		·45				·05	27
28			·41					·45			·24	·30	28
29				·06				·08		·09	·04	·[illegible]	29
30		╳		·22		·31		·36			·23	·21	30
31	·02	╳	·03	╳		╳	·01		╳		╳	·31	31
TOTAL	3·99	2·92	4·62	1·97	·66	1·2·	3·28	3·91	1·39	2·79	1·88	5·05	YEAR'S TOTAL 3366
Days with ·01 in. or more	24	11	19	13	9	11	12	12	10	8	17	26	172

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

Sd. AMD 1748

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Overleigh House Street
in the County of Somerset
by John B. Clark

Lat. 51' 7½" Long 2' 44" W
Time of Observation 8 AM
Nearest Railway Station Glastonbury
Diameter of Funnel of Rain Gauge 4⅞ in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level abt 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·26

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			08	25		26		05	11	25	36	1
2	·35			18			17	39	15	05		04	2
3	·04	04		10			65			48		04	3
4			06	04			12	34		37			4
5			06	02	07		28	10		05			5
6			16		05		43			12			6
7				45			24						7
8	·14	23		32			60						8
9	·30	01	03	15	07	14	04						9
10	54	10	05	02		15	38						10
11	08		06	25	29	03	12						11
12	14		02	17	02	35	02						12
13	24	05	34	03							02		13
14	01	02	18	32					08	23	10		14
15		08	03	07	09	13			10	32	04		15
16			02	02		06	20		05	05	01		16
17	02	~~04~~		15	12	04	10		27				17
18	03	02	01	03	09	11		43	32			01	18
19	02	~~26~~	11	28	02	34		01	01				19
20	05	26		05		32	01					07	20
21							10					17	21
22	03			19			01	08				34	22
23							38					20	23
24	04		06	02	03			03			07	03	24
25		·12	02		57		22						25
26	11		15		22	03	08				06	02	26
27	16	01	05	19	02	34					02	17	27
28	90		07	11	05	03	04					01	28
29	10		16		01	02			35		09	05	29
30	01	×		09	08	12	35				48	11	30
31	08	×	29	×	01	×	01		×	28	×	10	31
TOTAL	3·42	·94	1·93	3·33	2·06	2·21	5·01	1·38	1·38	2·06	1·14	1·72	YEAR'S TOTAL 26·58
Days with ·01 in. or more	22	11	20	24	18	15	23	7	9	10	10	15	184
Days with ·04 in. or more	15	7	14	18	12	11	19	5	8	10	7	11	137

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

SUTTON COURT
PENSFORD

SOMERSET

1911-1920

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

11

Kept at Sutton

p 8 in.

bove Ground 1 ft. —— in.

in the County of So

„ Sea Level 280 ft.

9 a m

by Lord Str

on Name Clutton
Distance 2 mil Direction East

IMPORTANT N and the result entered to the previous day. If an universal rule, he is earnestly requested to add the year in the space provided for it at the end of urement of rain, the selection and pl British Rainfall Organization are given on application to Dr. H. R. MILL, 62,

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	–	.03	.10	.04	–	–	.03	–	–	.07	.03	1
2	.01	–	.01	.28	.47	–	–	.16	–	.04	.35	.17	2
3	–	–	.02	–	.37	–	–	–	–	–	.12	.02	3
4	–	.01	.22	.01	–	–	–	.02	–	.04	.27	.52	4
5	–	–	.04	.01	–	–	–	.56	–	.02	.57	–	5
6	.16	–	.11	.01	–	–	–	.03	–	–	.25	.61	6
7	.74	–	–	–	–	–	–	–	–	–	.53	.01	7
8	.01	–	.13	–	–	–	–	–	–	–	–	.32	8
9	.15	–	.01	–	–	–	–	–	–	–	.08	.42	9
10	.19	.09	.79	–	.12	–	–	–	–	–	.01	.41	10
11	.17	–	.02	–	.08	–	–	–	–	–	.71	.24	11
12	.48	–	.73	–	–	–	–	–	.03	–	.51	.26	12
13	–	–	.02	–	.06	–	–	–	.43	.17	.02	.34	13
14	–	.07	–	–	–	–	–	–	–	.01	.01	.93	14
15	–	.03	.01	–	–	.02	–	–	–	.01	.49	.03	15
16	.01	.04	–	–	–	.26	–	–	–	–	.48	.41	16
17	–	.06	–	–	–	.05	–	–	–	–	.06	.53	17
18	–	.36	.10	.30	.01	.23	–	–	–	.03	.03	.39	18
19	–	.04	–	.09	–	.15	–	–	.31	.11	.06	.34	19
20	–	.02	.13	.22	–	.01	–	–	.20	.05	–	.44	20
21	.01	.33	.08	.01	–	–	–	1.47	–	.67	–	.27	21
22	–	.05	.39	.03	–	.14	–	–	–	.28	–	.61	22
23	.01	.25	.35	–	–	.08	–	–	.03	.17	.01	.19	23
24	–	.21	–	–	–	.39	–	.06	–	.82	–	.16	24
25	–	.09	.01	.16	–	.13	–	–	–	.04	–	.25	25
26	–	.03	–	.31	.05	–	.21	.01	–	.14	.06	.26	26
27	.01	.45	.22	.01	.02	–	–	.18	.12	–	.04	.16	27
28	–	.51	–	.53	–	–	–	.05	–	–	.03	.01	28
29	–		–	.16	–	.37	.01	.01	.23	.30	–	–	29
30	–		.01	.02	–	.02	–	–	–	.23	.01	.02	30
31	–		–		–		.02	–		.40		.01	31
Total	1.97	2.64	3.43	2.25	1.22	1.85	.24	2.58	1.35	3.53	4.77	8.36	TOTAL for year 34.19
No. of Rain Days.	13	17	21	16	9	12	3	11	7	18	23	29	179

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Sutton Court Pensford

in the County of Somerset

by Lord Strachie

RAIN GAUGE: Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 280 ft.

Time of Observation 9 a m

Nearest Railway Station: Name Clutton
Distance 2 mile Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	–	.03	.10	.04	–	–	.03	–	–	.07	.03	1
2	.01	–	.01	.28	.47	–	–	.16	–	.04	.35	.17	2
3	–	–	.02	–	.37	–	–	–	–	–	.12	.02	3
4	–	.01	.22	.01	–	–	–	.02	–	.04	.27	.52	4
5	–	–	.04	.01	–	–	–	.56	–	.02	.57	–	5
6	.16	–	.11	.01	–	–	–	.03	–	–	.25	.61	6
7	.74	–	–	–	–	–	–	–	–	–	.53	.01	7
8	.01	–	.13	–	–	–	–	–	–	–	–	.32	8
9	.15	–	.01	–	–	–	–	–	–	–	.08	.42	9
10	.19	.09	.79	–	.12	–	–	–	–	–	.01	.41	10
11	.17	–	.02	–	.08	–	–	–	–	–	.71	.24	11
12	.48	–	.73	–	–	–	–	–	.03	–	.51	.26	12
13	–	–	.02	–	.06	–	–	–	.43	.17	.02	.34	13
14	–	.07	–	–	–	–	–	–	–	.01	.01	.93	14
15	–	.03	.01	–	–	.02	–	–	–	.01	.49	.03	15
16	.01	.04	–	–	–	.26	–	–	–	–	.48	.41	16
17	–	.06	–	–	–	.05	–	–	–	–	.06	.53	17
18	–	.36	.10	.30	.01	.23	–	–	–	.03	.03	.39	18
19	–	.04	–	.09	–	.15	–	–	.31	.11	.06	.34	19
20	–	.02	.13	.22	–	.01	–	–	.20	.05	–	.44	20
21	.01	.33	.08	.01	–	–	–	1.47	–	.67	–	.27	21
22	–	.05	.39	.03	–	.14	–	–	–	.28	–	.61	22
23	.01	.25	.35	–	–	.08	–	–	.03	.17	.01	.19	23
24	–	.21	–	–	–	.39	–	.06	–	.82	–	.16	24
25	–	.09	.01	.16	–	.13	–	–	–	.04	–	.25	25
26	–	.03	–	.31	.05	–	.21	.01	–	.14	.06	.26	26
27	.01	.45	.22	.01	.02	–	–	.18	.12	–	.04	.16	27
28	–	.51	–	.53	–	–	–	.05	–	–	.03	.01	28
29	–		–	.16	–	.37	.01	.01	.23	.30	–	–	29
30	–		.01	.02	–	.02	–	–	–	.23	.01	.02	30
31	–		–		–		.02	–		.40		.01	31
Total	1.97	2.64	3.43	2.25	1.22	1.85	.24	2.58	1.35	3.53	4.77	8.36	TOTAL for year 34.19
No. of Rain Days.	13	17	21	16	9	12	3	11	7	18	23	29	179

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

Ex mL

FORM A.
BRITISH RAINFALL.

6 - JAN 1913

Kept at Sutton Court, Pensford
in the County of Somerset
by The Rt Hon Lord Strachie

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Clutton
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	–	–	.25	–	.01	.37	.20	–	.01	.69	–	.30	1
2	–	.02	.18	–	–	.11	.34	–	–	.01	.01	.01	2
3	.03	–	.10	.01	–	.21	.13	.81	.07	–	.03	.01	3
4	.39	–	1.25	–	.39	.25	–	.06	–	–	.16	–	4
5	.36	.06	.13	–	.04	.02	– ~~.16~~	.30	–	–	–	.15	5
6	.50	.12	–	–	.09	–	.15	.94	–	–	.01	.08	6
7	.02	.30	.16	–	.14	.63	–	.10	–	–	.01	.04	7
8	.37	.23	.45	.01	–	.15	.13	.41	–	–	–	.02	8
9	.04	.01	.31	.15	–	.06	.01	.07	–	–	.02	.50	9
10	.08	.11	–	–	–	.16	–	.09	–	–	.10	.10	10
11	.03	.07	–	–	–	–	–	–	–	–	.01	.52	11
12	.02	.72	.11	.10	–	–	.03	–	–	–	–	.14	12
13	.20	.01	.02	–	–	–	–	–	–	–	.02	.15	13
14	.07	–	.74	–	.28	–	–	.17	–	–	–	.04	14
15	.69	.04	.01	–	.21	.76	–	.05	–	–	–	.74	15
16	1.13	.01	.48	–	.06	.03	–	.18	–	.09	.05	.06	16
17	.16	–	.17	–	.03	.06	–	.79	–	–	.02	.14	17
18	.04	–	.78	–	–	–	–	.06	–	.19	.01	.16	18
19	.02	.09	.09	–	–	.02	.16	.34	–	.38	–	.01	19
20	.01	–	.45	–	.36	–	.07	.23	–	.66	.01	–	20
21	.76	.13	.45	–	.52	–	.05	.18	–	.27	–	–	21
22	.43	.41	.07	–	.20	.01	.04	.22	–	.04	.03	.12	22
23	.08	.60	.31	–	–	.05	–	.75	–	.11	.09	.45	23
24	–	.01	.08	–	–	.43	.02	.04	–	.05	–	.14	24
25	–	–	–	–	–	.27	–	.44	–	.07	.46	.52	25
26	–	.08	.01	–	–	–	.17	.19	–	.46	.62	.45	26
27	–	.03	–	–	–	.21	.90	–	–	.93	.05	.53	27
28	–	.12	–	–	–	.08	.40	.64	.09	.57	.37	.65	28
29	–	.16	–	–	–	.06	.42	.06	.45	.43	–	.05	29
30	–		–	–	–	.04	.21	–	.12	.53	–	.01	30
31	.02		.29		–		.25	.01		.01		.28	31
Total	5.45	3.33	6.89	.27	2.33	3.98	3.68	7.73	.74	5.49	2.08	6.37	YEAR'S TOTAL 48.34
Rain Days.	22	21	23	4	12	21	18	24	5	14	19	28	214

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.
12 JAN 1914

Kept at Sutton Court Pensford
in the County of Somerset
by the Rt. Hon Lord Strachie

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Clutton
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.18	.35	.09	.15	–	–	–	.35	–	.20	.20	1
2	.03	.18	.01	.15	.03	–	.04	–	.01	.27	.16	.01	2
3	.17	–	.21	.01	.38	–	–	–	–	.17	.01	.41	3
4	1.04	–	.10	–	.49	–	–	–	1.06	.14	.02	.13	4
5	.02	.08	–	–	.12	.33	.25	–	.36	–	.02	.10	5
6	.07	.07	.21	–	.08	.12	.01	–	–	.80	.08	.53	6
7	.01	.32	.04	–	.34	.26	.11	–	–	.41	.14	.01	7
8	–	.05	–	–	.28	.04	–	–	–	.07	–	.03	8
9	–	.13	.02	.01	.02	.18	–	.14	.08	–	.10	.02	9
10	.17	–	.04	.04	.03	–	.03	.07	–	.14	.11	–	10
11	.59	–	.04	.14	.14	.06	–	.01	–	.01	1.11	.03	11
12	.11	–	–	–	.18	–	.03	–	.01	–	.11	.03	12
13	.06	–	.05	–	–	–	.02	.05	.13	–	.20	–	13
14	.17	–	.32	.09	–	–	–	–	.03	.11	.23	.01	14
15	.13	.07	.50	.92	–	–	–	.04	.01	–	.26	.03	15
16	.24	–	.67	.07	–	–	.03	–	.22	–	.02	–	16
17	.05	.01	.02	.04	–	–	.07	–	–	–	.10	–	17
18	.07	–	.27	.21	–	.02	.01	–	–	–	.15	.01	18
19	.49	–	.02	–	.07	.06	.01	–	.27	–	–	–	19
20	.14	–	.10	.05	–	–	–	–	–	.10	.12	–	20
21	–	–	.22	.07	.24	–	.11	.04	–	–	.45	–	21
22	.72	–	.68	.06	.02	.05	–	–	.18	.02	–	–	22
23	–	–	–	–	–	.01	–	.24	.01	–	.08	.32	23
24	.13	.01	–	.02	–	–	–	.03	–	–	–	–	24
25	–	.09	–	.15	–	–	–	–	.01	.01	.02	.13	25
26	–	.04	–	.37	–	–	–	.24	–	.01	–	.21	26
27	.04	.01	.15	.36	–	–	–	–	–	.08	.01	.03	27
28	.19	–	.08	.33	–	–	–	–	–	.15	–	.13	28
29	.01		.69	.51	–	–	–	.11	–	.33	.02	–	29
30	.64		–	–	–	–	–	–	–	.47	.13	–	30
31	.14		.04		.01		–	.28		–		–	31
Total	5.44	1.24	4.83	3.69	2.58	1.13	.72	1.25	3.33	3.29	3.85	2.37	YEAR'S TOTAL 33.72
Rain Days.	25	13	23	20	16	10	12	11	14	17	24	19	204

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Sutton Court Pensford
in the County of Somerset
by The Rt Hon Lord Strachie

Lat. ______ Long. ______
Time of Observation 9 a.m
Nearest Railway Station Clutton
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	.09	–	.03	.47	.34	–	–	.05	.02	1
2	–	–	.01	.05	.01	–	.68	.06	–	–	.84	.45	2
3	.01	–	.10	.26	.29	–	.01	.39	–	–	.06	.20	3
4	.18	–	.33	.31	.21	–	.16	.15	–	–	.63	.60	4
5	.20	–	.22	.54	.09	–	.15	.01	–	–	.05	.21	5
6	.01	.09	.05	.25	.04	–	.16	.13	–	–	.06	.25	6
7	.01	.77	.23	.19	.38	.02	.40	.06	–	–	–	.11	7
8	.19	–	.92	.16	.01	.53	.02	.08	.37	–	–	.01	8
9	.25	–	.33	.25	.03	.75	–	.06	.13	–	–	–	9
10	.01	.17	.02	11	.02	–	–	–	.33	–	.02	.01	10
11	–	.09	.52	–	.17	.29	.23	–	–	–	.04	.43	11
12	–	.13	.07	–	–	–	–	–	.23	–	.07	.23	12
13	–	.33	.43	–	–	–	–	–	.23	.21	.12	.37	13
14	–	.33	.40	–	–	–	.02	.21	.03	.24	.31	–	14
15	–	.02	.23	–	–	–	–	.43	.02	.06	.17	–	15
16	–	–	–	–	–	–	.09	–	.30	–	–	–	16
17	–	.82	.22	–	–	–	–	–	.02	–	–	.99	17
18	–	.03	.05	–	–	–	.21	–	.02	–	–	.30	18
19	–	.16	.32	–	–	–	.97	–	–	–	.07	.09	19
20	–	.48	.15	–	–	.10	–	–	–	–	–	.28	20
21	–	.38	.01	–	–	.27	–	–	–	.24	–	.01	21
22	–	.02	.12	.02	.19	.32	–	.08	–	.14	–	–	22
23	–	.07	.28	–	.03	.03	.01	–	–	.17	–	–	23
24	–	–	.06	–	.02	–	.32	.01	–	.26	.11	–	24
25	.06	–	.12	–	–	–	.07	.32	–	.46	.01	.44	25
26	–	.01	.01	–	–	–	.13	.04	–	.09	.37	.63	26
27	.11	–	–	–	–	–	–	–	–	.09	.12	.22	27
28	–	.08	.15	–	.04	–	.01	–	–	.07	.54	1.04	28
29	.25	×	.05	–	.10	–	–	–	–	.14	.28	–	29
30	.01	×	.02	–	–	.01	–	–	–	.31	.36	.88	30
31	–	×	–	×	.01	×	.19	–	×	.27	×	.12	31
Total	1.29	3.98	5.42	2.23	1.64	2.35	4.30	2.37	1.68	2.75	4.28	7.89	YEAR'S TOTAL 40.18
Rain Days.	12	17	27	11	16	10	19	15	10	14	20	23	194

W. 8,000. X. 14.

Ex d L

2083

FORM A.
BRITISH RAINFALL

4. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Sutton Court Pensford

in the County of Somerset

by The Rt Hon Lord Strachie

Lat. .... Long. ....

Time of Observation 9 a.m

Nearest Railway Station Clutton

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. ...... in.

" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.31	.11	–	–	.11	–	–	.11	.23	.29	.01	.20	1
2	.43	.31	.10	.14	–	–	.01	.68	.10	.04	–	.28	2
3	.29	.09	.09	.20	.19	–	.02	.03	–	–	–	.28	3
4	.02	.01	–	–	.06	–	.43	–	–	–	–	.53	4
5	.14	.65	.01	.03	–	–	–	.06	–	–	–	.30	5
6	.31	.02	–	.33	–	–	.40	.06	–	–	–	.20	6
7	.50	.49	–	.06	.09	–	.30	.04	–	–	–	.20	7
8	.39	.32	–	.01	–	–	–	.11	–	–	.17	.01	8
9	.01	.08	–	.11	–	–	–	.03	–	–	.47	.90	9
10	.21	.02	.12	.05	–	–	–	.37	–	–	–	.05	10
11	.01	–	.06	.02	.01	–	–	.02	–	–	.91	.08	11
12	.13	.42	–	.16	.49	–	–	.27	–	.02	.39	.01	12
13	.02	.65	–	–	1.05	–	.02	.02	.13	–	.03	.01	13
14	.13	–	–	–	–	–	.13	.72	.03	.01	–	1.00	14
15	.48	.01	–	–	.11	–	.11	.40	.14	.03	.13	.03	15
16	–	1.39	–	–	.52	–	.89	.05	–	–	–	.08	16
17	–	.50	–	–	.48	–	–	–	–	–	–	.02	17
18	.01	.46	.01	–	.01	–	–	–	–	.01	–	–	18
19	.01	.03	–	–	.05	–	.40	–	–	–	–	–	19
20	.31	–	–	.07	–	–	–	–	–	.02	–	.13	20
21	.05	.03	–	–	.08	–	.01	–	–	.07	–	.17	21
22	.06	.30	.41	.04	–	.01	.64	–	.02	–	–	.27	22
23	–	.02	.14	–	–	–	.14	–	.08	1.24	–	.57	23
24	–	–	.01	.06	–	–	.47	–	.32	.79	–	.39	24
25	–	–	.02	–	–	.20	.14	–	–	.01	–	.32	25
26	–	.13	–	–	–	.04	.10	–	.01	–	–	.52	26
27	–	.02	–	–	–	.15	.33	–	–	.44	–	.01	27
28	–	25	.01	–	–	.03	–	–	.80	.04	–	–	28
29	–	–	–	–	–	.40	–	.02	.03	–	.11	.05	29
30	.35	X	–	.01	–	.08	–	–	–	.47	.24	.25	30
31	.02	X	–	X	–	X	.11	.31	X	1.01	X	.30	31
Total	4.19	6.31	.98	1.29	3.55	91	4.65	3.30	1.89	4.49	2.46	7.16	YEAR'S TOTAL 41.18
Rain Days.	22	23	11	14	13	7	18	14	11	15	9	28	188

W. 8,000. X. 15.

ex:JS

2027

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Sutton Court Pensford
in the County of Somerset
by The Rt Hon Lord Strachie

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Clutton
Diameter of Funnel of Rain Gauge 12 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.10	—	—	—	.20	.12	.29	—	.04	.34	.18	—	1
2	.91	.10	.04	—	.05	.01	.06	—	.01	.78	.07	—	2
3	—	1.32	—	—	.15	.06	—	—	.16	.43	.17	—	3
4	.36	.04	—	.01	.20	.14	—	—	.32	.20	.57	—	4
5	.02	.01	.02	—	.21	.12	—	—	—	.01	.22	—	5
6	.15	.27	.01	—	.31	.32	.33	—	—	.13	.66	—	6
7	.04	.14	.25	—	.01	—	—	—	—	.16	.83	.16	7
8	—	.17	.05	—	.27	.01	—	—	—	—	.09	.13	8
9	—	.02	—	—	.07	.31	.04	—	—	.06	.03	.04	9
10	—	.48	.04	.14	.03	.03	—	—	—	.05	.01	.07	10
11	.01	.01	.02	.15	.03	.18	—	—	.03	—	—	—	11
12	.05	.13	.06	.08	.24	—	.15	.13	—	.16	—	—	12
13	—	.54	.15	—	—	—	—	.18	—	.01	.01	—	13
14	—	.59	.06	.17	.25	—	—	.22	—	.02	—	—	14
15	.02	.22	11	.04	.05	—	—	.32	—	.01	—	—	15
16	.03	.08	—	.30	.04	—	.02	.79	—	.02	—	—	16
17	.12	.18	—	.06	—	—	—	.13	.61	.33	.10	—	17
18	—	.03	.15	.02	—	—	—	—	.03	.10	.32	.08	18
19	.23	—	.41	.40	—	—	—	—	—	—	.11	.01	19
20	.27	.07	.58	.03	—	—	—	—	—	—	.12	.94	20
21	.26	.05	.72	—	.17	—	—	—	—	—	—	.52	21
22	.01	—	—	.01	—	.09	—	—	—	.33	.03	.73	22
23	.03	.37	—	.08	—	.01	—	.28	—	.07	.30	.18	23
24	—	.14	—	.11	1.29	.01	—	.03	—	.52	.01	.30	24
25	—	.46	.19	—	.01	.02	—	.30	—	.02	.28	.10	25
26	.02	.07	.14	—	—	.25	—	.87	.53	.40	.02	.02	26
27	.13	.07	1.84	—	.01	.01	—	.31	.38	.31	—	.01	27
28	—	.26	.04	—	—	.43	—	.03	.09	1.00	—	.54	28
29	—	.33	.12	—	—	.27	—	2.08	.07	.67	—	.77	29
30	—		—	—	—	—	—	—	—	.37	—	.02	30
31	—		—		—		—	.07		.22		.09	31
Total	2.76	6.15	5.00	1.60	3.59	2.39	.89	5.74	2.27	6.72	4.13	4.71	YEAR'S TOTAL 45.95
Rain Days.	18	26	20	14	19	18	6	14	11	26	20	18	210

W. 8,000, VIII. 16

1936

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL
2 JAN. 1918

Kept at Sutton Court Pensford

in the County of Somerset

by The Rt Hon Lord Strachie

Lat. ______ Long. ______

Time of Observation 9 a m

Nearest Railway Station Clutton.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.01	.18	.35	—	.18	—	.93	.57	—	.08	—	1
2	.02	—	—	.01	—	.10	—	.10	—	—	.03	—	2
3	.05	—	—	.02	—	—	.25	.01	—	.83	.03	—	3
4	—	.14	.14	—	—	—	.10	.11	.01	.18	—	—	4
5	.23	—	.23	.30	—	.22	—	—	.58	.38	.14	—	5
6	—	—	.57	—	—	—	—	—	—	.10	.30	.01	6
7	.22	—	—	—	—	—	.18	.37	—	.21	.01	.02	7
8	.27	—	.18	.13	—	—	.57	.65	.04	.52	.10	.05	8
9	—	—	.06	.05	.10	—	.01	.20	.07	.23	.15	—	9
10	.07	—	.25	.19	—	—	—	.14	.19	.02	—	.01	10
11	.03	.01	.61	.20	—	—	—	.33	.02	.20	.01	—	11
12	.02	—	.01	—	.28	—	—	.30	—	.77	.01	.01	12
13	—	—	.11	.02	—	.04	—	.22	.14	.04	—	.01	13
14	—	—	.23	.11	—	—	.01	1.12	.03	.02	—	—	14
15	.01	—	—	—	—	—	.17	.01	—	.17	—	.18	15
16	.01	.07	—	.36	.04	.07	.11	—	—	.34	—	.09	16
17	—	.02	—	.27	.14	—	.47	.13	.77	.10	.01	—	17
18	.02	.01	—	—	.01	.04	.49	.03	.69	.01	.01	—	18
19	.01	.37	.06	—	—	.01	—	.03	.06	—	.03	.01	19
20	.02	.13	.05	—	.46	.10	—	—	.03	—	.01	—	20
21	—	.02	.42	—	—	.01	—	.01	—	.01	—	—	21
22	.01	—	.04	—	—	.05	—	.13	—	.05	—	—	22
23	—	.11	—	—	.09	—	—	.50	—	—	.02	.02	23
24	—	.01	.01	—	—	.54	.05	.32	—	.12	.02	—	24
25	—	.08	.03	—	—	.02	—	.02	.01	.67	.01	—	25
26	—	—	—	—	.11	—	—	.73	.20	.28	.03	—	26
27	—	—	—	—	1.06	.03	—	1.46	—	.01	.01	—	27
28	—	—	.06	—	—	2.62	—	.88	—	—	.04	.02	28
29	—		.05	—	—	.27	.05	.08	—	.92	.02	.19	29
30	—	X	.06	—	—	—	.10	.22	—	.41	—	.01	30
31	—	X	.21	X	—	X	.01	.21	X	.05	X	.05	31
Total	1.00	.98	3.56	2.01	2.29	4.30	2.57	9.24	3.41	6.54	1.07	.68	YEAR'S TOTAL 37.65
Rain Days.	15	12	21	12	9	15	14	27	15	25	21	14	200

W. 8,000, IX. 17.

110

[illegible] 20

FORM A. BRITISH RAINFALL. 4 : 1 : 19

REGISTER OF RAINFALL IN 1918

Kept at Sutton Court, Pensford
in the County of Somerset
by The Rt. Hon Lord Strachie
per E. F. Hiett

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Pensford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·49

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·02	—	·06	·03	—	—	·20	—	·03	·57	·02	1
2	—	·06	—	·12	—	—	—	·60	—	·02	·08	·48	2
3	—	·05	·01	·14	·10	—	—	·04	·12	·09	·03	—	3
4	—	·06	—	·04	—	—	—	—	—	·06	·83	·12	4
5	—	—	—	·10	·18	—	—	·02	·06	·26	·03	·11	5
6	·14	·68	—	·30	—	—	—	·24	·09	·08	·01	·01	6
7	·04	·20	—	·02	·72	—	—	—	·38	·33	·49	·01	7
8	·03	·01	—	—	—	—	—	—	1·05	·26	—	·02	8
9	— ·04	·23	—	·38	—	·31	·61	—	·80	·06	·02	·19	9
10	·15	—	—	·25	—	—	·49	—	·31	·14	·01	·43	10
11	·23	·16	·02	·02	—	—	1·64	—	·39	·12	·07	·22	11
12	1·25	·16	·23	—	·26	—	·14	—	·08	—	—	·07	12
13	·40	—	—	—	·02	—	·47	—	·35	·02	·01	·30	13
14	·33	—	·05	—	—	·06	·24	—	·30	·08	—	·25	14
15	1·05	—	—	·45	·05	·15	·08	—	—	—	·01	·29	15
16	·04	—	·03	·69	—	·01	·07	—	·30	·01	—	·25	16
17	·04	—	·02	·16	—	—	·18	·15	·06	·02	—	·32	17
18	·03	—	—	—	—	·77	·17	—	·24	·02	—	·27	18
19	—	—	·11	·01	—	·02	·07	·08	·92	·03	·01	·08	19
20	·15	·19	—	·10	—	—	·58	—	·24	·05	—	—	20
21	—	·04	—	—	—	—	·10	—	1·05	·03	·01	·10	21
22	—	·01	—	—	—	·01	·32	—	·44	·05	·01	·49	22
23	—	—	—	—	·23	—	·52	·01	·03	—	·01	·01	23
24	—	·16	—	—	—	—	·12	·02	·12	—	·04	—	24
25	—	—	—	—	—	—	·13	·77	—	·02	·01	·02	25
26	—	—	—	·08	—	—	·47	·01	·39	·06	·10	·36	26
27	—	·04	·02	—	—	—	—	·24	·12	—	·10	·03	27
28	—	·14	·22	·02	—	—	—	—	—	—	·20	·22	28
29	—		·03	—	—	—	—	—	1·03	—	·01	·03	29
30	—	✕	·27	—	—	—	—	·03	·08	·03	·05	·12	30
31	—	✕	·21	✕	—	✕	—	—	✕	·04	✕	—	31
Total	3·92	2·21	1·22	2·94	1·59	1·33	6·40	2·41	8·95	1·91	2·71	4·82	YEAR'S TOTAL 40·41
Rain Days.	14	16	12	17	8	7	18	13	24	24	23	27	203

W. 6,500. VII. 18. W W C

No other application required

1810

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

5 JUN 20

REGISTER OF RAINFALL IN 1919.

Kept at Sutton Court Pensford

in the County of Somerset

by Lord Strachie per E. G. Hiett

Lat. ………… Long. …………

Time of Observation 9 a.m.

Nearest Railway Station Pensford

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·03

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·49	·02	·06	·10	·32	—	·45	—	·03	·27	—	1·18	1
2	·11	—	·01	—	·01	—	·15	—	·09	—	·06	·26	2
3	·33	—	·24	—	·07	—	·01	—	·10	—	—	·75	3
4	·10	·03	·43	—	·03	·06	·01	·04	·28	—	—	·08	4
5	·19	·45	·67	—	·07	—	·01	—	·43	—	·03	·45	5
6	·40	·09	·22	·05	—	—	—	—	—	—	—	·21 ~~·05~~	6
7	·16	—	·45	—	—	—	—	—	—	—	—	·04	7
8	·24	—	·14	—	—	—	—	—	—	—	—	—	8
9	·15	—	·04	·07	—	—	—	—	—	—	·15	·32	9
10	·03	—	·24	·02	·02	—	—	—	—	—	—	·06	10
11	·04	—	·27	·18	—	—	·33	—	—	·06	—	·17	11
12	·04	—	·07	·02	·17	·24	·01	—	—	·06	·09	—	12
13	·11	—	·01	·44	—	—	·02	—	·01	—	—	·07	13
14	·76	·10	—	·57	—	—	·16	—	·02	·08	—	·15	14
15	·39	·02	—	·02	—	—	—	—	·06	·05	—	·28	15
16	·22	1·01	—	—	—	·01	—	—	—	—	·08	—	16
17	—	·20	—	·01	—	—	—	·03	—	—	·27	·02	17
18	·02	·03	·45	—	—	·05	·12	·38	·02	—	·04	·03	18
19	·22	·20	1·05	—	—	·18	·90	·40	·17	—	·35	·10	19
20	·34	·11	·22	—	—	—	—	·19	—	—	—	·71	20
21	·02	·54	·01	—	—	—	·20	—	·04	—	·02	·09	21
22	—	·23	—	—	—	—	·07	—	·01	—	—	·33	22
23	—	—	—	—	—	—	—	—	·17	·65	·19	·04	23
24	—	—	—	·04	—	·07	—	—	·03	1·09	—	·48	24
25	·05	—	—	—	—	·03	—	·74	·01	—	—	·14	25
26	·19	·05	·15	·04	—	—	—	·24	·19	—	—	·72	26
27	·05	—	·02	·41	—	·01	—	·62	—	—	—	·04	27
28	·02	—	·37	—	—	—	—	·31	—	—	·55	·32	28
29	·03	—	—	·09	—	·01	—	·02	—	·11	·07	·05	29
30	—		·02	·18	—	·14	—	·34	—	·03	·41	·66	30
31	—		—		—		—	—		—		·14	31
TOTAL	5·0	3·08	5·14	2·24	·69	·80	2·44	3·31	1·66	2·40	2·31	4·62	YEAR'S TOTAL 36·69
Days with ·01 in. or more	25	14	21	15	4	10	13	11	16	9	13	28	182

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1728

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Sutton Court Pensford
in the County of Somerset
by The Rt: Hon: Lord Strachie

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Pensford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·28

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	—	·27	·33	—	·22	—	—	·32	·23	·27	1
2	·10	—	—	·09	—	—	·33	·22	·07	·36	—	·29	2
3	·04	—	—	·14	—	—	·98	—	·09	·21	—	—	3
4	—	—	·06	·05	—	—	·14	·64	·02	·54	—	—	4
5	·03	—	·05	·01	·18	—	·20	·02	—	·13	—	—	5
6	—	·13	·36	·01	·32	—	·38	—	—	·09	—	—	6
7	·03	—	—	·07	—	—	·16	—	—	—	·03	—	7
8	·44	—	—	·43	·11	—	·19	—	—	·01	—	—	8
9	1·11	·01	·07	·99	—	—	·28	·07	·01	—	—	—	9
10	·48	—	—	·03	—	·04	·40	—	—	—	—	—	10
11	·18	·07	·03	·51	·38	·28	·10	—	—	—	—	—	11
12	·02	·14	·06	·11	·01	·04	—	—	—	—	·12	—	12
13	·24	·40	—	·11	—	·62	—	—	—	—	—	·05	13
14	·02	—	·28	·63	—	—	—	—	—	·18	·34	—	14
15	—	·04	·51	·81	·07	·02	—	—	·10	·42	·13	—	15
16	·02	·11	·03	·11	·05	·10	—	—	·13	·06	·51	—	16
17	·10	·02	·01	·78	·32	1·15	·49	—	·12	—	—	—	17
18	·07	·14	·04	·25	·17	—	—	—	·36	—	—	—	18
19	·04	—	—	·78	·11	·12	—	·44	·14	—	—	—	19
20	·03	—	—	—	—	·31	—	—	—	—	—	·04	20
21	—	·01	—	·39	—	—	·06	—	·01	·01	—	—	21
22	·02	·16	—	·24	—	—	·12	—	·01	—	—	—	22
23	—	·17	—	—	—	—	1·22	·13	·01	—	—	·01	23
24	·06	—	·27	·09	—	—	—	·03	—	—	·12	·23	24
25	·02	·09	·13	·05	·23	—	·31	—	—	—	—	·09	25
26	·38	—	·30	—	—	·02	·04	—	—	—	·05	·05	26
27	1·04	—	·06	—	—	·79	—	—	—	—	·02	·26	27
28	·30	·04	·13	·10	·27	·07	·10	—	—	—	—	·01	28
29	·04	—	·25	—	·07	·11	·06	—	—	—	·29	·37	29
30	·33		—	·03	—	·10	·26	—	—	—	·40	·29	30
31	—		·28		—		—	—		·41		·28	31
TOTAL	5·17	1·53	2·92	4·08	2·62	3·77	6·04	1·55	1·07	3·04	2·24	2·24	YEAR'S TOTAL 39·27 ✓
Days with ·01 in. or more	25	14	18	25	14	14	20	7	12	12	11	13	185 ✓
Days with ·04 in. or more	16	11	15	21	13	12	20	5	7	10	9	11	150 ✓

FORM A2.
BRITISH RAINFALL.

12 MAR 1912

SUTTON MONTIS
RECTORY
SOMERSET

1911

REGIST

Kept at Sutton Montis Rec

in the County of Somerset

by Rev W J Beck (HA

in.
Ground ft. in.
Sea Level ft.

Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04		~~.02~~										1
2	.02												2
3													3
4			~~.10~~										4
5	.02		~~.02~~										5
6	.18		~~.08~~										6
7	.03												7
8	.03		~~.15~~										8
9	.20		~~.02~~										9
10	.13	.05	~~.10~~										10
11	.35												11
12		.04	~~.71~~										12
13													13
14		.09											14
15		.07	~~.01~~										15
16													16
17		.04	~~.04~~										17
18		.19	~~.11~~										18
19		.11											19
20	.04	.07	~~.13~~										20
21	.02	.12	~~.03~~										21
22	.10	.03	~~.20~~										22
23		.06											23
24	.02	.14											24
25	.01	.08											25
26		.08											26
27		.28	~~.09~~										27
28		.38											28
29													29
30													30
31													31
Total	1.19	1.83	~~1.83~~										TOTAL for year
No. of Rain Days.	14	16	~~15~~										

W. 8,000, X. '11.

FORM A2. BRITISH RAINFALL.

12 MAR 1912

f

REGISTER OF RAINFALL IN 191

Ly R

Kept at Sutton Montis Rec Sparksford

in the County of Somerset 3

by Rev W. J. Beck (H A Boys)

Rain Gauge	Pattern	
	Diameter of top	in.
	Height of top above Ground	ft. in.
	,, ,, ,, Sea Level	ft.

Time of Observation

Nearest Railway Station: Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04		~~.04~~										1
2	.02												2
3													3
4			~~.10~~										4
5	.02		~~.02~~										5
6	.18		~~.08~~										6
7	.03												7
8	.03		~~.15~~										8
9	.20		~~.02~~										9
10	.13	.05	~~.10~~										10
11	.35												11
12		.04	~~.71~~										12
13													13
14		.09											14
15		.07	~~.01~~										15
16													16
17		.04	~~.04~~										17
18		.19	~~.11~~										18
19		.11											19
20	.04	.07	~~.13~~										20
21	.02	.12	~~.03~~										21
22	.10	.03	~~.20~~										22
23		.06											23
24	.02	.14											24
25	.01	.08											25
26		.08											26
27		.28	~~.09~~										27
28		.38											28
29													29
30													30
31													31
Total	1.19	1.83	~~1.83~~										TOTAL for year
No. of Rain Days.	14	16	~~15~~										

W. 8,000, X. '11.

TAUNTON

BLAGDON HILL

RESERVOIR

SOMERSET

1911 - 1920

FORM A2.
BRITISH RAINFALL.

6 MAY 1912

6.V.12
30.V.12

R

Kept at ~~Blagdon~~ stet

in the County of

by

in.

round 1 ft. in.

ea Level 525 ft.

ame Taunton

istance 6 Direction S.

IMPORTANT NOT … ne result entered to the previous day. If an Ob … sal rule, he is earnestly requested to add the rea … r in the space provided for it at the end of thi … nt of rain, the selection and placi … sh Rainfall Organization are given in … plication to Dr. H. R. Mill, 62, Cam

Jan. 1, following. 0·00.

Date	Jan.	Feb.	March							t.	Nov.	Dec.	Date.
1	0·00	0·00	0·30	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·06	0·24	1
2	0·00	0·00	0·00	0·13	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·05	2
3	0·00	0·00	0·04	0·11	0·27	0·00	0·00	0·40	0·00	0·13	0·25	0·40	3
4	0·00	0·00	0·00	0·00	0·24	0·00	0·00	0·00	0·00	0·00	0·17	0·09	4
5	0·00	0·00	0·12	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·13	0·53	5
6	0·23	0·00	0·15	0·00	0·00	0·00	0·00	1·12	0·00	0·09	0·15	0·00	6
7	0·40	0·00	0·23	0·00	0·00	0·00	0·00	0·00	0·00	0·06	0·13	0·78	7
8	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·57	0·00	8
9	0·00	0·00	0·17	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·05	0·79	9
10	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·26	0·74	10
11	0·00	0·00	0·59	0·00	0·64	0·00	0·00	0·00	0·00	0·00	0·00	0·40	11
12	0·20	0·00	0·08	0·00	0·04	0·00	0·00	0·00	0·00	0·00	0·45	0·14	12
13	0·00	0·00	0·76	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·27	0·53	13
14	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·21	0·00	0·00	0·70	14
15	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	1·59	15
16	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·36	0·06	16
17	0·00	0·00	0·00	0·00	0·00	0·28	0·00	0·00	0·00	0·00	0·51	0·45	17
18	0·00	0·00	0·21	0·00	0·00	0·12	0·00	0·00	0·00	0·00	0·17	0·87	18
19	0·00	0·42	0·08	0·41	0·00	0·32	0·00	0·00	0·00	0·16	0·09	0·82	19
20	0·00	0·07	0·00	0·06	0·00	0·00	0·00	0·00	0·30	0·20	0·06	0·58	20
21	0·00	0·06	0·12	0·09	0·00	0·00	0·00	0·00	0·07	0·16	0·00	0·95	21
22	0·00	0·21	0·00	0·00	0·00	0·00	0·00	0·00	0·09	0·30	0·00	0·14	22
23	0·00	0·06	0·06	0·00	0·00	0·00	0·00	0·00	0·06	0·35	0·06	0·46	23
24	0·00	0·19	0·06	0·00	0·00	0·37	0·00	0·00	0·05	0·19	0·00	0·15	24
25	0·00	0·23	0·00	0·00	0·00	0·48	0·00	0·11	0·00	0·35	0·00	0·19	25
26	0·00	0·08	0·00	0·12	0·00	0·10	0·00	0·00	0·00	0·12	0·00	0·16	26
27	0·00	0·07	0·00	0·33	0·10	0·00	0·00	0·00	0·00	0·08	0·10	0·23	27
28	0·00	0·08	0·14	0·10	0·48	0·00	0·00	0·00	0·00	0·51	0·00	0·08	28
29	0·00		0·00	0·45	0·00	0·00	0·00	0·14	0·00	0·00	0·12	0·00	29
30	0·00		0·00	0·00	0·00	0·27	0·18	0·00	0·00	0·23	0·24	0·00	30
31	0·00		0·00		0·00		0·00	0·00		0·10		0·00	31
Total	~~0·83~~	~~1·43~~ ·30	~~3·11~~	~~1·80~~	~~1·77~~	~~1·94~~	~~0·18~~	~~1·77~~	~~0·78~~	~~3·03~~ ·06	~~4·20~~ ·34	~~12·72~~	TOTAL for year 33·00
No. of Rain Days.	3	10	15	9	6	7	1	4	6	15	20	25	122
W. 8,000, X. '11. ·83	1·77	2·81	1·80	1·77	1·94	·18	1·77	·78	3·09	4·38	11·88	33·00	

Taunton

written 6.V.12
ackd 30.V.12

R

FORM A2.
BRITISH RAINFALL.

6 MAY 1912

Kept at ~~Blagdon~~ ~~[illegible]~~ Hills ?
stet
in the County of Somerset 3
by R. Moles. Waterworks Manager

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 525 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Taunton
Distance 6 Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0·00.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·00	0·00	0·30	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·06	0·24	1
2	0·00	0·00	0·00	0·13	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·05	2
3	0·00	0·00	0·04	0·11	0·27	0·00	0·00	0·40	0·00	0·13	0·25	0·40	3
4	0·00	0·00	0·00	0·00	0·24	0·00	0·00	0·00	0·00	0·00	0·17	0·09	4
5	0·00	0·00	0·12	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·13	0·53	5
6	0·23	0·00	0·15	0·00	0·00	0·00	0·00	1·12	0·00	0·09	0·15	0·00	6
7	0·40	0·00	0·23	0·00	0·00	0·00	0·00	0·00	0·00	0·06	0·13	0·78	7
8	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·57	0·00	8
9	0·00	0·00	0·17	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·05	0·79	9
10	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·26	0·74	10
11	0·00	0·00	0·59	0·00	0·64	0·00	0·00	0·00	0·00	0·00	0·00	0·40	11
12	0·20	0·00	0·08	0·00	0·04	0·00	0·00	0·00	0·00	0·00	0·45	0·14	12
13	0·00	0·00	0·76	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·27	0·53	13
14	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·21	0·00	0·00	0·70	14
15	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	1·59	15
16	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·36	0·06	16
17	0·00	0·00	0·00	0·00	0·00	0·28	0·00	0·00	0·00	0·00	0·51	0·45	17
18	0·00	0·00	0·21	0·00	0·00	0·12	0·00	0·00	0·00	0·00	0·17	0·87	18
19	0·00	0·42	0·08	0·41	0·00	0·32	0·00	0·00	0·00	0·16	0·09	0·82	19
20	0·00	0·07	0·00	0·06	0·00	0·00	0·00	0·00	0·30	0·20	0·06	0·58	20
21	0·00	0·06	0·12	0·09	0·00	0·00	0·00	0·00	0·07	0·16	0·00	0·95	21
22	0·00	0·21	0·00	0·00	0·00	0·00	0·00	0·00	0·09	0·30	0·00	0·14	22
23	0·00	0·06	0·06	0·00	0·00	0·00	0·00	0·00	0·06	0·35	0·06	0·46	23
24	0·00	0·19	0·06	0·00	0·00	0·37	0·00	0·00	0·05	0·19	0·00	0·15	24
25	0·00	0·23	0·00	0·00	0·00	0·48	0·00	0·11	0·00	0·35	0·00	0·19	25
26	0·00	0·08	0·00	0·12	0·00	0·10	0·00	0·00	0·00	0·12	0·00	0·16	26
27	0·00	0·07	0·00	0·33	0·10	0·00	0·00	0·00	0·00	0·08	0·10	0·23	27
28	0·00	0·08	0·14	0·10	0·48	0·00	0·00	0·00	0·00	0·51	0·00	0·08	28
29	0·00		0·00	0·45	0·00	0·00	0·00	0·14	0·00	0·00	0·12	0·00	29
30	0·00		0·00	0·00	0·00	0·27	0·18	0·00	0·00	0·23	0·24	0·00	30
31	0·00		0·00		0·00		0·00	0·00		0·10		0·00	31
Total	~~0·83~~	·30 ~~1·47~~	~~3·11~~	~~1·80~~	~~1·77~~	~~1·94~~	~~0·18~~	~~1·77~~	~~0·78~~	·06 ~~3·03~~	·34 ~~4·20~~	~~12·72~~	TOTAL for year 33·00
No. of Rain Days.	3	10	15	9	6	7	1	4	6	15	20	25	122
W. 8,000, X. '11.	·83	1·77	2·81	1·80	1·77	1·94	·18	1·77	·78	3·09	4·38	11·88	33·00

FORM A.
BRITISH RAINFALL.

6 - JAN 1913

REGISTER ^Ex M L^ OF RAINFALL IN 1912

Kept at Blagdon Reservoir,

in the County of Somerset 3

by H. T. Coles.

Lat. Long.

Time of Observation 9.0 a.m.

Nearest Railway Station Taunton.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 590. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. Results in each case entered to previous day

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.00	0.00	0.20	0.00	0.00	0.94	0.05	0.14	0.08	0.72	0.00	0.40	1
2	0.00	0.00	0.24	0.00	0.03	0.07	0.13	0.11	0.00	0.04	0.04	0.00	2
3	0.00	0.00	0.11	0.00	0.05	0.34	0.30	0.70	0.00	0.00	0.00	0.00	3
4	0.16	0.00	1.15	0.00	0.06	0.34	0.00	0.12	0.00	0.00	0.16	0.00	4
5	0.48	0.08	0.20	0.00	0.04	0.12	0.00	0.64	0.00	0.00	0.00	0.12	5
6	0.45	0.20	0.07	0.00	0.21	0.10	0.20	1.12	0.00	0.00	0.00	0.06	6
7	0.00	0.71	0.25	0.00	0.07	0.85	0.00	0.23	0.00	0.00	0.00	0.16	7
8	0.46	0.33	0.43	0.00	0.00	0.21	0.06	0.08	0.00	0.00	0.00	0.04	8
9	0.08	0.06	0.00	0.11	0.00	0.29	0.03	0.00	0.00	0.00	0.00	0.45	9
10	0.10	0.17	0.00	0.00	0.00	0.00	0.00	0.07	0.04	0.00	0.04	0.19	10
11	0.08	0.12	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.45	11
12	0.00	0.00	0.08	0.00	0.03	0.03	0.03	0.10	0.00	0.00	0.00	0.07	12
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.23	13
14	0.00	0.00	0.80	0.00	0.24	0.00	0.00	0.03	0.00	0.00	0.00	0.13	14
15	0.51	0.06	0.00	0.00	0.51	0.63	0.00	0.00	0.00	0.00	0.00	0.40	15
16	0.00	0.00	0.28	0.00	0.04	0.07	0.00	0.06	0.00	0.06	0.14	0.11	16
17	0.14	0.00	0.30	0.00	0.00	0.04	0.00	0.46	0.00	0.00	0.03	0.08	17
18	0.11	0.00	0.41	0.00	0.00	0.00	0.00	0.33	0.00	0.00	0.00	0.05	18
19	0.13	0.06	0.10	0.00	0.00	0.06	0.12	0.17	0.00	0.00	0.00	0.00	19
20	0.15	0.00	0.45	0.00	0.00	0.00	0.04	0.15	0.00	0.54	0.00	0.00	20
21	0.00	0.10	0.15	0.00	0.35	0.00	0.00	0.22	0.00	0.16	0.00	0.00	21
22	0.34	0.26	0.07	0.00	0.19	0.00	0.07	0.10	0.00	0.14	0.05	0.07	22
23	0.53	0.56	0.21	0.00	0.00	0.06	0.00	0.65	0.00	0.17	0.08	0.38	23
24	0.23	0.00	0.00	0.00	0.00	0.30	0.00	0.04	0.00	0.05	0.00	0.28	24
25	0.07	0.00	0.00	0.00	0.00	0.15	0.00	0.40	0.00	0.12	0.30	0.64	25
26	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.30	0.00	0.23	0.59	0.23	26
27	0.00	0.00	0.00	0.00	0.00	0.00	0.82	0.00	0.00	1.46	0.05	0.42	27
28	0.00	0.12	0.00	0.00	0.00	0.18	0.28	0.52	0.28	0.36	0.58	0.52	28
29	0.00	0.47	0.00	0.00	0.00	0.08	0.17	0.13	0.64	0.54	0.00	0.07	29
30	0.00		0.00	0.00	0.00	0.29	0.14	0.00	0.20	0.22	0.00	0.00	30
31	0.00		0.31		0.00		0.28	0.00		0.07		0.09	31 √
Total	4.02	3.37	5.89	0.11	1.82	5.15	2.72	7.21	1.24	4.88	2.13	5.64	YEAR'S TOTAL 44.18
Rain Days.	16	15	20	1	12	20	15	25	5	15	12	24	180 √

W. 7,500, XI. 12

√

? Jan 4 2 days late : Written 27·III·14

Corr 2 days late 6. IV. 14 Exd by obr.

REGISTER OF RAINFALL IN 1913

Kept at Blagdon Reservoir,

in the County of Somerset, 3

by A. Y. Yolse Waterworks Manager.

Lat. Long.

Time of Observation 9.0 a.m.

Nearest Railway Station Taunton

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 590 ft.

FORM A. BRITISH RAINFALL.

6- JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.00 ·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.00	0.50	0.00	0.00	0.36	0.00	0.00	0.00	0.00	0.00	0.62	0.05	1
2	0.09	0.16	0.00	0.08	0.36	0.00	0.00	0.00	1.09	0.00	0.00	0.00	2
3	0.00	0.22	0.27	0.04	0.51	0.00	0.00	0.00	0.14	0.00	0.11	0.07	3
4	0.31	0.19	0.00	0.08	0.08	0.00	0.00	0.00	0.04	0.12	0.21	0.00	4
5	0.40	0.00	0.18	0.05	0.10	0.00	0.00	0.00	0.19	0.26	0.00	0.29	5
6	0.15	0.00	0.05	0.00	0.21	0.00	0.00	0.00	0.17	0.09	0.04	0.20	6
7	0.10	0.04	0.00	0.00	0.15	0.22	0.02	0.00	0.00	0.00	0.08	0.21	7
8	0.06	0.03	0.16	0.00	0.07	0.08	0.06	0.00	0.00	0.83	0.10	0.29	8
9	0.03	0.44	0.03	0.00	0.66	0.06	0.12	0.00	0.00	0.47	0.20	0.00	9
10	0.04	0.07	0.00	0.00	0.59	0.00	0.00	0.00	0.03	0.00	0.00	0.00	10
11	0.00	0.05	0.00	0.04	0.17	0.19	0.52	0.08	0.00	0.00	0.48	0.02	11
12	0.85	0.00	0.00	0.00	0.06	0.00	0.00	0.02	0.00	0.60	0.11	0.00	12
13	0.00	0.00	0.00	0.06	0.30	0.00	0.00	0.03	0.00	0.05	1.38	0.00	13
14	0.06	0.00	0.00	0.00	0.25	0.04	0.00	0.00	0.03	0.00	0.25	0.00	14
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.16	0.43	0.00	0.09	0.00	15
16	0.55	0.00	0.17	0.00	0.03	0.00	0.00	0.00	0.00	0.02	0.13	0.00	16
17	0.40	0.00	0.36	0.82	0.00	0.00	0.00	0.00	0.06	0.00	0.04	0.00	17
18	0.15	0.00	0.56	0.04	0.00	0.00	0.00	0.16	0.20	0.00	0.00	0.00	18
19	0.05	0.00	0.04	0.08	0.00	0.00	0.02	0.00	0.00	0.00	0.05	0.00	19
20	0.21	0.00	0.42	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.00	20
21	0.55	0.00	0.19	0.00	0.00	0.06	0.00	0.00	0.40	0.03	0.00	0.00	21
22	0.23	0.00	0.09	0.09	0.00	0.05	0.00	0.00	0.00	0.06	0.40	0.00	22
23	0.00	0.00	0.54	0.07	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	23
24	0.59	0.00	0.64	0.11	0.00	0.04	0.04	0.02	0.09	0.00	0.07	0.09	24
25	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.02	0.69	25
26	0.00	0.10	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	26
27	0.00	0.07	0.00	0.34	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	27
28	0.00	0.00	0.00	1.44	0.00	0.00	0.00	0.14	0.05	0.02	0.00	0.24	28
29	0.04	–	0.37	0.49	0.00	0.00	0.00	0.00	0.00	0.19	0.00	0.06	29
30	0.16	–	0.04	0.30	0.00	0.00	0.00	0.00	0.00	0.69	0.00	0.04	30
31	0.10		0.80	·36 ~~·36~~	–	–	0.00	0.13	–	0.26	·05	0.11	31
Total	·58 ~~5.15~~	~~1.87~~	·08 ~~4.91~~	~~4.30~~	~~4.02~~	~~0.74~~	~~0.78~~	1.09 ~~0.80~~	2.92	·62 ~~3.69~~	~~4.48~~	~~2.36~~	YEAR'S TOTAL ~~36.02~~
Rain Days.	23 23	~~11~~ 9	~~17~~ 18	~~18~~ 19	~~16~~ 14	8	6	~~9~~ 10	~~13~~ 12	~~14~~ 15	20	~~13~~ 12	~~167~~ 166
	6.72	1.21	4.99	4.94	3.30	·74	·78	1.89	1.83	4.31	3.91	2.31	36.93

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Exo 8 L

REGISTER OF RAINFALL IN 1914

Kept at Blagdon Reservoir,
in the County of Somerset, 3
by H. J. Coles.

Lat. ____ Long. ____
Time of Observation 9 a.m.
Nearest Railway Station Taunton
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 590 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.00	0.00	0.00	0.05	0.00	0.03	0.27	0.53	0.00	0.00	0.43	0.09	1
2	0.00	0.00	0.00	0.11	0.00	0.03	0.50	0.00	0.00	0.00	0.33	0.57	2
3	0.05	0.00	0.08	0.17	0.41	0.00	0.00	0.19	0.00	0.00	0.09	0.17	3
4	0.13	0.00	0.04	0.21	0.15	0.00	0.20	0.18	0.00	0.00	0.74	0.61	4
5	0.06	0.00	0.05	0.48	0.07	0.00	0.08	0.00	0.00	0.00	0.00	0.08	5
6	0.00	0.15	0.03	0.12	0.03	0.00	0.48	0.03	0.00	0.00	0.08	0.39	6
7	0.00	1.12	0.16	0.10	0.13	0.04	0.28	0.00	0.05	0.00	0.00	0.15	7
8	0.04	0.00	1.30	0.03	0.08	0.42	0.00	0.00	0.00	0.00	0.00	0.05	8
9	0.05	0.00	0.38	0.25	0.00	0.60	0.00	0.00	0.96	0.00	0.00	0.00	9
10	0.00	0.21	0.02	0.12	0.06	0.05	0.00	0.00	0.72	0.00	0.00	0.05	10
11	0.00	0.10	0.05	0.00	0.00	0.00	0.23	0.00	0.00	0.00	0.06	0.49	11
12	0.00	0.27	0.07	0.00	0.00	0.00	0.00	0.00	0.19	0.04	0.03	0.60	12
13	0.00	0.30	0.59	0.00	0.00	0.00	0.04	0.00	0.10	0.40	0.22	0.29	13
14	0.00	0.16	0.35	0.00	0.00	0.45	0.00	0.74	0.04	0.21	0.26	0.03	14
15	0.00	0.00	0.15	0.00	0.00	0.00	0.02	0.79	0.11	0.07	0.14	0.00	15
16	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.16	0.00	0.00	0.00	16
17	0.00	0.38	0.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.86	17
18	0.00	0.06	0.04	0.00	0.00	1.46	0.10	0.00	0.12	0.00	0.00	0.27	18
19	0.00	0.00	0.35	0.00	0.00	0.00	3.29	0.00	0.00	0.00	0.10	0.37	19
20	0.00	0.42	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	20
21	0.00	1.17	0.00	0.00	0.00	0.20	0.00	0.00	0.00	0.39	0.00	0.00	21
22	0.00	0.04	0.00	0.00	0.09	0.21	0.00	0.00	0.00	0.48	0.00	0.00	22
23	0.00	0.06	0.28	0.00	0.00	0.02	0.02	0.00	0.00	0.47	0.00	0.00	23
24	0.00	0.00	0.00	0.00	0.19	0.00	0.00	0.00	0.00	0.27	0.13	0.15	24
25	0.24	0.00	0.30	0.00	0.00	0.00	0.00	0.51	0.00	0.29	0.00	0.20	25
26	0.04	0.00	0.20	0.00	0.00	0.00	0.09	0.12	0.00	0.04	0.25	0.74	26
27	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.21	0.24	27
28	0.00	0.13	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.10	0.28	0.84	28
29	0.22	—	0.22	0.00	0.07	0.00	0.00	0.00	0.00	0.23	0.45	0.08	29
30	0.00		0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.41	0.33	1.26	30
31	0.02		0.00		0.02		0.33	0.00		0.84		0.45	31
Total	0.87	4.57	5.27	1.64	1.36	3.51	5.93	3.09	2.45	4.31	4.13	9.03	YEAR'S TOTAL 46.16
Rain Days.	10	14	23	10	12	11	14	8	9	15	14	24	167

W. 8,000. X. 14.

cord for WD 15.V.16 cord p anth 6.V.16

2170

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

10 FEB 1916

Kept at Blagdow Reservoir,
in the County of Somerset,
by H. Wolis, Manager

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Taunton,
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 590 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·24

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.45	0.14	0.04	0.00	0.00	0.00	0.03	0.07	0.00	0.00	1.10	0.25	1
2	0.66	0.09	0.00	0.00	0.00	0.00	0.00	0.68	0.05	0.27	0.00	0.23	2
3	0.17	0.50	0.06	0.10	0.00	0.00	0.00	0.50	0.18	0.08	0.00	0.43	3
4	0.07	0.30	0.08	0.05	0.14	0.00	0.12	0.00	0.00	0.00	0.00	0.57	4
5	0.09	0.12	0.00	0.00	0.03	0.00	0.19	0.00	0.00	0.00	0.00	0.26	5
6	0.10	0.65	0.00	0.07	0.00	0.00	0.00	0.16	0.00	0.00	0.00	0.66	6
7	0.79	0.24	0.00	0.33	0.00	0.00	0.83	0.00	0.00	0.00	0.00	0.22	7
8	0.15	0.49	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28	8
9	0.25	0.55	0.00	0.00	0.00	0.00	0.00	0.10	0.00	0.00	0.00	0.10	9
10	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.58	0.82	10
11	0.27	0.16	0.00	0.08	0.00	0.00	0.00	0.35	0.00	0.17	0.03	0.06	11
12	0.25	0.95	0.00	0.00	0.00	0.00	0.00	0.60	0.00	0.00	0.98	0.00	12
13	0.17	0.75	0.00	0.10	0.57	0.00	0.00	0.40	0.00	0.11	0.28	0.05	13
14	0.05	0.63	0.00	0.00	0.73	0.00	0.00	0.32	0.07	0.00	0.20	0.00	14
15	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.44	0.10	0.06	0.00	0.66	15
16	0.26	0.00	0.00	0.00	0.22	0.00	0.12	0.00	0.00	0.08	0.36	0.25	16
17	0.00	0.97	0.00	0.00	0.09	0.00	0.74	0.00	0.00	0.00	0.00	0.04	17
18	0.00	0.59	0.00	0.00	0.27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	18
19	0.00	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	19
20	0.00	0.00	0.00	0.00	0.15	0.00	0.17	0.00	0.00	0.00	0.00	0.00	20
21	0.02	0.00	0.00	0.13	0.00	0.06	0.00	0.00	0.00	0.10	0.00	0.09	21
22	0.12	0.00	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.12	0.00	0.03	22
23	0.08	0.12	0.38	0.07	0.00	0.05	0.57	0.00	0.00	0.00	0.00	0.19	23
24	0.00	0.00	0.06	0.00	0.00	0.00	0.21	0.00	0.06	1.22	0.04	0.57	24
25	0.00	0.00	0.00	0.04	0.00	0.00	0.21	0.00	0.17	0.64	0.00	0.40	25
26	0.00	0.00	0.03	0.10	0.00	0.28	0.46	0.00	0.00	0.00	0.00	0.43	26
27	0.34	0.17	0.00	0.00	0.00	0.11	0.05	0.00	0.10	0.00	0.00	0.46	27
28	0.00	0.15	0.00	0.00	0.00	0.18	0.07	0.00	0.00	0.49	0.00	0.04	28
29	0.00		0.00	0.00	0.00	0.00	0.00	0.00	0.60	0.45	0.00	0.00	29
30	0.00	✕	0.00	0.00	0.00	0.03	0.03	0.00	0.00	0.00	0.16	0.13	30
31	0.00	✕	0.00	✕	0.00	✕	0.00	0.00	✕	1.20	✕	0.40	31
Total	·14 ~~4.37~~ 4.06	·04 ~~4.72~~ 4.62	– ~~0.65~~ ·61	– 0.18	– 2.20	·03 ~~0.40~~ 73	·07 ~~4.24~~ 4.28	– ~~3.62~~ 3.55	– 1.33	1.10 ~~4.99~~ 6.09	·25 3.43 2.88	·24 4.92 7.91	YEAR'S TOTAL 42.65 42.44
Rain Days.	19	20	~~6~~ 5	11	8	~~6~~ 7	15	~~10~~ 9	8	~~13~~ 14	9	25	150 ✓

W. 8,000. X. 15.

2108

[illegible] ~~[illegible]~~

FORM A.
BRITISH RAINFALL.

27 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Blagdon Hill

in the County of Somerset

by H. J. Coles

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Taunton

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level ~~525~~ 590 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.12	0.00	1
2	0.27	0.00	0.00	0.00	(0.19)	0.04	0.17	0.00	0.10	0.00	0.11	0.00	2
3	0.23	0.15	0.00	0.00	0.06	0.00	0.00	0.00	0.04	0.27	0.40	0.00	3
4	0.00	1.15	0.00	0.00	0.18	0.00	0.00	0.00	0.17	0.50	0.45	0.00	4
5	0.19	0.25	0.00	0.00	0.15	0.45	0.00	0.00	0.20	0.14	1.00	0.00	5
6	0.03	0.06	0.10	0.00	0.00	0.09	0.00	0.00	0.00	0.00	0.65	0.00	6
7	0.09	0.19	0.00	0.00	0.32	0.05	0.40	0.00	0.00	0.06	0.55	0.00	7
8	0.00	0.25	0.09	0.00	0.00	0.03	0.00	0.00	0.00	0.08	0.85	0.10	8
9	0.00	0.20	0.11	0.00	0.29	0.17	0.00	0.00	0.00	0.00	0.57	0.11	9
10	0.00	0.09	0.00	0.00	0.05	0.13	0.00	0.00	0.00	0.21	0.10	0.40	10
11	0.00	0.24	0.00	0.05	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.22	11
12	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12
13	0.04	0.07	0.09	0.03	0.00	0.00	0.00	0.12	0.00	0.00	0.00	0.00	13
14	0.00	0.23	0.21	0.00	0.15	0.00	0.00	0.42	0.00	0.00	0.00	0.00	14
15	0.00	0.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.16	0.00	0.00	15
16	0.00	0.16	0.12	0.00	0.07	0.00	0.00	0.15	0.00	0.05	0.00	0.00	16
17	0.17	0.11	0.00	0.21	0.00	0.00	0.00	1.95	0.00	0.00	0.00	0.00	17
18	0.10	1.10	0.00	0.04	0.00	0.00	0.00	0.38	0.21	0.65	0.48	0.00	18
19	0.00	0.11	0.32	0.00	0.00	0.00	0.00	0.00	0.24	0.09	0.06	0.00	19
20	0.08	0.38	0.59	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.33	0.06	20
21	0.11	0.30	0.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.92	21
22	0.14	0.17	0.32	0.00	0.tk	0.00	0.00	0.00	0.00	0.19	0.00	0.48	22
23	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.04	0.00	0.42	0.05	0.47	23
24	0.00	0.25	0.00	0.00	0.00	0.10	0.00	0.30	0.06	0.16	0.14	0.09	24
25	0.00	0.25	0.00	0.07	0.00	0.00	0.00	0.06	0.00	1.03	0.00	0.30	25
26	0.00	0.33	0.11	0.00	0.00	0.00	0.00	0.41	0.00	0.00	0.14	0.04	26
27	0.00	0.33	0.15	0.00	0.00	0.50	0.00	0.11	0.90	1.15	0.06	0.00	27
28	0.00	0.18	1.15	0.00	0.00	0.00	0.00	0.14	0.40	0.43	0.00	0.00	28
29	0.00	0.20	0.00	0.00	0.30	0.00	0.00	0.07	0.43	0.56	0.00	0.53	29
30	0.00	╳	0.10	0.00	0.00	0.31	0.00	1.95	0.24	0.29	0.00	0.38	30
31	0.00	╳	0.08	╳	0.00	╳	0.00	0.00	╳	0.30	╳	0.00	31
Total	~~1.69~~ 1.45	7.20	3.83	0.53	2.91	1.94	0.57	.06 ~~6.10~~ 6.16	~~3.02~~ 2.96	.12 ~~6.74~~ 6.86	~~6.15~~ 6.03	4.40	YEAR'S TOTAL ~~45.08~~ 44.84
Rain Days.	12 11	25	14	7	12	11	2	~~13~~ 14	~~11~~ 10	~~19~~ 20	18 17	13	~~158~~ 157

W. 8,000, VIII. 16

cndly new stats, for auth of WD

2013

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

18 JAN 1918

Kept at Blagdon Hill.
in the County of Somerset,
by H. S. Coles, Waterworks Manager.

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Taunton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 590 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.00	0.00	0.09	0.05	0.00	0.09	0.00	0.00	0.00	0.00	0.10	0.00	1
2	0.08	0.00	0.17	0.25	0.00	0.23	0.00	0.48	0.14	0.00	0.05	0.00	2
3	0.00	0.00	0.00	0.03	0.00	0.03	0.00	0.00	0.06	0.00	0.00	0.00	3
4	0.00	0.00	0.00	0.10	0.00	0.00	0.53	0.00	0.00	0.42	0.45	0.00	4
5	0.00	0.07	0.42	0.00	0.00	0.00	0.04	0.00	0.03	0.10	0.00	0.00	5
6	0.17	0.00	0.53	0.28	0.00	0.04	0.00	0.17	0.17	0.22	0.10	0.00	6
7	0.00	0.00	0.19	0.00	0.00	0.00	0.00	0.66	0.00	0.14	0.22	0.00	7
8	0.25	0.00	0.00	0.00	0.00	0.00	0.30	0.22	0.00	0.19	0.03	0.00	8
9	0.00	0.00	0.09	0.10	0.00	0.06	0.48	0.19	0.00	0.45	0.10	0.06	9
10	0.00	0.00	0.65	0.00	0.00	0.00	0.10	0.05	0.06	0.31	0.04	0.00	10
11	0.20	0.00	0.23	0.17	0.00	0.00	0.00	0.33	0.00	0.00	0.00	0.00	11
12	0.04	0.00	1.15	0.23	0.00	0.00	0.00	0.81	0.02	0.14	0.09	0.00	12
13	0.09	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.44	0.00	0.00	13
14	0.00	0.00	0.20	0.00	0.47	0.00	0.00	0.35	0.03	0.05	0.00	0.00	14
15	0.00	0.00	0.00	0.08	0.00	0.00	0.00	0.61	0.00	0.00	0.00	0.00	15
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.17	0.00	0.23	16
17	0.00	0.09	0.00	0.11	0.00	0.11	0.11	0.00	0.00	0.31	0.00	0.25	17
18	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.10	0.27	0.06	0.00	0.00	18
19	0.00	0.04	0.00	0.00	0.00	0.07	0.34	0.00	0.85	0.00	0.00	0.00	19
20	0.00	0.35	0.00	0.00	0.00	0.09	0.00	0.00	0.10	0.00	0.00	0.00	20
21	0.00	0.13	0.08	0.00	0.55	0.05	0.00	0.00	0.00	0.00	0.00	0.00	21
22	0.00	0.00	0.05	0.00	0.00	0.28	0.00	0.00	0.00	0.00	0.00	0.00	22
23	0.00	0.00	0.17	0.00	0.00	0.00	0.00	0.47	0.00	0.08	0.00	0.00	23
24	0.00	0.17	0.00	0.00	0.23	0.00	0.00	0.49	0.00	0.05	0.00	0.00	24
25	0.00	0.00	0.06	0.00	0.00	0.12	0.24	0.14	0.00	0.12	0.00	0.00	25
26	0.00	0.66	0.13	0.00	0.00	0.00	0.00	0.06	0.00	0.12	0.10	0.00	26
27	0.00	0.00	0.00	0.00	0.50	0.00	0.00	0.84	0.00	0.06	0.00	0.00	27
28	0.00	0.00	0.00	0.00	0.26	0.27	0.00	0.90	0.00	0.09	0.00	0.00	28
29	0.00		0.09	0.00	0.23	(0.30)	0.00	0.39	0.00	0.00	0.02	0.00	29
30	0.00		0.13	0.00	0.00	0.46	0.03	0.00	0.00	0.53	0.00	0.00	30
31	0.00		0.60 65		0.00		0.34	0.12		0.98		0.00	31
Total	~~0.83~~	.09 0.91	3.93 ~~3.94~~	1.42 ~~1.38~~	.09 2.24	3.20 ~~3.17~~	2.77	7.00	1.73	4.12 ~~3.42~~	1.30	0.54	YEAR'S TOTAL 29.99 29.99
Rain Days.	.83 6	1.00 8	3.89 18	1.37 10	2.33 9	3.11 14	2.77 11	7.00 20	1.73 10	4.22 21	1.20 10	.54 3	138

W. 8,000, IX. 17.

K b

TELEPHONE TAUNTON 56.

Municipal Buildings,
Taunton.

BOROUGH OF TAUNTON
DEFENDAMUS

H. T. COLES,
WATERWORKS MANAGER.

January 15th, 1918.

Dr. H. R. Mill,
Director, British Rainfall Organization,
62 Camden Square, LONDON, N.W.

Dear Sir,

I am enclosing the Rainfall Measurements for the year 1917. Please note that the rain for the first January at 9 a.m. is that which fell on December 31st.

I am, dear Sir,
Yours obediently,

H. T. Coles
Waterworks Manager.

cnd for WP M S

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL 100

Kept at Blagdon Reservoir

in the County of Somerset

by H. S. Coles, Waterworks Manager

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Taunton

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 590 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. 0.00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.00	0.00	0.09	0.45	0.00	0.00	0.00	0.00	0.13	0.03	0.00	0.13	1
2	0.00	0.00	0.00	0.14	0.09	0.00	0.00	0.55	0.00	0.00	(0.15)	0.00	2
3	0.00	0.09	0.00	0.00	0.00	0.00	0.00	0.19	0.00	0.00	0.00	0.10	3
4	0.00	0.12	0.00	0.16	0.07	0.15	0.00	0.12	0.00	0.15	0.05	0.00	4
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.20	0.00	0.85	0.00	5
6	0.00	0.00	0.18	0.00	0.00	0.00	0.00	0.20	0.20	0.23	0.00	0.35	6
7	0.38	0.26	0.00	0.29	0.00	0.00	0.00	0.17	0.07	0.19	0.00	0.00	7
8	0.00	0.15	0.00	0.00	0.29	0.00	0.00	0.00	0.38	0.09	0.43	0.33	8
9	0.21	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.22	0.00	0.00	9
10	0.00	0.00	0.00	0.00	0.00	0.12	0.27	0.00	0.37	0.00	0.00	0.27	10
11	0.15	0.00	0.00	0.35	0.00	0.00	0.22	0.00	0.47	0.20	0.00	0.58	11
12	0.00	0.00	0.08	0.03	0.00	0.00	0.47	0.00	0.11	0.11	0.00	0.13	12
13	0.00	0.11	0.18	0.00	0.20	0.00	0.15	0.00	0.06	0.09	0.00	0.00	13
14	0.00	0.00	0.00	0.00	0.15	0.00	0.12	0.00	0.50	0.04	0.00	0.27	14
15	0.55	0.00	0.00	0.00	0.00	0.07	0.16	0.00	0.10	0.18	0.00	0.07	15
16	0.41	0.00	0.00	0.25	0.00	0.00	0.43	0.00	0.00	0.24	0.00	0.31	16
17	0.30	0.00	0.00	0.55	0.00	0.00	0.00	0.00	0.23	0.04	0.00	0.17	17
18	0.93	0.00	0.00	0.29	0.00	0.00	0.25	0.00	0.10	0.00	0.00	0.29	18
19	0.96	0.00	0.00	0.00	0.00	0.74	0.12	0.00	0.45	0.00	0.00	0.23	19
20	0.14	0.00	0.17	0.00	0.00	0.00	0.08	0.00	0.06	0.18	0.00	0.08	20
21	0.24	0.07	0.00	0.00	0.00	0.00	0.25	0.00	0.13	0.15	0.00	0.00	21
22	0.04	0.08	0.00	0.00	0.00	0.00	0.09	0.00	0.65	0.04	0.00	0.40	22
23	0.00	0.00	0.00	0.00	0.08	0.00	0.60	0.00	0.09	0.00	0.00	0.10	23
24	0.00	0.00	0.00	0.00	0.15	0.00	0.46	0.00	0.12	0.00	0.00	0.03	24
25	0.00	0.13	0.00	0.00	0.00	0.04	0.00	0.00	0.06	0.00	0.17	0.10	25
26	0.00	0.00	0.00	0.06	0.27	0.00	0.18	0.62	0.00	0.00	0.16	0.00	26
27	0.00	0.00	0.00	0.05	0.00	0.00	0.50	0.00	0.04	0.07	0.07	0.04	27
28	0.00	0.13	0.00	0.00	0.00	0.00	0.07	0.12	0.30	0.00	0.00	0.00	28
29	0.00		0.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10	29
30	0.00	X	0.10	0.00	0.00	0.00	0.00	0.00	(0.15)	0.10	0.00	0.06	30
31	0.00	X	0.35	X	0.00	X	0.00	0.00	X	0.05	X	0.00	31
	-	·09	·45	-	-	-	-	·13	·03	-	·13	-	YEAR'S TOTAL
Total	5.31	~~1.24~~ 1.33	~~1.46~~ 1.82	~~2.62~~ 2.17	1.30	1.12	4.42	~~2.03~~ 2.16	~~6.38~~ 6.28	~~2.40~~ 2.37	~~2.83~~ 2.96	~~4.14~~ 4.01	35.25
Rain Days.	11	10	8	10	8	5	14	9	24	18	8	20	149

W. 6,500, VII. 18. w w o

correct for WD Ex. Hob 1889

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

26 JAN 20

Kept at Blagdon Reservoir,
in the County of Somerset,
by H. S. Coles, Waterworks Manager.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Taunton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 590 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.54

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.00	0.00	0.00	0.00	0.06	0.00	0.13	0.00	0.00	0.00	0.00	0.80	1
2	0.64	0.00	0.10	0.00	0.16	0.00	0.73	0.00	0.03	0.25	0.00	1.12	2
3	0.09	0.00	0.00	0.00	0.07	0.00	0.15	0.00	0.00	0.00	0.00	0.05	3
4	0.34	0.00	0.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.15	4
5	0.50	0.55	0.43	0.00	0.00	0.08	0.17	0.00	0.36	0.00	0.00	0.25	5
6	0.26	0.27	1.12	0.00	0.00	0.00	0.14	0.00	0.50	0.00	0.00	0.12	6
7	1.35	0.57	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	7
8	0.37	0.00	0.40	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	8
9	0.18	0.00	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9
10	0.11	0.00	0.00	0.09	0.07	0.00	0.00	0.00	0.00	0.00	0.74	0.00	10
11	0.00	0.00	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.38	11
12	0.00	0.00	0.27	0.00	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.33	12
13	0.21	0.00	0.06	0.00	0.00	0.09	0.00	0.00	0.00	0.07	0.06	0.09	13
14	0.31	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	14
15	0.80	0.00	0.00	0.98	0.66	0.00	0.00	0.00	0.06	0.03	0.00	0.27	15
16	0.30	0.00	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.28	16
17	0.00	0.84	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	17
18	0.00	0.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.00	18
19	0.31	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.00	0.00	0.26	0.00	19
20	0.33	0.48	0.43	0.00	0.00	0.00	1.05	0.00	0.51	0.00	0.25	0.03	20
21	0.68	0.00	0.24	0.00	0.00	0.24	0.00	0.15	0.00	0.00	0.00	0.06	21
22	0.00	0.72	0.00	0.00	0.00	0.00	0.06	0.00	0.08	0.00	0.00	0.10	22
23	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.00	0.28	0.00	0.00	0.04	23
24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.89	0.07	0.03	24
25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.36	0.00	0.40	25
26	0.18	0.00	0.00	0.00	0.00	0.12	0.00	0.94	0.00	0.00	0.07	0.30	26
27	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.16	0.00	0.00	0.38	27
28	0.25	0.00	0.10	0.24	0.00	0.00	0.00	0.88	0.00	0.00	0.00	0.08	28
29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.00	0.00	0.32	0.31	29
30	0.00		0.00	0.14	0.00	0.00	0.00	0.20	0.00	0.00	0.00	0.03	30
31	0.00		0.00		0.00		0.00	0.48		0.00		0.54	31
	-	-	-	·06	-	·13	-	-	-	-	·80	·54	YEAR'S TOTAL
TOTAL	4.31	3.43	3.90	~~1.67~~ 1.73	~~1.16~~ 1.10	~~0.53~~ ·66	~~2.53~~ 2.40	3.23	1.98	2.42	~~2.19~~ 2.99	~~6.65~~ 6.39	~~37.60~~ 36.14 ✓
Days with ·01 in. or more	19	4	14	7 ~~6~~	5 ~~6~~	5 ~~4~~	7 ~~8~~	4	8	4	10 ~~9~~	26	~~121~~ 122 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

WD 14 R L803

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

11 JAN 1921

Kept at Blagdon Reservoir
in the County of Somerset
by H. T. Coles, Waterworks Manager

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Taunton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 590 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
0.15

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.54	0.00	0.00	0.58	0.00	0.00	0.14	0.00	0.00	0.45	0.92	0.42	1
2	0.00	0.00	0.00	0.12	0.40	0.00	0.29	0.10	0.06	0.32	0.24	0.45	2
3	0.50	0.00	0.00	0.20	0.00	0.00	0.42	0.21	0.04	0.13	0.00	0.05	3
4	0.26	0.00	0.00	0.08	0.00	0.00	0.00	0.00	0.00	0.77	0.00	0.04	4
5	0.28	0.00	0.05	0.03	0.00	0.00	0.09	0.50	0.00	0.34	0.00	0.00	5
6	0.00	0.00	0.00	0.18	0.10	0.00	0.30	0.00	0.00	0.17	0.00	0.00	6
7	0.00	0.00	0.32	0.00	0.23	0.00	0.13	0.00	0.00	0.10	0.00	0.00	7
8	0.00	0.00	0.00	0.27	0.00	0.00	0.70	0.00	0.00	0.00	0.00	0.00	8
9	0.11	0.09	0.00	0.25	0.00	0.00	0.45	0.00	0.00	0.00	0.00	0.18	9
10	0.76	0.18	0.00	0.00	0.00	0.14	0.07	0.00	0.00	0.00	0.00	0.00	10
11	1.10	0.15	0.00	0.13	0.00	0.41	0.57	0.00	0.00	0.00	0.00	0.00	11
12	0.30	0.00	0.13	0.50	0.10	0.00	0.11	0.00	0.00	0.00	0.00	0.00	12
13	0.22	0.05	0.11	0.37	0.00	0.16	0.07	0.00	0.00	0.00	0.12	0.00	13
14	0.24	0.00	0.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14
15	0.00	0.00	0.29	0.87	0.00	0.00	0.00	0.00	0.00	0.18	0.36	0.00	15
16	0.00	0.22	0.00	0.58	0.00	0.13	0.00	0.00	0.00	0.36	0.00	0.00	16
17	0.00	0.00	0.00	0.03	0.49	0.00	0.20	0.00	0.23	0.40	0.00	0.00	17
18	0.00	0.00	0.00	0.00	0.22	0.11	0.00	0.00	0.28	0.00	0.00	0.00	18
19	0.06	0.00	0.00	0.19	0.12	0.14	0.00	0.37	0.00	0.00	0.00	0.00	19
20	0.00	0.00	0.00	0.39	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.00	20
21	0.00	0.13	0.00	0.28	0.08	0.20	0.00	0.00	0.00	0.00	0.00	0.38	21
22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	22
23	0.00	0.00	0.00	0.03	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.58	23
24	0.00	0.00	0.00	0.00	0.00	0.00	0.77	0.07	0.00	0.00	0.00	0.40	24
25	0.00	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.10	25
26	0.06	0.05	0.10	0.00	0.00	0.00	0.47	0.00	0.00	0.00	0.00	0.00	26
27	0.28	0.00	0.32	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.32	0.00	27
28	0.51	0.00	0.19	0.05	0.00	0.34	0.03	0.00	0.00	0.00	0.21	0.42	28
29	0.75	0.00	0.07	0.12	0.00	0.00	0.08	0.00	0.00	0.00	0.00	0.00	29
30	0.30	X	0.55	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.27	0.26	30
31	0.10	X	0.00	X	0.07	X	0.05	0.00	X	0.00	X	0.15	31
TOTAL	~~6.37~~ 5.83	0.87	·58 ~~2.89~~ 3.47	~~5.25~~ 4.67	1.81	·14 ~~1.70~~ 1.84	~~4.98~~ 4.84	1.25	·45 ~~0.61~~ 1.06	·92 ~~3.22~~ 3.69	·42 ~~2.64~~ 2.07	0.15 ~~3.84~~ 3.57	34.97 YEAR'S TOTAL ~~36.36~~
Days with ·01 in. or more	~~17~~ 16	7	~~12~~ 13	~~20~~ 19	9	~~9~~ 10	~~19~~ 18	5	~~4~~ 5	10	8	13	~~133~~
Days with ·04 in. or more	~~17~~ 16	7	~~12~~ 13	~~17~~ 16	9	~~9~~ 10	~~18~~	5	4 5	10	8	13	129

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

TAUNTON
LINDEN GROVE
SOMERSET
1911 - 1915

REG 1911

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

nowdon.

Kept at 9. Linden top 5 in.
Ta above Ground 1 ft. – in.
in the County of Some „ Sea Level 70 ft.
9.30 AM.
by H. LeB. Cu ion Name Taunton
Distance 3/4 M. Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.01	.08	.01	-	-	.01	-	-	.01	-	1
2	-	-	-	.09	.17	-	-	.21	-	.14	.21	.18	2
3	-	-	.02	-	.19	-	-	.06	.02	-	.06	05	3
4	-	-	.10	-	-	-	-	-	-	.05	.12	.34	4
5	.12	-	.20	-	.02	-	-	.76	-	.04	.12	.02	5
6	.22	-	.18	-	-	-	-	.01	-	.02	.11	.45	6
7	.04	-	-	.01	-	-	-	-	-	-	.44	-	7
8	.02	-	.08	-	-	-	-	-	-	-	.01	.52	8
9	.01	-	-	-	-	-	-	-	-	-	.19	.49	9
10	02	.03	.30	-	.44	-	-	-	-	-	.05	.22	10
11	.21	-	.01	-	.04	-	-	-	-	-	.35	.27	11
12	-	-	-	-	-	-	-	.09	-	-	.14	.42	12
13	-	-	.01	-	-	-	-	-	.20	-	-	.52	13
14	-	.01	-	-	-	-	-	-	-	01	-	1.24	14
15	-	-	.02	-	-	.03	-	-	-	-	.28	.04	15
16	-	.04	-	-	-	.19	-	-	-	-	.32	.21	16
17	-	.03	.11	.04	-	.12	-	-	-	.06	.10	.58	17
18	-	.27	.11	.32	-	.40	-	-	-	.03	.08	.46	18
19	-	.02	-	.12	-	.05	-	-	.19	.18	.09	.41	19
20	.05	.03	.13	.02	-	.01	-	-	.12	.18	-	.57	20
21	-	.08	-	.04	-	-	-	-	.15	.41	-	.15	21
22	.03	.03	.04	-	-	.01	-	-	.03	.21	-	.37	22
23	-	.16	.02	-	-	.42	-	-	.03	.12	.07	.08	23
24	-	.15	-	-	-	.35	-	.09	-	.56	-	.20	24
25	.01	.04	s .01	.04	-	.11	-	.05	-	.09	-	.11	25
26	-	.02	-	.21	.09	-	-	.01	-	.05	.09	.29	26
27	-	.39	.09	.05	.18	-	-	.06	.06	.17	.03	.11	27
28	-	09	.01	.38	.04	-	-	.08	-	-	.02	-	28
29	-		-	.58	-	.20	.10	-	.05	.11	-	-	29
30	-		-	-	-	.04	-	.09	.01	.15	.03	.01	30
31	-		-		-		.01	-		.09		-	31
Total	0.73	1.39	1.45	1.98	1.18	1.93	0.11	1.52	0.86	2.67	2.92	8.31	TOTAL for year ~~[illegible]~~ 25.05
No. of Rain Days.	10	15	18	13.	9	12	2	12	10	19	22	26	168

W. 8,000, X. '11. S = Snow.

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

REGISTER OF RAINFALL IN 1911

3

Kept at 9. Linden Grove, Taunton,
in the County of Somerset.
by H. LeB. Gunner.

RAIN GAUGE
Pattern Snowdon.
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 70 ft.

Time of Observation 9.30 AM.

Nearest Railway Station
Name Taunton
Distance 3/4 M. Direction NE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.01	.08	.01	-	-	.01	-	-	.01	-	1
2	-	-	-	.09	.17	-	-	.21	-	.14	.21	.18	2
3	-	-	.02	-	.19	-	-	.06	.02	-	.06	05	3
4	-	-	.10	-	-	-	-	-	-	.05	.12	.34	4
5	.12	-	.20	-	.02	-	-	.76	-	.04	.12	.02	5
6	.22	-	.18	-	-	-	-	.01	-	.02	.11	.45	6
7	.04	-	-	.01	-	-	-	-	-	-	.44	-	7
8	.02	-	.08	-	-	-	-	-	-	-	.01	.52	8
9	.01	-	-	-	-	-	-	-	-	-	.19	.49	9
10	02	.03	.30	-	.44	-	-	-	-	-	.05	.22	10
11	.21	-	.01	-	.04	-	-	-	-	-	.35	.27	11
12	-	-	-	-	-	-	-	.09	-	-	.14	.42	12
13	-	-	.01	-	-	-	-	-	.20	-	-	.52	13
14	-	.01	-	-	-	-	-	-	-	.01	-	1.24	14
15	-	-	.02	-	-	.03	-	-	-	-	.28	.04	15
16	-	.04	-	-	-	.19	-	-	-	-	.32	.21	16
17	-	.03	.11	.04	-	.12	-	-	-	.06	.10	.58	17
18	-	.27	.11	.32	-	.40	-	-	-	.03	.08	.46	18
19	-	.02	-	.12	-	.05	-	-	.19	.18	.09	.41	19
20	.05	.03	.13	.02	-	.01	-	-	.12	.18	-	.57	20
21	-	.08	-	.04	-	-	-	-	.15	.41	-	.15	21
22	.03	.03	.04	-	-	.01	-	-	.03	.21	-	.37	22
23	-	.16	.02	-	-	.42	-	-	.03	.12	.07	.08	23
24	-	.15	-	-	-	.35	-	.09	-	.56	-	.20	24
25	.01	.04	S .01	.04	-	.11	-	.05	-	.09	-	.11	25
26	-	.02	-	.21	.09	-	-	.01	-	.05	.09	.29	26
27	-	.39	.09	.05	.18	-	-	.06	.06	.17	.03	.11	27
28	-	09	.01	.38	.04	-	-	.08	-	-	.02	-	28
29	-		-	.58	-	.20	.10	-	.05	.11	-	-	29
30	-		-	-	-	.04	-	.09	.01	.15	.03	.01	30
31	-		-		-		.01	-		.09		-	31
Total	0.73	1.39	1.45	1.98	1.18	1.93	0.11	1.52	0.86	2.67	2.92	8.31	TOTAL for year 25.05
No. of Rain Days.	10	15	18	13.	9	12	2	12	10	19	22	26	168

W. 8,000, X. '11. S = Snow.

Ex 2L

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

8 - JAN 1913

Kept at 9. Linden Grove, Taunton

in the County of Somerset 3

by H. LeB. Gummer.

RAIN GAUGE
Pattern Snowdon.
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
„ „ „ Sea Level 70 ft. –

Time of Observation 9.30 am.

Nearest Railway Station
Name Taunton
Distance 3/4 mile Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	.13	–	–	.34	.01	.03	.08	.68	–	.24	1
2	–	–	.13	.06	–	.47	.13	–	–	.06	.03	–	2
3	–	–	.08	–	–	.17	.07	.53	–	–	.02	–	3
4	.13	–	.77	–	.02	.27	–	.03	–	–	.34	–	4
5	.42	.09	.33	–	–	.14	.01	.51	–	–	.02	.05	5
6	.32	.13	.02	–	.16	.20	.27	.75	–	–	–	.02	6
7	.03	.58	.12	–	.03	.76	.02	.19	–	–	–	.13	7
8	.26	.10	.22	.03	–	.23	.05	.08	–	–	–	.02	8
9	.02	–	–	.06	–	.15	.01	.09	–	–	–	.19	9
10	.13	.09	.03	.02	–	.02	–	.07	.05	–	.10	.17	10
11	.05	.06	–	–	–	–	–	–	–	–	.10	.34	11
12	.01	.36	.04	.03	.03	–	.02	–	–	–	–	.04	12
13	–	–	–	–	–	–	–	.06	–	–	–	.10	13
14	.09	.01	.54	–	.20	–	–	.01	–	–	.01	.02	14
15	.32	–	.02	–	.27	.39	–	–	–	–	–	.28	15
16	.30	–	.09	–	.05	.06	–	.03	–	.03	.18	.05	16
17	.28	–	.13	–	.01	.02	–	.44	–	–	.03	.08	17
18	S. .11	–	.28	–	–	–	–	.06	–	–	.01	.06	18
19	.04	.04	.08	–	–	.07	.14	.09	–	–	.01	.01	19
20	.06	.02	.37	–	.24	.04	.02	.30	–	.47	.02	–	20
21	.01	.06	.34	–	.32	–	.04	.11	–	.13	–	–	21
22	.27	.15	.07	–	.24	–	.06	.10	–	.17	–	.05	22
23	.49	.61	.13	–	–	.03	–	+ .43	–	.06	.07	.25	23
24	.08	.02	.02	–	–	.15	–	.02	–	.07	–	.15	24
25	.02	–	–	–	–	.07	–	.43	–	.18	.26	.50	25
26	–	.02	–	–	–	–	.02	.05	–	.24	.48	.21	26
27	–	–	–	–	–	.22	.71	–	–	.90	.10	.26	27
28	–	.14	–	–	–	.07	.09	.32	.14	.22	.49	.50	28
29	–	.25	.01	–	–	.18	.11	.13	.49	.56	–	.05	29
30	–		.01	–	.02	.17	.12	–	.16	.22	–	–	30
31	–		.35		–		.15	–		.04		.02	31
Total	3.44	2.73	4.31	.20	1.59	4.22	2.05	4.86	.92	4.03	2.27	3.79	TOTAL for year 34.41
No. of Rain Days.	21	17	24	5	12	22	19	24	5	15	17	25	206

W. 8,000, X. '11.

S. = Snow.

+ water very discoloured with greyish sediment. a long time in solution.

Writer 2·4·14

and for arith. 25.III.14

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL.

12 JAN 1914

Kept 9. Linden Grove, Taunton

in the County of Somerset

by H. LeB. Gunner.

3

Lat. .... Long. ....

Time of Observation 9·30 a.m.

Nearest Railway Station Taunton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ...... in.

" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.20	.16	.10	.22	-	-	-	.14	.01	.05		1
2	.12	.13	-	.07	.06	-	.01	-	.04	.10	.09		2
3	.13	-	.06	.01	·22	-	-	-	.16	.02			3
4	.94	-	.03	-	·39	.01	-	-	·44	·04			4
5	.01	.01	-	-	.17	.09	-	-	·34	-			5
6	-	.05	.16	-	·04	.04	.09	-	-	1.07			6
7	-	·31	.01	-	·49	.07	·22	-	-	.41	.28	1.14	7
8	.01	.04	-	-	·29	.01	.01	·06	-	.07			8
9	-	.03	-	.04	.10	·06	-	.09	.01	-			9
10	.29	.01	-	-	·04	-	-	.05	-	.53			10
11	.62	.01	-	.09	·26	·02	-	·02	-	.07			11
12	·04	.01	-	-	.16	-	-	·01	.02	-			12
13	-	-	.01	-	-	-	-	.13	·23	-			13
14	.19	-	.18	.05	-	-	-	-	-	-	1.72	.05	14
15	·34	.01	·32	·54	-	-	-	-	·06	-			15
16	.14	-	.56	.01	-	.01	-	·10	·20	-			16
17	·04	-	·04	.03	-	-	-	-	-	-			17
18	·12	-	.18	.05	-	-	-	-	-	-			18
19	·47	-	.08	.12	-	.22	.01	-	·28	.02			19
20	·30	-	·12	.02	-	-	-	-	.01	.02			20
21	-	-	.26	-	·06	-	.02	-	-	-	.38	-	21
22	.64	-	.67	.02	-	.04	.02	.01	.11	.03			22
23	.01	-	-	-	-	.01	-	.03	-	.01			23
24	.01	.03	-	.02	-	.01	-	.01	-	.01			24
25	-	.05	-	.27	-	-	-	-	.02	.01			25
26	-	-	-	.67	-	-	-	.15	.01	-			26
27	.15	-	·22	.29	-	-	-	-	-	.22			27
28	.10	-	·02	.28	-	-	-	-	-	.60	.05	1.11	28
29	.07		·50	27	.01	-	-	.13	-	.25			29
30	·33		-	-	.03	-	-	-	-	·38	.02		30
31	.22		.02		.14		-	.79		.02		-	31
Total	5.29	.89	3.60	2.95	2.68	0.59	0.38	1.58	2.07	3.89	2·59	2.30	YEAR'S TOTAL 28.81
Rain Days.	23.	13.	19	19	16	12	7	13	15	20	?	?	28·81 ?

W.7,000, XI. 13

Written 2.4.14

12 JAN 1914

9. Linden Grove,
Taunton.

Jan. 1[illegible] 1914.

Ans 6.II.14

Dear Sir.

In sending you my Rainfall return for 1913, I very much regret that you will find it incomplete on account of my being away from home nearly the whole of Nov. & all Dec. I could not ~~gettin~~ get the gauge read daily unless at 2.30 PM. so I thought it best to have it read once every seven days at the usual hour viz 9.30 AM. I shld: like to hear from you whether I did wisely or not in this. The change from 9.30 AM to 2.30 PM would have been so great that comparison with other local gauges wld: have been impossible – so (as I thought) I chose the lesser of two evils.

The monthly totals are however quite correct as I arranged that the gauge should be read on the first of the month in addition to once every 7 days, but of course I have lost the "greatest fall in 24 hours", & also the number of wet days, in Nov. & Dec: and the No of rainy days during the year.

I have also lost the reading at 9 AM on Jan. 1

However I send the record to you for what it is worth.

Yours very Sincerely,

H. LeB. Gunner.

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

12 JAN 1915

Kept at 9. Linden Grove, Taunton

in the County of Somerset 3

by H. LeB. Gunner.

Lat. ____ Long. ____

Time of Observation 9:30 a.m.

Nearest Railway Station Taunton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1. ft. – in.

" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.30

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	away from home.	–	.01	.09	–	.03	.09	.42	–	–	.21	.07	1
2		–	.01	.09	–	–	.65	–	–	–	.32	.47	2
3		–	.09	.10	.23	–	–	.13	–	–	.03	.08	3
4		–	.02	.18	.05	–	.10	.10	–	–	.59	.57	4
5	.14	–	.06	.28	.04	–	.08	.01	–	–	–	.09	5
6	.02	.04	.02	.15	.02	–	.48	.01	–	–	.01	.17	6
7	–	.55	.11	.11	away from home Rain registered for me weekly.	.09	.24	.05	.02	–	.01	.16	7
8	.01	–	1.03	.04		.43	–	.02	–	–	–	–	8
9	.02	.01	.28	.11		.57	–	.08	.80	–	–	–	9
10	.04	.09	.03	.06		.03.	–	–	.72	–	.02	.04	10
11	–	.07	.24	–		.20	.33	–	.01	–	.03	.53	11
12	–	.30	.07	–		–	.01	–	.18	.03	.01	.66	12
13	–	.21	.37	–	.35	–	.03	–	.16	.29	.25	.18	13
14	–	.18	.24	–		.31	–	.75	.01	.24	.20	.01	14
15	–	–	.09	–	away from home. Rainfall registered for me weekly.	–	.01	.47	.07	.03	.17	–	15
16	–	–	.01	–		–	.06	–	.08	–	–	–	16
17	–	.23	.36	–		–	.03	–	–	–	–	.57	17
18	–	.05	.02	–		.02	.10	–	.09	–	–	.33	18
19	–	.02	.55	–		–	2.09	–	.05	–	.07	.04	19
20	–	.29	.28	–		.02	–	–	–	–	–	.29	20
21	–	.84	–	–		.29	–	.01	–	.27	–	.03	21
22	–	.03	–	–		.37	–	.01	–	.36	–	–	22
23	–	.07	.16	–		.05	.03	–	–	.36	–	–	23
24	–	–	.04	–		–	.03	.06	–	.37	.06	.02	24
25	.12	–	.27	–		–	.05	.25	–	.18	.05	.18	25
26	.03	–	.17	–		–	.10	.05	–	.01	.19	.47	26
27	.05	–	–	–		–	–	–	–	.08	.16	.21	27
28	.01	.02	.10	–	.21	–	–	–	–	.15	.08	.81	28
29	.07		.02	–	.17	–	–	–	–	.23	.32	.02	29
30	–		.03	–	–	–	–	–	–	.27	.40	.80	30
31	–		–		.01		.19	–		.77		.36	31
Total	0.51	3.00	4.68	1.21	1.08	2.41	4.70	2.42	2.19	3.64	3.18	7.16	YEAR'S TOTAL 36.18
Rain Days.	?	16	27	10	?	12	19	15	11	15	20	25	

W. 8,000. X. 14.

2176

FORM A.
BRITISH RAINFALL.

5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at 9. Linden Grove, Taunton
in the County of Somerset
by H. Le B. Gunner.

3

Lat. Long.
Time of Observation 9·30 AM.
Nearest Railway Station Taunton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·33	·03	-										1
2	·14	·28	·04										2
3	·05	·19	·05										3
4	·02	·07	-										4
5	·08	·70	-										5
6	·58	·05	-										6
7	·28	·25	-										7
8	·22	·38	-										8
9	·02	·02	-										9
10	·14	·10	·02										10
11	·07	·27	·01										11
12	·28	·60	-										12
13	·03	·29	-										13
14	·06	·01	-										14
15	·12	-	-										15
16	·01	·80	-										16
17	-	·16	-										17
18	-	·19	-										18
19	-	·02	-										19
20	·09	-	-										20
21	·23	·02	-										21
22	·09	·12	·39										22
23	-	S. ·02	·14										23
24	-	-	-										24
25	away	-	·02										25
26		·07	-										26
27		·07	-										27
28		·03	-										28
29	·03		-										29
30	·14	X	-										30
31	-	X	-	X		X			X		X		31
Total	3·01	4·74	0·67										YEAR'S TOTAL
Rain Days.	?	24	7										

W. 8,000. X. 15.

S = Snow.

2069

TAUNTON. THE PARK

1911 - 20

FORM A2.
BRITISH RAINFALL.

Kept at Tau

in.

in the County of

by Henry J

above Ground ft. in.

,, Sea Level 64 ft.

9. a

Name Taunton

Distance 1 m Direction NE

IMPORTANT and the result entered to the previous day. If a universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
11 1	—	—	—	·12	—	—	—	—	—	—	·02	—	1
2	·02	—	—	·10	·18	—	—	·21	—	·14	·22	·20	2
3	—	—	·02	—	·20	—	—	·03	·04	—	·07	·08	3
4	—	—	·10	—	—	—	—	—	—	·05	·15	·38	4
5	·16	—	·12	—	·02	—	—	·84	—	·05	·14	·04	5
6	·22	—	·20	—	—	—	—	—	—	·03	·10	·55	6
7	·05	—	—	·02	—	—	—	—	—	—	·44	—	7
8	·02	—	·10	—	—	—	—	—	—	—	·04	·60	8
9	—	—	—	—	—	—	—	—	—	—	·27	·62	9
10	·05	·04	·33	—	·55	—	—	—	—	—	·10	·25	10
11	·21	—	·02	—	·06	—	—	—	—	—	·40	·25	11
12	—	—	·52	—	—	—	—	·08	—	—	·16	·50	12
13	—	—	—	—	—	—	—	—	·20	—	·02	·52	13
14	—	·02	—	—	—	—	—	—	—	·02	—	1·40	14
15	—	—	·03	—	—	·03	—	—	—	—	·30	·05	15
16	—	·05	—	—	—	·20	—	—	—	—	·35	·23	16
17	—	·02	·12	·03	—	·17	—	—	—	·08	·12	·67	17
18	—	·25	13	·36	—	·30	—	—	—	·05	·08	·52	18
19	—	·06	—	·10	—	·05	—	—	·18	·20	·10	·45	19
20	·06	·02	·15	·05	—	—	—	—	·15	·20	—	·67	20
21	—	·12	—	—	—	—	—	—	·20	·48	—	·16	21
22	·05	·03	·06	·03	—	·02			·05	·28	—	·38	22
23	—	·18	·03	—	—	·35	—	—	·04	·13	·10	·10	23
24	—	·18	—		—	·38	—	·08		·50	—	·20	24
25	·02	·04	—	·05	—	·15	—	·18	·02	·10	—	·12	
26	—	·03	—	·21	·10	—	—	—	—	·04	·12	·28	
27	—	·25	·10	·06	·16	—	—	·08	10	·22	·05	·12	
28	—	·15	·02	·40	·05	—	—	·14	—	—	·04	—	
29	—	—	—	·56	—	·23	·10	—	·05	·12	—	—	29
30	—	—	—	—	—	·05	—	·14	·02	·16	·05	—	30
31	—	—	—	—	—	—	—	—	—	·12	—	—	31
99 Total	·86	1·44	2·17	2·09	1·32	1·93	·10	1·78	1·05	2·97	3·44	9·34	TOTAL for year 28·49
No. of Rain Days.	10	15	16	13	8	11	1	9	11	19	23	25	161

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

27

Kept at Taunton

in the County of Somerset 3

by Henry J. Alford M.D. Lond

RAIN GAUGE Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level 64 ft.

Time of Observation 9 a

Nearest Railway Station Name Taunton
Distance 1 m Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
11 1	—	—	—	·12	—	—	—	—	—	—	·02	—	1
2	·02	—	—	·10	·18	—	—	·21	—	·14	·22	·20	2
3	—	—	·02	—	·20	—	—	·03	·04	—	·07	·08	3
4	—	—	·10	—	—	—	—	—	—	·05	·15	·38	4
5	·16	—	·12	—	·02	—	—	·84	—	·05	·14	·04	5
6	·22	—	·20	—	—	—	—	—	—	·03	·10	·55	6
7	·05	—	—	·02	—	—	—	—	—	—	·44	—	7
8	·02	—	·10	—	—	—	—	—	—	—	·04	·60	8
9	—	—	—	—	—	—	—	—	—	—	·27	·62	9
10	·05	·04	·33	—	·55	—	—	—	—	—	·10	·25	10
11	·21	—	·02	—	·06	—	—	—	—	—	·40	·25	11
12	—	—	·52	—	—	—	—	·08	—	—	·16	·50	12
13	—	—	—	—	—	—	—	—	·20	—	·02	·52	13
14	—	·02	—	—	—	—	—	—	—	·02	—	1·40	14
15	—	—	·03	—	—	·03	—	—	—	—	·30	·05	15
16	—	·05	—	—	—	·20	—	—	—	—	·35	·23	16
17	—	·02	·12	·03	—	·17	—	—	—	·08	·12	·67	17
18	—	·25	·13	·36	—	·30	—	—	—	·05	·08	·52	18
19	—	·06	—	·10	—	·05	—	—	·18	·20	·10	·45	19
20	·06	·02	·15	·05	—	—	—	—	·15	·20	—	·67	20
21	—	·12	—	—	—	—	—	—	·20	·48	—	·16	21
22	·05	·03	·06	·03	—	·02			·05	·28	—	·38	22
23	—	·18	·03	—	—	·35	—	—	·04	·13	·10	·10	23
24	—	·18	—	—	—	·38	—	·08		·50	—	·20	24
25	·02	·04	—	·05	—	·15	—	·18	·02	·10	—	·12	
26	—	·03	—	·21	·10	—	—	—	—	·04	·12	·28	
27	—	·25	·10	·06	·16	—	—	·08	10	·22	·05	·12	
28	—	·15	·02	·40	·05	—	—	·14	—	—	·04	—	
29	—	—	—	·56	—	·23	·10	—	·05	·12	—	—	29
30	—	—	—	—	—	·05	—	·14	·02	·16	·05	—	30
31	—	—	—	—	—	—	—	—	—	·12	—	—	31
99 Total	·86	1·44	2·17	2·09	1·32	1·93	·10	1·78	1·05	2·97	3·44	9·34	TOTAL for year 28·49
No. of Rain Days.	10	15	16	13	8	11	1	9	11	19	23	25	161

W. 8,000, X. '11.

✓ made

Co. ly sum. stats & for arith. 24.IV.13

FORM A.
BRITISH RAINFALL.

23 APR 1913

REGISTER OF ~~W.Y.C.~~ RAINFALL IN 1912

Kept at Taunton

in the County of Somerset 3

by Henry J. Alford M. D. Bond. F.I.C.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Taunton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date. ~~12~~	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·14	—	—	·38	·02	·05	·10	·80	—	·26	1
2	—	—	·16	·06	—	·32	·13	—	—	·04	·04	—	2
3	—	—	·10	—	·02	·20	·10	·61	—	—	·02	—	3
4	·15	—	·92	—	·02	·26	—	·05	—	—	·33	—	4
5	·45	·18	·40	—	—	·16	·03	·56	—	—	—	·07	5
6	·38	·10	·03	—	·16	·10	·45	·90	—	—	—	·05	6
7	·04	·68	·15	—	·03	·86	—	·20	—	—	—	·15	7
8	·30	·12	·28	·03	—	·30	·10	·10	—	—	—	·03	8
9	·05	—	—	·03	—	·14	—	·13	—	—	—	·22	9
10	·15	·12	·03	·02	—	·03	—	·07	·07	—	·10	·18	10
11	·05	·10	—	—	—	—	—	—	—	—	·11	·40	11
12	·02	·40	·05	·05	·03	—	·04	—	—	—	—	·05	12
13	—	—	—	—	—	—	—	·05	—	—	—	·12	13
14	·12	·02	·60	—	·22	—	—	·05	—	—	—	·02	14
15	·40	·02	·02	—	·26	43	—	—	—	—	—	·29	15
16	·36	—	·12	—	·10	·07	—	·03	—	·02	·17	·08	16
17	·15	—	·14	—	·02	·02	—	·46	—	—	·04	·10	17
18	·30	—	·32	—	—	—	—	·10	—	—	—	·08	18
19	·05	·04	·08	—	—	·05	·14	·12	—	—	—	·02	19
20	·08	·02	·35	—	·28	·03	·02	·46	—	·50	·05	—	20
21	·02	·12	·38	—	·32	—	·05	·15	—	·13	—	—	21
22	·30	·17	·06	—	·34		·08	·10	—	·18	—	·05	22
23	·54	·58	·17	—	—	—	—	·46	—	·06	·08	·25	23
24	·08	·03	·03	—	—	·17	—	—	—	·21	—	·18	24
25	·05	—	—	—	—	·10	—	·45	—	·08 ·26	·17	·64	25
26	—	·02	—	—	—	—	·03	·06	—	·25 1·05	·59	·25	26
27	—	—	—	—	—	·25	·75	—	—	1·05 ·30	·10	·27	27
28	—	14	—	—	—	·03	·76	·40	·17	·08 ·30 ~~[illegible]~~	·52	·60	28
29	—	·31	·02	—	—	·20	·15	·12	·61	·61	—	·07	29
30	—		·03	—	·03	·19	·15	—	·18	·30	—	—	30
31	—		·36		—		·18	—		·05		—	31
99 Total	4·04	3·17 ✓	4·94	·19	~~1·77~~ 1·83	~~4·45~~ 4·29	2·58	~~5·58~~ 5·68	1·13	4·58 ✓	2·32	~~4·48~~ 4·43	YEAR'S TOTAL ~~39·25~~ 39·18
Rain Days.	21	~~19~~ 18	24	5	13	~~23~~ 21	17	23	5	15	13	24	~~200~~ 199

W. 7,500, XI. ·12

Written 26.11.14

Cor. by obsr. 6.IV.14.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. -3 FEB 1914

Kept at Taunton W – Rl

in the County of Somerset 3

by Humf. Alford h. Dford F.I.C

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Taunton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

" " " " Sea Level 60 ft.

IMPOR ily at 9 a.m. and the result entered to the previous da his aln niversal rule, he is earnestly requested to following ye r in the space provided for it at th he measurement of rain, the selection an ing of rain gauges, s as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

OROUGH OF TAUNTO

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
13 1	–	·22	·20	·08	·23	—	—	–	·15	·02	·05	·07	1
2	·16	·14	—	·07	·08	—	—	–	·05	·28	·10	—	2
3	·16	–	·08	·03	·24	—	—	–	·12	·04	–	·24	3
4	1·03	–	·05	–	·33	·02	–	–	·35	·07	–	·33	4
5	—	·03	·02	–	·17	·09	–	–	·35	—	·10	·30	5
6	·04	·06	·20	–	·05	·06	·15	—	–	·10	·10	·28	6
7	–	·40	–	–	·65	·10	·20	—	–	·50	·16	·02	7
8	–	·06	—	–	·38	–	–	·06	—	·10	–	–	8
9	–	·05	–	·05	·14	·09	–	·10	·02	—	·25	·03	9
10	·39	·02	–	–	·06	—	–	·05	–	·63	·20	—	10
11	·75	·03	–	·10	·25	·03	–	—	–	·10	·92	—	11
12	—	–	–	–	·16	–	–	·02	–	–	·32	·02	12
13	·08	–	—	—	–	–	·02	·14	·28	–	·05	–	13
14	·24	–	·18	·08	·03	—	—	–	–	·03	·15	—	14
15	·33	·03	·35	·60	–	–	—	–	·10	–	·04	—	15
16	—	–	·56	·03	–	·03	—	·14	·30	—	–	—	16
17	·21	–	·05	·06	—	–	—	–	–	–	–	–	17
18	·18	–	·23	·05	·02	·03	—	–	–	–	·05	–	18
19	·62	–	·10	–	–	·18	–	–	·30	·05	–	–	19
20	·28	–	·15	·06	–	–	–	–	·02	·04	·10	–	20
21	–	–	·34	·15	·06	–	–	–	—	–	·30	–	21
22	·04	–	·72	·03	–	·05	·06	·02	·12	·04	–	·10	22
23	–	–	–	–	–	·05	–	·05	–	–	·05	·63	23
24	·03	·05	–	·03	–	·02	·–	·04	–	·03	·03	—	24
25	–	·08	–	·30	–	—	—	–	·04	·03	–	·05	25
26	—	—	–	·88	—	—	–	·20	–	—	–	·17	26
27	·15	–	·26	·36	—	–	–	—	–	·25	–	·05	27
28	·12	–	·03	·32	—	—	—	–	–	·88	—	–	28
29	·10	–	·60	·29	–	·–	–	·15	–	·22	·02	·25	29
30	·34	–	–	–	·03	–	–	–	–	·43	–	–	30
31	·27	–	·04		·18		–	·84		·05		–	3369 31
99 Total	6·12	1·17	4·16	3·57	3·06	·75	·47	1·81	2·20	~~4·69~~	2·99	2·52	YEAR'S TOTAL ~~33·39~~
Rain Days.	20	12	18	19	17	12	4	12	13	20	~~17~~ 18	14	179

W.7,000, XI. 13

4·89

179

3373

[illegible] 17.III.15 ~~W.~~ mg. Cord by Observer 17·III·15

written 15·III·15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 6 JAN 1915

Kept at Taunton

in the County of Somerset 3

by Dr. Henry J. Alford

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Taunton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground one ft. in.

" " " " Sea Level 70 ft. Cord by Obr. 16·III·15

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
14 1	—	—	·03	·10	—	·05	·12	·43	—	—	·25	·07	1
2	—	—	—	·09	—	—	·71	—	—	—	·33	·39	2
3	·04	—	·10	·10	·26	—	—	·22	—	—	·05	·05	3
4	·10	—	·03	·21	·08	—	·13	·10	—	—	·63	·50	4
5	·07	—	·08	·32	·06	—	·10	—	—	—	—	·15	5
6	—	·07	—	·19	·02	—	·58	·02	—	—	·05	·20	6
7	·03	·70	·15	·16	·06	·10	·25	·05	·05	—	—	·13	7
8	·02	—	1·10	·06	·16	·48	—	·01	—	—	—	—	8
9	—	·03	·32	·09	·08	·58	—	·08	·94	—	·02	—	9
10	·06	·12	·05	·08	·03	·05	—	—	·60	—	·03	·05	10
11	—	·10	·28	—	·14	·22	·35	—	·03	—	·07	·54	11
12	—	·40	·10	—	—	—	—	—	·18	·05	·03	·69	12
13	—	·22	·42	—	—	—	·05	·64	·16	·30	·28	·23	13
14	—	·20	·30	—	—	·45	—	·49	—	·25	·26	·02	14
15	—	—	·12	—	—	—	—	—	·10	·05	·20	·01	15
16	—	—	·02	—	—	—	·06	—	·10	—	—	—	16
17	—	·28	·37	—	—	—	·05	—	—	—	—	·47	17
18	—	·08	·04	—	—	—	·17	—	·10	—	—	·34	18
19	—	·04	·65	—	—	·02	2·18	—	·10	—	·10	·08	X 19
20	—	·36	·28	—	—	·38	—	—	—	—	—	·31	20
21	—	1·05	—	—	—	·09	—	—	—	·30	—	·04	21
22	—	·05	—	—	·11	·32	—	·01	—	·41	—	—	22
23	—	·10	·18	—	—	·05	·06	—	—	·40	—	·03	23
24	—	—	·04	—	·07	—	·05	·08	—	·42	·08	·05	24
25	—	—	·30	—	·03	—	·10	·28	—	·20	·08	·17	25
26	·04	—	·16	—	—	—	·10	·10	—	·04	·13	·40	26
27	·06	—	—	—	—	—	—	—	—	·12	·17	·19	27
28	—	·04	·14	—	·05	—	—	—	—	·14	·11	·72	28
29	·10		·04	—	·15	—	—	—	—	·25	·26	·03	29
30	—		·05	—	—	—	—	—	—	·30	·40	·65	30
31	·04		—		—		·20	—		·85		·34	31
99 Total	·56	3·84 3·84	5·35	1·40	1·30	2·79	5·26	2·51	2·36	~~3·03~~ 4·08	3·48	6·85	YEAR'S TOTAL 39·78
Rain Days.	10	16	25	10	14	12	17	13	10	~~14~~ 15	20	27	189

W. 8,000. X. 14.

2177

FORM A.
BRITISH RAINFALL.
12 JAN 1916

REGISTER OF RAINFALL IN 1915

3

Kept at Taunton
in the County of Somerset
by Wm Alford

Lat. .... Long. ....
Time of Observation 9. a.m
Nearest Railway Station Taunton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ... in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
15 1	·35	·04	—	—	—	—	—	·31	·15	·35	·04	·13	1
2	·17	·28	·04	·10	—	·01	—	·68	·06	·09	—	·57	2
3	·07	·16	·05	·08	·17	—	·06	—	—	—	—	·45	3
4	·04	·08	·01	—	·04	—	·15	—	—	—	—	·24	4
5	·08	·71	—	·06	—	—	—	·14	—	—	—	·32	5
6	·60	·08	—	·18	—	—	·67	·03	—	—	—	·19	6
7	·29	·23	—	·07	—	—	·18	—	—	—	—	·21	7
8	·19	·40	—	·01	—	—	—	·11	—	—	·04	·04	8
9	·03	·03	—	·01	—	—	—	·06	—	—	·38	·82	9
10	·13	·11	·03	·07	—	—	—	·16	—	·14	·03	·06	10
11	·05	·28	·05	—	·02	—	·03	·06	—	·01	·76	·04	11
12	·25	·76	—	·06	·50	—	—	·68	—	·08	·08	—	12
13	·05	·27	—	—	·71	—	—	—	·11	—	·18	·02	13
14	·05	·01	—	—	—	—	·04	·26	·03	·01	—	·42	14
15	·10	—	—	—	·27	—	·05	—	—	·03	·18	·05	15
16	·01	·68	—	—	·08	—	·54	·02	—	—	—	·03	16
17	—	·22	—	—	·16	—	—	·02	—	—	—	·02	17
18	—	·18	—	—	·02	—	—	—	—	·02	—	—	18
19	—	·02	—	—	·05	—	·15	—	—	—	—	—	19
20	·10	—	—	·12	—	·02	—	—	—	·06	—	·06	20
21	·17	—	—	—	—	—	·02	—	—	·06	—	·09	21
22	·10	·13	·38	·08	—	·18	·30	—	·03	·02	—	·15	22
23	·01	·02	·15	—	—	·04	·26	—	·03	1·23	·02	·44	23
24	—	—	—	·03	—	—	·12	—	·10	·40	—	·22	24
25	—	—	·04	·05	—	·60	·43	—	—	—	—	·20	25
26	·04	·06	—	—	—	·03	·02	—	·10	—	—	·52	26
27	—	·08	—	—	—	·41	·10	—	·02	·31	—	—	27
28	—	·03	—	—	—	·04	—	·01	·62	·08	—	·02	28
29	—	×	—	—	—	·08	·01	—	—	—	·11	·05	29
30	·11	×	—	—	—	·08	·09	—	—	·81	·17	·30	30
31	—	×	—	×	—	×	·06	·01	×	·69	×	·20	31
Total	2·99	4·86	·75	·92	2·02	1·49	3·28	2·55	1·25	4·39	1·99	5·86	YEAR'S TOTAL 32·35
Rain Days.	22	23	8	13	10	10	19	14	10	17	11	27	184

W. 8,000. X. 15.

REG 16

FORM A.
BRITISH RAINFALL.

TAUNTON
THE PARK
SOMERSET
1916

Kept at Taunt
in the County of Som
by Dr Alford

ong.
giam
on one mile
Rain Gauge 5 in.
e above Ground 12 5 ft. in.
„ Sea Level 66 ft.

IMPORTANT NOT and the result entered to the previous day. If an Ob universal rule, he is earnestly requested to add the rea g year in the space provided for it at the end of thi surement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

~~Date~~ 16	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	—	·02	—	·90	·02	·33	—	·09	·17	·12	—	1
2	·18	·04	·01	—	·02	—	—	—	·06	·36	·26	—	2
3	—	1·20	—	—	·24	—	·02	—	·77	·26	·20	—	3
4	·09	·18	—	·02	·16	·22	—	—	·02	·24	·91	—	4
5	·01	·01	·06	—	·05	·08	—	—	—	·02	·26	—	5
6	·03	·18	·02	—	·24	·07	·24	—	—	·09	·36	—	6
7	·03	·20	·14	—	·04	·14	·11	—	—	·03	·80	·18	7
8	—	·11	·03	—	·18	·02	—	—	—	—	·27	·08	8
9	—	·10	—	—	·09	·33	·02	—	—	·14	·07	·23	9
10	—	·29	·02	·05	·03	—	·04	—	—	·04	·07	·20	10
11	—	—	·06	·05	—	—	—	—	—	—	—	—	11
12	·03	·04	·23	·02	·08	—	·03	·11	—	·02	—	—	12
13	—	·33	·01	·03	·07	—	·02	·38	—	—	—	—	13
14	·01	·40	·03	—	·07	—	—	·08	—	·03	—	—	14
15	—	·13	·10	·15	·01	—	—	·36	—	·07	—	—	15
16	·06	·10	—	·14	~~·01~~	—	·05	·95	—	·08	—	—	16
17	—	·12	—	·05	—	—	—	·06	·25	·16	·43	—	17
18	·04	·08	·25	—	—	—	—	·02	·34	·08	·02	—	18
19	·09	·03	·67	·05	—	—	—	—	·02	—	·15	—	19
20	·12	·46	·40	—	—	—	—	—	—	—	·03	1·00	20
21	·04	·14	·19	—	·16	·04	—	—	—	—	—	·21	21
22	·02	—	·02	·01	·03	·06	—	·04	—	·34	·03	·65	22
23	·02	—	—	·02	—	·07	—	·24	—	·14	·09	·11	23
24	—	·40	·02	·01	·74	·01	—	·03	—	·69	—	·27	24
25	—	·21	·15	—	·02	—	—	·33	1·03	·05	·15	·09	25
26	—	·29	·07	—	·01	·50	—	·25	1·04	·60	·04	—	26
27	·02	—	1·32	—	—	·05	—	·11	·28	·29	—	—	27
28	—	·20	·01	—	·17	·07	—	·10	·28	·24	·02	·23	28
29	—	·60	·12	—	—	·13	—	1·62	·31	·18	—	·20	29
30	—	✕	—	—	—	—	—	·01	—	·19	—	·04	30
31	—	✕	—	✕	—	✕	—	·08	✕	·10	✕	·04	31
99 Total	·90	5·84	3·95	·60	3·25	1·75	·86	4·77	2·89	4·55	4·22	3·53	YEAR'S TOTAL 37·11
Rain Days.	16	24	23	12	20	15	9	17	12	25	19	14	206

W. 8,000, VIII. 16

REG 16

FORM A.
BRITISH RAINFALL.

Kept at Taunton
in the County of Somerset
by Dr Alford M.O.H

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station one mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 12 5 ft. in.
" " " " Sea Level 66 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

~~Date~~	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
16 1	·11	—	·02	—	·90	·02	·33	—	·09	·17	·12	—	1
2	·18	·04	·01	—	·02	—	—	—	·06	·36	·26	—	2
3	—	1·20	—	—	·24	—	·02	—	·17	·26	·20	—	3
4	·09	·18	—	·02	·16	·22	—	—	·02	·24	·91	—	4
5	·01	·01	·06	—	·05	·08	—	—	—	·02	·26	—	5
6	·03	·18	·02	—	·24	·07	·24	—	—	·09	·36	—	6
7	·03	·20	·14	—	·04	·14	·11	—	—	·03	·80	·18	7
8	—	·11	·03	—	·18	·02	—	—	—	—	·27	·08	8
9	—	·10	—	—	·09	·33	·02	—	—	·14	·07	·23	9
10	—	·29	·02	·05	·03	—	·04	—	—	·04	·01	·20	10
11	—	—	·06	·05	—	—	—	—	—	—	—	—	11
12	·03	·04	·23	·02	·08	—	·03	·11	—	·02	—	—	12
13	—	·33	·01	·03	·01	—	·02	·38	—	—	—	—	13
14	·01	·40	·03	—	·07	—	—	·08	—	·03	—	—	14
15	—	·13	·10	·15	·01	—	—	·36	—	·01	—	—	15
16	·06	·10	—	·14	~~·01~~	—	·05	·95	—	·08	—	—	16
17	—	·12	—	·05	—	—	—	·06	·25	·16	·43	—	17
18	·04	·08	·25	—	—	—	—	·02	·34	·08	·02	—	18
19	·09	·03	·67	·05	—	—	—	—	·02	—	·15	—	19
20	·12	·46	·40	—	—	—	—	—	—	—	·03	1·00	20
21	·04	·14	·19	—	·16	·04	—	—	—	—	—	·21	21
22	·02	—	·02	·01	·03	·06	—	·04	—	·34	·03	·65	22
23	·02	—	—	·02	—	·07	—	·24	—	·14	·09	·11	23
24	—	·40	·02	·01	·74	·01	—	·03	—	·69	—	·27	24
25	—	·21	·15	—	·02	—	—	·33	·03	·05	·15	·09	25
26	—	·29	·07	—	·01	·50	—	·25	1·04	·60	·04	—	26
27	·02	—	1·32	—	—	·05	—	·11	·28	·29	—	—	27
28	—	·20	·01	—	·17	·01	—	·10	·28	·24	·02	·23	28
29	—	·60	·12	—	—	·13	—	1·62	·31	·18	—	·20	29
30	—	X	—	—	—	—	—	·01	—	·19	—	·04	30
31	—	X	—	X	—	X	—	·08	X	·10	X	·04	31
99 Total	·90	5·84	3·95	·60	3·25	1·75	·86	4·77	2·89	4·55	4·22	3·53	YEAR'S TOTAL 37·11
Rain Days.	16	24	23	12	20	15	9	17	12	25	19	14	206

W. 8,000, VIII. 16

Section | A | for the entry of Daily Observations

Station No.........................

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 19~~5~~16

Kept at Taunton

in the County of Somerset

Diameter of funnel of gauge 5 in.

Height of top of gauge above ground 1 ft. 0 in.

Height of ground above sea level 66. ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
16	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	–	·02	–	·90	·02	·33	–	·09	·17	·12	–		1
2	·18	·04	·01	–	·02	–	–	–	·06	·36	·26	–		2
3	–	1·20	–	–	·24	–	·02	–	·17	·26	·20	–		3
4	·09	·18	–	·02	·16	·22	–	–	·02	·24	·91	–		4
5	·01	·01	·06	–	·05	·08	–	–	–	·02	·26	–		5
6	·03	·18	·02	–	·24	·07	·24	–	–	·09	·36	–		6
7	·03	·20	·14	–	·04	·14	·11	–	–	·03	·80	·18		7
8	–	·11	·03	–	·18	·02	–	–	–	–	·27	·08		8
9	–	·10	–	–	·09	·33	·02	–	–	·14	·07	·23		9
10	–	·29	·02	·05	·03	–	·04	–	–	·04	·01	·20		10
11	–	–	·06	·05	–	–	–	–	–	–	–	–		11
12	·03	·04	·23	·02	·08	–	·03	·11	–	·02	–	–		12
13	–	·33	·01	·03	·01	–	·02	·38	–	–	–	–		13
14	·01	·40	·03	–	·07	–	–	·08	–	·03	–	–		14
15	–	·13	·10	·15	·01	–	–	·36	–	·01	–	–		15
16	·06	·10	–	·14	–	–	·05	·95	–	·08	–	–		16
17	–	·12	–	·05	–	–	–	·06	·25	·16	·43	–		17
18	·04	·08	·25	–	–	–	–	·02	·34	·08	·02	–		18
19	·09	·03	·67	·05	–	–	–	–	·02	–	·15	–		19
20	·12	·46	·40	–	–	–	–	–	–	–	·03	1·00		20
21	·04	·14	·19	–	·16	·04	–	–	–	–	–	·21		21
22	·02	–	·02	·01	·03	·06	–	·04	–	·34	·03	·65		22
23	·02	–	–	·02	–	·07	–	·24	–	·14	·09	·11		23
24	–	·40	·02	·01	·74	·01	–	·03	–	·69	–	·27		24
25	–	·21	·15	–	·02	–	–	·33	·03	·05	·15	·09		25
26	–	·29	·07	–	·01	·50	–	·25	1·04	·60	·04	–		26
27	·02	–	1·32	–	–	·05	–	·11	·28	·29	–	–		27
28	–	·20	·01	–	·17	·01	–	·10	2·8	·24	·02	·23		28
29	–	·60	·12	–	–	·13	–	1·62	·31	·18	–	·20		29
30	–	X	–	–	–	–	–	·01	–	·19	–	·04		30
31	–	X	–	X	–	X	–	·08	X	·10	X	·04		31
TOTAL 99	·90	5·84	3·95	·60	3·25	1·75	·86	4·77	2·89	4·55	4·22	3·53	Year's total 37·11	
*Days with .01 in. or more.	✓	✓	✓	✓				✓						
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)..(P.T.O.)

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

21 JAN 1918

Kept at Taunton
in the County of Somerset
by Dr. Alford M. O. H

Lat. .... Long. ....
Time of Observation 9 a. m.
Nearest Railway Station Taunton
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	03	—	·13	·29	—	·14	—	·37	·08	—	·07	—	1
2	·02	—	—	·03	—	·06	—	·02	—	·02	·02	—	2
3	04	—	—	·07	—	—	·45	—	—	·20	·15	—	3
4	—	·15	·27	—	—	—	·04	—	·03	·43	—	·02	4
·09 5	·09	—	·27	·14	—	·08	—	·04	16	·15	·10	—	5
6	—	—	·08	—	—	—	—	—	—	·03	·23	—	6
7	·12	—	—	—	—	—	·34	·24	—	·14	·05	·02	7
8	·04	—	·12	·11	—	·04	·46	·27	·02	·35	·06	·09	8
9	—	—	·02	·03	·04	—	·08	·09	·04	·30	·05	—	9
10	·17	—	·11	·17	—	·33	—	·12	—	·04	—	—	10
11	·13	—	1·18	·38	—	—	—	·29	—	·16	·09	—	11
12	·29	—	·01	—	·42	—	—	—	—	·27	—	—	12
13	·01	—	·16	·01	—	—	—	·38	—	·11	—	—	13
14	—	—	—	—	—	—	·02	·26	—	—	—	—	14
15	—	—	—	·14	—	—	·04	·05	—	·25	—	·22	15
16	—	·08	—	·08	—	—	—	·07	—	·27	—	·11	16
17	—	·02	—	·04	·03	—	·28	·05	·64	·08	—	—	17
18	—	·02	—	—	·97	·03	·13	—	·48	—	—	—	18
19	—	·36	·06	—	—	·16	—	—	·09	—	—	—	19
20	—	·07	·04	—	50	·06	·02	·14	·03	—	—	—	20
21	—	—	·16	—	·01	·07	—	—	—	·07	—	—	21
22	—	—	—	—	—	·02	—	·31	—	·03	—	—	22
23	—	·20	—	—	·21	—	—	·48	—	·13	—	·13	23
24	—	—	·07	—	—	·19	·15	·10	—	·06	·04	—	24
25	—	08	·06	—	—	—	—	·08	—	·11	·02	—	25
26	—	—	—	—	·52	·03	—	·36	·11	·09	·02	—	26
27	—	—	—	—	·31	·20	—	·82	—	·05	·02	—	27
28	—	—	·04	—	·17	4·83	—	·23	—	—	—	·04	28
29	—	X	·21	—	—	·47	·25	·01	—	·10	—	·14	29
30	—	X	·15	—	—	—	·41	·05	—	·06	—	—	30
31		X	—	X	—	X	·01	·09	X	·15	X	—	31
99 Total	·74	·98	3·06	1·49	3·18	6·20	2·68	4·84	1·68	3·94	·92	·67	YEAR'S TOTAL 30·38
Rain Days.	10	8	18	12	10	15	14	24	10	25	13	8	167

1·06

W. 8,000, IX. 17.

104

FORM A.
BRITISH RAINFALL.

14. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Taunton
in the County of Somerset
by Dr. Alford

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Taunton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug	Sept.	Oct.	Nov	Dec.	Date.
18								~~·86~~	—	~~·04~~	~~·69~~	—	
1	—	·04	—	·10	·10	—	—	·36	—	·02	·02	·01	1
2	—	·05	—	·05	—	—	—	—	·02	·05	·06	·06	2
3	—	·06	—	·08	·05	·05	—	·07	·15	·01	·47	·02	3
4	—	·06	—	·02	—	—	—	·25	·29	·15	·01	·08	4
5	—	—	·10	·02	·02	—	—	·05	·07	·16	—	·03	5
6	·16	·12	—	·16	—	—	—	—	·22	·74	·31	·07	6
7	—	·12	—	·01	·16	·02	—	·02	·20	·14	—	·03	7
8	·16	·05	—	—	—	—	—	—	·25	·01	—	·03	8
9	·02	·08	—	·08	—	·16	·29	—	·22	·09	—	·17	9
10	·04	—	—	·18	—	—	·16	—	·18	·05	·05	·37	10
11	·01	—	·04	·02	—	—	·23	—	·05	—	—	·09	11
12	—	·05	·13	—	·13	—	·17	—	·26	·02	—	·01	12
13	—	—	—	—	·22	—	·09	—	·08	·10	—	·09	13
14	·65	—	·02	—	·02	·02	·19	—	—	·07	—	·17	14
15	1·58	—	—	·24	—	·04	·28	—	·10	·05	—	·16	15
16	—	—	·03	·62	—	·06	·04	—	·21	·01	—	·11	16
17	·84	—	·02	·22	—	—	·24	—	·35	·09	—	·16	17
18	·74	—	·01	—	—	·48	·06	—	·02	·03	—	·16	18
19	·10	·02	·07	·03	—	—	·09	·05	·10	·08	—	·07	19
20	·12	·04	—	·14	—	·03	·46	—	·60	·07	—	—	20
21	·03	·05	—	·03	—	·01	·03	—	·18	·02	—	·21	21
22	—	—	—	—	·09	—	·38	—	·03	—	—	·17	22
23	·03	—	—	—	·14	—	·67	·02	·11	—	·22	·08	23
24	—	·11	—	—	—	·01	—	·05	—	·04	·09	·09	24
25	—	—	—	·07	·12	—	·08	·65	—	·02	·08	·02	25
26	—	·01	—	·05	—	—	·59	—	·18	—	·11	·02	26
27	—	·05	·08	—	—	—	·46	·08	·03	—	·09	·01	27
28	—	·10	·18	·01	—	—	—	—	[illegible]	·03	·02	·04	28
29	—	×	·04	—	—	—	—	—	1·07	·03	·02	·05	29
30	—	×	·21	—	—	—	—	—	·07	—	·07	·10	30
31		×	·18	×	—	×	—	·54	×		×	—	31
99 Total	4·48	1·01	1·11	2·13	1·05	·88	4·51	~~3·00~~ 3·14	5·04	~~1·50~~ 1·46	~~2·29~~ 1·62	2·66	YEAR'S TOTAL ~~29·16~~ 28·09
Rain Days.	13	16	13	19	10	10	18	12	25	25	15	29	205

W, 6,500, VII 18. W W G

B. made

1893

18 JUN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 19~~16~~19

Kept at Taunton
in the County of Somerset
by Town Health Authorities

Lat. 51 Long. 10
Time of Observation 9.0 am
Nearest Railway Station 1 mile ?
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level not known ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35	·01	·03	·05	·06	-	·73	-	·01	-	-	1·0	1
2	·07	-	·01	-	·03	-	·12	-	-	·30	-	·01	2
3	·54	-	·29	-	-	-	-	-	·08	-	·02	·22	3
4	·45	·36	·34	-	-	·11	·02	·04	·11	-	·08	·07	4
5	·03	·31	·82	-	-	-	·12	-	·41	-	·02	·06	5
6	·63	·24	·05	-	-	-	-	-	-	-	·04	·18	6
7	·32	-	·22	·13	-	-	-	-	·03	-	·02	·04	7
8	·18	-	·20	·02	-	·02	-	-	-	-	-	-	8
9	·04	-	·01	·19	·02	-	-	-	-	-	-	-	9
10	·01	-	·10	-	·02	-	-	-	-	-	·48	·18	10
11	·28	-	·16	-	·09	-	·13	-	-	·10	·02	·26	11
12	·02	-	·07	·10	-	·02	-	-	-	-	-	·09	12
13	·35	·02	·04	·62	-	-	-	-	-	·15	·09	·03	13
14	·20	·05	-	·05	·19	-	·05	-	-	·07	-	·11	14
15	·09	·06	-	·02	·02	-	-	-	-	·03	-	·16	15
16	—	·70	-	10	-	-	-	-	-	·11	-	·01	16
17	·14	·48	-	·03	-	-	-	·23	-	-	·03	-	17
18	·27	·04	·64	-	-	-	·13	·14	-	-	·18	-	18
19	·31	·09	·30	-	-	·01	·70	·52	·02	-	·09	·05	19
20	·02	·02	·09	-	-	·18	-	·31	·43	·01	·15	·03	20
21	-	·41	·01	-	-		·03	·02	·02	-	-	·06	21
22	-	—	-	·05	-	·01	·08	-	·08	-	-	·06	22
23	-	-	·02	·07	-	-	-	-	·08	-	-	·02	23
24	·09	-	-	·13	-	·07	-	-	-	·78	·03	·46	24
25	·08	·02	-	·22	-	·02	-	·86	·01	1·93	·04	·10	25
26	·18	·02	·05	·11	-	-	-	·10	-	-	·02	·19	26
27	-	-	·05	·13	-	·02	·08	-	·10	-	-	·05	27
28	·02	-	·31	·08	-	-	-	-	-	-	·51	·30	28
29	·12		-	-	-	·02	-	-	-	-	-	·03	29
30	-		·02	-	-	·18	-	-	-	·07	·19	·33	30
31	-		-		-		·03	-		·01		·40	31
99 TOTAL	4·79	2·82	3·83	2·10	·43	·66	2·22	2·22	1·38	3·56	2·01	4·50	YEAR'S TOTAL 30·52
Days with ·01 in. or more	24	15	22	17	7	11	12	8	12	11	17	27	183

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Taunton

in the County of Somerset

by Taunton Boro' Health Dept.

Lat. 3° 6' Long. 51° 30"

Time of Observation 9 am

Nearest Railway Station Taunton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
20 1	.03	—	—	.09	—	—	.17	.06	.08	.23	.14	.56	1
2	.28	—	—	—	.53	—	.81	.17	.05	.06	—	.05	2
3	.15	.03	—	.06	—	—	.06		02	.58	—	.03	3
4	—	—	.05	.04	—	—	.07	.33	—	.26	—	—	4
5	—	—	.12	.02	.06	—	.36	.03	—	.10	—	—	5
6	—	—	.21	.01	.16	—	.15	—	—	.13	—	—	6
7	.01	—	.01	.20	.01	—	.55	—	—	.01	—	—	7
8	.15	.11	—	.21	.05	—	.20	—	—	—	—	.11	8
9	.45	.10	—	.09	—	.17	.03	—	—	—	—	—	9
10	.82	.18	—	.09	—	.22	.27	—	—	—	.01	—	10
11	.26	.01	.11	.24	.21	—	.19	—	—	—	—	—	11
12	.18	.01	.08	.16	.01	.14	.03	—	—	—	.08	—	12
13	.17	.09	.43	.04	—	—	—	—	—	.02	—	—	13
14	.01	.03	.19	.64	—	—	.01	—	.03	.12	.28	.03	14
15	—	.11	.06	.29	.50	.20	.02	—	.08	.31	.03	—	15
16	—	.01	.01	.03	.07	.05	.10	—	.26	.35	—	—	16
17	.01	—	—	.11	.13	.02	—	—	.23	—	—	—	17
18	.04	.03	.01	.03	.11	.12	.05	.36	.19	—	—	.02	18
19	.03	.01	—	.28	.05	.19	—	.03	—	—	—	—	19
20	—	.13	—	.18	03	.11	.02	—	—	—	—	.19	20
21	—	—	—	.01	—	—	.07	—	—	.03	—	.11	21
22	.03	.01	—	.01	—	—	01	.02	—	—	—	.32	22
23	.01	.07	—	—	—	—	.48	—	—	—	—	.23	23
24	.02	—	.13	—	—	—	—	—	—	—	.07	.07	24
25	.02	.01	.11	—	.04	—	.30	—	.05	—	.02	.01	25
26	.18	—	.28	—	.05	.04	.08	—	—	—	.12	.10	26
27	.35	—	.12	.03	.02	.23	.05	—	—	—	.18	.18	27
28	.65	—	.08	.07	—	.05	.05	—	—	—	—	.09	28
29	.16	—	.35	.02	.03	.03	—	—	—	—	.06	.18	29
30	.04	X	.02	.02	.10	.08	.03	—	.34	.06	.29	.18	30
31	.03	X	.58	X	.02	X	03	—	X	.38	X	.07	31
99 TOTAL	4.08	.94	2.95	2.97	2.18	1.65	4.19	1.00	1.33	2.64	1.28	2.53	YEAR'S TOTAL 27.74.
Days with .01 in. or more	21 10	16 9	19 4	25 9	19 6	14 2	26 8	7 3	10 2	14 3	13 3	15 4	203 63.
Days with .04 in. or more	14	7	15	16	13	12	18	4	8	11	8	14	140.

J

TEMPLE CLOUD

SOMERSET

1911 - 1920

FORM A2.
BRITISH RAINFALL.

13 JAN 1912

RE

Kept at Temple
in the County of Som
by Theodore W

...ords
in.
Ground 1 ft. in.
Sea Level 340 ft.
Name Clutton
Distance 1 mile Direction N

IMPORTANT NOTE ... he result entered to the previous day. If an Obs... rsal rule, he is earnestly requested to add the readi... r in the space provided for it at the end of this ... ent of rain, the selection and placing ... ish Rainfall Organization are given in ... pplication to Dr. H. R. Mill, 62, Camd...

Jan. 1, following.

Date	Jan.	Feb.	March.							ct.	Nov.	Dec.	Date.
1			·04								·05	·05	1
2				T·15	·55			·22		·06	·40	·24	2
3	·02	·01	·01		·41			·09	·01	·07	·12	·08	3
4		·02	·21	Sn ·02				·03		·03	·26	·42	4
5	·17		·06	S·01				·66		·01	T·55	·01	5
6	·76		·14	S·01							·25	·62	6
7	·02		·01					·07			·63	·02	7
8	·08		·19								02	·38	8
9	·12		·02								·11	·62	9
10	·18	·09	·64		·34						·01	·34	10
11	Not ·41		·02		·~~34~~						·76	T·24	11
12	·01							·01	·03		·53	·38	12
13			·03						·32	T·08	·05	·45	13
14		·08									·03	·86	14
15		·05	·05			·04				·01	·40	·09	15
16		·04				·27					·56	·50	16
17		·04				·13					·05	·48	17
18		·36	·11		·03	·43				·04	·04	·32	18
19		·09				·10			·33	·17	·05	·30	19
20	·02	·04	·12			·02			·11	·05		·41	20
21		·40	·06				~~T 1·23~~	T·1·23		·82		·33	21
22	·04	·05	·22			·15				·36		·59	22
23		·24	·27			·05			·06	·18	·01	·19	23
24	·02	·24			·02	·49	~~·11~~	·11		·78		·16	24
25		·11	S·02			·11			·01	·03		·30	25
26		·05			·10	·02	~~·03~~	·03	·14	·14	S·05	·30	26
27		·45	N.S. ·24				~~·15~~	·15			·04	·17	27
28		·51				·01	~~·0~~	·06	·13		·04	·01	28
29				·12.		·39		·03		·38			29
30						·02	·02 ~~·02~~			·24	·02	·02	30
31							·01			·22	~~·02~~		31
Total	1·85	2·87	2·46	·44	1·65	·2·23	~~·02~~ ·05	2·76	1·14	3·68	5·03	8·88	TOTAL for year 33·03
No. of Rain Days.	12	18	19	6	7	14	~~1~~ 3	13	9	18 8·67	24	29	179

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
13 JAN 1912

RE

Kept at Temple Cloud
in the County of Somerset
by Theodore Marten

RAIN GAUGE
Pattern Howards
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 340 ft.

Time of Observation 9 am
Nearest Railway Station
Name Clutton
Distance 1 mile Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·04	·13	·20		·02	·07			·05	·05	1
2				T·15	·55			·22		·06	·40	·24	2
3	·02	·01	·01		·41			·09	·01	·07	·12	·08	3
4		·02	·21	S&H ·02				·03		·03	·26	·42	4
5	·17		·06	S·01				·66		·01	T·55	·01	5
6	·76		·14	S·01							·25	·62	6
7	·02		·01					·07			·63	·02	7
8	·08		·19								02	·38	8
9	·12		·02								·11	·62	9
10	·18	·09	·64		·34						·01	·34	10
11	Nos. ·41		·02		~~·34~~						·76	T·24	11
12	·01							·01	·03		·53	·38	12
13			·03						·32	T·08	·05	·45	13
14		·08									·03	·86	14
15		·05	·05			·04				·01	·40	·09	15
16		·04				·27					·56	·50	16
17		·04				·13					·05	·48	17
18		·36	·11		·03	·43				·04	·04	·32	18
19		·09				·10			·33	·17	·05	·30	19
20	·02	·04	·12			·02			·11	·05		·41	20
21		·40	·06				~~T1·23~~	T·1·23		·82		·33	21
22	·04	·05	·22			·15				·36		·59	22
23		·24	·27			·05			·06	·18	·01	·19	23
24	·02	·24			·02	·49	~~·11~~	·11		·78		·16	24
25		·11	S·02			·11			·01	·03		·30	25
26		·05			·10	·02	~~·03~~	·03	·14	·14	S·05	·30	26
27		·45	N&S ·24				~~·15~~	·15			·04	·17	27
28		·51				·01	~~0~~	·06	·13		·04	·01	28
29				·12.		·39		·03		·38			29
30						·02	~~·02~~ ~~·02~~			·24	·02	·02	30
31							·01			·22	~~·02~~		31
Total	1·85	2·87	7 2·46	·44	1·65	·2·23	~~·02~~ ·05	2·76	1·14	3·68 3·67	5·03	8·88	TOTAL for year 33·03
No. of Rain Days.	12	18	19	6	7	14	~~1~~ 3	13	9	18	24	29	17~~0~~2

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

20 JAN 1913

Kept at Temple Cloud
in the County of Somerset
by Theodore Martin

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Clutton G.W.R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			·15		·02	·31	·34		·01	·72		·33	1
2		·025.	·26			·13	·41				·01		2
3	·02		·10	·01		·18	·12	·65	·07		·03	·03	3
4	·26		T1·09		·33	·30		·05			·14		4
5	·41		·24		·03		T·58	·37				·20	5
6	·47	·19	·01		·06	·01		T1·10			·02	·19	6
7	·03	·25	·19		·06	·68		·05				·06	7
8	·40	·20	·54			·15	·8	·20	·02			·02	8
9	·08	·02	·29	·13		·05	·02					·57	9
10	·02	·08				·14		·09			·11	·11	10
11	·06	·05										·52	11
12	·05	·68	·13	·06	·02		·03				·01	·19	12
13	·01	·01	·02					·01			·02	·14	13
14	·18		·68		·31			·27				·06	14
15	·07	·06			·21	·67		·06				·74	15
16	·73	·01	·53		·07	·03		·22		·09	·05	·05	16
17	·85S.		·04		·02			·75			·03	·17	17
18	·13S.		h·79					·13		·16	·02	·14	18
19	·05	·06	h·11			·04	·11	·20		·31	·01	·02	19
20	·01		T·72		·27		·10	T·35		·74	·01		20
21	·02	·12	·30		·52		·03	·05		T·25			21
22	·47	·33	·06		·14	·01	·06	·17		·04	·02	·09	22
23	·33	·49	·31				·01	·67		·14		·57	23
24	·07	·01	·05			·90	·04	·08		·28	·12	·24	24
25						·47	·16	·77		·06	·01	·48	25
26		·06					T·76	·14			·56	·32	26
27		·02				·22	T·38	·68		1·08	775	·59	27
28		·16				·04	·54	·05	·10	·62	075	·54	28
29		·08				·12	·20		·44	·40	·40	·07	29
30					·01	·05	·30		·15	T·69		·02	30
31	·01		·32					·02		·01		·32	31
Total	4·73	2·84	6·93	·20	2·07	3·90	4·27	7·13	·79	5·53	2·41	6·78	YEAR'S TOTAL 47·58
Rain Days.	23	20	22	3	14	19	19	24	6	15	19	27	211

W. 7,500, XI. ·12

✓ WDM

Cmd by stats 25.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
26 JAN 1914

Kept at Temple Cloud
in the County of Somerset 1
by Theodore Marten

Lat. 50·19 Long. 1·43W
Time of Observation 9 am
Nearest Railway Station Hallatrow
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·34	·20	·34	·10	·07				·42	·01	·19	·22	1
2	·06	·15	·02	·15	·04		·07		·02	T·12	·16	·10	2
3	·09	·02	·17		·36				T·97	·02	·01	·45	3
4	1·12		·08		·50				·40	·16	·02	·12	4
5	·02	·07			·18	·48	·21				·03	·50	5
6	·06	·11	·23		·05	·18	·02			·76	·07	·01	6
7	·01	·30	·01		·36	·10	·19			T·48	·13	·03	7
8	·01	·10		·01	·30	·19		·02		·08		·12	8
9		·13	·02	·01	·02	·18	·12	·11	·08		·09	·02	9
10	·19		·03	·02			·02	·04		·19	·10		10
11	·61		·03	·12	·13	·12				·02	·90	·06	11
12	·09				·21		·02		·02		·11		12
13	·02		·06				·02	·07	·69		·20		13
14	(·10)	·03	·26	·07		·01	·02	·01	·03	·11	·34		14
15	·15	·06	·48	·81				·04			·26	·07	15
16	·27		·74	·16			·03	·02	·09				16
17	·06	s·01	·03	·08		·02	·08		·03		·08		17
18	·11		·35	·24		·01					·09		18
19	·52		·03	·03	·05	T·30	·02		·29				19
20	·15		·11		·25					·08	·09		20
21			·23	·09	·02		·13	·01			·51		21
22	·62			T·29		·07		·05	·16	·02			22
23	·09					·02		·19				·32	23
24	·01	·04		·04				·02			·10		24
25		·06		·17					·02		·01	·11	25
26		·02		·29				·28		·02		~~·71~~ ·23	26
27	·04			·38						·19		S·10	27
28	·16		·14	·33								S·13	28
29	·02		·14	T·42	·01			·14		·32	·10		29
30	·57		·59	·01						·42	·11		30
31	·13							·33		·01			31
Total	5·62	1·30	4·09	3·82	2·55	1·68	·95	1·33	3·22	3·01	3·70	2·59	YEAR'S TOTAL 33·86 ✓
Rain Days.	26	14	21	21	15	12	13	14	13	17	22	16	204 ✓

W. 7,500, XI. 12

Esa 833

REGISTER OF RAINFALL IN 19~~15~~14

FORM A.
BRITISH RAINFALL.
14 [illegible]N 1915

Kept at Temple Cloud
in the County of Somerset
by Theodore Martin

Lat. 50.19 Long. 1.43
Time of Observation 9. am
Nearest Railway Station Hallatrow G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	~~April.~~ May	~~May.~~ April	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					.06	.02	.34T	.43			.05	.08	1
2			.13		.08		.57	.12			1.01	.35	2
3			.10	.33	.24		.02	.45T		.01	.95	.21	3
4	.20 ha		.19	.16	.46		.15	.14			.69	.68T	4
5			.22	.07	.53		.11	.03			.08	.35 s.	5
6		.14	.04	.05	.26		.22	.09			.05	.27	6
7	.70	.90	.21	.85	.37	.04	.33	.08	.01			.15	7
8	.80		.05	.10	.06	.43	.06	.11	.45				8
9	.16		.31 ha	.05	.20	.72 ah		.05	.14				9
10	.10	.17	.01	.03	.20	.01			.28		.02	.01	10
11		.15	.62	.10		.25	.07T				.07	.40	11
12		.12	.09						.29		.07	.24	12
13		.39	.42						.20	.22	.16	.59	13
14		.59	.52			.05T	.01	.29T	.03	.24	.29		14
15		.02	.23 ha					.44	.02	.04	.12	.01	15
16			.01				.10		.41				16
17		1.02	.34 as				.01		.03			1.13	17
18		.02	.02 as				.23		.03			.41	18
19		.14	.10 s				.84				.05	.14	19
20		.70	.54 as			.02						.20	20
21		.48	.01			.28T				.14	.02 as.		21
22		.03	.10	.15T	.02	.37		.05		.23			22
23		.08	.10	.05		.03	.01			.15			23
24		.01	.18	.10 ah			.48			.22	.15	.01	24
25	.06		.11				.02	.37		.55	.01	.37	25
26			.02				.08	.04		.10	.41	.56	26
27	.07									.04	.16	.20	27
28	.02	.14	.16	.02						.18	.47	1.09 as	28
29	.32		.09	.09			.02			.17	.27	.01	29
30	.01		.02							.29	.42	.90	30
31	.02			~~.02~~			.18			.24		.10	31
Total	2.46	5.10	4.94	2.17	2.48	2.22	3.85	2.69	1.89	2.82	5.52	8.46	YEAR'S TOTAL 44.60
Rain Days.	11	17	28	15	11	11	20	14	11	15	21	24	188

W. 8,000. X. 14.

198

Ex Mx

2081

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

4. JAN 1916

Kept at Temple Cloud
in the County of Somerset
by Theodore Marten

Lat. 50·19 Long. 1·43 W
Time of Observation 9 am
Nearest Railway Station Hallatrow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40	·12	·11		·12			·17	·51T		·01	·19	1
2	·45 2+1	·28	·11	·16		·01	·01	·59	·07T			·29	2
3	·35	·07	·01	·11	·17		·09	·02				·21	3
4	·02	·01			·07		·04					·41	4
5	·16	·71						·10				·09	5
6	·34	·03		·35			·37	·06				·11	6
7	·45	·38 1+2		·06	·21		·20	·04		·01		·29	7
8	·37	·35		·01			·01	·10			·13		8
9		·10		·10				·01			·47	·97	9
10	·23	·01	·08	·03				·30T				·14	10
11	·01		·09	·02	·02			·26			·79	·03	11
12	·11	·41		·18	·51			·28		·02	·28		12
13	·03	·60			1·07		·01		·11	·04	·04		13
14	·10	·02					·07	·75	·02	·04		1·26	14
15	·46	·01		·01	·12		·09	·23	·08		·15	·06	15
16	·64	1·42			·46		1·01	·02				·13	16
17		·80			·65							·02	17
18		·34	·02		·01							~~·08~~	18
19	·01	·03			·05		·33						19
20	·30			·10						·02		·08	20
21	·10	·13			·08		·02			·04		·16	21
22	·08	·36	·43	·03		·02	·68		·02			·34	22
23	·01	·04	·15				·33T		·05	·89		·41	23
24			·01	·07			·27T		·34	·69		·41	24
25				·01		·12T	·24		·01	·18		·30	25
26		·15				·06	·10			·17		·57	26
27		·03				·15	·22T	·01		·24		·01	27
28			·02			·03		·02	·79	·10			28
29						·30			·04		·11	·07	29
30	·31	✕			—	·10T				·47	·36	·19	30
31	·13 vk	✕		✕		✕	·13	·02	✕	1·04	✕	·39	31
Total	5·06	6·40	1·03	1·24	3·54	·79	4·22	2·98	2·04	3·95	2·34	7·13	YEAR'S TOTAL 40·72 ✓
Rain Days.	22	23	10	14	13	8	19	17	11	14	9	25	185 ✓

W. 8,000. X. 15.

W. C. J. E. cut from author

2025

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

13 FEB 1917

Kept at Tennah Court
in the County of Somerset
by Theodore Martin

Lat. 50.19 Long. 1.43W
Time of Observation 9 am
Nearest Railway Station Hallatrow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·22				·14	·10	·39		·05	·47	·12		1
2	·90		·04		·05	·03	·07			·69	·02		2
3	~~2~~	1·02			·16	·08			·12	·55	·23		3
4	·26	·08			·11	·74				·14	·69		4
5	·02	·01	s·03		T·24	·17				·02	·21		5
6	·14	·24	s·01		·30	·16	·35			·08	·73		6
7	·07	2&h ·08	s·29		·01					·08	·73	·15	7
8		2h&s ·15	s·06		·27	T·08					·12	·15	8
9		·02	s·01		·12	T·27				·07	·04	·04	9
10		·45		·12	·01	·06	·02			·03	·02		10
11	·02	·02	2&s ·02	·15	·02	T·12	·17		·02			·06	11
12	·05	·10	·04	·02	·25			·05		·07			12
13		·43	·16					·46		·01			13
14		2&s ·46	·06	T·12	·13			·21		·03			14
15	·02	~~s~~ ·22	·10	T·03	·01			·19		·01			15
16	·04	h ·10		·19	·02		·01	·85		·02			16
17	·16	·16		·03				T·11	·57	·38	s·09		17
18	~~·24~~	·04	·14	·04					·03	·09	s·35	·09	18
19	·24		·42	·41							s&h ·15	·01	19
20	T·24	2&s ·03	·45								·09	·05	20
21	·19	s ·05	2&s ·58		·15		·27					·74	21
22	·02	·	·01	·02		·08				·27	·03	2&s ·66	22
23	·01	s ·15		·08		·04		·18		·28	·42	s·19	23
24		s ·43		·05	T1·10	·03		·05		·52	·01	2&s ·28	24
25		s ·40	2&s ·16		·05	·02		·34	·01	·01	·25	·09	25
26		s 50	2&s ·19			·26		T1·05	T·54	·36	·02		26
27	·05	s ·11	2&s 2·10		T·02	·02		T·11	·41	·25			27
28			s·08			·30		·06		·93	·01	·59	28
29		·s74	·12			·35		2·21	·13.	·72		·82	29
30		✕						·01		T·37		·01	30
31		✕		✕		✕		·07	✕	·31	✕		31
Total	2·65	5·99	5·07	1·26	3·16	2·85	1·28	5·95	1·88	6·76	4·33	3·93	YEAR'S TOTAL ~~45·04~~ 45·11
Rain Days.	17	24	21	12	19	18	7	15	9	26	20	15	203.

W. 8,000, VIII. 16

1935

FORM A.
BRITISH RAINFALL.
8. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Temple Cloud, Cameley
in the County of Somerset
by Theodore Martin

Lat. 50-19 Long. 1·43 W
Time of Observation 9 am
Nearest Railway Station Hallatrow G. W. R.
Diameter of Funnel of Rain Gauge 5 in in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·19	s ·24		·17		1·19	·42		·04		1
2				s ·04		·19		·14			·03		2
3	·05			·01			T·09	·20		·93	·08		3
4		s. ·14	r s ·12				·36	·16	·01	·23			4
5	·19		·21	r s ·33		·15			·47	·35	·16		5
6			·52							·15	·25	·02	6
7	·28						·20	·54		·33	·01	·02	7
8	·23		s ·11	r s ·14			·55	·65	·04	·61	·12	·05	8
9			·07	s ·06	·08		·02	T·10	·03	·22	·15		9
10	s r ·09		·26	s r ·15				T·15	·38	·02		·01	10
11	·03		·56	T s r ·53	T·37			T·56	·14	·29	·01		11
12	·02					T·04		T·41		·64			12
13			·11	·03		·03		·19	·10	·01		·01	13
14			s ·10	·11				·81	·03				14
15							T·40			·22		r s ·23	15
16	s ·01	·07		·38			·27			·30	·01	r s ·07	16
17		·01		·23	·16		·36	·09	·84	·06	·01		17
18		·01			·01	·03	·43	·02	·65				18
19		·36	·05			·04		·03	·03		·02		19
20	s ·01	·07			·34	·07		·10	·02		·01		20
21		·02	s ·50			·05		·01		·02			21
22			s ·30			T·04		·14		·12			22
23		·09			·10			T·43				·04	23
24		·03	·01			·62	·09	·33		·17		·01	24
25		·10	·04					·02	·02	·58			25
26		·21			T·16			1·12	·25	·50	·03		26
27					·85	·03		1·67					27
28			·13		T·01	T3·19		·75			·02	r s ·02	28
29			r s ·09		T·00	·24	·17	·09		·60		s ·21	29
30		✕	s ·10				·16	·21		·43			30
31	s ·02	✕	s r ·20	✕		✕	·10	·16	✕	·05	✕	s ·04	31
Total	·93	1·11	3·67	2·25	2·08	4·89	3·20	10·27	3·43	6·83	·95	·53 ·73	YEAR'S TOTAL 40·34
Rain Days.	10	11	19	12	10 9	14	13	27	15	22	15	12	178 9

134

W. 8,000, IX. 17.

18

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Temple Cloud
in the County of Somerset
by Theodore Martin

Lat. 50.19 Long. 1.43W
Time of Observation 9 am
Nearest Railway Station Hallatrow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .62

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02		.11	.03			.37		.02	.68	.03	1
2		.04		.13				.32			.06	.53	2
3		.05		.16	.13			.03	.10	.06	.01	.01	3
4		.06	.02	.01				.02		.08	.82	.09	4
5		~~.66~~		.13				.17	.04	.31	.04	.02	5
6	.14	.66		.27	.19				T.02	.17		.11	6
7	1.03	.22		.01	.70				.37	.19	.42	.01	7
8		.06							T1.03	.20		.06	8
9				.39		.32	T.63		T.82	.07	.01	.21	9
10	.02						T.46		T.36	.12	.01	.41	10
11	.02	.08	.02	.01			.38		.29	.06	.05	.14	11
12		.13	.26				1.28		.10			.07	12
13	.21	.02			.37		.10		.47	.03		.29	13
14	.21					.08	T.53		.29	.04		.16	14
15	1.08			.52	.06	.18	.32					.27	15
16	.52		.03	.62			.03		.15	.01		.38	16
17	.33		.03	.09			.14		.17	.01		.39	17
18	1.11					.69	.17	.18	.49	.02		.30	18
19	.06		.07	.02			.02	.02	.77			.09	19
20	.02	.21		.06		.01	T.52	~~.02~~	.15	.06			20
21	.04	.07				.01	.13		.97	.03		.10	21
22					T.15		.42			.06		.35	22
23	.17	.01			T.14	.03	.29		.01		.02	.06	23
24		.16					.02		.11		.03		24
25				T.01			.26	T.77		.02	.01	.01	25
26				T.01			T.42	.01	.07	.06	.10	.28	26
27		.07	.05				T.02	.33	.33		.09	.02	27
28		.14	.18								.17	.18	28
29			.07						1.05			.01	29
30		X	.30					.05	.02	.04	.07	.15	30
31		X	.36	X		X		.03	X	.02	X		31
Total	3.96	2.00	1.39	2.55	1.77	1.32	6.14	2.30	8.18	1.68	2.59	4.73	YEAR'S TOTAL 38.61 ~~39.61~~
Rain Days.	14	16	11	16	8	7	19	12	23	22	16	28	192

W. 8,000, IX. 17.

1807
15

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Temple Cloud
in the County of Somerset
by Theodore Martin

Lat. 50·19 Long. 1·43 W
Time of Observation 9 am
Nearest Railway Station Hallatrow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·00

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·62	s. 02	04	s ·10	·31		T ·47			~~·70~~ 1·51	·01	1·35	1
2	·10		·02		·01		·10		·14		·08	·20	2
3	1·37		·29	·02	·04				·09		·08	·55	3
4	·55	ss ·11	·44		·05	·05	·01	·03	·12		·03	·12	4
5		ss ·31	ss ·70		·06		T ·05		·65		·02	·38	5
6	·37	·08	·16									·18	6
7	·17		·56	·04								·01	7
8	·22		·17			·01							8
9	·07		·03	·09	·01						·16		9
10	·03		·12	·01	·03						·01	·39	10
11	·04		·19	·16	·21		·31			·12		·02	11
12	·06		ss ·09	·03		·33				ss ·06	s ·05	·26	12
13	·06		·03	·56			·02					·06	13
14	·72	·10		·46			·17		·06			·10	14
15	·25	·01		·03						·07		·29	15
16	T ·17	·92									·10		16
17		ss ·58				·03					·34	·02	17
18			44				·20	·39	·03		·13	·04	18
19	·26	·25	ss 1·07			(·16)	·77	·70	·21		·36	·10	19
20	·34	·15	ss ·22			·28		·24	·02			·12	20
21		·57	·02				·18				·01	·12	21
22		·26					·04		·25		·02	·26	22
23										·52	·12	·04	23
24	·08			·05		·17				1·01	·18	T ·64	24
25	·14	·04						·61			·04	·10	25
26	·06		·16	·03		·01			·14			·72	26
27	·02	·01	·04	ss ·43				·75				·05	27
28	·02		·39					·20			s ·43	·34	28
29				·11		·01		·02		·08		·12	29
30				·17		·23				·02	·48	·70	30
31							·01					·19	31
TOTAL	5·72	3·41	5·18	2·29	·72	1·26	2·33	2·94	1·71	2·03	2·65	~~8·47~~ 7·47	YEAR'S TOTAL 37·71 ~~38·71~~
Days with ·01 in. or more	22	14	~~26~~ 20	16	8	10	12	8	10	4	19	26	174

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1726

8 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Temple Court

in the County of Somerset

by Thurston Martin

Lat. 50·19 Long. 1·43W
Time of Observation 9 am
Nearest Railway Station Holborn
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·22	·30			·05	·09	·09	·21	·50	1
2	·10			·10	·01		T ·69	·29	·05	·11		·08	2
3	·07	·06	·02	·07			T 1·28	·60		·64		·06	3
4			·04	·09			·09	·04		·16			4
5			·11	·07	·10		T ·64			·23			5
6			·31	·01	·52		·03			·02		·01	6
7	·04		T ·09	·06			·16				·02		7
8	·02	·05		·38	·06		T ·45						8
9	·63	·40	·03	·72		·10	·41	·04	·02				9
10	1·40		·08	·03		·17	·65						10
11	·71	·04	·14	·50	·31		·08						11
12	·22		·01	·15		·71	·10				·12		12
13	·08	·11	·44	·15		T						·03	13
14	·06	·01	·25	·73		T ·03	·03		·09	T ·25	·12	·01	14
15	·01	·17	·02	·51		T ·12	33		·08	·38	·09		15
16			·01	·21		T 2·05			·06	·07	T ·35		16
17	·05		·02	·10	·33				·29			·01	17
18	·06			·15	·07	·01		·35	·18				18
19	·04	·18		·26	T ·05	·15					·01	·01	19
20	·02	·15		·26		·20						·29	20
21				·02			·11		·01	·01		·20	21
22	·03			·05		·01	·07	·12				·43	22
23							·80	·02				·42	23
24	·05		·29	·03				·01			·08	·15	24
25	·03	·13	·10		·05		·30						25
26	·27		·25			·03	·04				·07		26
27	·28	·02	·05	·13		·60						·24	27
28	1·01	·01	·18		·06	·01	·05						28
29	·21		·23		·08	·01	·04				·27	·33	29
30	·07		·02	·02	·01	·30	·29			·02	·36	·23	30
31	·28		·24		·01		·08			·65			31
TOTAL	5·74	1·33	2·93	5·02	1·96	2·50	6·42	1·52	·87	2·63	1·70	3·00	YEAR'S TOTAL 35·62 ~~36·62~~
Days with ·01 in. or more	24	12	22	25	14	15	22	9	9	12	11	16	191
Days with ·04 in. or more	19	9	15	20	11	9	20	7	7	9	9	11	~~149~~ 146

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

2120

—

TEMPLE COMBE,
CHERITON HOUSE

1911 – 16, 18 – 1920

1917

FORM A2.
BRITISH RAINFALL.

12 MAR 1912

RE

Kept at Temple Com

in the County of S

by W Wise

in.

round ft. in.

a Level ft.

ame

stance Direction

IMPORTANT NOT he result entered to the previous day. If an Obs not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											.01	.10	1
2										.04	.22	.16	2
3											.04	.12	3
4										.03	.22	.44	4
5										.05	.19		5
6										.05	.02	.70	6
7											.41		7
8											.10	.58	8
9											.06	.44	9
10											.02	.25	10
11											.66	.15	11
12											.05	.35	12
13									.30	.05	.02	.62	13
14												.84	14
15											.24	.17	15
16											.36	.32	16
17											.14	.42	17
18										.03	.06	.38	18
19									.18	.20	.03	.45	19
20									25	.10		.72	20
21									.13	.56		.23	21
22									.03	.34		.40	22
23									13	.09	.03	.15	23
24										.40		.21	24
25									.05	.04		.13	25
26										.10	.01	.42	26
27									.13	.03	.04	.22	27
28											.07		28
29									.21	.37			29
30										.25	.10	.01	30
31										.07			31
Total									1.41	2.80	3.10	8.98	TOTAL for year
No. of Rain Days.									9	18	23	26	

W. 8,000, X. '11.

RE

FORM A2.
BRITISH RAINFALL.
12 MAR 1912

S+RR

Kept at Temple Combe Cheriton Ho

in the County of Somerset

by W Wise H. A. Boy

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											.01	.10	1
2										.04	.22	.16	2
3											.04	.12	3
4										.03	.22	.44	4
5										.05	.19		5
6										.05	.02	.70	6
7											.41		7
8											.10	.58	8
9											.06	.44	9
10											.02	.25	10
11											.66	.15	11
12											.05	.35	12
13									.30	.05	.02	.62	13
14												.84	14
15											.24	.17	15
16											.36	.32	16
17											.14	.42	17
18										.03	.06	.38	18
19									.18	.20	.03	.45	19
20									25	.10		.72	20
21									.13	.56		.23	21
22									.03	.34		.40	22
23									.13	.09	.03	.15	23
24										.40		.21	24
25									.05	.04		.13	25
26										.10	.01	.42	26
27									.13	.03	.04	.22	27
28											.07		28
29									.21	.37			29
30										.25	.10	.01	30
31										.07			31
Total									1.41	2.80	3.10	8.98	TOTAL for year
No. of Rain Days.									9	18	23	26	

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
10 MAR 1913

REGISTER OF RAINFALL IN 1912

Kept at Templecombe Cheriton House

in the County of Somersetshire 7

by W Wise Rev H. A. Boys

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.06			.40	.04		.04	.88		.47	1
2			.31	.04		.20	.36	.11		.02			2
3			.12			.35	.06	.45	.03		.04	.05	3
4	.31		.72		.06	.36		.02			.32		4
5	.50	.25	.15			.01		.65			.01	.18	5
6	.54	.06			.15		.27	.50				.06	6
7	.02	30	.16		.29	.56	.80	.11				.18	7
8	.28	.22	.30	.04		.12	} .12		.01			.03	8
9	.02	.03	.18	.06		.12		.14				.52	9
10	.09	.11						.06			.02	.31	10
11	.09	.12	.02									.36	11
12	.03	.45	.04	.01			.03	.06			.03		12
13		.02	.02			.03		.26		.02		.03	13
14	.17	02	.30		.06			.21		.02		.02	14
15	.13	06	.07		.19	.77		.02				.39	15
16	.97		.18		.06			.09		.09	.09	.05	16
17	.99		.18			.03		.52		.03	.02	.08	17
18	.24		.33					.36				.10	18
19	.05	.11	.10			.11	.11	.14			.04		19
20	.04	.04	.34		.07	.02	.02	.37		.40	.03		20
21		.13	.16		.50			.23		.27			21
22	.37	.19	.10		.05		.36	.32		.09		.04	22
23	.08	.38	.24		.01			.93		.04	.19	.18	23
24	.06	.03	.02			.41		.16				.29	24
25	.07	.03				.19		.28		.16	.27	.55	25
26		03					.20	.08		.25	.56	.23	26
27						.12	.65			.73		.34	27
28		.06				.07	.06	.22	.05	.57	.58	.60	28
29		.12	.02			08	.18	.04	.70	.41		.02	29
30						.15	.08		.37	23			30
31			.46		.06		.30	.01		.04		.06	31
Total	5.05	2.76	4.58	.15	1.50	4.10	3.64	6.34	1.20	4.25	2.20	5.14	YEAR'S TOTAL 40.91
Rain Days.	20	21	24	4	11	19	17	26	6	17	13	24	202

W. 7,500, XI. 12

~~From~~
~~Mid-Wessex.~~

REGISTER OF RAINFALL IN 1913.

Ex. MP

Kept at Cleriton House, Templecombe
in the County of Somerset 7
by W. Wise.
Rev. H. A. Boys

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

FORM A.
BRITISH RAINFALL.
8 APR 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·28	·08	·12	·03	·06	-	-	·39	-	·31	·34	1
2	·06	·09	-	·15	·06	-	·02	-	·10	·04	·17	·02	2
3	·17	-	·07	·07	·50	-	-	-	-	·04	-	·25	3
4	·69	-	·03	-	·56	-	-	-	·98	·12	·05	·12	4
5	·06	·04	-	-	·16	·17	·03	-	·26	-	·07	·16	5
6	·04	·04	·05	-	·19	·24	·32	-	-	·77	·07	·68	6
7	·01	·18	·03	-	·40	·03	·02	-	-	·73	·19	-	7
8	-	·05	-	-	·26	·01	·04	-	-	·06	-	·02	8
9	-	·02	-	-	·08	·08	·06	·37	·03	-	·12	-	9
10	·25	-	·02	-	·05	-	·02	·04	-	·25	·25	-	10
11	·80	·02	-	·31	·07	-	-	-	-	·08	·17	-	11
12	-	·03	-	-	·61	-	-	-	-	·04	·39	-	12
13	-	-	-	-	·01	·02	-	·04	·48	-	·31	-	13
14	·20	·01	·09	-	·02	·01	-	-	·20	-	·32	-	14
15	·37	·05	·23	·50	-	-	·21	·04	·09	-	·04	-	15
16	·31	-	·42	·06	-	-	-	-	·07	-	-	-	16
17	·01	-	·02	·11	-	-	·05	-	-	-	·02	-	17
18	·12	-	·18	·10	·04	·10	—	-	-	-	·07	-	18
19	·70	-	·09	-	·04	·38	·03	-	·56	-	-	-	19
20	·05	-	·12	·10	-	-	-	-	-	·10	·33	-	20
21	-	-	·15	·15	·08	-	·08	-	-	-	·63	-	21
22	·73	-	·40	-	-	·09	-	·04	·25	·12	-	-	22
23	-	-	-	-	-	·02	-	-	-	-	-	·79	23
24	·06	-	-	·09	-	-	-	·07	-	-	-	-	24
25	-	·24	-	·17	-	-	-	-	-	-	·07	·06	25
26	-	-	-	·37	-	·01	-	·25	-	·02	-	·36	26
27	·06	-	·29	·08	-	-	-	-	-	·10	-	-	27
28	·12	-	·08	·37	-	-	-	-	-	·12	-	·07	28
29	·11		·52	·38	·05	-	-	·13	-	·38	·01	-	29
30	·43		-	-	·01	-	-	-	-	·45	·08	-	30
31	·21		-				-	·73		·07		-	31
Total	5·56	1·05	2·87	3·13	3·22	1·22	·88	1·71	3·41	3·49	3·67	2·87	YEAR'S TOTAL 33·08
Rain Days.	22	12	18	16	19	13	11	9	11	17	20	11	179

W.7,000, XI. 13

From Mid-Wessex Association Ht err. by Boys ~~Ref~~ M.G.

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL.

23 MAR 1915

Kept at Cheriton House, Templecombe

in the County of Somerset 7

by W. Wise

Rev. H A Boys

Lat. Long.

Nearest Railway Station

Time of Observation

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	– (·08)	–	–	–	·06	·30	–	–	·24	·08	1
2	–	–	–	–	–	–	·56	·07	–	–	·66	·23	2
3	·02	–	·25 (·17)	·15	·38	–	·05	·04	–	·02	·29	–	3
4	·13	–	·07 (·07)	·15	·02	–	·18	·49	–	–	·62	·05	4
5	·10	–	·20 (·20)	·30	·14	–	·17	–	–	–	·16	–	5
6	–	·20	– (·04)	·20	·02	–	·03	–	–	–	·02	·44	6
7	·02	·55	·08 (·05)	·17	·33	–	·21	·15	·06	–	·01	·03	7
8	·02	·02	·65 (·65)	·03	·32	·11	·01	·14	·04	–	–	·25	8
9	·03	–	·40 (·40)	·24	·13	1·22	·01	·10	·82	–	–	·20	9
10	·02	·28	– (·05)	·06	·10	·02	–	–	·48	–	–	·04	10
11	–	·15	·63 (·59)	–	·25	·17	·41	–	·30	–	·02	·36	11
12	–	·13	·20 (·20)	–	–	–	–	–	·36	–	·03	·47	12
13	–	·26	·28 (·28)	–	–	–	–	–	·14	·20	·39	·50	13
14	–	·20	·25 (·25)	–	–	·11	·02	·48 T.	–	·20	·26	·14	14
15	–	–	·14 (·14)	–	–	–	·17	·43	·08	·06	·10	–	15
16	–	–	·25	–	–	–	·08	–	·15	–	–	–	16
17	–	·37	·11 (·25)	–	–	–	–	–	·03	–	–	·44	17
18	–	–	– (·11)	–	–	–	(·22)	–	–	–	–	·52	18
19	–	·10	·70 (·85)	–	–	–	1·40	–	–	–	·12	·12	19
20	–	·45	·20 (·20)	–	–	·01	–	–	–	–	–	·24	20
21	–	·90	– (·01)	–	–	·30	–	–	–	·21	–	·02	21
22	–	–	–	–	·26	·18	–	·04	–	·49	–	–	22
23	–	·15	·26 (·26)	–	·06	·07	–	–	–	·21	–	–	23
24	–	–	– (·07)	–	·08	–	·22	–	–	·38	·08	–	24
25	·13	–	·40 (·34)	–	–	–	·32	·22	–	·24	·05	·28	25
26	–	–	– (·01)	–	–	–	·17	·07	–	·05	·20	·54	26
27	·12	–	–	–	–	–	·03	–	–	·06	·18	·15	27
28	–	(·08)*	·20 (·20)	–	–	–	·34	–	–	·03	·22	·96	28
29	·20		·06 (·06)	–	·15	–	·04	–	–	·14	·30	·03	29
30	–		·05 (·05)	–	–	–	–	–	–	·16	·32	·87	30
31	·07		–		·02		·08	–		·70		·07	31 (39·94)
Total	·86	(3·84) ~~3·76~~	~~5·38~~ (5·58)	1·30	2·26	2·19	(4·47)	2·53	2·46	3·15	4·27	7·03	TOTAL for year ~~[illegible]~~ ~~[illegible]~~
No. of Rain Days	11	~~13~~ (14)	~~20~~ (26)	8	14	9	21	12	10	15	20	24	~~177~~ (184)

* Figures in red ink estimated by Mr. Boys.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

From originals returned

2215

FORM A.
BRITISH RAINFALL.
17 MAY 1916

REGISTER OF RAINFALL IN 1915

Kept at Cheriton House Templecombe

in the County of Somerset 7

by W. Wise per Rev. H. A. Boys.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·83	·20			·02			·35	·41	·26	·03	·18	1
2	·56	·23	·25	·10		·08		·47	·02	·15	–	·56	2
3	·14	·05	·15	·12	·26		·04	·03		·03	–	·41	3
4		·02			·02						–	·21	4
5	·24	·48		·09				·09			–	·41	5
6	·60	·11		·33			·66	·05		·01	–	·20	6
7	·35	·44		·06		·03	·18			·02	–	·36	7
8	·20	·44						·08			·05	·03	8
9		·04		·11	·02						·45	·60	9
10	·30		·03	·04				·07		·03	–	·10	10
11	·06		·07	·04				·82		·01	·75	·01	11
12	·18	·40		·14	·63			·03		·09	·26		12
13	·02	·61			·74			·02	·08		·17	·06	13
14	·03	·08					·17	·20	·12		–	·65	14
15	·12				·21		·09	·05	·02	·14	·14	·13	15
16		·54			·31		·88	·56			–	·13	16
17		·38			·23		·01	·44		·01	–	·02	17
18		·32			·09						–		18
19					·10		·16				–		19
20	·38			·13							–	·09	20
21	·04	·03				·05	·06			·63	–	·28	21
22	·09	·17	·48	·02		·02	·72		·02	·03	–	·39	22
23		·02	·08				·25		·16	2·08	–	·30	23
24				·06			·03		·37	1·30	–	·46	24
25				·05		·16	·46		·67		–	·19	25
26		·05				·16	·17		·01		–	·69	26
27		·04				·13	·55			·45	–	·03	27
28		·12				·13		·02	·63	·04	–	·01	28
29		X				·35	·21			·01	·22	·06	29
30	·09	X		·03		·04				·78	·50	·31	30
31	·05	X		X		X	·06		X	1·10	X	·20	31
Total	4·28	4·77	1·06	1·32	2·63	1·15	4·70	3·28	2·51	7·17	2·57	7·07	YEAR'S TOTAL 42·51
Rain Days.	18	21	6	14	11	10	17	15	11	19	9	28	179

W. 8,000. X. 15.

Mid Wessex M G J RL

2151

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Templecombe Cheriton Ho

in the County of Somersetshire

by Rev H A Boys W Wise

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.10				.37	.06			.32	.37	.50		1
2	.25				.03					.27	.10		2
3	.02				.05				.31	.50	.28		3
4	.21				.06	.50			.27	.08	.84		4
5	.13				.26	.31				.07	.61		5
6	.02				.07	.02	.55			.12	.71		6
7	.06				.16	.08	.32				.59	.16	7
8					.18						.17	.13	8
9					.06	.12				.15	.18	.10	9
10				.11			.16					.32	10
11	.03			.30	.12	.06			.03				11
12	.16			.08	.04		.09			.14			12
13								.43					13
14	.03			.14	.12			.08		.10			14
15	.01							.11					15
16	.05			.29	.05		.07	.63		.10			16
17	.15			.05				.05	.31	.58			17
18	.02			.07				.04	.13	.07		.08	18
19	.08			.12							.59	.06	19
20	.16			.04							.09	1.30	20
21	.07						.04					.56	21
22	.02			.03		.05				.41	.03	.45	22
23				.03		.08		.20		.08	.16	.15	23
24				.06	.95	.51		.03		.66	.08	.22	24
25								.52			.28		25
26						.31		.09	.92	.65	.03		26
27						.16		3.26	.68	.45			27
28								.10	.22	.48	.02	.20	28
29					.12	.31		2.00	.77	.56	.03	.22	29
30		×						02		.60		.03	30
31		×		×		×		.05	×	.12	×	07	31
Total	1.51	-8.08		1.32	2.64	2.57	1.23	7.61	3.96	6.56	5.29	4.05	YEAR'S TOTAL 44.82
Rain Days.	18	27		12	15	13	6	15	10	21	18	15	170

W. 8,000, VIII. 16

from Original ret'd to Rev H A Boys

E 122

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Templecombe Cheriton House

in the County of Somersetshire

by W H Wise Rev H A Boys

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.03		.06	.07			.82	.01	.03	.93	.04	1
2		.06		.24				.25			.12	.09	2
3		.07		.14	.20			.05		.07	.03		3
4		.04		.02				.09	.15	.06	.75	.15	4
5			.04	.05	.06	.03		.29	.12	.16	.07	.06	5
6	.21	.17		.16	.01			.11	.02	.05		.10	6
7		.15		.06	.39			.04	.13	.06	.37	.03	7
8		.14							.29	.24	.03	.03	8
9		.10		.21		.22	.53		.64	.05		.36	9
10	.05			.10			.20		.11	.22	.02	.41	10
11							1.40		.18		.08	.07	11
12		.03	.02		.40		.19		.20			.01	12
13	.32				.20		.46		.63	.08		.14	13
14	.12		.03		.03	.16	.03		.70	.20		.11	14
15	1.20			.33	.04	.05	.29		.08			.14	15
16	.47		.04	.10			.03		.20			.07	16
17	.38		.01	.14			.48		.04			.13	17
18	.70					.52	.07		.15			.20	18
19	.13	.09	.12				.22	.04				.09	19
20	.04	.02		.17			.14		.20				20
21	.06						.04		.36	.10		.17	21
22	.08				.05		.61		.16		.02	.34	22
23	.12				.20		.48		.12		.05	.07	23
24		.24				.03	.06		.15		.07		24
25							.50	.91			.04		25
26	.01						.92		.07	.05	.11	.43	26
27		.13	.05				.02	.14	.21		.16	.03	27
28		.11	.19	.03					.03	.03	.19	.10	28
29			.06						1.15			.05	29
30		X	.39					.04		.06	.11	.05	30
31		X	.03	X		X		.03	X	.03	X		31
Total	3.89	1.38	.98	1.81	1.65	1.01	6.67	2.81	6.10	1.49	3.15	3.47	YEAR'S TOTAL 34.41
Rain Days.	14	14	11	14	11	6	19	12	25	16	17	26	185

W. 6,500, VII. 18. W W C

Ex 7L

1926

20 MAR 26

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919....

Kept at Cheriton House, Templecombe
in the County of Somerset
by W. Wise per Boys

Lat.................. Long.....................
Time of Observation..................
Nearest Railway Station..................
Diameter of Funnel of Rain Gauge..................in.
Height of top of Gauge above Ground..........ft..........in.
" " " " Sea Level..........ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·46		·09	·03	·09		·47		·03	·14		1·43	1
2	·11		·02		·03		·02		·30		·04	·21	2
3	·56		·16		·15				·14		·03	·29	3
4	·45	·20	·70			·02		·11	·40			·05	4
5	·03	·48	·40		·08				·13		·09	·40	5
6	·67	·15	·20		·02							·17	6
7	·24		·37	·10									7
8	·28		·20										8
9	·03		·03	·13	·02						·10		9
10	·26		·18	·02						·06		·24	10
11			·30	·19	·17		·23					·08	11
12	·11		·03	·03						·14	·06	·22	12
13	·06	·03	·01	·50			·05			·05		·04	13
14	·44	·11		·56	·11		·17		·05	·20		·16	14
15	·16	·02								·02		·38	15
16	·11	·72						·09			·24		16
17	·03	·10									·25		17
18		·02	·66				·19				·29	·04	18
19	·62	·25	·89			·07	·73	·42	·39		·12	·07	19
20	·24	·09	·06			·30		·14				·07	20
21		·62					·41		·02			·08	21
22		·02					·15		·45			·18	22
23								·02		·47		·09	23
24						·50	·03			·85	·08	·35	24
25	·12	·03		·06				·25			·04	·20	25
26	·07	·03	·12	·05				·10	·09			·25	26
27	·16	·03	·02	·47		·05		·90				·05	27
28			·46					·61			·62	·37	28
29				·04				·11		·04		·03	29
30				·17		·19		·90			·53	·53	30
31												·37	31
TOTAL	5·21	2·90	4·90	2·35	·67	1·13	2·45	3·65	2·00	1·97	2·49	6·35	YEAR'S TOTAL 36·07
Days with ·01 in. or more	21	16	19	13	8	6	10	11	10	9	13	26	162

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1840

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Cheriton House Templecombe

in the County of

by per Boys W. Wise

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·05	·19	·39		·39	·10	·07	·06	·47	·62	1
2	·42			·24			·50	·82	·10	·04		·18	2
3	·08	·10		·03			·58			·70		·03	3
4				·08			·33	·29		·18			4
5			·09		·08		·60	·32		·25			5
6			·16		·23		·18			·03			6
7	·15		·06	·56			·42			·02			7
8	·10	·16		·35	·02		·41						8
9	·56			·08		·14	·03						9
10	·40	·17	·16	·10		·28	·33						10
11	·32		·12	·47	·23	·07	·21						11
12	·23	·01		·21		·59	·04	·02		·03	·10		12
13	·21	·05	·56	·11									13
14	·07		·22	·69					·15	·20	·30		14
15		·10	·03	·38	·09	·17	·07		·03	·35			15
16			·05	·12		·03	·12		·14	·07	·05		16
17	·04			·31	·22		·02		·48				17
18	·06		·04	·14	·15	·10	·03	·37	·16			·04	18
19	·04			·17	·25	·21			·44				19
20	·06	·16		·14	·23	·57						·15	20
21				·02			·17			·22		·11	21
22				·22		·01	·02	·01				·29	22
23	·02						·65					·25	23
24			·14		·05						·15	·05	24
25	·08	·07	·07		·02		·33						25
26	·19		·17			·03	·07				·16	·09	26
27	·48	·05	·06	·37		·21	·03					·22	27
28	·99		·07	·22	·21	·05	·06					·05	28
29	·32		·15		·02	·25	·04				·15	·17	29
30	·06	✕		·08	·11		·28		·47		·37	·30	30
31	·06	✕	·32	✕		✕			✕	·81	✕	·12	31
Total	4·94	·87	2·52	5·28	2·30	2·71	5·91	1·93	2·04	2·96	1·75	2·67	YEAR'S TOTAL 35·88
Days with ·01 in. or more	22	9	18	23	15	14	25	7	9	13	8	15	178
Days with ·04 in. or more	21	8	17	21	12	11	20	5	8	10	8	14	155

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

TEMPLE COMBE.
RECTORY
SOMERSET
1911 – 1920

REC 11

FORM A2.
BRITISH RAINFALL.
12 MAR 1912

Kept at Temple Combe
5 in.
bove Ground ft. 6 in.
in the County of Som
,, Sea Level 215 ft.
by Rev J. C. Fox
n{ Name
Distance Direction

IMPORTANT NOTE nd the result entered to the previous day. If an Obs niversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.07		.06	.04				.03			.02	.06	1
2	.02		.02	.21	.36			.08	.04	.03	.23	.19	2
3			.01		.21						.05	.10	3
4	.01	.01	.09	.04						.03	.23	.58	4
5	.05		.05					.17		.06	.18		5
6	.19		.11					.02		.07	.02	.84	6
7	.03			.02							.38		7
8	.06	.02	.24								.09	.65	8
9	.18		.06								.05	.61	9
10	.17	.13	.18		.43						.03	.27	10
11	.35	.08	.01		.12						.68	.11	11
12	.01		1.10		.03				.02		.08	.34	12
13			.01						.30		.01	.42	13
14		.08								.03	—	.96	14
15		.07	.06			.03					.25	.07	15
16						.37					.41	.43	16
17		.05	.05			.08					.18	.53	17
18		.23	.05	.12		.45				.04	.07	.42	18
19		.16		.01	.03	.25			.20	.17	.08	.67	19
20	.04	.06	.17	.09		.03			.20	.14		.62	20
21		.27	.05	.04		.02		.55	.19	.78	.04	.22	21
22	.15	.07	.08	02		.03		.01	.03	.35		.36	22
23	.01	.14	.15			.13		.10	.13	.09		.19	23
24	.01	.19			.01	.54				.41		.22	24
25		.05		.17		.11		—	.05	.09		.15	25
26		.09	.02	.30	07	.01		.02		.06	.02	.42	26
27		.43	.10	.08				.08	.15	.05	.05	.22	27
28		.35		.33				.19			.04		28
29			.01	.80		.29	.07		.24	.41	.01		29
30					.04	.16				.26	.15		30
31										.08		.01	31
Total	1.35	2.48	2.68	2.27	1.30	2.50	.07	1.25	1.55	3.15	3.30	9.66	TOTAL for year 31.56
No. of Rain Days.	15	18	22	14	9	14	1	10	11	18	24	26	182

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
12 MAR 1912

REGISTER OF RAINFALL IN 1911

Kept at Temple Combe Rectory

in the County of Somerset 7

by Rev J. C. Fox (H a Bog)

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 6 in.
" " " Sea Level 215 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07		.06	.04				.03			.02	.06	1
2	.02		.02	.21	.36			.08	.04	.03	.23	.19	2
3			.01		.21						.05	.10	3
4	.01	.01	.09	.04						.03	.23	.58	4
5	.05		.05					.17		.06	.18		5
6	.19		.11					.02		.07	.02	.84	6
7	.03			.02							.38		7
8	.06	.02	.24								.09	.65	8
9	.18		.06								.05	.61	9
10	.17	.13	.18		.43						.03	.27	10
11	.35	.08	.01		.12						.68	.11	11
12	.01		1.10		.03				.02		.08	.34	12
13			.01						.30		.01	.42	13
14		.08								.03		.96	14
15		.07	.06			.03					.25	.07	15
16						.37					.41	.43	16
17		.05	.05			.08					.18	.53	17
18		.23	.05	.12		.45				.04	.07	.42	18
19		.16		.01	.03	.25			.20	.17	.03	.67	19
20	.04	.06	.17	.09		.03			.20	.14		.62	20
21		.27	.05	.04		.02		.55	.19	.78	.04	.22	21
22	.15	.07	.08	02		.03		.01	.03	.35		.36	22
23	.01	.14	.15			.13		10	.13	.09		.19	23
24	.01	.19			.01	.54				.41		.22	24
25		.05		.17		.11			.05	.09		.15	25
26		.09	.02	.30	07	.01		02		.06	.02	.42	26
27		.43	.10	.08				.08	.15	.05	.05	.22	27
28		.35		.33				.19			.04		28
29			.01	.80		.29	.07		.24	.41	.01		29
30					.04	.16				.26	.15		30
31										.08		.01	31
Total	1.35	2.48	2.68	2.27	1.30	2.50	.07	1.25	1.55	3.15	3.30	9.66	TOTAL for year 31.56
No. of Rain Days.	15	18	22	14	9	14	1	10	11	18	24	26	182

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

Kept : Templecombe Rectory Ey RL

in the County of Somersetshire 7

by Rev J. C. Fox Rev H. A. Boys

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			.08			.42	.04	.11	.09	1.00		.47	1
2			.42	.05		.22	.39	.02	02				2
3			.18			.35	.05	.45	02		.04	.06	3
4	.30		.77		.08	.40		.02			.32		4
5	.58	.21	.15			.02		.70			.01	.30	5
6	.61	.09	.03		.19	.02	.20	.50				.05	6
7	.01	.41	.19		.25	.55	.38	.12				.17	7
8	.26	.11	.36	.01		.14	.03	.01	.01			.06	8
9	.06	.05	.19	.08		.06		.15				.58	9
10	.14	.15	.01					.10			.04	.24	10
11	.03	.08	.05					.02		.02		.37	11
12	.04	.45	.09	.03		.02	.07	.08			.03		12
13		.03	.01					.16			.03	.03	13
14	.20	.06	.28		.10			.19		.01		.02	14
15	.15	.04	07		.19	.78		.03				.41	15
16	1.10		.18		.10	.02		.09		.09	.06	.05	16
17	1.06		.25		.01	.03		.54			.03	.08	17
18	.22		.26			.03		.24		.03	.01	.12	18
19	.02	.12	.15			.06	.12	.08			.03	.01	19
20	.04	.04	.36		.07		.02	.63		.39	.04		20
21	.01	.17	.18		.55			.19		.36			21
22	.36	.19	.11		.07		.14	.32		.08		.02	22
23	.10	.37	.22		.01	.01		.99		.04	.17	.33	23
24	.10	.04	.01			.61		.10		.04		.34	24
25	.09	.03				.10		.25		.20	.25	.59	25
26		.05					.21	.08		.28	.59	.25	26
27						.14	.62			.80		.34	27
28		.06				.07	.10	.25	.08	.57	.68	.65	28
29		.15	.04			.12	.15	.05	.73	.35	.01	.04	29
30			.02		.03	.11	.12		.39	.24			30
31			.45				.24	.01				.05	31
Total	5.48	2.90	5.11	.17	1.65	4.28	2.88	6.48	1.34	4.50	2.34	5.63	YEAR'S TOTAL 42.76
Rain Days.	21	21	27	4	12	22	16	29	7	16	16	25	216

W. 7,500, XI. ·12

~~From~~ Mid. Wessex.

REGISTER OF RAINFALL IN 1913

Ex Mg.

FORM A.
BRITISH RAINFALL.

8 APR 1914

Kept at The Rectory, Temple Combe

in the County of Somerset. 7

by Rev. J. C. ~~Fox~~.
Rev. H. A. Boys.

Lat.
Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·26	·10	·10	·02	·09	–	–	·31	–	·34	·32	1
2	·08	·10	·02	·12	·09	–	·02	–	·09	·06	·15	·03	2
3	·16	–	·05	·07	·59	–	–	–	·01	·12	–	·24	3
4	·76	–	·03	–	·54	–	–	–	1·03	·17	·06	·12	4
5	·09	–	–	–	·22	·21	·02	–	·21	·07	·09	·18	5
6	·05	·07	·11	–	·13	·23	·40	–	–	·73	·09	·73	6
7	–	·22	·01	–	·44	·05	·07	–	–	·42	·18	–	7
8	·01	·05	–	–	·20	·02	·04	–	–	·06	·15	·02	8
9	–	·02	–	–	·10	·06	·07	·35	·04	·02	–	·01	9
10	·22	·01	–	–	·04	–	·03	–	–	·18	·26	–	10
11	·77	·01	·04	·34	·12	–	–	–	–	·13	·30	–	11
12	–	·01	–	–	·49	–	–	–	–	·02	·50	–	12
13	·05	–	·03	–	·07	·03	–	·05	·62	–	·34	–	13
14	·20	–	·17	·03	–	–	–	–	·23	–	·33	–	14
15	·43	·05	·27	·60	–	–	·17	·02	·06	–	·04	·01	15
16	·26	–	·42	·06	–	·03	·03	–	·07	–	·03	–	16
17	·02	–	·03	·16	–	–	·03	–	–	–	–	–	17
18	·12	–	·19	·12	·05	·07	–	–	–	–	·08	–	18
19	·78	–	·19	–	·04	·38	–	–	·59	–	–	–	19
20	·04	–	·10	·09	–	–	–	–	–	·16	·39	–	20
21	·71	–	·19	·20	·04	·07	·09	–	–	·06	·65	–	21
22	–	–	·50	·07	–	·09	–	·04	·27	·01	·01	·05	22
23	·02	–	·07	–	–	·07	–	·06	–	–	·03	·65	23
24	·05	·02	–	·06	–	–	–	·09	–	–	·04	–	24
25	–	·23	–	·20	–	–	–	–	–	–	·01	·04	25
26	–	·02	–	·38	–	–	–	·26	–	·01	–	·40	26
27	·10	–	·25	·14	–	–	–	–	–	·04	–	·03	27
28	·05	–	·12	·35	–	–	–	–	–	·11	–	·04	28
29	·14		·54	·37	·03	–	–	·15	–	·46	–	·05	29
30	·46		–	·01	–	–	–	–	–	·60	·09	–	30
31	·20		·02		–		–	·88		·06		–	31
Total	5·78	1·07	3·39	3·41	3·15	1·28	·91	1·90	3·53	3·49	4·16	2·92	YEAR'S TOTAL 34·99
Rain Days.	25	13	22	19	17	13	11	9	12	20	22	16	199

W.7,000, XI. 13

From Mid-Wessex Association

Esc W.G.

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
23 MAR 1915

Kept at Templecombe Rectory

in the County of Somerset. 7

by Rev. J.C. Foe

Rev H A Boys

Lat. Long.

Nearest Railway Station

Time of Observation

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·10	·01	–	–	·06	·31	–	–	·29	·05	1
2	–	–	–	–	·03	–	·49	·05	–	–	·80	·28	2
3	·01	–	·15	·15	·37	–	·04	·02	–	·02	·18	·10	3
4	·18	–	·06	·15	·10	–	·21	·73	–	–	·72	·63	4
5	·08	–	·23	·37	·15	–	·20	·01	–	–	·15	·06	5
6	–	·26	·05	·22	·06	–	·01	–	–	–	·03	·23	6
7	·03	·70	·05	·16	·23	·03	·18	·14	·06	–	·01	·25	7
8	·02	·05	·74	·05	·43	·09	–	·12	·06	–	–	·06	8
9	·03	–	·37	·23	·10	·94	–	·09	1·03	–	–	–	9
10	·03	·37	·05	·07	·08	·02	–	–	·27	–	–	·01	10
11	–	·15	·60	–	·23	·16	·20	–	·26	–	·03	·38	11
12	–	·17	·19	–	–	·02	–	–	·38	–	·05	·43	12
13	–	·31	·30	–	–	–	–	–	·13	·22	·42	·45	13
14	–	·21	·28	–	–	·31	·05	·47	–	·18	·26	·14	14
15	·02	–	·14	–	–	–	·15	·38	·10	·05	·14	–	15
16	–	–	·30*	–	–	–	·09	–	·16	–	·01	–	16
17	–	·42		–	–	–	·02	–	·02	–	–	·57	17
18	–	·04	·15	–	–	–	·13	–	·01	–	–	·37	18
19	–	·09	·87	–	–	–	1·24	·01	–	–	·12	·04	19
20	–	·49	·22	–	–	·01	–	–	–	–	–	·28	20
21	–	·96	·01	–	–	·25	·01	–	–	·22	–	·02	21
22	–	·03	–	–	·20	·16	·01	·03	–	·54	–	–	22
23	–	·09	·23	–	·04	·07	·02	–	–	·16	–	–	23
24	–	–	·07	–	·09	–	·15	–	–	·24	·09	·03	24
25	·09	–	·29	–	·03	–	·41	·27	–	·24	·05	·28	25
26	–	·01	·01	–	–	–	·17	·03	–	·03	·24	·59	26
27	–	–	–	–	–	–	·02	–	–	·07	·11	·17	27
28	·11	·07	·21	–	·03	–	·20	–	–	·01	·28	1·13	28
29	·28		·10	–	·16	–	·04	–	–	·19	·39	·06	29
30	–		·05	–	–	·05	–	–	–	·13	·42	·98	30
31	·05		–		·02		·11	–		·74		·27	31
Total	·93	4·42	5·82	1·41	2·35	2·11	4·21	2·66	2·48	3·04	4·79	7·86	TOTAL for year 42·08
No. of Rain Days	12	17	26	9	17	12	24	14	11	15	21	26	204

* ·30 put to 17th by Mr Boys.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

from originals returned.　ext 78　2214

FORM A. BRITISH RAINFALL 10. MAY 1916

REGISTER OF RAINFALL IN 1915

Kept at Temple Combe Rectory

in the County of Somerset 7.

by J. C. Fox
per Rev. H. A. Boys.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·84	·20			·02			·41	·63	·30	·14	·20	1
2	·62	·20	·23	·07		·07		·65	·01	·14		·51	2
3	·17	·07	·14	·15	·26		·03	·02		·03		·41	3
4	·01	·02			·03							·21	4
5	·20	·63		·16			·01	·16				·41	5
6	·62	·09		·37			·70	·07				·33	6
7	·36	·59		·08	·02	·10	·16			·02		·28	7
8	·16	·58						·09			·06	·06	8
9		·06		·18				·03			·46	·57	9
10	·31	·02	·04	·04				·01		·02		·12	10
11	·06		·05	·04				·74		·01	·73	·02	11
12	·18	·57		·13	·65			·08		·16	·23		12
13	·02	·65			·74			·01	·09		·15	·05	13
14	·03	·03					·20	·24	·11	·01		·69	14
15	·12				·21		·17	·01	·01	·09	·11	·19	15
16		·72			·32		·75		·02			·12	16
17		·50			·26			·98					17
18		·32			·06			·03					18
19					·10		·19	·01					19
20	·40			·14		·01						·07	20
21	·10	·07				·03	·18		·01	·62		·35	21
22	·07	·18	·47	·04		·02	·57		·02	·02		·31	22
23		·05	·07				·11		·15	2·10		·33	23
24				·07			·07		·42	1·23		·50	24
25			·02	·05		·20	·60		·23			·23	25
26		·06				·23	·17		·01			·77	26
27		·05				·14	·21			·47		·04	27
28		·15				·09		·01	·65	·07	·02		28
29		X				·34	·14		·02		·23	·14	29
30	·11	X		·01		·03				·72	·44	·33	30
31	·04	X		X		X	·05		X	1·15	X	·25	31
Total	4·42	5·81	1·02	1·53	2·67	1·26	4·31	3·55	2·38	7·16	2·57	7·49	YEAR'S TOTAL 44·17
Rain Days.	19	22	7	14	11	11	17	17	14	17	10	26	185

W. 8,000. X. 15.

for Mid Wessex M

2150

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Temple Combe Rectory

in the County of Somersetshire

by Rev H. A. Boys J C Fox

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.12		.01		.33	.05	.02		.32	.30	.25		1
2	.27	.09	.01		.04		.28		.03	.21	.18		2
3	.02	1.06			.10				.29	.54	.24		3
4	.24	.41		.01	.02	.38			.23	.05	1.02		4
5	.15	.02	.02		.15	.33				.08	.46		5
6	.07	.20	.01		.08	.05	.52			.21	.83		6
7	.02	.06	.23		.14	.07	.23			.03	.64	.17	7
8		.25	.01		.20						.15	.15	8
9		.02	.01		.20	.11	.04			.16	.20	.11	9
10	.01	.66		.10			.12			.02	.01	.34	10
11	.04		.05	.20	.06	.06						.01	11
12	.07	.01	.07	.15	.13		.08			.14			12
13		.25	.17	.09				.41			.02		13
14	.04	.54		.01	.10			.22		.17			14
15	.01	.11	.12	.05	.07			.11		.01			15
16	.03	.12		.20			.05	.56		.09			16
17	.15	.28		.06				.01	.43	.61	27		17
18	.02	.05	.21	.09				.01	.15	.11	.26	.26	18
19	.12		.51	.20					.01	.10	.20	.06	19
20	.12	.15	.45	.03				.01			.08	1.82	20
21	.06	.08	.09	.04	.06							.13	21
22		.01		.02		.05				.36	.01	.46	22
23		.10		.05		.17		.20		.24	.14	.18	23
24		.05		.02	1.09	.27		.03		.48	.07	22	24
25		.67	.15		.02			57			.30	02	25
26	.02	.05	.05			.48		.10	.89	.81	.02		26
27		.09	1.28			.07		3.71	.75	.56			27
28		.24	.02					.09	.48	.44	.01	.22	28
29		.47	.01		.12	.29		2.11	.44	.32	.02	.21	29
30								.02		.61		.05	30
31								.04		.31		.08	31
Total	1.58	6.04	3.48	1.32	2.91	2.38	1.34	8.20	4.02	6.96	5.38	4.49	YEAR'S TOTAL 48.10
Rain Days.	19	26	20	16	17	13	8	16	11	25	22	17	210

W. 8,000, VIII. 16

√ from M.S. [illegible] 2052

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

2 APR 1918

Kept at Templecombe Rectory,

in the County of Somerset

by J. C. Fox per H. A. Boys.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·11	·29		·15		·80		·02	·11		1
2				·08		·02		·10	·17				2
3				·07			1·00	·01	·07	·24	·08		3
4		·13	·24	·01			·03	·03		·27			4
5	·26		·26	·27		·18			·12	·21	·10		5
6			·20						·08	·07	·19	·03	6
7	·38		·01				·48	·30		·39	·03	·07	7
8	·49		·12	·11			·34	·61		·27	·23	·11	8
9			·05		·03		·04	·20		·15	·18		9
10	·15		·36	·21			·05	·17			·02		10
11	·05		·46	·43	·04			·05					11
12	·02				·49					·22			12
13			·17	·25		·02		·51	·11	·37			13
14			·17	·15			·34	·07		·07		·02	14
15							·05	·08		·12		·72	15
16		·23					·01	·03		·44		·17	16
17		·02		·27	·09		·40	·07	·70	·23	·01		17
18		·04		·01	·02	·02	·21		·40	·02		·01	18
19	·01	·47	·15						·11		·02		19
20		·03	·07		·30	·18		·18	·02			·01	20
21			·43							·05			21
22			·10					·11		·06		·02	22
23		·22			·10			·22		·01			23
24		·07	·02			·02	·07	·07		·25	·12		24
25		·08	·05				·21	·04	·06	·03			25
26					·20	·02		·58	·22	·03	·03		26
27					1·30	·14		·98		·07			27
28		·03	·08		·25	2·81		·63				·05	28
29			·21			·06	·05	·02		·77		·11	29
30		X	·27				·35	·05	·01	·03			30
31		X	·08	X		X			X	·18	X	·05	31
Total	1·36	1·32	3·61	2·15	2·82	3·62	3·63	5·91	2·07	4·57	1·12	1·37	YEAR'S TOTAL 33·55
Rain Days.	7	10	21	12	10	11	15	24	12	25	12	12	171

W. 8,000, IX. 17.

from Original ref'd to Rev H a Boys

E+M

134

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Temple Combe Rectory

in the County of Somersetshire

by Rev J.e.Fox Rev H a Boys

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft. 6 in.

" " " " Sea Level 215 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.03		.06	.06			.92	.03	.01	.77	.02	1
2		.05		.17				.27		.02	.05	.07	2
3		.08		.14	.19			.15		.05	.04	.02	3
4		.05						.09	.18	.09	.85	.15	4
5			.06	.06	.06			.22	.13	.14	.05	.06	5
6	.23	.17		.24		.01		.10	.01	.08		.09	6
7		.17		.05	50			.02	.30	.07	.38	.05	7
8		.23							.11	.29	.04	.04	8
9	.02	.06		.21		.26	.38		.54	.04		.35	9
10	.05			.09			.16		.11	.22		.45	10
11			.01				.81		.20		.10	.07	11
12		.04	.01		.40		.39		.25				12
13	.35			.01	.30		.68		.61	.12		.13	13
14	.15		.03		.03	.28	.04		.18	.18		.14	14
15	1.17			.41	.02	.03	.30		.01	.02		.11	15
16	.61		.04	.13			.02		.22			.15	16
17	.31			.15			.46		.09			.14	17
18	.78					.53	.09		.15			.22	18
19	.12	.02	.13				.13	.03	.04			.10	19
20	.05			.17			.22		.20	.03			20
21	.08					.02	.03		.37	.07		.18	21
22	.07	.07			.07		1.03		.13	.05	.03	.38	22
23	.11	.07			.24		.11	.02	.14		.05	.04	23
24		.23				.04	.13		.15		.06		24
25							.52	.94			.06		25
26							.73	.02	.06	.05	.08	46	26
27		.16	.05				.02	.10	.22	.02	.17	.04	27
28		.15	.18						.08	.01	.22	.11	28
29			.06	02					1.22		.01	.08	29
30		X	.51					.05	01	.05	.14	.05	30
31		X	.02	X		X			X	.15	X		31
Total	4.10	1.58	1.10	1.91	1.87	1.17	6.25	2.93	5.74	1.76	3.10	3.70	YEAR'S TOTAL 35.21
Rain Days.	14	15	11	14	10	7	19	13	27	21	17	26	194

W, 6,500, VII. 18. w w c

[illegible] 1925

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Temple Combe Rectory
in the County of Somerset
by J. C. Fox per Boys

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·56	·01	·08		·08		·52		·05	·15		1·03	1
2	·12		·02		·04		·04		·31		·03	·21	2
3	·11		·34		·13				·19		·02	·30	3
4	·12		·60			·02		·10	·45		·02	·08	4
5	·03	·48	·30		·08		·02		·21		·08	·44	5
6	·76	·20	·17		·04					·01	·02	·25	6
7	·21		·39	·09									7
8	·28		·20										8
9	·04			·13	·03						·11		9
10	·22		·25	·03						·09		·25	10
11	·01		·29	·19	·19		·23					·06	11
12	·08		·01	·07		·09	·02			·16	·10	·05	12
13	·06	·07	·01	·60			·04			·08		·05	13
14	·43	·05		·59	·09		·19		·03	·16		·12	14
15	·21	·04		·05						·05		·43	15
16	·11	·74			·01			·07			·25		16
17	·04	·22									·25		17
18	·05	·02	·65				·11	·02		·01	·31	·05	18
19	·56	·26	·99			·05	·62	·31	·36		·13	·08	19
20	·30	·05	·04			·31		·22	·01			·12	20
21		·75					·37 }		·05			·09	21
22		·04					·17 }		·51		·03	·23	22
23								·02		·53		·13	23
24				·01		·52	·09			·90	·07	·51	24
25	·15	·04		·08		·03		·27		·08	·03	·17	25
26	·07		·15	·24				·10	·10			·25	26
27	·20	·06	·03	·35				1·03			·71	·10	27
28			·45					·51				·39	28
29				·05				·18				·04	29
30			·01	·21		·20		1·37		·01	·53	·60	30
31							·03					·33	31
TOTAL	4·72	3·03	4·98	2·69	·69	1·22	2·45	4·20	2·27	2·23	2·69	6·36	YEAR'S TOTAL 37·53
Days with ·01 in. or more	23	15	19	14	9	7	13	12	11	12	16	26	177

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1839

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Temple Combe The Rectory
in the County of
by per Boys, Rev J. C. Fox

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·05	·16	·38		·35	·22	·10	·14	·47	·37	1
2	·42			·26			·43	·60	·09	·05		·15	2
3	·04	·11		·05			·42	·01	·01	·87		·04	3
4				·05			·52	·28		·15			4
5			·12		·08		·53	·50		·25			5
6			·12	·07	·22		·12			·03			6
7	·14		·10	·50			·40			·02			7
8	·15	·15		·21	·01		·34						8
9	·60	·01	·01	·04		·11	·10		·02				9
10	·42	·19	·15	·10		·25	·25						10
11	·34		·10	·42	·26	·15	·10			·01			11
12	·23	·02	·02	·25		·51	·05				·06		12
13	·27	·07	·56	·11									13
14	·08	·03	·30	·75			·03		·15	·30	·30		14
15	·01	·09	·05	·41	·08	·18	·04		·02	·34	·02		15
16		·01	·07	·26		·02	·17		·18	·03			16
17	·02			·42	·25		·02		·28				17
18	·09		·04	·07	·18	·08	·02	·39	·13			·05	18
19	·04			·21	·12	·25			·47				19
20	·07	·13		·17	·81	·47						·19	20
21				·03		·01	·23		·01	·24		·10	21
22				·21			·02	·02				·27	22
23	·02						·76					·24	23
24		·02	·14	·02							·20	·06	24
25	·03	·03	·10				·38					·02	25
26	·22		·22	·01	·02	·02	·06				·15	·07	26
27	·53		·08	·45		·19	·04					·20	27
28	1.08		·09	·26	·16	·03	·05					·07	28
29	·37	·09	·13	·01	·03						·14	·19	29
30	·08			·02	·09	·22	·32		·48		·42	·30	30
31	·05		·30				·02			·64		·13	31
TOTAL	5·31	·95	2·75	5·52	2·69	2·49	5·77	2·02	1·94	3·07	1·76	2·45	YEAR'S TOTAL 36·72
Days with ·01 in. or more	24	13	20	27	14	14	26	7	12	13	8	16	194
Days with ·04 in. or more	19	7	18	22	11	10	21	5	8	9	7	15	152

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

TINTINHULL
MANOR HSE
SOMERSET
1911- 1920

aritt 20.II.12

FORM A.
BRITISH RAINFALL.
3 - JAN 1912

REGI 9 11

Kept at The Manor
7
in the County of Som
by Rev: Dr. Pri

ong. 2° 50′
sion Montacute
9.30 am
ge 5 in.
ge above Ground 0 ft. 10 in.
, Sea Level 145 ft.

NOTE.—Rain should be measured . Full instructions for the measurement of rain and particulars as to the British l Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·06				·02			·17	·02	1
2				·19	·01			·16		·12		·19	2
3			·02		·06						·06	·06	3
4			·09								·22	·35	4
5			·08					·57		·11	·14		5
6	·27		·01					·03		·05	·11	·67	6
7											·31	·01	7
8	·04		·16									·87	8
9	·04		·01								·09	·63	9
10	·07	·04	·16		·46						·03	·44	10
11	·01				·06						·49	·17	11
12	·37		·66		·01			·06			·07	·34	12
13									·20			·49	13
14		·03										·94	14
15		·03				·08					·25	·03	15
16						·39					·52	·42	16
17			·08			·01					·14	·82	17
18		·18	·05	·20		·12				·04	·05	·56	18
19		·12				·27			·23	·17	·17	·47	19
20	·06	·09	·15	·05					·09	·09		·53	20
21		·72	·05						·04	·37		·13	21
22	·16	·03	·16	·01					·06	·20		·31	22
23		·09				·16			·05	·19	·04	·14	23
24		·08				·46		·05		·62		·19	24
25		·03		·08		·15		·05	·05	·11		·11	25
26		·05		·14	·84			·02		·09	·02	·22	26
27		·25	·11	·04				·13	·09	·19	·01	·14	27
28		·24		·16							·06		28
29				·44		·18	·11	·29	·08	·12	·01		29
30						·08				·15	·09	·01	30
31										·03			31
Total	·96	1·33	1·79	1·37	1·44	1·90 1·90	·11	1·38 1·38	·89	2·65 2·65	3·05 3·06	9·26	TOTAL for year 26·13
No. of Rain Days	8	14	14	10	6	10	1	10	9	16	21	27	146

1,000, XI, '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

mith 20·II·12

FORM A.
BRITISH RAINFALL.
3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at The Manor House
Tintinhull 3
in the County of Somerset
by Rev: D. Price

Lat. 51° Long. 2·50'
Nearest Railway Station Montacute
Time of Observation 9·30 am
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 10 in.
" " " Sea Level 145 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·06				·02			·17	·02	1
2				·19	·01			·16		·12		·19	2
3			·02		·06						·06	·06	3
4			·09								·22	·35	4
5			·08					·57		·11	·14		5
6	·27		·01					·03		·05	·11	·67	6
7											·31	·01	7
8	·04		·16									·87	8
9	·04		·01								·09	·63	9
10	·07	·04	·16		·46						·03	·44	10
11	·01				·06						·49	·17	11
12	·37		·66		·01			·06			·07	·34	12
13									·20			·49	13
14		·03										·94	14
15		·03				·08					·25	·03	15
16						·39					·52	·42	16
17			·08			·01					·14	·82	17
18		·13	·05	·20		·12				·04	·05	·56	18
19		·12				·27			·23	·17	·17	·47	19
20	·06	·09	·15	·05					·09	·09		·53	20
21		·12	·05						·04	·37		·13	21
22	·16	·03	·16	·01					·06	·20		·31	22
23		·09				·16			·05	·19	·04	·14	23
24		·08				·46		·05		·62		·19	24
25		·03		·08		·15		·05	·05	·11		·11	25
26		·05		·14	·84			·02		·09	·02	·22	26
27		·25	·11	·04				·13	·09	·19	·01	·14	27
28		·24		·16							·06		28
29				·44		·18	·11	·29	·08	·12	·01		29
30						·08				·15	·09	·01	30
31										·03			31
Total	·96	1·33	1·79	1·37	1·44	1·90 1·90	·11	1·38 1·38	·89	2·65 2·65	3·05 3·06	9·26	TOTAL for year 26·13
No. of Rain Days	8	14	14	10	6	10	1	10	9	16	21	27	146

1,000, XI, '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

made ✓

cond pr gutta 27·11·13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 JAN 1913

H

3

Kept at The Manor House Tintinhull

in the County of Somerset

by Rev. Dr. Price

Lat. 51° Long. 2·60'

Nearest Railway Station Montacute

Time of Observation 9·30 am

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 10 in.

" " " Sea Level 145 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·11		·02	·32	·02	·23	·05	1·11		·41	1
2			·37	·03	·03	·04	·17		·02	·04	·06		2
3			·17			·26	·29	·66			·02	·02	3
4	·19		·67		·02	·13					·42		4
5	·56		·19		·03	·05		·53	·04			·27	5
6	·28	·27				·07	·41	·87				·02	6
7	·04	·38	·30		·26	·83	·17	·22				·20	7
8	·26	·23	·70	·02		·13		·01				·02	8
9	·02	·03	·49	·07		·10 ~~·04~~	·03	·06				·28	9
10	·06	·12	·01					·04				·27	10
11	·03	·11						·05				·34	11
12		·59	·04	·08			·05	·08					12
13								·11				·02	13
14	·13		·37		·48			·12				·29	14
15	·30	·05	·03		·20	·66		·01					15
16	·73		·18		·13	·03		·03		·04	·11	·03	16
17	·35		·16		·03	·02		·61		·02	·02	·06	17
18	·13	·02	·33					·24			·03	·09	18
19	·49	·01	·14			·08	·11	·14			·04	·03	19
20	·01	·02	·35		·15	·02	·04	·25		·34			20
21	·01	·06	·16		·34		·01	·12		·16			21
22	·37	·22	·11		·14	·02		·11		·15		·03	22
23	·14	·41	·11					·56		·06	·12	·21	23
24	·07	·03	·01			·49		·03				·14	24
25	·09					·04	·04	·36		·27	·25	·62	25
26		·02					·08	·15		·26	·49	·27	26
27		~~·09~~				·19	·77			·95	·04	·17	27
28		·07				·07	·15	·35	·22	·54	·59	·58	28
29		·15				·07	·14	·33	·62	·50		·11	29
30			·04			·22	·10		·25	·24			30
31			·35				·40			·02		·04	31
Total	4·26	2·79	5·09	·20	1·83	3·84	2·98	6·27	1·20	4·70	2·19	4·60 4·62	TOTAL for year 39·97
No. of Rain Days	20	18	23	4	12	21	17	26	6	15	12	24	198

1,000, XI, '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

4·70

39·97

Price 2d.

Somerset ✓

Corr for arith 25.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
~~1 JAN 1914~~

Kept at The Manor House # R
Tintinhull
in the County of Somerset 3
by Rev: D. Price

Lat. 51° Long. 2·50
Nearest Railway Station Montacute
Time of Observation 9·30 am
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " Sea Level 145 (?) ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·31	·12	·18	·07	·06			·24		·17	·13	1
2	·14	·09	~~·04~~	·14	·14		·07		·02	·6	·11		2
3	·27		·04	·04	·38				·09	·4		·15	3
4	·79		·03		·41				·46	·31	·03	·18	4
5	·02	·05			·17	·19			·36	~~1·40~~	·07	·25	5
6	·04	·07	·06		·02	·20	·11			1·44	·04	·48	6
7	·04	·28			·43	·03	·08			·43	·24		7
8		·06			·22		·08			·01			8
9		·02		·02	·05	·04	·31	·53	·03		·21		9
10	·33							·03		·20	·28		10
11	·56			·19	·09					·28	·66		11
12					·27					·01	·22		12
13	·5							·06	·55		·18		13
14	·27		·17						·28	·02	·26		14
15	·24	·02	·09	·46				·08	·30		·02		15
16	·21		·39						·02				16
17	·1		·02										17
18	·12		·17	·05	·27						·09		18
19	·76		·16			·16			·39				19
20	·09		·10	·10						·15	·16		20
21			·23	·26	·13		·07			·10	·30		21
22	·63		·26	·44					·26				22
23											·05	·75	23
24	·01		·01	·05				·04					24
25		·08		·19								·05	25
26				·63		·01		·23		·01		·16	26
27	·08		·22	·32						·05		·05	27
28	·07		·05	·29						·33		·03	28
29	·10		·51	·37				·19		·19			29
30	·35			·21				·12		·42			30
31	·17		·02		·02			·78		·01			31
Total	5·25	·98	2·65	3·64	2·67	·69	·82	2·06	3·00	4·06	3·09	2·23	TOTAL for year 31·14
No. of Rain Days	23	9	18	17	2·67 14	7	·82 6	9	12	4·06 18	17	2·23 10	31·14 156

1,000, XI, '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

[illegible] 12.11.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

5 - JAN 1915

Kept at The Manor House
Tintinhull
in the County of Somerset 3
by Rev: D. Price

Lat. 51 Long. 2.50
Nearest Railway Station Montacute
Time of Observation 9.30 am.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " Sea Level 145 [?] ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·04				·26	·35			·15	·04	1
2				·04			·56				1·04	·41	2
3			·06	·12	·34		·15	·39			·09	·12	3
4	·04		·04	·22	·06		·10	·19			·43	·45	4
5	·01		·12	·31	·10		·05				·05	·08	5
6		·15	·04	·09	·02		·74	·02			·07	·29	6
7	·03	·78	·03	·06	·29	·04	·16	·05	·04		·07	·20	7
8	·01		·98	·13	·14	·34		·03				·04	8
9			·48	·21	·10	·87		·19	1·13				9
10		·35	·03	·07	·03	·02			·33			·03	10
11		·10	·22		·08	·23	·25					·42	11
12		·16	·09						·20	·05	·05	·46	12
13		·27	·27						·12	·21	·27	·80	13
14		·17	·21			1·15		·46		·22	·26	·04	14
15			·07				·80	·33	·04	·05	·13	·02	15
16			·03				·06		·09				16
17		·21	·26									·54	17
18		·03	·11				·15		·04			·43	18
19		·05	·65				·90		·09		·05		19
20		·44	·16									·42	20
21		·64				·77		·09		·14			21
22		·01			·23	·21	·05			·18			22
23		·11	·20			·05	·04			·29			23
24		·06			·15					·11	·02	·02	24
25	·07		·21				·31	·13		·19	·02	·25	25
26	·02		·17				·39	·04		·04	·12	·24	26
27	·15						·03			·06	·11	·04	27
28		·07	·25		·01		·09			·11	·06	·46	28
29	·05		·08		·23					·20	·34	·03	29
30			·06							·17	·30	·79	30
31	·09						·09			·44		·37	31
Total	·47	3·60	4·86	1·25	1·78	3·68	5·18	2·27	2·08	2·46	3·57 ~~3·67~~	7·39	TOTAL 38·59
No. of Rain Days	9	16	25	9	13	9	19	12	9	15	19	25	180

1,000, XI, '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

6X917 2169

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3. JAN 1916

3

Kept at The Manor House
in the County of Tintinhull Somerset.
by Rev D. Price

Lat. 51 Long. 2·50
Time of Observation 9·30 am
Nearest Railway Station Montacute
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 145 [illegible] ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·38	·11						·18	·12	·30		·07	1
2	·41	·17	·11	·12		·05		·30	·08	·45		·37	2
3	·04	·21	·09	·07	·24							·45	3
4	·04	·03										·10	4
5	·05	·78		·03			·03	·09				·31	5
6	·24	·11		·26			·55	·03				·11	6
7	·28	·31		·06			·12					·25	7
8	·06	·42						·15				·06	8
9		·05						·03			·48	·42	9
10	·17	·12	·05	·11				·10		·04		·07	10
11	·11	·09		·06	·04			·45			·78	·02	11
12	·23	·59		·08	·64			·16		·06	·39		12
13		·41			·59			·65	·12		·16	·07	13
14	·03	·09					·24	·49	·08	·03		·54	14
15	·09				·21		·06			·08	·07	·16	15
16		·98			·30		·33					·08	16
17		·50			·29			·04				·02	17
18		·12											18
19					·10		·19						19
20	·14			·15		·03				·07		·08	20
21	·19	·10				·03	·11			·19		·31	21
22	·11	·05	·41				·28					·17	22
23		·03	·03				·47		·08	1·62		·27	23
24							·17		·33	·56		·47	24
25			·04			·21	·39		·18			·08	25
26							·11			·42		·63	26
27		·10				1·43	·54		·01			·03	27
28		·08				·09	·30		·57	·06		·02	28
29						·23		·04			·12	·16	29
30	·07					·12	·02			·63	·60	·47	30
31							·08			·72		·31	31
Total	2·64	5·45	·72	·94	2·41	2·19	3·99	2·71	1·57	4·78	2·55	6·10	YEAR'S TOTAL 36·05
Rain Days.	17	22	6	9	8	8	17	13	9	14	7	28	~~157~~ 158

W.7,000, XI. 13

~~W~~ C72 2107

FORM A. BRITISH RAINFALL.

17. MAR 191

REGISTER OF RAINFALL IN 1916

Kept at The Manor House Tintinhull

in the County of Somerset.

by Rev: Dr Price

Lat. 50·58 N Long. ~~2·50~~ 2·43 W

Time of Observation 9. 30 am.

Nearest Railway Station Montacute Stn.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground · ft. 10 in.

" " " " Sea Level 145 (?) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07				·68				·18	·17	·19		1
2	·12	·07			·02				·01	·21	·24		2
3	·03	1·25			·27				·09	·48	·29		3
4	·11	·13				·21			·10		·85		4
5	·05	·07	·03		·30	·07					·23		5
6	·01	·20			·16	·05	·27			·11	·91		6
7		·05	·18		·05		·23			·04	·55	·20	7
8		·08			·19						·25	·10	8
9		·09			·09	·14	·02			·06	·06	·14	9
10	·05	·55		·06	·06							·09	10
11			·07	·15									11
12		·04	·06		·10								12
13		·20	·21					·39		·05			13
14	·06	·38			·06			·06		·10			14
15		·06	·06	·08	·07			·10	·04	·03			15
16	·08	·15		·20	·08		·10	·33		·13			16
17	·09	·20		·10				·40	·30	·65	·45		17
18	·02	·03	·17						·20	·15	·10	·07	18
19	·15		·59	·06							·19	·09	19
20	·03	·21	·42	·06							·06	1·25	20
21	·07	·08	·10		·07		·03				·02	·31	21
22						·03				·47	·12	·70	22
23		·03				·31		·23		·09	·04	·07	23
24		·15			1·26					·70	·31	·03	24
25		·08	·10		·06			·42		·04		·02	25
26		·35	·05			·27		·07	·78	·69	·02		26
27		·10	1·07					·40	·21	·27			27
28		·41		·09	·08			·07	·28	·52		·10	28
29		·63	·08			·14		2·04	·40	·21		·15	29
30		X								·36		·02	30
31		X		X		X		·04	X	·59	X	·06	31
Total	·94	5·53 5·53	3·19	·79	3·60	1·16	·65	3·55	2·59	6·12	4·88	3·40	YEAR'S TOTAL 36·40
Rain Days.	14	15	14	8	17	8	5	12	11	22	18	16	170

W. 8,000. X. 15.

P. made ✓

2012

FORM A. BRITISH RAINFALL
7 JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at The Manor House
in the County of Twitin well Somerset
by Rev. Dr. Price

Lat. 50·58 N Long. 2·43 W.
Time of Observation 9·30 am.
Nearest Railway Station Wincanton G. W. R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 145 (?) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·10	·45		·14		·79			·09		1
2	·06			·08		·05		·16					2
3				·07		·67	·90	·04			·13		3
4			·23	·15		·04			·02	·37			4
5	·11		·27						·11	·10	·05		5
6			·05								·22	·03	6
7	·16						·48	·34		·24	·04	·02	7
8	·05		·14	·04			·35	·53	·08	·23	·09	·10	8
9			·15	·05	·25		·04	·15	·07	·21	·10		9
10	·20		·24	·18	·02			·37	·15				10
11	·02		·65	·30			~~·48~~	·05	·03	·06	·04		11
12					·55					·20			12
13	·04		·13					·37		·07			13
14			·10	·07			·15	·12					14
15							·48	·53	·04	·08		·45	15
16		·25		·08				·04		·18			16
17				·19				·10	·45	·11			17
18						·40			·66				18
19		·43	·11					·03	·07	·07			19
20		·07			·38	·20		·27	·06			·11	20
21			·27						·10				21
22								·19		·04			22
23		·20			·10		·20	·28		·27		·02	23
24		·05	·02			·06	·30	·04	·05	·08			24
25		·10	·05				·15	·06	·07	·06	·04		25
26					·25		·17	·67					26
27		·04			·65	·21		·85		·07			27
28			·05		·17	1·69		·14		·07		·05	28
29			·08			·30	·06	·05		·61			29
30			·23				·27						30
31							~~·79~~			·18			31
Total	·64	1·14	2·87	1·66	2·17	3·16	3·55 ~~2·6~~	6·16 6·16	1.66	3·24	·80	·78	YEAR'S TOTAL 27·83 26·83
Rain Days.	7	7	17	11	8	10	12	23	13	20	9	7	146

W.7,000, XI. 13

99

FORM A. BRITISH RAINFALL.

1. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at The Manor House Tintinhull
in the County of Somerset
by Mr: F. Price

Lat. 50·58 N Long. 2·43 W.
Time of Observation 9·30 am
Nearest Railway Station Montacute G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 145 ? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01		·10	·17			·67			·87		1
2		·10		·04				·47		·04	·06	·07	2
3		·09		·06	·21			·03		·08	·11		3
4		·01		·03				·10	·33		·60	·13	4
5			·12					·27	·31	·15	·04		5
6	·20	·07		·15					·11	·09		·13	6
7		·11			·33	·05			·15	·03	·32	·11	7
8		·13							·09	·36		·08	8
9	·04			·21		·20	·55		·36	·01		·22	9
10	·06			·25			·26		·08	·29	·03	·40	10
11			·16				·91		·16	·71	·08	·06	11
12			·05		·27		·45		·09				12
13		·03			·25		·28		·37	·07		·10	13
14	·48					·18	·04		·10	·08		·17	14
15	2·20			·35		·03	·41					·15	15
16	·37			·27			·03		·31			·07	16
17	·50		·05	·20			·26		·03			·11	17
18	·70					·55	·15		·35	·08		·15	18
19	·18	·05		·17			·18			·04			19
20	·05						·17		·28	·06		·05	20
21	·03			·08			·06		·33	·13		·16	21
22				·06			·56		·10	·10		·20	22
23	·02				·16		·58		·13		·02	·02	23
24		·17				·03			·12		·10	·02	24
25							·43	·70			·09		25
26							·26			·03	·06	·16	26
27		·10	·10					·09	·10	·02	·12		27
28		·20		·06							·08	·05	28
29			·06						1·12				29
30		X	·36						·13	·08	·16	·04	30
31		X	·15	X		X			X	·11	X		31
Total	4·78	1·07	1·05 ~~1·15~~	2·03 ~~1·93~~	1·39 ~~1·39~~	1·04	5·58	2·33	5·15 ~~5·14~~	2·56	2·74	2·65	YEAR'S TOTAL 32·37
Rain Days.	12	12	8	14	6	6	17	7	22	20	15	22	161

W. 8,000, IX. 17.

corrd per with Obs. agrees.

1888

REGISTER OF RAINFALL IN 1919

~~W.~~ 1886

FORM A. BRITISH RAINFALL.

Kept at The Manor House Tarter hill

in the County of Somerset.

by Rev: V. Price

Lat. 50·58 N Long. 2·43 W.

Time of Observation 9.30 am.

Nearest Railway Station Montacute Ewr.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 145? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~4~~·43		·05		·03		·78			·42		·88	1
2	·16		·01		·05		·32		·16			·02	2
3	·52		·26		·11		·04	·10	·18		·08	·18	3
4	·40	·34	·71			·04			·33			·16	4
5	·06	·34	·78						·24		·09	·28	5
6	·56	·29	·02									·11	6
7	·14		·26	·14									7
8	·35		·19								·02		8
9	·06			·12	·07						·25		9
10	·18		·07							·06		·33	10
11	·01		·22	·10						·07		·10	11
12	·12		·04	·03			·31			~~·31~~	·11	·04	12
13	·03		·02	·46	·09		·07		·09	·31		·03	13
14	·29	·06		·52								·20	14
15	·15	·05		·03						·15		·15	15
16	·08	·41						·20			·22		16
17	·05	·18									·06		17
18	·09	·02	·67								·05	·08	18
19	·53	·18	·68			·09	·13	·59	·05		·11	·08	19
20	·23	·01	·09					·25					20
21	·07	·50					1·11		·40			·10	21
22							·10		·04			·11	22
23										·50		·06	23
24						·14				1·16	·06	·40	24
25	·10	·03		·04		·03		·23				·15	25
26	·04		·09	·06				·05	·10			·22	26
27	·14	·04	·10	·29				1·07					27
28			·35					·07			·35	·32	28
29				·09				·19		·10			29
30				·13		·35		·90		·02	·48	·33	30
31			·04				·18					·36	31
Total	~~4·99~~ 4·79	2·45	4·65	2·01	·35	·55	3·04	3·65	1·59	2·79	~~1·18~~ 1·88	4·64	YEAR'S TOTAL 32·39
Rain Days.	24	13	19	12	5	5	9	10	9	9	12	23	[illegible]

W. 8,000, IX. 17.

39

Obs. affirms accuracy 26.IV.21 ~~W~~-PHS 1802

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Manor House Tintinhull
in the County of Somerset.
by Rev: D. Price

Lat. 50·58 N Long. 2·43 W.
Time of Observation 9·30 am
Nearest Railway Station Montacute G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 145·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·09	·16		·23		·06	·06	·12	·21	1
2	·46	·07	·02	·08			·17	·56	·07	·04		·10	2
3	·08			·07			·79		·04	·12			3
4			·04	·06			·30	·25					4
5			·11		·05		·60	·20		·09			5
6			·17		·09		·28			·08			6
7	·01		·04	·20	·08		·40			·04			7
8	·08	·13		·15	·03		·55						8
9	·41			·03		·07	·05						9
10	·48	·04	·05			·11	·21						10
11	·40		·09	·25			·07						11
12	·13	·02	·03	·10		·18					·06		12
13	·18	·04	·36	·04	·15					·08			13
14			·15	·49					·07	·16	·21		14
15		·11	·04	·21	·12	·09	·03			·23			15
16			·12	·11		·03	·16		·15	·06			16
17			·07	·16	·07				·27				17
18	·10			·06		·18		·7					18
19	·02			·19	·05	·17			·07				19
20	·03	·20		·10		·29						·10	20
21				·05			·14					·08	21
22				·15								·07	22
23							·38					·06	23
24		·02	·09								·08		24
25	·02		·07		·10		·23						25
26	·30	·05	·09				·06				·06	·07	26
27	·29	·06	·12	·09	·03	·19					·02	·09	27
28	·84		·04	·08		·06	·05					·04	28
29	·26	·01	·19	·09		·04					·08	·07	29
30	·04	✕				·11	·05		·31		·13	·21	30
31	·03	✕	·17	✕		✕	·16		✕	·34	✕	·05	31
TOTAL	4·19	·75	1·96 1·96	2·85 2·85	·93	1·52	4·75	1·08	1·34	1·30	·76 ~~1·4~~	1·15 ~~·96~~	YEAR'S TOTAL ~~[illegible]~~ 22·28
Days with ·01 in. or more	20 14	11 8	18	21	11 9	12 11	14	4 4	8 8	11 11	8 7	12 12	159 142

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

27 APL 1921

Tintinhull Som:
Rainfall for 1920.

Tintinhull,
Martock, S.O.
Somerset.

26.iv.21

Dear Sir

I have been expecting to hear from you with regard to the low total of rain registered here last year.

The gauge was in comfortable order, & the amount each day carefully taken. —

I can only say that during the course of the year it was noticeable how small a rainfall took place. & there was practically no thunder during the whole year —

& consequently to few heavy falls.
I think we may rest assured on
the matter.

I mean, too, that if this war goes
on - as it has begun - there is
[illegible] of another [illegible]
[illegible] -

I am Yrs faithfully

Salisbury. The: Prin

FORM A2.
BRITISH RAINFALL.
6 FEB 1912

WADBURY
HOUSE
SOMERSET
1911- 1916

REGIST

1

Kept at Wadbury Hou

in the County of Somers

by Mrs Sykes

ke Snow

5 in.

Ground 1 ft. 0 in.

Sea Level 394 ft.

a.m.

Name Meles Rd.

Distance 3¼ Direction W. N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	~~.00~~	—	.08	.06	—	—	—	.02	—	—	.04	.01	1
2	.01	—	—	.09	.45	—	—	.27	—	.05	.30	.29	2
3	—	—	.02	—	.42	—	—	.01	—	—	.25	.13	3
4	—	—	.14	—	—	—	—	—	—	.03	.44	.42	4
5	.16	—	.04	.01	—	—	—	.75	—	.20	.30	—	5
6	.56	—	.14	—	—	—	—	—	—	—	.29	.49	6
7	.01	—	—	—	—	—	—	—	—	—	.56	-	7
8	.04	—	.18	—	—	—	—	—	—	—	.01	.42	8
9	.06	—	—	—	—	—	—	—	—	—	.04	.51	9
10	.20	.06	.52	—	.22	—	—	—	—	—	—	.46	10
11	.58	.04	—	—	.18	—	—	—	—	—	.73	.22	11
12	—	—	.90	—	—	—	—	—	.01	—	.46	.22	12
13	~~.04~~	—	.05	—	—	—	—	—	.27	.46	.16	.72	13
14	—	.04	—	—	—	—	—	—	—	—	—	.78	14
15	—	.05	—	—	—	.02	—	—	—	—	.54	.11	15
16	—	.02	—	—	—	.32	—	—	—	—	.77	.51	16
17	—	.01	—	—	—	.10	—	—	—	—	.12	.37	17
18	—	.51	.06	.14	—	.43	—	—	—	.03	.02	.42	18
19	—	.05	—	.05	—	.27	—	—	.43	.29	.06	.42	19
20	.02	.02	.12	.30	—	—	—	.12	.13	.08	—	.43	20
21	—	.35	.05	.01	—	.01	—	.04	.01	.68	—	.33	21
22	.07	—	.38	.06	—	.01	—	—	—	.40	—	.66	22
23	—	.27	.21	.02	—	.15	—	—	.06	.11	.01	.36	23
24	—	.27	—	—	—	.38	—	.06	—	.68	-	.31	24
25	.01	.19	—	.28	—	.09	—	.03	.01	.06	—	.39	25
26	—	.04	—	.50	.12	.01	—	.01	—	.15	.01	.48	26
27	—	.50	.24	.17	—	—	—	.07	.10	—	.02	.18	27
28	—	.65	—	.45	—	—	—	.08	—	—	.06	-	28
29	—		—	.29	—	.41	.02	—	.19	.69	-	—	29
30	—		—	—	—	.02	—	—	—	.25	.07	.01	30
31	—		—		—			—		.20		—	31
Total	1.72	3.07	3.13	2.43	1.39	2.22	.02	1.46	1.21	4.36	5.26	9.65	TOTAL for year 35.92
No. of Rain Days.	11	16	15	14	5	13	1	11	9	16	22	26	159

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
6 FEB 1912

REGIST 1

Kept at Wadbury House W. Frome
in the County of Somerset
by Mrs Sykes

RAIN GAUGE	Pattern	Like Snowdon
	Diameter of top	5 in.
	Height of top above Ground	1 ft. 0 in.
	„ „ „ Sea Level	394 ft.

Time of Observation 9 a.m.

Nearest Railway Station Name Mells Rd.
Distance 3¼ Direction W. N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	~~.00~~	—	.08	.06	—	—	—	.02	—	—	.04	.01	1
2	.01	—	—	.09	.45	—	—	.27	—	.05	.30	.29	2
3	—	—	.02	—	.42	—	—	.01	—	—	.25	.13	3
4	—	—	.14	—	—	—		—	—	.03	.44	.42	4
5	.16	—	.04	.01	—	—	—	.75	—	.20	.30	—	5
6	.56	—	.14	—	—	—	—	—	—	—	.29	.49	6
7	.01	—	—	—	—	—	—	—	—	—	.56	-	7
8	.04	—	.18	—	—	—	—	—	—	—	.01	.42	8
9	.06	—	—	—	—	—	—	—	—	—	.04	.51	9
10	.20	.06	.52	—	.22	—	—	—	—	—	—	.46	10
11	.58	.04	—	—	.18	—	—	—	—	—	.73	.22	11
12	—	—	.90	—	—	—	—	—	.01	—	.46	.22	12
13	~~.06~~	—	.05	—	—	—	—	—	.27	.46	.16	.72	13
14	—	.04	—	—	—	—	—	—	—	—	—	.78	14
15	—	.05	—	—	—	.02	—	—	—	—	.54	.11	15
16	—	.02	—	—	—	.32	—	—	—	—	.77	.51	16
17	—	.01	—	—	—	.10	—	—	—	—	.12	.37	17
18	—	.51	.06	.14	—	.43	—	—	—	.03	.02	.42	18
19	—	.05	—	.05	—	.27	—	—	.43	.29	.06	.42	19
20	.02	.02	.12	.30		—	—	.12	.13	.08	—	.43	20
21	—	.35	.05	.01	—	.01	—	.04	.01	.68	—	.33	21
22	.07	—	.38	.06	—	.01	—	—	—	.40	—	.66	22
23	—	.27	.21	.02	—	.15	—	—	.06	.11	.01	.36	23
24	—	.27	—	—	—	.38	—	.06	—	.68	-	.31	24
25	.01	.19	—	.28	—	.09	—	.03	.01	.06	—	.39	25
26	—	.04	—	.50	.12	.01	—	.01	—	.15	.01	.48	26
27	—	.50	.24	.17	—	—	—	.07	.10	—	.02	.18	27
28	—	.65	—	.45	—	—	—	.08	—	—	.06	-	28
29	—		—	.29	—	.41	.02	-	.19	.69	-	—	29
30	—		-	—	—	.02	—	—	—	.25	.07	01	30
31	—		—		—			—		.20		—	31
Total	1.72	3.07	3.13	2.43	1.39	2.22	.02	1.46	1.21	4.36	5.26	9.65	TOTAL for year 35.92
No. of Rain Days.	11	16	15	14	5	13	1	11	9	16	22	26	159

W. 8,000, X. '11.

[illegible] 25.11.13

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
28 JAN 1913

~~W. 468~~

Kept at Wadbury House Mells
in the County of Somerset.
by Mr. Sykes

Lat. 51. 14' Long. 2.22'
Time of Observation 9 am
Nearest Railway Station Mells Rd.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 394 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	-	.15	-	-	.22	.11	-	.1	.79	-	.49	1
2	-	-	.42	-	-	.27	.26	-	-	-	.1	-	2
3	-	-	.13	-	-	.26	.18	.39	.9	-	.3	.5	3
4	.19	.1	.99	-	.13	.42	-	.5	-	-	.11	-	4
5	.46	.6	.26	-	.8	-	-	.76	-	-	-	.32	5
6	.58	.25	.3	-	.14	-	.11	1.04	-	-	-	.10	6
7	.1	.27	.13	-	.9	.59	-	.4	-	-	-	.7	7
8	.36	.23	.67	-	-	.8	.2	.16	.5	-	-	.5	8
9	.2	.8	.33	.14	-	.1	.1	.3	-	-	-	.69	9
10	.1	.9	-	-	-	.38	-	.15	-	-	.16	.17	10
11	.13	.5	.2	-	-	.1	-	-	-	-	-	.56	11
12	.5	.50	.17	.2	-	.1	.2	-	-	.2	.7	.3	12
13	-	.3	.1	-	-	-	-	-	-	-	-	.18	13
14	.16	-	.50	-	.19	-	-	.32	-	-	-	.6	14
15	.5	.7	-	-	.29	.68	-	.5	-	.15	-	.91	15
16	.73	-	.52	-	.4	.1	-	.10	-	-	.3	.8	16
17	1.04	-	.8	-	-	.3	-	.91	-	.5	.3	.11	17
18	.20	-	.79	-	-	-	-	.8	-	.13	-	.7	18
19	.7	.15	.10	-	-	.4	.18	.27	-	-	-	.1	19
20	.5	.1	.53	-	.1	-	.5	1.32	-	.62	.2	-	20
21	.1	.12	.54	-	.67	-	-	.2	-	.42	-	-	21
22	.43	.32	.4	-	.27	-	.1	.25	-	.5	-	.6	22
23	.31	.41	.35	-	-	.4	.1	.68	-	.15	.24	.44	23
24	.12	.3	.1	-	-	.31	.3	.11	-	-	-	.22	24
25	.1	-	-	-	-	.20	-	.52	-	.8	.51	.60	25
26	-	.1	-	-	-	-	.34	.16	-	.61	.67	.22	26
27	-	.2	-	-	-	.25	1.22	-	-	1.15	.2	.68	27
28	-	.11	-	-	-	.9	.2	.47	.7	.57	.49	.58	28
29	-	.5	-	-	-	.49	.21	.1	.44	.61	-	.6	29
30	-		-	-	-	.16	.30	-	.24	.46	-	-	30
31	-		.32				.31	.3		.1		.43	31
Total	4.99	2.87	7.09	.16	1.91	4.55	3.39	7.92	.90	5.81	2.39	7.19	YEAR'S TOTAL 49.45
Rain Days.	21	21	23	2	10	21	18	24	6	16	13	26	201

49.17

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 FEB 1914

Kept at Wadbury House Nr [illegible]
in the County of Somerset.
by Mr Sykes

Lat. 51.14 Long. 2.22
Time of Observation 9 a.m
Nearest Railway Station Mells Rd
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 394 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1	35	21	1	3	–	–	–	48	–	17	22	1
2	3	11	4	27	9	–	3	–	1	6	22	–	2
3	12	–	13	–	57	–	–	–	–	–	–	33	3
4	99	–	8	–	58	–	–	–	105	51	1	20	4
5	1	3	–	–	11	38	3	–	38	–	1	11	5
6	4	3	25	–	24	19	6	–	–	46	4	65	6
7	–	34	2	–	32	4	1	–	–	55	18	–	7
8	–	11	–	–	24	8	–	–	–	8	–	2	8
9	–	10	1	–	6	17	–	50	8	1	8	3	9
10	12	–	4	–	1	6	7	1	–	27	18	–	10
11	57	–	–	12	40	6	–	–	–	10	52	2	11
12	–	2	–	–	19	–	–	–	2	–	12	–	12
13	2	–	10	–	–	–	–	3	27	–	21	–	13
14	9	–	22	14	2	–	–	–	1	5	39	1	14
15	21	8	52	58	–	–	3	6	1	–	32	2	15
16	23	–	83	13	–	–	–	–	–	–	–	–	16
17	8	–	1	3	–	–	1	–	1	–	3	–	17
18	9	–	22	21	–	10	–	–	–	–	5	–	18
19	61	–	8	–	1	17	1	–	52	–	–	–	19
20	8	–	22	5	–		–	–	–	16	21	–	20
21	–	–	3	21	18	–	9	–	–	2	58	–	21
22	81	–	49	9	1	7	–	6	22	2	–	–	22
23	1	–	–	–	–	1	–	5	–	–	4	46	23
24	6	2	1	11	–	–	–	10	–	–	1	–	24
25	–	17	–	11	–	–	–	–	–	1	1	6	25
26	–	2	–	34	–	–	–	20	–	1	–	36	26
27	2	–	21	33	–	–	–	–	–	12	–	2	27
28	25	–	7	41	–	–	–	–	–	13	–	7	28
29	4		45	40	1	–	–	11	–	26	1	1	29
30	65		–	1	–	–	–	25	–	39	3	–	30
31	12		5		–		–	68		1		–	31
Total	5.26	1.38	4.29	3.55	3.01	1.27	.34	2.05	3.06	3.22	3.42	2.59	YEAR'S TOTAL 33.43
Rain Days.	24	12	23	18	17	10	9	11	11	19	22	16	192

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
17 FEB 1915

Kept at Wadbury House Mells

in the County of Somerset

by Frances May Sykes

Lat. 51.14 Long. 2.22

Time of Observation 9 am

Nearest Railway Station Mells Road

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 394 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	.01	.01	–	–	.02	.39	–	–	.05	.07	1
2	–	–	–	.09	.02	–	.65	.04	–	–	.76	.53	2
3	–	–	.14	.22	.40	–	–	.66	–	–	.20	.10	3
4	.12	–	.16	.37	.06	–	.23	.49	–	–	.76	.76	4
5	.24	–	.19	.48	.19	–	.21	–	–	–	.09	.28	5
6	–	.18	.03	.30	.04	–	.30	.18	–	–	.01	.29	6
7	–	.41	.30	.27	.37	.08	.20	.11	–	–	–	.27	7
8	.12	.03	1.21	.02	.22	.36	–	.29	.12	–	–	–	8
9	.14	–	.44	.31	.01	.80	–	.17	.19	–	–	–	9
10	.02	.23	.01	.07	.05	–	–	–	.33	–	.02	.01	10
11	–	.15	.71	–	.06	.27	.11	–	–	–	.09	.32	11
12	–	.15	.17	–	–	–	–	–	.32	–	.06	.22	12
13	–	.43	.49	–	–	–	–	–	.18	.25	.26	.57	13
14	–	.36	.51	–	–	–	–	.27	.02	.42	.36	–	14
15	–	.03	.32	–	–	–	.01	.55	.02	.02	.19	–	15
16	–	–	–	–	–	–	.14	–	.38	–	–	–	16
17	–	1.35	.32	–	–	–	–	–	.01	–	–	1.35	17
18	–	.02	.12	–	–	–	.42	–	.02	–	–	.63	18
19	–	.11	.64	–	–	–	.76	–	–	–	.07	.25	19
20	–	.42	.19	–	–	–	–	–	–	–	–	.32	20
21	–	.58	–	–	–	–	–	–	–	.11	–	–	21
22	–	.05	.01	–	.11	.45	–	.04	–	.59	–	–	22
23	–	.22	.23	–	.08	.02	–	–	–	.30	–	–	23
24	–	.01	.06	–	.05	–	.30	–	–	.31	.28	.07	24
25	.03	–	.14	–	.01	–	.04	.31	–	.60	.01	.38	25
26	–	–	.01	–	–	–	.03	.05	–	.07	.48	.64	26
27	.05	–	–	–	–	–	–	–	–	.03	.11	.25	27
28	.01	.17	.20	–	–	–	–	–	–	.06	.41	1.50	28
29	.41		.09	–	.08	–	.01	–	–	.20	.26	–	29
30	–	X	.02	–	–	–	–	–	–	.23	.46	1.04	30
31	.01	X	–	X	.06	X	.23	–	X	.42	X	.10	31
Total	1.15	4.90	6.72	2.14	1.81	1.98	3.66	3.55	1.59	3.61	4.93	9.89	YEAR'S TOTAL 45.93
Rain Days.	10	18	26	10	16	6	16	13	10	14	20	22	181

W. 8,000. X. 14.

Esq

2067

REGISTER OF RAINFALL IN 19 15

FORM A.
BRITISH RAINFALL.

29 FEB 1916

Kept at Wadbury House

in the County of Somerset

by F M Sykes

Lat. 51.14 n. Long. 2.22

Time of Observation 9 a.m.

Nearest Railway Station Mells Rd

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 394 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .20

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.62	.20	–	–	.06	–	–	.16	.22	.30	.02	.32	1
2	.40	.56	.21	.18	–	–	–	.81	.24	.14	–	.46	2
3	.62	.05	.14	.05	.03	–	.05	.01	–	.01	–	.53	3
4	–	.01	–	–	.22	–	–	–	–	–	–	.44	4
5	.08	.79	–	.03	.01	–	–	.21	–	–	–	.35	5
6	.55	.08	–	.38	–	–	.45	.10	–	–	–	.39	6
7	.39	.62	–	.03	.54	–	.28	–	–	–	–	.33	7
8	.33	.45	–	–	–		–	.13	–	–	.09	.01	8
9	–	.63	–	.12		–	–	–	–	–	.71	1.10	9
10	.39	–	.07	.06	–	–	–	.45	–	–	–	.08	10
11	.02	–	.06	.02	–	–	.01	.40	–	.01	.83	–	11
12	14	.33	–	.13	.63	–	–	.51	–	.03	.44	.05	12
13	–	1.09	–	–	1.21	–	.04	.03	.11	–	.02	–	13
14	.10	–	–	–	–	–	–	.88	.05	.04	–	1.48	14
15	43	.16	–	–	.20	–	.08	.44	–	.04	18	.18	15
16	–	1.19	–	–	.43	–	1.20	.04	–	–	–	.30	16
17	–	.65	–	–	.70	–	–	.56	–	–	–	.02	17
18	–	.44	–	–	.06	–	–	–	–	–	–	–	18
19	–	–	–	–	.06	–	.29	–	–	–	–	–	19
20	34	–	–	.11	.02	–	–	–	–	.03	–	13	20
21	.12	.16	–	–	.01	–	.03	–	–	.07	–	.29	21
22	.10	.56	.47	–.07	–	–	.75	–	.01	.01	–	.35	22
23	–	.05	.14	–	–	–	.45	–	.22	1.00	.02	.53	23
24	–	–	–	.09	–	–	.47	–	.67	1.01	–	.34	24
25	–	–	.02	–	–	.47	.15	–	–	–	–	.16	25
26	–	.10	–	–	–	.10	.10	–	–	–	–	.77	26
27	–	.06	–	–	–	.11	.61	–	–	.47	–	.01	27
28	–	.10	–	–	–	–	–	–	.83	.08	–	–	28
29	–		–	–	–	.10	–	.03	.02	–	.12	.2	29
30	.28	X	–	.01	–	.18	–	–	–	.54	.49	.22	30
31	.05	X	–	X	–	X	.02	–	X	1.22	X	.38	31
Total	4.96	7.68	1.11	1.28	4.18	.96	4.98	4.76	2.37	5.00	2.92	9.22	YEAR'S TOTAL 49.42
Rain Days.	17	21	7	13	14	5	16	15	9	16	10	26	169

W: 8,000. X. 15.

[illegible]

2001

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
22. JAN 1917

Kept at Wadbury House

in the County of Somerset

by Frances Mary Sykes

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.20	-	-	-	.34	.05	.04	-	.11	.59	.61	-	1
2	.55	.09	.02	-	.03	.01	.02	-	.01	.68	.03	-	2
3	.01	1.25	-	-	.09	.03	-	-	.10	.58	.30	-	3
4	.22	.15	-	.01	.10	85	.01	-	35	.25	.76	-	4
5	.01	-	.03	-	.41	.24	-	-	-	.10	.61	-	5
6	.07	.25	.01	-	.18	.05	.55	-	-	.09	.75	-	6
7	.05	.14	.21	-	.01	.05	.02	-	-	.18	.49	.14	7
8	-	.09	.02	-	.31	.01	-	-	-	.01	.04	.12	8
9	-	-	-	-	.21	.21	-	-	-	.11	.04	.04	9
10	-	.49	.02	.06	.01	.08	.05	-	-	.03	.01	.13	10
11	.02	.01	.03	.06	-	.23	-	-	-	-	-	-	11
12	.10	-	.03	.06	.11	-	.23	-	-	.04	-	-	12
13	-	.41	.17	-	-	-	-	.89	-	-	.01	-	13
14	-	.45	.05	.04	.06	-	-	.46	-	.08	-	-	14
15	-	.42	.07	.04	-	-	-	.36	-	.03	-	-	15
16	.03	.19	-	.25	-	-	.05	.55	-	.02	-	-	16
17	.23	.16	-	.03	-	-	-	.06	.52	.55	.05	-	17
18	.01	.05	.11	.20	-	-	-	-	.06	.05	.36	.15	18
19	.12	-	.35	.42	-	-	-	-	.01	-	.17	-	19
20	.33	.03	.52	-	-	-	-	.02	-	-	.21	.77	20
21	.04	.11	.48	-	.06	-	-	-	-	-	-	.91	21
22	.02	-	-	.02	.02	.04	-	-	-	.31	.05	.51	22
23	.01	.15	-	.11	-	.05	-	.18	-	.08	.44	.15	23
24	-	.24	-	.05	.52	.12	-	.03	-	.60	.04	.25	24
25	-	.50	.23	-	.02	-	-	.74	.01	.01	.19	.11	25
26	-	.03	.19	-	-	.25	-	.10	.56	.52	-	-	26
27	.02	.05	1.24	-	-	.01	.05	.10	.36	.36	-	-	27
28	-	.46	.07	-	-	.06	-	.06	.23	.23	-	.86	28
29	-	.50	.10	-	-	.60	-	2.92	.08	.93	.01	.62	29
30	-	X	.01	-	-	-	-	.01	-	.41	-	.02	30
31	-	X	-	X	-	X	-	.15	X	.12	X	.05	31
Total	2.04	6.22	3.96	1.35	2.48	2.94	1.02	6.63	2.40	6.87	5.17	4.77	YEAR'S TOTAL 45.85
Rain Days.	18	23	21	13	16	18	9	15	12	26	20	15	206

W. 8,000, VIII. 16

~~WD~~ R … 13

…t Known

FORM A2. BRITISH RAINFALL.

1 JAN 1914

Kept at The Ma…

in the County of So…

by P. Eglo…

…5 in.

…e Ground 1 ft. 1/4 in.

…Sea Level 265 ft.

…a. w.

Name Wanstrow

Distance 200 yds Direction S.W.

WANSTROW

SOMERSET

– 1920

IMPORTANT NOT… previous day. If an Ol… requested to add the rea… for it at the end of thi… the selection and placi… Organization are given i… Dr. H. R. Mill, 62, Ca… …l the result entered to the …versal rule, he is earnestly …ear in the space provided …ment of rain, …ritish Rainfall … application to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·22	·22	–	·05	–	–	–	·40	–	·10	~~·14~~	1
2		·22	·90	·47	·57	–	–	–	–	·22	·07	·29	2
3		·00	·12	·10	·69	–	–	–	·04	–	·40	–	3
4		·00	·60	·01	–	–	–	–	·85	·29	·20	·01	4
5		·60	·00	–	–	·40	·04	–	[illegible]	–	·15	·28	5
6	·75	·40	·15	–	–	·35	·04	–	–	–	·64	·80	6
7		·42	·40	–	·62	·07	·01	–	–	–	–	–	7
8		·50	·00	–	·09	·01	–	–	–	1·35	·10	·04	8
9		·60	·30	–	·10	·21	·01	·32	–	–	–	·10	9
10		·00	·13	–	·05	–	–	–	–	·35	·21	–	10
11	·87	·20	·00	·31	·26	·07	–	·02	–	–	·20	·02	11
12		·00	·00	–	·24	–	–	–	·20	–	·16	–	12
13		·00	·17	–	–	·02	–	–	·24	–	·12	–	13
14		·00	·20	·74	–	–	·05	–	·05	–	·20	–	14
15		·10	1·00	–	–	–	·02	·01	·04	–	·35	–	15
16		·00	~~·00~~	–	–	–	·08	–	–	–	·01	–	16
17	·70	·00	·27	·08	–	–	–	–	–	–	·02	·07	17
18	~~·50~~ ·05	·00	·11	–	–	–	·04	–	–	–	·13	–	18
19	~~·30~~ ·03	·00	·13	·22	·10	·19	–	–	·61	–	0	–	19
20	·07	·00	·30	·07	–	~~·22~~	–	–	–		0	–	20
21	·10	·00	·46	·15	·23	–	·05	–	·28		72	–	21
22	·00	·00	–	·24	·03	–	–	·07	–		9	✓	22
23	1·36	·00	–	–	–	·13	–	–	–		0	·47	23
24	~~·40~~ ·04	·00	·02	·15	–	–	–	·05	–		·02	✓	24
25	·00	·22	–	·11	–	–	–	–	–		·07	–	25
26	·06	·00	–	·43	–	–	–	·19	–	·20	0	–	26
27	~~·40~~ ·04	·00	·23	·15	–	–	–	–	–	·02	0	·47	27
28	·22	·00	·04	·40	–	–	–	–	–	·05	·02	Snow	28
29	·00	~~·22~~	·54	·47	·02	–	–	·10	–	·07	0	–	29
30	·69	~~·90~~	·04	–	·03	–	–	–	·02	·06	·09	–	30
31	·25	~~[illegible]~~	–		–		–	·69		·05	·14	–	31
Total	6·97	3·48	~~6·87~~ ~~6·33~~	~~3·80~~	3·08	~~1·45~~	·34	1·40	~~3·13~~	2·62	~~3·72~~	~~2·54~~	TOTAL for year
No. of Rain Days.	14	10	~~22~~ 22	16	~~14~~ 17	9	9	8	10	17 ~~10~~	23	~~16~~ 13	365 178 ~~160~~
W. 8,000, X. 11.	5·80	1·41	4·08	3·72	3·08	1·09	·34	1·46	2·59	2·62	3·64	2·55	32·34

~~WD~~ R[redacted] 13 vii.14

FORM A2. BRITISH RAINFALL. 1 - JAN 1914

Kept at The Manor Cottage Wolverton

in the County of Somerset

by P. Egerton Bladen-Hawkins

RAIN GAUGE	Pattern	Not known
	Diameter of top	5 in.
	Height of top above Ground	1 ft. 4 in.
	,, ,, ,, Sea Level	465 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Wanstrow; Distance 2 m.; Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·22	·22	–	·05	–	–	–	·40	–	·10	~~14~~	1
2	×	·22	·90	·47	·57	–	–	–	–	·22	·07	29 ×	2
3	×	·00	·12	·10	·69	–	–	–	·04	–	·20	–	3
4	×	·00	·60	·01	–	–	–	–	·85	·29	·20	·01	4
5	×	·60	·00	–	–	·40	·04	–	[illegible]	–	·15	·28	5
6	·75 ×	·40	·15	–	–	·35	·04	–	–	– ×	·64	·80	6
7	×	·42	·40	–	·62	·07	·01	–	–	– ×	–	–	7
8	×	·50	·00	–	·09	·01	–	–	–	1·35 ×	·10	·04	8
9		·60	·30	–	·10	·21	·01	·32	–	–	–	·10	9
10	×	·00	·13	–	·05	–	–	–	–	·35	·21	–	10
11	·87 ×	·20	·00	·31	·26	·07	–	·02	–	– ×	·20	·02	11
12		·00	·00	–	·24	–	–	–	·60	–	·16	–	12
13	×	·00	·17	–	–	·02	–	–	·24	–	·12	–	13
14	×	·00	·20	·74	–	–	·05	–	·05	×	·20	–	14
15	×	·10	1·00	–	–	–	·02	·01	·04	–	·35	–	15
16	×	·00	~~·00~~	–	–	–	·08	–	–	–	·01	–	16
17	·70 ×	·00	·27	·08	–	–	–	–	–	–	·03	·07	17
18	~~·50~~ ·05	·00	·11	–	–	–	·04	–	–	–	·13	–	18
19	~~·30~~ ·03	·00	·13	·22	·10	·19	–	–	·61	–	0	–	19
20	·07	·00	·30	·07	–	~~·75~~	–	–	–	×	0	–	20
21	·10	·00	·46	·15	·23	–	·05	–	·28	×	72	–	21
22	·00	·00	–	·24	·03	–	–	·07	–	×	9	✓	22
23	1·36	·00	–	–	–	·13	–	–	–	–	0	·47	23
24	~~·40~~ ·01	·00	·02	·15	–	–	–	·06	–	–	·02	✓	24
25	·00	·22	–	·11	–	–	–	–	–	–	·01	–	25
26	·06	·00	–	·42	–	–	–	·19	–	·20 ×	0	–	26
27	~~·40~~ ·04	·00	·23	·15	–	–	–	–	–	·02	0	·47	27
28	·22	·00	·04	·40	–	–	–	–	–	·05	02	Snow	28
29	·00	~~·22~~	·54	·47	·02	–	–	·10 ✓	–	·02	0	–	29
30	·69	~~·40~~	·04	–	·03	–	–	–	·02	·06	·09	–	30
31	·25	~~·12~~	–		–		–	·69		·05	·14	–	31
Total	6·97	3·48	~~6·87~~ ~~6·33~~	~~3·89~~	3·02	~~1·45~~	·34	1·40	~~3·13~~	2·62	3·72	2·54 ~~2·55~~	TOTAL for year
No. of Rain Days.	24	10	~~12~~ 22	16	~~14~~ 17	9	9	8	10	17 ~~10~~	23	~~16~~ 13	~~188~~ 178 ~~16~~
W. 8,000, X. 11.	5·80	1·41	4·08	3·72	3·08	1·09	·34	1·46	2·59	2·62	3·64	2·55	32·3

Copy

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
26 MAR 1914

Kept at The Manor Cottage, Wanstrow

in the County of Somerset

by P. Egerton B. Warburton

RAIN GAUGE
Pattern not known
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 465 ft.

Time of Observation 9 am

Nearest Railway Station
Name Wanstrow
Distance 200 yds Direction SW.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·22	·22	-	·05	-	-	-	·40	-	·10	×	1
2	×	·22	·09	·17	·57	-	-	-	-	·22	·07	·29×	2
3	×	-	·12	·01	·69	-	-	-	·04	-	·02	-	3
4	×	-	·06	·01	×	-	-	-	·85	·29	·01	·01	4
5	×	·06	-	-	×	·04	·04	-	-	-	·15	·28	5
6	·75×	·04	·15	-	×	·35	·04	-	-	×	-	·80	6
7	×	·42	·04	-	·62×	·07	·01	-	-	×	·64	-	7
8	×	·05	-	-	·09	·01	-	-	-	1·36×	-	·04	8
9		·06	·03	-	·10	·21	·01	·32	-	-	·10	·10	9
10	×	-	·13	-	·05	-	-	-	-	·35	·21	-	10
11	·87×	·02	-	·31	·26	·07	-	·02	-	×	·20	·02	11
12		-	-	-	·24	-	-	-	·06		·16	-	12
13	×	-	·17	-	-	·02	-	-	·24		·12	-	13
14	×	-	·20	·74	-	-	·05	-	·05	×	·20	-	14
15	×	·10	×	-	-	-	·02	·01	·04		·35	-	15
16	·70×	-	1·00×	-	-	-	·08	-	-		·01	-	16
17	·05	-	-	·08	-	-	-	-	-		·02	·07	17
18	·03	-	·27	-	-	-	·04	-	-		·13	-	18
19	·67	-	·11	·22	·10	·19	-	-	·61		-	-	19
20	·10	-	·13	·07	-	-	-	-	-	×	-	-	20
21	-	-	·03	·15	·23	-	·05	-	·28	×	·72	-	21
22	1·36	-	·46	·24	·03	-	-	·07	-	×	·09	-	22
23	·01	-	-	-	-	·13	-	-	-		-	·47	23
24	·	-	·02	·15	-	-	-	·06	-		·02	-	24
25	·06	·22	-	·11	-	-	-	-	-		·07	×	25
26	~~·04~~	-	-	·43	-	-	-	·19	-	·20×	-	×	26
27	·04 ~~·22~~	-	·23	·15	-	-	-	-	-	·02	-	·47×	27
28	·22	-	·04	·40	-	-	-	-	-	·05	·02	-	28
29	—		·54	·47	·02	-	-	·10	-	·02	-	-	29
30	·69		·04	-	·03	-	-	-	·02	·06	·09	-	30
31	·25		-		-		-	·69		·05	·14	-	31
Total	5·80	1·41	4·08	3·71	3·08	1·09	·34	1·46	2·59	2·62	3·64	2·55	TOTAL for year 32·37
No. of Rain Days	24	10	22	16	17	9	9	8	10	17	23	13	178

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.

9 - JAN 1915

REGISTER OF RAINFALL IN 1914

K[illegible]at Wanstrow
in the County of Somerset
by P. Egerton Warburton.

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station Wanstrow
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ¼ in.
" " " " Sea Level 465 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·02	·07	—	—	·01	·28	—	—	·25	·20	1
2	—	—	—	—	—	—	·60	·01	—	—	·50	·28	2
3	·10	—	·40	·17	·43	—	·13	·79	—	—	·22	·25	3
4	·10	—	·44	·40	·28	·12	·20	·38	—	—	·60	·29	4
5	·10	—	·39	·60	·39	—	·11	·01	—	—	·9	·15	5
6	·04	·12	·05	·20	·23	—	·45	·12	—	—	+ +	·40	6
7	—	·10	·13	·27	·51	·01	·27	·46	·01	—	" "	·10	7
8	·62	·50	1·40	·06	·27	·03	·01	·14	·01	—	" "	·0	8
9	·08	—	·40	·19	·16	·30	—	·01	·43	—	" "	·20	9
10	—	·14	—	·05	·04	·80	—	—	·	—	" "	·14	10
11	—	·27	·23	—	·02	·23	·10	—	—	—	·15	·6	11
12	—	·31	·30	—	✓	—	—	—	·20	—	" "	·30	12
13	—	·15	·20	—	✓	—	—	—	·50	—	·10	·58	13
14	—	—	·39	—	✓	—	·01	·31	·33	—	·50	1·4	14
15	—	·03	—	—	✓	—	·39	·90	·35	—	·25	·0	15
16	—	—	·30	—	✓	—	·07	—	·6	—	" "	·3	16
17	—	·52	·31	—	✓	—	·02	—	—	—	" "	·97	17
18	—	—	·20	—	✓	—	·48	—	·2	—	" "	·50	18
19	—	·15	—	—	—	—	1·02	—	" "	—	" "	·20	19
20	—	·39	·47	—	—	·01	—	—	✓	—	" "	·25	20
21	—	·50	·15	—	—	—	—	·07	✓	—	" "	" "	21
22	—	·05	·5	—	·10	·19	—	—	✓	—	" "	" "	22
23	—	·09	·36	—	—	—	·01	—	✓	1·30	" "	" "	23
24	—	—	·23	—	—	—	·05	—	✓	·26	" "	" "	24
25	—	—	—	—	—	—	·07	·34	✓	·27	" "	" "	25
26	—	—	—	—	—	—	·01	·01	✓	·8	·70	·50	26
27	—	—	·17	✓	·25	—	·01	—	✓	·30	·7	·19	27
28	·16	·19	—	✓	—	—	—	—	✓	·3	·60	1·40	28
29	·10	—	·11	✓	—	—	—	—	✓	·28	·30	·50	29
30	—	—	·03	✓	—	—	·03	—	✓	·20	·25	·25	30
31	—	—	—	✓	—		·14	—	—	·19		·50	31
Total	1·38	3·70	7·39	2·01	2·68	1·69	4·19	3·83	2·11	2·85	4·40	8·40	YEAR'S TOTAL 44·48
Rain Days.	8	15	23	19	11	7 8	22	14	9	9	13	23	164

7·33 4·41

W.7,000, XI. 13

cord for auth 5.V.16

2061

REGISTER OF RAINFALL IN 19~~16~~ 15

FORM A.
BRITISH RAINFALL.
4 - JAN 1916

Kept at Wanstrow

in the County of Somerset

by P Egerton Warburton

Lat. ______ Long. ______

Time of Observation 9 30 a.m.

Nearest Railway Station Wanstrow

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ¼ in.

" " " " Sea Level 465 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·50		·12		·29		7			·29		·30	1
2						·10		·96				·66	2
3	·50		·29	·38	·25					·12		·59	3
4			·19									·31	4
5	·50	79					·68	·30					5
6	·04		·2	·61			·18	·16					6
7	·50	·25		·3									7
8	·32	·50			·91						·10		8
9		·80						1 10			·43	1·80	9
10	·48	·25						·13					10
11			·2	·19				·12			·76		11
12	·20	·50	·14	·16				·73			·27		12
13					1·68			·26			·04		13
14	·10						·28	·35		·17		1·65	14
15	·27						·24	·8	·38	·07	12	·18	15
16		1·50			·23		1·01		·6				16
17		·50			1·5			·43					17
18		·48					28						18
19				·12									19
20	·34									·02		·38	20
21							24			·10		·16	21
22	·19		·58				44					·30	22
23			·13				30			1·44		·26	23
24							·32		·28	·63			24
25									·49			·42	25
26						·39						31	26
27		·64				·4	48						27
28		·5					13						28
29									·73				29
30		×				·20			·4	1·8	·53		30
31		×		×		×			×	1·15	×	·25	31
Total	4·14	~~4·46~~ 5·76	1·49	1·39	4·44	·73	4·65	3·62	1·98	5·07	2·25	7·57	YEAR'S TOTAL ~~41·79~~ 43·09
Rain Days.	12	11	8	6	6	4	13	11	6	10	7	14	108

W. 8,000. X. 14.

and for months & for S

FORM A. BRITISH RAINFALL. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Westrow

in the County of Somerset

by P. Egerton Coolhurton

Lat. Long.

Time of Observation 9. 30 a.m.

Nearest Railway Station Westrow

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1/4 in.

" " " " Sea Level 465 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			Snow				15			1.72			1
2	47				54		24			6	·78		2
3		1.36			12					5	·51		3
4	·22	15			·30		··			3	20		4
5	15				10	1	4				84		5
6	10	·30				40	··			20	55		6
7	4	·12	(·75)				16				52		7
8					[illegible]		4						8
9					12	26				20			9
10				13							12		10
11						20	7						11
12				50	6					33			12
13		·24					[illegible]	90					13
14		·98											14
15		·49						20					15
16	35	·32		53	38				1.61				16
17		·9	12	8						62		1	17
18		·5											18
19	48	·41	64	70								1·2	19
20		·0	43										20
21	23	·6	34			4					·83		21
22		·5								·50		1·3	22
23		·0						[illegible]					23
24		·0		12	71	·25		20					24
25		Snow								74	50		25
26					5				90	64			26
27		(2·00)				51		1.40	38				27
28			1.83					30		80			28
29			8			·4		2.30		72		1.25	29
30		X				·6							30
31		X		X		X			X	1	X		31
Total	2·84 ~~1·24~~	(6.62) ~~4.36~~	(4.19) ~~3.44~~	2.06	3.28	2·76	·66	5·30	2.89	9·05	4·68	4·30	YEAR'S TOTAL 47.73
Rain Days	~~8~~	~~13~~	~~6~~	~~6~~	~~9~~	~~9~~	~~7~~	~~6~~	2·59	~~11~~	~~9~~	~~11~~	~~94~~

W. 8,000. X. 15.

22.III.18

1912

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL
8 JAN 1918

Kept at Wanstrow
in the County of Somerset
by P. Egerton Warburton

Lat. .... Long. ....
Time of Observation 9-30 a.m.
Nearest Railway Station Wanstrow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1/4 in.
" " " " Sea Level 4[illegible]0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			„	„	„	·25	„	·83	„	„	·06	„	1
2			„	„	„	„	„	„	·27	„	·02	„	2
3			„	„	„	·04	„	„	„	„	„	„	3
4			„	„	„	„	·10	„	„	„	„	„	4
5			„	„	„	„	„	„	·40	·62	„	„	5
6			„	„	„	„	„	„	„	·41	·35	·02	6
7			„	„	„	·19	„	„	„	„	„	„	7
8			„	„	„	„	„	1·08	„	·79	·30	·07	8
9	Rain gauge thawed up & frozen over		„	·50	„	„	·73	·27	„	·31	·30	„	9
10			„	„	„	„	„	„	„	„	„	„	10
11			„	„	„	„	„	·60	·14	·32	„	„	11
12			„	·50	·50	„	„	„	„	·94	„	„	12
13			„	„	„	„	„	·60	„		„	·02	13
14			„	·50	„	„	„	·68	·29	–	„	·40	14
15			„	„	„	„	„	„	„	–	„	„	15
16			„	„	„	„	„	·58	„	·92	„	„	16
17			„	·70	·10	„	1·00	„	·45	·12	„	„	17
18			„	„	„	„	·12	„	·70	„	·05	„	18
19			„	„	„	„	„	„	·06	„	·09	„	19
20			„	„	·30	„	„	·40	·01	„	·03	·09	20
21			„	„	„	„	„	„	„	·09	„	„	21
22			„	„	„	„	„	·[illegible]0	„	·05	„	„	22
23			„	„	„	„	„	·50	„	·27	„	„	23
24			„	„	„	„	„	„	„	·15	·08	„	24
25			„	„	„	„	„	„	„	·15	„	„	25
26			„	„	„	5·0	„	1·30	„	·23	·08	„	26
27		2·50	„	„	1·40	„	„	1·20	„	„	„	„	27
28			·30	„	„	„	„	·70	„	·09	„	„	28
29			„	„	„	4·12	·50	1·25	„	·44	„	·24	29
30		X	„	„	„	3·09 ·39	„	·10	·38	·12	„	„	30
31		X	·34	X	„	X	„	·10	X	·09	X	·02	31
Total	„	2·50	2·34	2·20	2·30	~~12·69~~ 5·49	2·45	10·44	2·70	5·38	1·35	·86	YEAR'S TOTAL 38·31 ~~45·21~~
Rain Days.			4	4	4	6	5	16	9	17	10	7	82.

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL 9.1.19

Kept at The Manor Cottage Wanstrow
in the County of Somerset
by P. Egerton Warburton

Lat. .... Long. ....
Time of Observation 9 30 a m
Nearest Railway Station Wanstrow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1/4 in.
" " " " Sea Level 465 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	·07	—	—	·32	—	·01	·74	·02	1
2	—	·06	—	·18	—	—	—	—	·10	·02	·03	·16	2
3	—	·06	·09	·20	—	—	—	·68	·01	·04	·01	·02	3
4	—	·03	—	·02	—	—	—	·05	·03	·04	·20	·10	4
5	—	—	—	—	—	—	—	·14	·18	·02	—	·06	5
6	·20	·96	—	·31	—	—	—	·16	·05	·25	—	—	6
7	—	·23	—	—	·92	—	—	·02	—	·28	·33	—	7
8	—	·05	—	—	—	—	—	—	·17	·30	—	—	8
9	·18	·22	—	·48	—	·35	·46	—	·43	·05	—	·50	9
10	—	—	—	—	—	—	·45	—	·14	·19	·03	·51	10
11	—	·07	—	·08	—	—	[illegible]	—	·57	·03	·08	·20	11
12	—	·19	·02	—	·39	—	·04	—	·21	—	—	·20	12
13	—	·02	—	—	·22	—	·45	—	·84	·09	—	·16	13
14	·44	—	·02	—	·01	—	1·30	—	·23	·14	—	·21	14
15	1·17	—	—	·44	—	·25	·14	—	—	—	—	·24	15
16	—	—	—	·59	—	—	·03	·11	·26	—	—	·31	16
17	·80	—	—	·38	—	·70	·40	—	·07	·02	—	·20	17
18	·94	—	—	—	—	—	·09	—	·27	·02	—	·53	18
19	—	—	·15	·02	—	—	·31	—	·10	·02	—	·18	19
20	·12	·24	—	·17	—	—	·21	—	·14	·05	—	—	20
21	—	·06	—	—	—	·15	·17	—	·78	·04	—	·11	21
22	·10	·01	—	—	·01	—	·60	—	·25	·01	·06	·49	22
23	·25	—	—	—	—	—	·47	—	·07	—	—	·05	23
24	—	·22	—	—	—	·02	·20	·05	·09	—	·09	—	24
25	—	—	—	—	·37	—	·29	·78	·10	—	—	—	25
26	—	·01	—	—	—	—	·48	—	·17	—	—	·53	26
27	—	·17	·02	—	—	—	·08	·19	·12	—	·78	·28	27
28	—	—	·23	—	—	—	—	—	—	—	—	·45	28
29	—		·06	—	—	—	—	—	1·18	—	—	·09	29
30	—		·48	—	—	—	—	·26	·05	·03	·09	·14	30
31	—		·23		—		—	·02		—		—	31
Total	4·20	2·60	1·30	2·87	1·99	1·47	6·23	2·78	6·61	1·66	~~2·52~~ 2·44	5·74	YEAR'S TOTAL ~~40·02~~ 39·92
Rain Days.	9	16	9	11	7	5	19	12	26	20	11	24	109

W. 8,000, IX. 17.

[illegible] 1792

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL

Kept at The Manor Cottage. Wanstrow
in the County of Somerset.
by P. Egerton B. Warburton.

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Wanstrow.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1/4 in.
" " " " Sea Level 405. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
·32

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·94	—	·11	—	·17	—	·17	—	·02	·15	—	1·08	1
2	·10	—	·01	—	·21	—	·51	—	·41	—	·09	1·11	2
3	Snow	—	·15	—	·13	—	·02	—	[illegible]	—	—	·32	3
4	Snow	[illegible]	·71	[illegible]	—	—	—	·11	—	—	[illegible]	·75	4
5	1·21	—	1·12	—	—	—	—	—	·28	—	—	·09	5
6	·41	—	[illegible]	—	·12	—	·22	—	·01	—	·12	·80	6
7	·21	—	·54	·11	—	—	—	—	—	—	—	·26	7
8	·21	—	·15	[illegible]	—	—	—	—	—	—	—	·01	8
9	·04	—	[illegible]	·02	·02	—	—	—	—	—	—	—	9
10	[illegible]	—	·16	—	—	—	—	—	—	—	—	—	10
11	[illegible]	—	·20	·23	·27	—	·28	—	—	—	Snow	·24	11
12	·04	—	·18	—	—	·23	—	—	—	·33	·15	·09	12
13	·02	·09	·05	·70	—	—	—	—	~~·35~~	—	—	—	13
14	·72	·25	—	·72	·03	—	·15	—	—	·06	—	·06	14
15	·27	·51	—	—	—	—	—	—	—	—	—	·09	15
16	·11	—	—	·02	—	—	—	—	—	—	·40	·34	16
17	·02	Snow	·52	—	—	—	—	·34	—	—	·41	—	17
18	·01	·41	—	—	—	—	[illegible]	—	—	—	·62	·02	18
19	[illegible]	[illegible]	1·04	—	—	[illegible]	[illegible]	[illegible]	—	—	·24	—	19
20	·56	·25	·08	—	—	·23	—	[illegible]	—	—	—	—	20
21	·01	[illegible]	Snow	—	—	—	[illegible]	·45	·09	—	—	·51	21
22	—	·17	—	—	—	—	—	—	—	—	·10	·10	22
23	—	—	—	—	—	—	—	—	—	·02	·06	1·08	23
24	—	—	—	—	—	·16	·02	—	—	[illegible]	—	·10	24
25	·09	·02	·24	·12	—	—	—	—	—	—	·15	[illegible]	·55 25
26	·07	·01	—	·07	—	—	—	[illegible]	—	—	—	·27	26
27	·21	[illegible]	[illegible]	[illegible]	—	—	—	[illegible]	—	—	—	·40	27
28	—	—	[illegible]	—	—	—	—	1·17	—	—	—	·09	28
29	·43		—	·01	—	—	—	[illegible]	—	·10	Snow	·70	29
30	—		—	·21	—	—	—	[illegible]	·47	·03	1·08 Snow	[illegible]	30
31	—		—		—		[illegible]	[illegible]		—		[illegible]	31
Total	[illegible]	3·23	6·02	[illegible]	·95	·71	2·81	4·09	1·82	2·54	3·49 2·41	·32 8·72	YEAR'S TOTAL 43·05
Rain Days.	[illegible]	[illegible]	20	13	7	4	11	10	7	7	14	[illegible]	157
	5·73	3·23	6·02	2·86	·95	·71	2·81	4·09	1·86	2·54	3·49	8·96	~~43·05~~ 157

Corr WD   Add ~~W~~ corr   17

FORM A. I. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

4 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at The Manor Cottage, Wanstrow.
in the County of Somerset.
by P. Egerton B. Warburton.

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Wanstrow.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1/4 in.
" " " " Sea Level 465 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·30

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·32	·21	—	·28	·07	·01	·59	·04	—	·50	·45	·34	1
2	·12	—	—	·28	·40	—	·24	·30	·05	·05	·36	·49	2
3	·10	—	—	·14	—	—	·65	·28	·16	·34	—	·15	3
4	·09	·05	—	·04	—	—	1·20	·65	·02	·50	—	—	4
5	—	—	—	·11	·01	—	·38	·10	—	·18	—	—	5
6	—	—	—	·14	·32	—	—	—	—	·26	—	—	6
7	—	—	—	·74	·30	—	—	—	—	·05	—	—	7
8	·06	—	·52	·51	—	—	·38	—	—	—	—	—	8
9	·05	·10	—	·14	·09	—	·59	—	—	—	—	—	9
10	·94	·13	·30	·07	—	·16	·01	·03	—	—	—	—	10
11	1·03	·79	·19	·61	—	·20	·37	—	—	—	—	—	11
12	·26	—	·18	·20	·33	—	—	—	—	—	—	—	12
13	·33	·05	·54	·21	—	·65	·20	—	—	—	·10	—	13
14	·35	·18	·23	·18	—	—	—	—	—	—	·03	—	14
15	·28	·06	—	·21	—	—	—	—	·15	—	·39	—	15
16	·64	·19	·15	·30	·02	·06	·30	—	·05	·50	·11	—	16
17	·10	·01	·22	·03	—	·82	·10	—	·50	—	·23	—	17
18	—	—	—	·12	·35	—	·20	·38	·63	·41	—	—	18
19	—	—	—	·06	—	·03	·10	—	·18	—	—	—	19
20	—	·26	—	·27	—	·26	—	—	·01	—	—	—	20
21	—	—	—	·19	—	·49	·40	—	—	—	·01	·35	21
22	—	—	—	·01	—	—	·15	·08	—	·05	—	·25	22
23	·03	—	—	·18	—	—	·96	—	—	—	—	·43	23
24	—	—	—	—	—	—	—	—	—	—	—	·37	24
25	—	—	·17	·03	—	—	·10	—	—	—	·11	·07	25
26	·43	·06	·02	—	·27	·01	·08	—	—	—	—	·14	26
27	1·30	—	·06	—	—	·59	·10	—	—	·02	·10	·26	27
28	·98	·06	·04	·62	·03	·04	·12	—	—	—	—	—	28
29	·05	·02	·07	·03	·18	—	—	—	—	—	—	·02	29
30	·20	╳	·13	—	·05	—	·12	—	—	—	·20	—	30
31	·03	╳	·01	╳	·11	╳	·40	—	╳	—	╳	1·01	31
TOTAL	~~6.00~~ ·21 5.98	~~2.17~~ 1.96	~~2.82~~ ·28 3.10	~~5.70~~ ·07 5.49	~~2.53~~ ·01 2.47	~~3.32~~ ·59 3.90	~~7.73~~ ·04 [illegible]	~~1.86~~ 1.82	~~1.75~~ ·50 2.25	~~2.86~~ ·45 2.81	~~3.00~~ ·34 [illegible]	~~3.85~~ ·30 [illegible]	YEAR'S TOTAL ~~42.90~~ 42.78
Days with ·01 in. or more	21	14	15 16	26	14	12	23	8 7	9 10	11	[illegible]	12	176

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

WELLINGTON
OLD WAY HSE.
SOMERSET
1911 - 1920

REC 19 11

(…fined by day) 13·II·12·

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Old Way

in the County of

by Thoma

of top .... in.
top above Ground .... ft. .... in.
„ „ Sea Level 300 ft.
on 7·45 A.M
Station { Name Wellington
Distance 1 mile Direction N.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			04		02			02			01	02	1
2			01	07	26	01		34		07	27	26	2
3		·01	02	01	29			01			11	06	3
4			13					01	02	08	16	46	4
5	·14		05					85		05	15	02	5
6	36		25					01		04	16	42	6
7	01		—	01							44		7
8	02		19								04	60	8
9	01		01								26	37	9
10	08	·01	61		44						01	34	10
11	36		01		05						43	16	11
12	01		83								23	41	12
13			01						18	01	02	64	13
14		·01									01	1·23	14
15		·02				03					29	04	15
16	01	04				17				01	46	18	16
17		01	15			14					15	61	17
18		29	17	38	01	28				16	07	57	18
19		08	—	09		06			26	22	05	29	19
20	05	03	11	08		05			15	09	—	73	20
21	01	15	02	04		02		01	08	78	—	26	21
22	06	07	01	04		07			04	30		46	22
23	—	17	01	·01		39			04	13	31	10	23
24	01	21	—			33		18		52		23	24
25	01	18	01	07		04		06	03	02		23	25
26		08	—	37	11	01		01		16	11	28	26
27		24	05	10	08			07	05	42	01	10	27
28		43	03	39	04			15			06	01	28
29			01	59		27	20		22	21	01		29
30			—			03	05			13	07	02	30
31							03			06		01	31
Total	1·14	2·03	2·73	2·25	1·30 ~~1·34~~	1·90 ~~1·70~~	·28	1·72	1·07	3·46 ~~3·47~~	3·89	9·11 ~~9·13~~	TOTAL for year ~~30·[illegible]~~
No. of Rain Days.	14	17	22	14	9	15	3	12	10	19	25	29	189

W. 8,000, X. '11.

X Total for year 30·88

ined by day) 13·II·12·

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Old Way House Wellington

in the County of Somerset

by Thomas Fox

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level 300 ft.

Time of Observation 7·45 A.M

Nearest Railway Station
Name Wellington
Distance 1 mile Direction N W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			04		02			02			01	02	1
2			01	07	26	01		34		07	27	26	2
3		·01	02	01	29			01			11	06	3
4			13					01	02	08	16	46	4
5	·14		05					85		05	15	02	5
6	36		25					01		04	16	42	6
7	01		—	01							44		7
8	02		19								04	60	8
9	01		01								26	37	9
10	08	·01	61		44						01	34	10
11	36	—	01		05						43	16	11
12	01		83								23	41	12
13			01						18	01	02	64	13
14		·01									01	1·23	14
15		·02				03					29	04	15
16	01	04				17				01	46	18	16
17		01	15			14					15	61	17
18		29	17	38	01	28				16	07	57	18
19		08	—	09		06			26	22	05	29	19
20	05	03	11	08		05			15	09	—	73	20
21	01	15	02	04		02		01	08	78	—	26	21
22	06	07	01	04		07			04	30		46	22
23	—	17	01	01		39			04	13	31	10	23
24	01	21	—			33		18		52		23	24
25	01	18	01	07		04		06	03	02		23	25
26		08	—	37	11	01		01		16	11	28	26
27		24	05	10	08			07	05	42	01	10	27
28		43	03	39	04			15			06	01	28
29			01	59		27	20		22	21	01		29
30			—			03	05			13	07	02	30
31							03			06		01	31
Total	1·14	2·03	2·73	2·25	1·30 ~~1·34~~	1·90 ~~1·70~~	·28	1·72	1·07	3·46 ~~3·47~~	3·89	9·11 ~~9·13~~	TOTAL for year ~~30·75~~
No. of Rain Days.	14	17	22	14	9	15	3	12	10	19	25	29	189

W. 8,000, X. '11.

X Total for year 30·88

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

23 APR 1913

Kept at Old Way House. Wellington

in the County of Somerset

by T. Fox.

Lat. ………… Long. …………

Time of Observation …………

Nearest Railway Station Wellington Somerset

Diameter of Rain Gauge ………… in.

Height of top of Gauge above Ground ………… ft. ………… in.

" " " " Sea Level ………… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·25	·01	05	56	11		10	·88		39	1
2			25	·01	03	16	15	12	—	08	04	03	2
3		·01	11	—	02	25	14	66	04		03	01	3
4	·13	—	95	—	01	28	01	12	01		17	—	4
5	·46	01	36	—		10	01	38	01		01	05	5
6	·66	28	01	—	06	10	38	1·45	—			12	6
7	02	52	11	—	16	87	—	21	—			11	7
8	35	20	36	01	—	30	17	14	—			13	8
9	08	02	01	12	—	22	01	05	—		02	28	9
10	05	26	01	01	—	02	01	04	01		05	23	10
11	15	10	—	—	—	—	—	—	—		08	38	11
12	02	66	07	03	02	—	04	05	—			07	12
13	01	01	01	—	—	01	01	02	—	01	01	20	13
14	11	—	90	—	13	—	—	06	01			04	14
15	34	·01	02	—	39	50	—	01	—			33	15
16	38	—	23	—	04	04	—	08	—	05	13	04	16
17	40	—	13	—	03	08	—	76	—		01	03	17
18	10	01	37	—	—	—	—	18	—	02	02	14	18
19	05	08	27	—	—	04	16	25	—	03	01	02	19
20	14	02	31	—	16	03	05	1·29	—	51	02	01	20
21	01	04	52	—	33	01	—	27	—	14	01	—	21
22	37	30	16	—	21	03	09	09	—	12	01	09	22
23	55	61	29	—	01	07	—	49	—	18	12	23	23
24	20	03	04	—	—	15	—	18	—	04	01	13	24
25	02	01	01	—	—	21	01	48	—	19	28	45	25
26	—	05	—	—	—	01	03	24	—	45	48	24	26
27	—	01	—	—	—	43	63	—	—	1·18	02	38	27
28	—	13	—	—	—	03	08	42	31	35	41	65	28
29	—	21	03	—	—	30	23	23	48	76	03	03	29
30	—		03	—	09	53	14	01	16	40	—	—	30
31	—		34				24	01		06		04	31
Total	4·60	3·58	6·15	0·19	1·74	5·33	2·70	8·29	1·13	5·45	1·97	4·85	YEAR'S TOTAL 45·98
Rain Days.	22	23	27	6	~~15~~ 16	26	21	28	9	18	22	~~27~~ 28 28	246 246

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
17 JAN 1914

Kept at Old Way House Wellington
in the County of Somerset 3
by Thomas Fox

Lat. Long.
Time of Observation 7·45 A.M.
Nearest Railway Station Wellington
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·17	20	26	04	28		01		20	02	16	07	1
2	13	18	01	15	05				01	08	18	01	2
3	1·30	01	14	02	23				12	01	01	25	3
4	·02	01	06	02	25				19	07	02	17	4
5	02	01	01	—	11	16			49		08	23	5
6	01	07	15	—	09	10	05		01	71	04	34	6
7	01	34	03	—	46	06	07			68	20	01	7
8	01	05	01	—	68	09	01			01	01	01	8
9	34	06	—	02	15	10	03	09	01	01	34	02	9
10	80	01	·01	01	33	07		02		41	19	01	10
11	01	01	—	06	15	01		01		08	90	01	11
12	13	01	—	01	16	02			04	01	30	01	12
13	33	01	·02	—	02	02		17	50		07		13
14	40	01	18	04		—	03	01	01	01	15		14
15	22	02	37	60		—		01	05		07		15
16	04	—	51	17		01		05	19		01		16
17	17	—	04	10		—	01		01		02		17
18	42	—	25	12		04					08		18
19	45	—	20	01	01	04			36	07	01		19
20	01	—	17	06	—	03			01	16	06		20
21	75	—	29	19	09	—					47		21
22	03	—	78	01	01	01	04	01	10			01	22
23	03	—	01	—		09		08	01		07	73	23
24		07	—	04		—		01		02	04	07	24
25		03	—	21		—			03	03	03	02	25
26	09	—	—	92		—		23	01	01		21	26
27	08	—	25	41		—		01		28		04	27
28	09	—	07	32		—				54		16	28
29	50		66	33	01	—		03		19		01	29
30	25		01	01		—				49	04		30
31			10		25			85		01			31
Total	6·81	1·10	4·59	3·87	3·33	0·85	0·25	1·58	2·35	3·90	3·55	2·33	YEAR'S TOTAL 34·51
Rain Days.	28	17	25	24	18	15	8	14	19	~~15~~ 22	25	20	235

cwd for auth 12.11.15 W DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

Kept at Old Way House, Wellington
in the County of Somerset 3
by Thomas Fox

Lat. Long.
Time of Observation
Nearest Railway Station Wellington Somt
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·05	·04			31	32			23	09	1
2		—	·03	20	·02	·03	50	04			32	40	2
3	·01	—	·12	18	42			41			04	05	3
4	·07	—	05	26	13		19	29			56	72	4
5	·12	—	10	38	14		01	01			01	05	5
6	·01	·05	03	19	03		01	03			02	13	6
7	—	·59	16	19	13	05	38	08	·03		01	14	7
8	·01	·01	98	04	21	45	18	13				01	8
9	·02	·03	46	19	04	54	01	12	65				9
10	·04	·13	04	15	04	08			61		01	02	10
11	—	15	56	01	09	22	33				06	34	11
12	—	33	08						17	04	01	50	12
13	—	28	26				03		16	34	25	14	13
14	—	15	57			1·14	01	73	02	21	32	01	14
15	—	02	14				03	76	11	07	18	01	15
16	—	—	07						15			01	16
17	—	50	36				01					52	17
18	—	10	04			84	05		16			65	18
19	—	02	45				2·66		04		·09	12	19
20	—	35	25			05	01					21	20
21	—	77	06			05		01		31		05	21
22	—	07	—		12	26		01		57			22
23	—	11	13		01	08	04			23			23
24	—	—	01		06		02	10		55	13	03	24
25	18	—	32		01		09	40		13	02	21	25
26	05	—	25				03	15		02	20	43	26
27	·01	·01	—		04					02	10	09	27
28	02	·05	18		08					29	16	72	28
29	16		04							18	31	02	29
30	01	✕	06			·01				35	35	89	30
31	02	✕	—	✕	01	✕	31		✕	79	✕	24	31
Total	0·73	3·73	5·85	1·83	1·58	3·86	5·21	3·59	2·10	4·10	3·38	6·80	YEAR'S TOTAL 42·70
Rain Days.	14	20	28	11	17	3·80 13	21	16	10	15	21	28	42.70 214

W. 8,000. X. 14.

~~W~~ 8f cnd [illegible] 6. V. 16

2167

FORM A. BRITISH RAINFALL.

3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Wellington (Old Way House)

in the County of Somerset

by Thomas Fox

3

Lat. Long.

Time of Observation 7·45 A.M.

Nearest Railway Station Wellington Somt

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·55	·05	—	·01	—	—	—	·36	·08	·28	·03	·10	1
2	·13	·38	·07	·03	—	·01	—	·64	·02	·15		·33	2
3	·03	·14	·05	·03	·17	—	·06	·01	—	—		·39	3
4	·06	·12	—	—	·04	—	·18	—	—	—		19	4
5	·11	·56	—	·01	—	—	—	·10	—	—		31	5
6	·61	·11	—	·31	—	—	·47	·01	—	—		19	6
7	·24	·25	—	·16	·19	—	·19	·01	—	—		38	7
8	·26	·30	—	·01	—	—	·01	·10	—	—	·01	02	8
9	·02	·01	—	·05	—	—	—	·05	—	—	·38	70	9
10	20	·05	·03	·05	—	—	—	·28	—	·09	02	03	10
11	28	·87	—	·01	·02	—	·03	·38	—	—	74	06	11
12	·13	·65	—	·09	·44	—	—	·74	—	·05	32	—	12
13	—	·45	—	—	·51	—	—	·01	·11	—	24	—	13
14	·03	·01	—	—	—	—	·04	·36	·05	·02	01	83	14
15	·12	·02	—	—	·24	—	·01	·01	—	·04	32	08	15
16	03	·25	—	—	·06	—	·66	—	—	—		09	16
17	—	·25	—	—	·16	—	—	·05	—	—		02	17
18	—	·31	—	—	—	—	—	—	—	·02		—	18
19	·01	·01	—	—	·06	—	·15	—	—	—		—	19
20	·12	—	—	·08	—	·06	—	—	—	·06		07	20
21	·25	—	—	—	—	·01	·05	—	—	·16		04	21
22	·04	·07	·35	·05	—	·02	·43	—	·02	·01		20	22
23	·07	·03	·16	—	—	·08	·31	—	·02	·85	02	37	23
24	—	—	·01	·03	—	—	·48	—	·07	·32		38	24
25	—	—	—	·06	—	·25	·40	—	—	—		21	25
26	·07	·16	—	—	—	·02	·02	—	·01	—		37	26
27	—	·11	—	—	—	·14	·14	—	·03	40		01	27
28	—	·05	—	—	—	·08	—	—	·52	22		01	28
29	—		—	—	—	·12	—	—	·01	—	07	04	29
30	·11	X	—	—	—	·01	·03	—	—	·50	16	30	30
31	·02	X	—	X	—	X	·07	·01	X	·71	X	32	31
Total	3·49 ~~3·55~~	5·21 ~~5·79~~	0·67	0·98	1·89	0·80	3·73 ~~3·53~~	3·12	0·94	3·88	2·32	6·04	YEAR'S TOTAL ~~32·91~~ 33·07
Rain Days.	23	24	6	15	10	11	19	16	11	16	12	27	190

W. 8,000. X. 15

2105

FORM A.
BRITISH RAINFALL.

22. JAN

REGISTER OF RAINFALL IN 1916

Kept at Old Way House Wellington

in the County of Somerset

by Thomas Fox

Lat.

Long.

Time of Observation

Nearest Railway Station Wellington

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	06		—	—	1·26	04	40	—	08	15	24	—	1
2	18	06	01	—	13	—	—	—	07	34	10	—	2
3	01	58	—	—	04	—	02	—	21	38	62	—	3
4	04	15	—	02	37	33	01	—	08	12	96	—	4
5	03	01	14	—	14	05	—	—	—	02	42	—	5
6	02	17	01	—	20	10	49	—	—	11	43	—	6
7	07	18	17	—	08	15	02	—	—	05	82	19	7
8	01	07	10	—	22	05	—	—	—	—	38	09	8
9		10	01	—	08	15	01	—	—	16	11	34	9
10		23	02	06	04	—	01	—	—	02	—	13	10
11		01	03	07	01	03	—	—	—	—	—	—	11
12	07	04	10	07	15	—	02	11	—	(02)	01	—	12
13	—	26	11	03	—	—	01	47	—	—	—	—	13
14	01	26	01	01	08	—	—	06	—	07	—	—	14
15	01	06	12	06	—	—	—	30	—	04	—	—	15
16	04	14	—	16	—	—	05	1·81	—	08	—	—	16
17	04	11	—	05	—	—	—	07	14	33	66	—	17
18	01	16	21	02	—	—	—	01	32	10	02	05	18
19	05	01	44	09	—	—	—	—	—	—	10	—	19
20	11	38	31	—	—	—	—	—	—	—	08	95	20
21	04	13	20	—	11	—	—	—	—	—	—	47	21
22	01	—	01	—	03	06	—	01	—	43	03	65	22
23	02	03	—	—	—	06	—	22	—	18	15	14	23
24	—	22	—	04	40	—	—	03	—	77	01	25	24
25	—	46	17	—	01	—	—	40	04	02	15	02	25
26	02	14	14	—	01	41	—	18	55	86	04	—	26
27	02	03	1·43	—	—	03	—	13	42	57	—	—	27
28	—	24	—	—	12	—	—	04	31	48	—	41	28
29	—	67	12	—	—	27	—	1·93	20	26	—	32	29
30	—	X	02	—	—	—	—	—	—	23	—	01	30
31	—	X	—	X	—	X	—	06	X	08	X	02	31
Total	0·87	4·90	3·88	0·68	3·48	1·73	1·04	5·83	2·42	5·88	5·33	4·04	YEAR'S TOTAL 40·08
Rain Days.	21	27	22	12	19	13	10	16	11	25	19	15	210

W. 8,000, VIII. 16

2010

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Same as usual

23. JAN 1918

Kept at Old Way House Wellington

in the County of Somerset

by Thomas Fox

Lat. Long.

Time of Observation

Nearest Railway Station Wellington

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	04		19	27		18	—	41	13	—	03	—	1
2	04		02	—		06	—	03	08	—	01	—	2
3	05		—	15			40	—	—	21	38	—	3
4	—	18	36	—			09	—	03	57	01	03	4
5	11		43	21			—	03	14	21	06	—	5
6	—		27	—		10	—	—	01	02	21	—	6
7	35		—	—		—	43	18	—	30	03	01	7
8	05		12	10		01	67	22	01	47	07	07	8
9	—		03	—	02	06	06	05	01	41	06	—	9
10	21		20	21		—	05	12	—	05	01	—	10
11	02		1·04	23		17	—	29	—	26	07	—	11
12	16		02	—	42	—	—	—	—	36	—	01	12
13	—		18	02		—	—	29	05	08	—	—	13
14	—		02	10		01	03	21	01	02		01	14
15	—		—	04		—	10	27	—	21		23	15
16	01	09	—	10		—	—	03	—	30		21	16
17	—	01	—	05	01	—	30	06	69	10		—	17
18	—	03	—	—	01	43	25	03	51	02		—	18
19	—	29	07	—		17	—	—	14	—	01	—	19
20	—	14	03	—	45	01	06	23	08	—	—	04	20
21	—	01	19	—	—	14	—	—	—	03	01	—	21
22	—	—	—	—	—	—	—	28	—	06	—	—	22
23	—	16	—	—	33	—	—	49	—	09	—	01	23
24	—	—	01	—	—	16	14	16	—	16	10	—	24
25	—	06	07	—	—	—	01	02	02	08	09	—	25
26	—	—	—	—	37	01	—	67	20	09	04	—	26
27		—	—	—	30	25	—	75	—	08	03	—	27
28		05	10	—	15	2·80	—	43	—	—	—	02	28
29			16	—		38	04	01	—	44	02	16	29
30		✕	06	—		—	14	09	—	07	01	01	30
31		✕	07	✕		✕	—	04	✕	09	✕	01	31
Total	1·04	1·02	3·64	1·48	2·06	4·54	2·77	5·39	2·11	4·78	1·25	0·82	YEAR'S TOTAL 30·90
Rain Days.	10	10	21	14	9	16	15	25	15	26	19	13	190

62

W. 8,000, IX. 17.

done 2/2 97

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL
3. 1. 19

Kept at Old Way House Wellington
in the County of Somerset
by Thomas Fox

Lat. Long.
Time of Observation
Nearest Railway Station Wellington Somt
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		10	—	08	08	—	—	57		01	1·06		1
2		04	—	15	—	—	—	45		04	01	17	2
3		06	01	12	06	—	—	15		06	06	02	3
4		15	—	01	—	—	—	06	11	—	55	16	4
5		—	14	—	05	—	—	26	30	20	02	03	5
6	·21	21	—	35	—	—	—	25	10	06	—	10	6
7	—	18	—	01	25	—	—	01	35	26	35	08	7
8	22	14	—	—	—	—	—	—	26	24	01	03	8
9		13	—	06	—	17	24	—	38	05	01	12	9
10	14	01	—	29	—	—	24	—	31	12	01	54	10
11	01	—	05	02	—	—	34	—	14	08	05	11	11
12	01	08	20	—	17	—	13	—	08	03	—	10	12
13	55	—	—	—	42	—	10	—	40	02	—	12	13
14	15	—	01	—	01	01	16	—	13	10	—	17	14
15	1·72	—	—	11	08	—	31	—	—	07	—	18	15
16	50	—	—	91	—	05	04	—	16	01	—	27	16
17	24	—	02	31	—	—	13	01	10	01	—	26	17
18	1·06	—	01	—	—	67	08	—	36	11	—	22	18
19	12	—	19	02	—	—	09	03	01	04	—	09	19
20	28	07	—	07	—	03	76	—	16	10	—	—	20
21	06	07	—	01	—	04	04	—	72	08	—	28	21
22	01	02	—	—	08	—	29	—	30	01	—	23	22
23	06	—	—	—	25	—	61	—	12	—	04	08	23
24	—	14	—	—	—	—	—	05	05	—	12	02	24
25	—	—	—	16	30	—	12	70	—	05	10	04	25
26	—	—	—	03	—	—	60	01	03	03	09	10	26
27	—	12	02	—	—	—	02	15	28	—	13	03	27
28	—	13	29	01	—	—	—	—	—	01	01	14	28
29	—		08	—	—		—	—	1·27	05	—	03	29
30	—	X	31	—	—		—	01	·02	02	04	06	30
31	—	X	24	X	—	X	—	15	X	—	X		31
Total	5·34	1·65	1·57	2·72	1·75	0·97	4·30	2·86	6·14	1·86	2·66	3·78	YEAR'S TOTAL 35·60
Rain Days.	16	16	13	18	11	6	18	15	24	26	17	28	208

W.BR 1886

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Old Way House Wellington
in the County of Somerset
by Thomas Fox

Lat. Long.
Time of Observation 7·30 A.M.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	(·50)	—	06	02	18		47	—	04	28		1·08	1
2	13	—	02		05		10	—	01	03	01	02	2
3	44	—	28		01		—	—	10		12	30	3
4	—	33	33			20	—	02	26		01	10	4
5	86	41	84				15	—	44		08	25	5
6	88	36	10				—	—	—		01	33	6
7	28	—	28	07			—	—	04			1.1	7
8	24	—	15	01		05	—	—	—				8
9	17	—	02	09	07		—	—	—		44		9
10	06	—	15	02	03		—	—	—			25	10
11	02	—	24	12	11		16	—	—	08		20	11
12	26	—	08	03		08	01	—	—	04		04	12
13	02	03	05	25		—		—	01	04		14	13
14	55	06	—	86	39		01	—	—	04		20	14
15	20	01	—	21	03		—	—	—	08		25	15
16	12	63	—	—			—	—	—	—	13	01	16
17	—	74	—	02			—	15	—	—	36		17
18	04	01	41	—			07	12	02	—	16	02	18
19	30	20	41	—			85	30	40	—	27	05	19
20	53	06	18	—		20	—	47	24	—	07	03	20
21	05	52	01	—			08	—	05	—		19	21
22	—	04	—	—		01	08	—	17	—	01	1.3	22
23	—	—	—	—			—	—	—	70	10	07	23
24	—	—	—	08		05	—	—	02	1·80	05	45	24
25	05	01	—	15		08	—	89	—	01	05	24	25
26	13	03	12	03			—	13	14		01	40	26
27	25	—	02	32		03	—	42	—			04	27
28	04	—	41	01			—	38	—		32	37	28
29	01		02	08			—	14	—	12		04	29
30	—		—	08		11	—	24	—	02	26	61	30
31	—						03	—				33	31
TOTAL	6·13	3·44	4·18	2·45	0·87	0·81	2·01	3·26	1·94	3·24	2·46	6·25	YEAR'S TOTAL 37·04
Days with ·01 in. or more	24	15	21	18	8	9	11	11	14	12	18	28	189

1800

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192.........

Kept at Old Way House Wellington
in the County of Somerset
by Thomas Fox

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station Wellington
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	—	—	15	25	—	·33	03	06	·32	19	58	1
2	·42	—	—	16	—	—	58	23	08	19		05	2
3	09	04	—	08	01	—	04	02	02	91		08	3
4	—	—	06	02	—	01	02	51	—	35			4
5	—	—	17	09	08	—	13	14	—	05			5
6	—	—	35	—	27	—	25		—	20			6
7	02	01	01	21	—	—	50		01	07			7
8	(13)	06	—	31	04	—	82		—	01		13	8
9	71	08	—	11	—	16	—		—	—			9
10	84	34	04	04	—	25	46		—	—	01		10
11	71	01	17	37	29	01	18		—	—	—		11
12	26	04	07	15	01	05	03		—	—	06		12
13	21	08	55	11	—	01	01		—	01	06		13
14	02	09	33	64	—	—	02		05	15	43		14
15	01	·15	11	44	29	15	01		08	42	08		15
16	—	01	02	05	13	17	20		25	41	06		16
17	02	—	01	11	18	08	01	—	51	—			17
18	09	02	06	03	13	14	—	37	31	—	01	04	18
19	03	—	—	38	12	08	—		07	01		—	19
20	01	19	—	37	09	19	01			—		21	20
21	—	—	—	01	—	01	08			—		16	21
22	01	—	—	04	—	01	02			—		61	22
23	—	—	—	—	—	—	74	15		01		38	23
24	09	—	21	—	—	—	—			—	15	13	24
25	01	05	15	02	04	—	40			—	01	01	25
26	20	—	38	—	08	03	06			—	14	20	26
27	37	01	15	06	02	29	01			01	31	21	27
28	54	01	08	17	01	01	10			—	—	04	28
29	18	—	58	05	06	07	—			—	18	22	29
30	09		—	·02	10	11	11		19	03	40	19	30
31	08		46		01		01			83		16	31
Total	5·26	1·19	3·96	4·19	2·21	1·83	5·13	1·45	1·63	3·98	2·09	3·40	Year's Total 36·32
Days with ·01 in. or more	25	16	20	26	20	19	26	7	11	17	15	17	219
Days with ·04 in. or more	17	10	17	21	15	12	16	5	9	11	11	12	156

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WELLINGTON
WATTON
SOMERSET
1913

REGIST

FORM A. BRITISH RAINFALL

9 APR 1914

Kept at Watton H

in the County of Som

by F. J. Bur

9 a.m

Wellington T.W.R.

5 in.

Above Ground 1 ft. — in.

" Sea Level 280 abt. ft.

IMPORTANT NOTE.—and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0·18	0·24	0·05	0·22				0·19	0·02	0·11	0·05	1
2	0·17	0·15	0·01	0·12	0·09				0·01	0·06	0·15	0·01	2
3	0·17		0·13	0·02	0·18				0·12	0·02		0·22	3
4	1·27		0·06		0·22				0·17	0·06	0·02	0·18	4
5	0·02	0·01			0·17	0·14			0·48		0·06	0·18	5
6	0·02	0·06	0·11		0·03	0·10				0·75	0·03	0·29	6
7		0·33	0·02		0·69		0·05			0·82	0·18		7
8	0·02	0·05			0·42	0·13	0·05	0·04					8
9		0·06		0·03	0·29	0·15		0·04		0·01 fog	0·33	0·02	9
10	0·45	0·01 fog		0·01	0·28		0·03	0·02		0·43	0·17		10
11	0·71	0·02 fog		0·05		0·02		0·01		0·13	0·92	0·01	11
12					0·28				0·04		0·29		12
13	0·12 pt. sn.	0·01 fog	0·02			0·01		0·15	0·48		0·07		13
14	0·30		0·17	0·05	0·02		0·05		0·03	0·01	0·14		14
15	0·41		0·32 pt. sn.	0·71			0·02		0·05		0·05		15
16	0·20		0·52 pt. sn.	0·04				0·05	0·13				16
17	0·03		0·03 "	0·08							0·02		17
18			0·24	0·11							0·06		18
19	0·69		0·17		0·02	0·03			0·34	0·06			19
20	0·35		0·15	0·14		0·06				0·17	0·11		20
21			0·27	0·10	0·08						0·41		21
22	0·76		0·71					0·01	0·09			0·07	22
23	0·02					0·09	0·02	0·09			0·06	0·67	23
24	0·02	0·08		0·03		0·03		0·01		0·01 fog	0·04		24
25		0·03		0·29					0·03	0·02	0·02	0·01	25
26								0·21	0·01			0·18	26
27	0·08		0·24	1·26				0·01		0·38		0·07	27
28	0·07		0·05	0·30						0·53		0·13 pt. sn.	28
29	0·09	—	0·64	0·31				0·03		0·17			29
30	0·49 pt. sn.	—			0·02					0·50	0·02		30
31	0·23 "	—	0·11	—	0·20	—		0·86	—	0·02	—		31
Total	6·69	0·99	4·21	3·70	3·21	0·76	0·22	1·53	2·17	~~4·18~~ 4·17	3·26	2·09	YEAR'S TOTAL 33·00
Rain Days.	24	12	20	19	17	11	6	13	14	19	21	14	190

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL

9 APR 19[illegible]

REGISTER OF RAINFALL IN 1913

Kept at Watton Wellington
in the County of Somerset. 3
by F. J. Burnell

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Wellington G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 280 abt. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0·18	0·24	0·05	0·22				0·19	0·02	0·11	0·05	1
2	0·17	0·15	0·01	0·12	0·09				0·01	0·06	0·15	0·01	2
3	0·17		0·13	0·02	0·18				0·12	0·02		0·22	3
4	1·27		0·06		0·22				0·17	0·06	0·02	0·18	4
5	0·02	0·01			0·17	0·14			0·48		0·06	0·18	5
6	0·02	0·06	0·11		0·03	0·10				0·75	0·03	0·29	6
7		0·33	0·02		0·69		0·05			0·82	0·18		7
8	0·02	0·05			0·42	0·13	0·05	0·04					8
9		0·06		0·03	0·29	0·15		0·04		0·01 fog	0·33	0·02	9
10	0·45	0·01 fog		0·01	0·28		0·03	0·02		0·43	0·17		10
11	0·71	0·02 fog		0·05		0·02		0·01		0·13	0·92	0·01	11
12					0·28				0·04		0·29		12
13	0·12	0·01 fog	0·02			0·01		0·15	0·48		0·07		13
14	0·30		0·17	0·05	0·02		0·05		0·03	0·01	0·14		14
15	0·41		0·32	0·71			0·02		0·05		0·05		15
16	0·20		0·52	0·04				0·05	0·13				16
17	0·03		0·03 "	0·08							0·02		17
18			0·24	0·11							0·06		18
19	0·69		0·17		0·02	0·03			0·34	0·06			19
20	0·35		0·15	0·14		0·06				0·17	0·11		20
21			0·27	0·10	0·08						0·41		21
22	0·76		0·71					0·01	0·09			0·07	22
23	0·02					0·09	0·02	0·09			0·06	0·67	23
24	0·02	0·08		0·03		0·03		0·01		0·01	0·04		24
25		0·03		0·29					0·03	0·02	0·02	0·01	25
26								0·21	0·01			0·18	26
27	0·08		0·24	1·26				0·01		0·38		0·07	27
28	0·07		0·05	0·30						0·53		0·13	28
29	0·09	—	0·64	0·31				0·03		0·17			29
30	0·49	—			0·02					0·50	0·02		30
31	0·23 "	—	0·11	—	0·20	—		0·86	—	0·02	—		31
Total	6·69	0·99	4·21	3·70	3·21	0·76	0·22	1·53	2·17	~~4·18~~ 4·17	3·26	2·09	YEAR'S TOTAL 33·00
Rain Days.	24	12	20	19	17	11	6	13	14	19	21	14	190

W.7,000, XI. 13

REGIST 4

WELLS
DINDER COTT
SOMERSET
1914 - 1916

FORM A.
BRITISH RAINFALL.
6 - JAN 1915

Kept at Dinder Cott
in the County of Somer
by Miss I. L. Jo

ng. 2° 36′ W
9 a.m.
n Wells
e 5 in.
above Ground 1 ft. in.
„ Sea Level 150 ft.

IMPORTANT NOTE.— and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·05		·04	·43				Omitted: prob. small fall	·04	1
2			·01	·14	·01		·59	·23			1·00	·30	2
3			·28	·21	·24			·39		·02	·06	·09	3
4	·17		·21	·22	·04		·18	·39			·49	·59	4
5	·14		·39	·40	·15		·08	·23			·08	·15	5
6	·02	·13	·05	·24	·04		·33				·05	·22	6
7	·06	·53	·14	·18	·29	·04	·39	·18	·01			·11	7
8	·16	·02	1·27	·01	·27	·44	·02	·20					8
9	·31		·31	·13	·08	·77		·07	·31				9
10	·14	·06	·03	·06	·11				·49		·03		10
11		·19	·81		·01	·20	·08		·20		·05	·21	11
12		·08	·31		·01	·01			·28		·02	·24	12
13		·25	·32						·24	·23	·13	·68	13
14	·01	·17	·26			·04		·37	·11	·27	·30		14
15	·01	·01	·17				·22	·70	·05	·01	·15		15
16			·01				·15		·23				16
17		·32	·38				·02					·49	17
18		·04	·04				·40		·02			·69	18
19		·11	·65				·88		·02			·33	19
20		·53	·22			·02						·29	20
21		·55	·04			·93				·16			21
22		·05			·29	·24		·07		·25		·01	22
23		·09	·31		·09	·05				·18			23
24			·08		·03		·02			·29	·34	·01	24
25	·04		·12		·08		·08	·35		·38	·02	·28	25
26			·02				·05	·08		·03	·25	·40	26
27	·22						·01			·10	·12	·16	27
28	·01	·18	·15		·01					·10	·41	1·16	28
29	·14		·30		·09					·24	not taken: prob. wet	·01	29
30		X	·02							·25	·56	·76	30
31	·01	X		X	·01	X	·63		X	·23	X	·10	31
Total	1·44	3·31	6·90	1·64	1·85	2·78	4·56	3·26	1·96	2·74	4·06	7·32	YEAR'S TOTAL 41·82
Rain Days.	14	17	27	10	18	11	18	12	11	15	19½	23	195

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
6 - JAN 1915

Kept at Dinder Cottage, Wells
in the County of Somerset
by Miss I. L. Joseph

Lat. 51°12'N Long. 2°36'W
Time of Observation 9 a.m.
Nearest Railway Station Wells
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·05		·04	·43				Omitted: prob. small fall	·04	1
2			·01	·14	·01		·59	·23			1·00	·30	2
3			·28	·21	·24			·39		·02	·06	·09	3
4	·17		·21	·22	·04		·18	·39			·49	·59	4
5	·14		·39	·40	·15		·08	·23			·08	·15	5
6	·02	·13	·05	·24	·04		·33				·05	·22	6
7	·06	·53	·14	·18	·29	·04	·39	·78	·01			·11	7
8	·16	·02	1·27	·01	·27	·44	·02	·20					8
9	·31		·31	·13	·08	·77		·07	·31				9
10	·14	·06	·03	·06	·11				·49		·03		10
11		·19	·81		·01	·20	·08		·20		·05	·21	11
12		·08	·31		·01	·01			·28		·02	·24	12
13		·25	·32						·24	·23	·13	·68	13
14	·01	·17	·26			·04		·37	·11	·27	·30		14
15	·01	·01	·17				·22	·70	·05	·01	·15		15
16			·01				·15		·23				16
17		·32	·38				·02					·49	17
18		·04	·04				·40		·02			·69	18
19		·11	·65				·88		·02			·33	19
20		·53	·22			·02						·29	20
21		·55	·04			·93				·16			21
22		·05			·29	·24		·07		·25		·01	22
23		·09	·31		·09	·05				·18			23
24			·08		·03		·02			·29	·34	·01	24
25	·04		·12		·08		·08	·35		·38	·02	·28	25
26			·02				·05	·08		·03	·25	·40	26
27	·22						·01			·10	·12	·16	27
28	·01	·18	·15		·01					·10	·41	1·16	28
29	·14		·30		·09					·24	not taken: prob. wet	·01	29
30		✕	·02							·25	·56	·76	30
31	·01	✕		✕	·01	✕	·63		✕	·23	✕	·10	31
Total	1·44	3·31	6·90	1·64	1·85	2·78	4·56	3·26	1·96	2·74	4·06	7·32	YEAR'S TOTAL 41·82
Rain Days.	14	17	27	10	18	11	18	12	11	15	19?	23	195

W. 8,000. X. 14.

2120

~~W~~ 7.1d

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

5 JAN 1916

Kept at Dinder Cottage, Dinder, Wells

in the County of Somerset

by Miss I. L. Joseph

2

Lat. 51° 12′ N Long. 2° 36′ W.

Time of Observation 9.0 a.m.

Nearest Railway Station Wells

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·45	·30	·01		·16			·07		·27	·02	·26	1
2	·46	·22	·27	·15		·17		·73	·28	·05		·44	2
3	·18	·07	·10	·30	·27		·05					·43	3
4	·02	·01			·07							·32	4
5	·09	·52	·01	·01	·01			·19				·27	5
6	·53	·09		·28			·38	·21				·19	6
7	·29	·50		·03	·08		1·34			·04		·28	7
8	·29	·28		·02	·01		·02	·11			·03	·03	8
9	·01	·06		·32							·62	·65	9
10	·22	·01	·17	·04				·56		·01	·01	·12	10
11	·04	~~25~~	·19	·03				·36		·01	·69	·05	11
12	·29	·35		·11	·28			·71		·08	·17	·02	12
13	·02	·25		·01	·57			·02	·13	·01	·02	·02	13
14	·03	·03					·44	·95	·15	·03	~~15~~	·90	14
15	·23	·01		·01	·20		·11	·03	·08		·15	·12	15
16		·57			·59		1·45	·17	·01			·12	16
17		·40			·20			·02				·01	17
18		·18	·01		·03						·02	·14	18
19	·02	·01		·14	·07		·31						19
20	·37			·01									20
21	·10	·09		·07						·11		·34	21
22	·09	·23	·41			·01	·47			·01		·26	22
23		·02	·12				·63		·08	1·54		·51	23
24			·01	·07			·21		·31	·72		·38[2]	24
25			·01			·15	·24					·09	25
26		·02		·05		·05	·23					·49	26
27		·13		·01		·33	·34			·45			27
28		·08				·05		·05	·73	·10			28
29		✕				·25		·02	·10	·01	·08	·08	29
30	·21	✕				·03[1]				·32	·33	·26	30
31	·02	✕		✕		✕	·11		✕	·93	✕	·14	31
Total	3·96	4·93	1·31	1·66	2·74	1·04	5·35	4·20	1·87	4·69	2·14	6·92	YEAR'S TOTAL 40·81
Rain Days.	21	24	11	18	13	8	15	15	9	17	11	27	189

W. 8,000. X. 15.

[1] possibly more; a little may have been spilt

[2] taken 7.15 p.m.

Ex PM

2060

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

8 JAN

Kept at Dinder Cottage, Wells

in the County of Somerset

by Miss I. L. Jolly

Lat. 51° 12′ N Long. 2° 36′ W

Time of Observation 9 a.m. (& 10 a.m.)

Nearest Railway Station Wells

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12				·18	·06	taken at 8 p.m. ·25		·07	·71	·23		1
2	·31	·06	snow ·03		·11		·11		·05?	·99	·05		2
3	·01	·26			·18				·07	·49	·22		3
4	·22	·15	" ·01		·10	·32	·09		·26	·13	·50		4
5	·20	·02	" ·02		·27	·51	-			·02	·70		5
6	·05	·28	" ·03		·20	·13	·30			·08	·54		6
7	·08	·15	" ·30		·08	·15	·13			·10	·55	·25	7
8	·01	·20	" ·04		·21	·16				·01	·09	·11	8
9		·06	" ·01	·01	·30	·05	·01			·14	·13	·05	9
10		·49	·03	·12	·07	·02	·02		·01	·03	·02	·09	10
11	·03		·05	·35	·02	·04			·09	·01	·02		11
12	·12	·06	·04	·17	·22		·37	·08	·01	·14	·02		12
13		·31	·12		·01			·29	·02	·02	·01		13
14		·36	·02	·12	·21			·36		·04			14
15	·02	·12	·06	·07	·02			·30		·07			15
16	·04	·04		·43	·05		·08	·65		·02			16
17	·18	·35		·02				·05	·95	·42	·14		17
18	·02	·06	·16	·06					·09	·20	·18?	·08	18
19	·20		·47	·37							·28	·02	19
20	·14	·14	·41	·01							·24	·84	20
21	·05	·10	·47	·01	·09							·74	21
22	·05			·03	·01	·07	·21	·01		·26	·06	·57	22
23	·01	·18				·06		·32		·13	·10	·14	23
24		·21	·04	·02	·68	·15		·05		·59	·01	·28	24
25		snow & perhaps sleet; taken at 10.15 a.m. ·72	·18		·16			·60		·02	·14	·02	25
26	·02	·05	·11			·33		·02	·72	·34	·03		26
27	·03	·14	part snow 1·88			·03		·63	·39	·15		·02	27
28		·24	snow ·05			·08		·12	·22	·54	·02	·60	28
29		·69	·08			·42		3·60	·04	·66	·01	·45	29
30		×			·09			·05	·02	·28	·02	·02	30
31		×		×		×		·09	×	·10	×	·20	31
Total	1·91 ✓	5·94	4·61 ✓	1·79 ✓	3·26 ✓	2·58 ✓	1·57 ✓	7·22 ✓	3·01	6·69 ✓	4·36 ✓	4·48 ✓	YEAR'S TOTAL 47·42 ✓
Total since Jan. 1		7·85	12·46	14·25	17·51	20·09	21·66	28·88	31·89	38·58	42·94	47·42	
Rain Days.	21 ✓	25	23 ✓	14 ✓	21 ✓	16 ✓	10 ✓	16 ✓	15	28 ✓	25 ✓	17 ✓	231 ✓

W. 8,000, VIII. 16

FORM A2.
BRITISH RAINFALL.

3 JAN 1912

WELLS

SOMERSET & BATH ASYLUM

1911 – 1920

R 19 11

Kept at County

in the County of

by J. E. D.

Negretti & Zambra

of top 5 in.

op above Ground 1 ft. 2 in.

„ „ Sea Level 300 ft.

9 am.

ation Name Gt Western.
Distance 1½ Direction S.W.

IMPORTANT NO ., and the result entered to the previous day. If an universal rule, he is earnestly requested to add the re year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. '01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'02	—	'10	'12	—	—	—	'08	—	—	'04	—	1
2	'01	—	'02	'32	'10	—	—	'15	—	'03	'23	'03	2
3	—	—	'02	—	'21	—	—	'07	—	—	'03	'01	3
4	—	'01	'20	'02	—	'25	—	—	—	'06	·21	'25	4
5	'03	—	'06	—	—	—	—	'97	—	'05	·19	'03	5
6	'20	—	'12	—	—	—	—	—	—	'01	·15	'22	6
7	'04	—	—	—	—	—	—	—	—	—	·22	—	7
8	'16	—	'20	—	—	—	—	—	—	—	—	'32	8
9	'09	—	'04	—	—	—	—	—	—	—	·05	'15	9
10	'03	'07	'25	—	'18	—	—	—	—	—	·01	'30	10
11	'32	'04	'01	—	'28	—	—	—	—	—	·53	'21	11
12	—	'01	'83	—	—	—	—	—	'03	—	·17	'22	12
13	—		'01	—	—	—	—	—	'29	'06	·15	'28	13
14	—	'16	—	—	—	—	—	—	—	'02	·05	·65	14
15	—	'06	—	—	—	'03	—	—	—	—	·17	·03	15
16	—	—	—	—	—	'32	—	—	—	—	·43	·09	16
17	—	—	·01	—	—	'05	—	—	—	—	·05	·08	17
18	—	'15	'08	'12	—	'05	—	—	—	'02	·05	'10	18
19	—		—	—	—	'15	—	—	'33	'21	·06	'22	19
20	'02	'02	'05	'11	—	—	—	—	'07	'06	—	'20	20
21	—	'05	—	—	—	—	—	'02	—	'45	—	'24	21
22	'05	—	'20	'06	—	'04	—	—	—	'42	—	'40	22
23	—	'15	'07			'09	—	—	'19	'09	—	'15	23
24	—	'32			—	'55	—	'11	—	'54	—	'15	24
25	—	'12	—	'18	—	'13	—	'04	—	'07	—	'28	25
26	—	'07	—	'10	—	—	—	'01	—	'08	·03	'38	26
27	—	'55	'18	'33	—	—	—	'17	'14	—	·04	'29	27
28	—	'32		'31	—	—	—	'24	—	—	·03	'01	28
29	—	—		'37	—	'32	'02	'01	'11	'70	—	'01	29
30	—	—		—	—	'01	—	—		'07	·02	'06	30
31	—	—		—	'02	—	—	—		'12		'01	31
Total	'92	2·10	2·42	2·04	·79	1·99	'02	1·87	1·16	3·06	2·91	5·37	TOTAL for year 24·65
No. of Rain Days	11	15	18	11	5	12	1	11	7	18	22	29	160

4·15

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

3 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at County Asylum Wells

in the County of Somerset. 2

by J. E. P. Shera M.D.

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 300 ft.

Time of Observation 9 am.

Nearest Railway Station
Name Gt Western
Distance 1½ Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. '01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'02	—	'10	'12	—	—	—	'08	—	—	'04	—	1
2	'01	—	'02	'32	'10	—	—	'15	—	'03	'23	'03	2
3	—	—	'02	—	'21	—	—	'07	—	—	'03	'01	3
4	—	'01	'20	'02	—	'25	—	—	—	'06	·21	'25	4
5	'18	—	'56	—	—	—	—	'97	—	'05	·19	'03	5
6	'20	—	'22	—	—	—	—	—	—	'01	·15	'22	6
7	'04	—		—	—	—	—	—	—	—	·22	—	7
8	'56	—	'20	—	—	—	—	—	—	—	—	'32	8
9	'09	—	'14	—	—	—	—	—	—	—	·05	'15	9
10	'03	'07	'25	—	'18	—	—	—	—	—	·01	'30	10
11	'32	'04	'01	—	'28	—	—	—	—	—	·53	'21	11
12	—	'01	'83	—	—	—	—	—	'03	—	·17	'22	12
13	—		'01	—	—	—	—	—	'29	'06	·15	'28	13
14	—	'16	—	—	—	—	—	—	—	'02	·05	·65	14
15	—	'06	—	—	—	'03	—	—	—	—	·17	·03	15
16	—	—	—	—	—	'32	—	—	—	—	·43	·09	16
17	—	—	·01	—	—	'05	—	—	—	—	·05	·08	17
18	—	'15	'08	'12	—	'05	—	—	—	'02	·05	'10	18
19	—		—	—	—	'15	—	—	'33	'21	·06	'22	19
20	'02	'02	'05	'11	—	—	—	—	'07	'06	—	'20	20
21	—	'05	—	—	—	—	—	'02	—	'45	—	'24	21
22	'05	—	'20	'06	—	'04	—	—	—	'42	—	'20	22
23	—	'15	·07		—	'09	—	—	'19	'09	—	'15.	23
24	—	'32			—	'55	—	'11	—	'54	—	'15	24
25	—	'12	—	'18	—	'13	—	'04	—	'07	—	'28	25
26	—	'07	—	'10	—	—	—	'01	—	'08	·03	'38	26
27	—	'52	'18	'33	—	—	—	'17	'14	—	·04	'29	27
28	—	'32		'31	—	—	—	'24	—	—	·03	'01	28
29	—	—		'37	—	'32	'02	'01	·11	'70	—	'01	29
30	—	—		—	—	'01	—	—		'07	·02	'16	30
31	—	—		—	'02	—	—	—		'12		'04	31
Total	'92	2·10	2·42	2·04	·79	1·99	'02	1·87	1·16	3·06	2·91	5·37	TOTAL for year 24·65
No. of Rain Days	11	15	18	11	5	12	1	11	7	18	22	29	160

4·18

9,000, IX. '10.

FORM A2. BRITISH RAINFALL. JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at County Asylum, Wells
in the County of Somerset. 2
by Dr J. E. P. Shera.

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 300 ft.

Time of Observation 9 Am

Nearest Railway Station
Name Gt Western (Wells)
Distance 2 Miles Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	—	·02			·28	·04	—	—	·52	—	·34	1
2	—	—	·03	·01		·13	·43	—	—	—	·04	—	2
3	·03	—	·09			·22	·08	·61	·03	—	·02	·21	3
4	·25	—	·36		·03	·14	—	—	—	—	·27	—	4
5	·42	·04	·33		·04	·01	—	·28	—	—	·02	·15	5
6	·52	·09	·02		·25	·12	·22	·79	—	—	·02	[illegible]	6
7	·04	·11	·11		·10	·75	—	·23	—	—	·02	·07	7
8	·15	·10	·22			·04	·18	·22	·02	—	·01	·02	8
9	·02	·01	·20	·10		·04	·01	·02	—	—	·04	·34	9
10	·08	·08	—			—	—	·08	—	—	·04	·06	10
11	·02	·04	·22				—	—	—	—	—	·45	11
12	·04	·56	·03	·07		·02	·02	—	—	—	—	·01	12
13	·01	·01	[illegible]			·07	—	—	—	—	·03	·13	13
14	·10	·03	·47		·19	·02	—	·68	—	—	—	·18	14
15	·07	·05	—		·18	·75	—	·04	—	—	—	·57	15
16	·58	·01	·24		·2	·02	—	·25	—	·04	·03	·08	16
17	·52	—	·04			·03	—	·48	—	—	·03	·09	17
18	·13	—	·78			—	—	·10	—	·14	·01	·12	18
19	·02	·14	·06			·04	·08	·24	—	·05	·02	·01	19
20	·01	·06	·35		·16	·03	·07	1·30	—	·57	·02	—	20
21	—	·17	·07		·38	—	—	·72	—	·40	—	—	21
22	·30	·13	·06		·22	·02	·13	·28	—	·03	·03	·05	22
23	·28	·38	·21			—	—	·80	—	·08	·25	·29	23
24	·04	·02	·02			·37	—	·01	—	·02	·01	·20	24
25	·01	—				·03	—	·45	—	[illegible]	·27	·32	25
26	—	—				[illegible]	·09	·08	—	·15	·30	·12	26
27	—	·01				·16	·12	—	—	·29	·02	·47	27
28	—	·08				·02	·13	·37	·05	·36	—	·40	28
29	—	·04	·02			·05	·28	·05	·12	·23	—	·03	29
30	—	—			·01	·06	·24	—	·13	·31	—	—	30
31	—	—	·32		·04	—	·18	·08	—	·03	—	·09	31
Total	3·67	2·16	4·47	·18	1·8	3·36	2·69	7·56	·65	3·16	1·50	4·83	TOTAL for year 36·0 3
No. of Rain Days.	23	21	23	3	1 8 0 12	24	16	23	5	15	21	26	212

W. 8,000, X. '11.

Exd [illegible]

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
9- JAN 1914

Kept at Somerset Co Asylum Wells. 2
in the County of Somerset
by Dr Shera

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Gt Western
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 300. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	·14	·10	·10	·11	—	—	—	·28	·03	·11	·38	1
2	·07	·11	·05	·06	·10	—	—	—	—	·03	·08	·02	2
3	·08	—	·06	·02	·49	—	—	—	—	—	—	·04	3
4	·55	—	·03	—	·33	—	·01	—	·43	·13	·02	·20	4
5	—	·05	·05	—	·30	·43	·02	—	·19	·01	·04	·05	5
6	·02	·01	·02	—	·03	·06	·08	—	—	·55	·04	·53	6
7	·01	·12	·05	—	·21	·09	·09	—	—	·22	·15	·01	7
8	—	·02	—	—	·14	·05	—	—	—	·15	—	·02	8
9	—	·05	—	—	·04	·18	·14	·26	·04	—	·05	·02	9
10	·15	—	·04	·05	·01	—	—	·02	—	·15	·13	—	10
11	·59	—	·01	·30	·40	·08	—	—	—	·08	·79	·01	11
12	—	—	—	—	·17	·01	·01	—	·01	—	·10	—	12
13	·05	—	·06	—	—	·02	—	·08	·92	—	·15	·02	13
14	·15	—	·12	·11	—	—	—	—	·22	·05	·45	—	14
15	·16	·06	·20	·05	—	—	—	·02	·02	—	·12	·02	15
16	·18	—	·40	·17	—	—	·01	—	·01	—	·03	—	16
17	·11	—	·02	·03	—	—	·18	—	·01	—	·05	—	17
18	·07	—	·15	·10	—	·04	—	—	—	—	·08	—	18
19	·28	—	·05	—	·07	·09	·03	—	·54	—	—	—	19
20	·05	—	·10	·03	—	—	·08	—	—	·09	·20	—	20
21	—	—	·16	·25	·06	—	—	—	—	—	—	—	21
22	·95	—	·30	·11	·02	·11	—	·08	·22	—	·07	·02	22
23	" ·02	—	—	—	—	—	—	·13	—	—	—	·38	23
24	·12	·03	—	·03	—	—	—	—	—	—	·03	—	24
25	—	·10	—	·12	—	—	—	—	—	—	·04	·05	25
26	—	—	—	·15	—	—	—	·19	—	—	·01	·12	26
27	·05	—	·12	·04	—	—	—	—	—	·04	·02	·06	27
28	·13	—	·25	·19	—	—	—	—	—	·18	·01	·07	28
29	·04	—	·38	·36	·02	—	—	·08	—	·12	·02	·05	29
30	·28	—	—	—	—	—	—	—	—	·21	·13	—	30
31	·16	—	·08	—	—	—	—	·48	—	·01	—	—	31
Total	4·27	·69	2·80	2·27	2·50	1·16	·65	1·34	2·89	2·05	2·92	2·07	YEAR'S TOTAL 25·61
Rain Days.	23.	10	23.	19	16	11	10	9	12	16	25	19	193

W. 7,500, XI. 12

Exd.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Wells Asylum, Wells.

in the County of Somerset 2

by J. E. F. Shera

Lat. 51·13 Long. 2·37

Time of Observation 9 am.

Nearest Railway Station Gt Western.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·16

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	—	·01	·05	—	·03	·41	·81	—	—	·05	·03	1
2	—	—	—	·10	·01	—	·39	·01	—	—	·82	·20	2
3	—	—	·25	·22	·07	—	·01	·42	—	·01	·05	·03	3
4	·11	—	·24	·18	·01	—	·18	·23	—	—	·46	·27	4
5	·13	—	·41	·18	·17	—	·05	—	—	—	·09	·22	5
6	·01	·11	·05	·29	·04	—	·26	·11	—	—	·03	·17	6
7	·09	·16	·10	·14	·15	·04	·19	·25	·01	—	·01	·04	7
8	·15	·01	1·15	·01	·25	·44	·01	·14	·01	—	—	—	8
9	·27	—	·29	·06	·09	·70	—	—	·24	—	—	—	9
10	·05	·01	·02	·04	·05	—	—	—	·37	—	·03	—	10
11	—	·08	·28	—	·05	·17	·06	—	·15	—	·04	·12	11
12	—	·06	·30	—	·02	·01	—	—	·14	—	·08	·19	12
13	—	·18	·25	—	—	—	—	—	·12	·19	·08	·44	13
14	—	·13	·09	—	—	—	—	·35	·08	·18	·13	—	14
15	·01	—	·15	—	—	—	·04	·71	·02	·01	·10	—	15
16	—	—	·02	—	—	—	·11	—	·09	—	—	—	16
17	—	·09	·16	—	—	—	·02	—	·01	—	—	·27	17
18	—	·03	·04	—	—	—	·28	—	·02	—	—	·37	18
19	—	·10	·59	—	—	—	·86	—	·01	—	·04	·22	19
20	—	·46	·10	—	—	·02	—	—	—	—	—	·30	20
21	—	·25	·02	—	—	·85	—	—	—	·11	—	—	21
22	—	·02	—	—	·24	·35	—	·01	—	·22	—	—	22
23	—	·10	·29	—	·04	·01	—	—	—	·30	—	—	23
24	—	—	·08	—	·03	—	·03	—	—	·20	·35	·01	24
25	·04	—	·09	—	·09	—	·01	·36	—	·37	·02	·20	25
26	—	—	·02	—	—	—	·04	·11	—	·04	·18	·27	26
27	·18	—	—	—	—	—	—	—	—	·11	·09	·06	27
28	·02	·05	·16	—	·01	—	—	—	—	·09	·28	1·14	28
29	·03	—	·15	—	·08	—	—	—	—	·20	·08	·01	29
30	·01	—	·02	—	·01	—	—	—	—	·23	·06	·28	30
31	—	—	—	—	—	—	·22	—	—	·16	—	·08	31
Total	1·11	1·84	5·33	1·27	1·41	2·62	3·17	3·51	1·27	2·42	3·07	4·92	YEAR'S TOTAL 31·94
Rain Days.	14	16	27	10	18	10	18	12	13	15	21	22	196.

W.7,000, XI. 13

Ex & L

2121

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
4. JAN 1916

Kept at Wells Asylum,
in the County of Somerset.
by J. E. D. Thera

2

Lat. 51·13N. Long. 2·37
Time of Observation 9 a.m.
Nearest Railway Station Gt Western
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16	·27	·01	—	·09	—	—	·13	·37	·25	·01	·19	1
2	·37	·04	·15	·10	·16	·14	—	·44	·03	·05		·39	2
3	·19	·04	·09	·18	·10		·05			—		·09	3
4	·02	·01	·01	·01	·05					—		·19	4
5	·10	·43	·01	·01	·01			·16		—		·17	5
6	·49	·08	—	·13	—		·29	·11		—		·17	6
7	·16	·25	—	·03	·06		·24	·01		·01		·25	7
8	·13	·20	—	·13			·01	·10		—	·02	·03	8
9	·03	·09	—	·10				·01		—	·53	·45	9
10	·22	·01	·16	·03				·24		—	·01	·10	10
11	·02	—	·18	·02			·01	·17		·02	·48	·05	11
12	·18	·10	·01	·07	·42			·40		·09	·09	·01	12
13	·03	·30	—	—	·33			·02	·10	—	·02	·02	13
14	·08	·02	—	—			·21	·89	·07	·03		·29	14
15	·09	·01	—	·01	·16		·18	·02	·09	·01	·11	·08	15
16	—	·22	—	—	·54		1·18	·03	·01	—		·09	16
17	—	·43	—	—	·23					—		·01	17
18	—	·06	—	—	·01					—	·02	—	18
19	·03	·01	—	—	·06	—	·28			—		—	19
20	·27	—	—	·13						·01		·21	20
21	·09	·09	—	—						·09		·19	21
22	·08	·21	·33	·05			·30		·01	·01		·19	22
23	·01	·03	·13	—		·02	·11		·05	1·36		·69	23
24	—	—	·01	·05			·21		·31	·56		·28	24
25	—	—	·02	·03		·13	·20			—		·28	25
26	—	·02	—	—		·14	·18		·01	—		·17	26
27	—	—	—	—		·12	·32			·22		—	27
28	—	·16	—	—		·02		·04	·76	·14		—	28
29	—	×	—	—		·10			·04	·02	·05	·07	29
30	·22	×	—	—		·02				·19	·31	·09	30
31	·02	×	—	×		×	·10	·01	×	·68	×	·08	31
Total	2·99	3·08	1·11	1·08	2·22	·69	3·87	2·78	1·85	3·74	1·65	4·83	YEAR'S TOTAL 29·89
Rain Days.	22	23	12	16	13	8	16	16	12	17	11	27	193

W. 8,000. X. 14.

W D L

2061

FORM A. BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Wells Asylum.
in the County of Somerset
by Dr. Shera.

Lat. 51·13 N. Long. 2·37
Time of Observation 9 A.M.
Nearest Railway Station Wells.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	—	·01	—	·11	·02	·21	—	·06	·77	·09	—	1
2	·13	·03	·03	—	·06	—	·13	—	·01	·57	·04	—	2
3	·01	·60	·02	—	·15	—	—	—	·09	·43	·21	—	3
4	·18	·09	·01	—	·06	·41	·02	—	·21	·08	·39	—	4
5	·19	·02	·02	—	·23	·19	—	—	—	·02	·41	—	5
6	·05	·14	·01	—	·13	·08	·48	—	—	·03	·19	—	6
7	·02	·09	×·27)	—	·04	·20	·10	—	—	·10	·33	·24	7
8	—	·18	·04	—	·16	·01	—	—	—	—	·05	·08	8
9	—	·05	·01	—	·24	·02	·01	—	—	·15	·09	·04	9
10	—	·29	·02	·07	·05	·01	·02	—	—	—	·02	·02	10
11	·03	·01	·09	·35	·02	·04	—	—	·08	—	·01	—	11
12	·09	·02	·01	·09	·24	—	·31	—	—	·13	·01	—	12
13	—	·27	·06	—	—	—	—	·02	·01	—	—	—	13
14	—	·28	·02	·19	·20	—	—	·18	—	·03	—	—	14
15	·02	·07	·05	·11	·02	—	—	·40	—	·01	—	—	15
16	·03	·03	·01	·27	·02	—	·05	·27	—	·03	—	—	16
17	·17	·23	—	·01	—	—	—	·69	·69	·29	·14	—	17
18	·02	·04	·10	·05	—	—	—	·02	·06	·11	·27	—	18
19	·15	—	·31	·30	—	—	—	—	—	—	·25	·06	19
20	·03	·10	·41	—	—	—	—	—	—	—	·11	·66	20
21	·04	·03	·20	·01	·09	·01	·09	·01	—	—	—	·61	21
22	·01	·01	·01	·02	—	·05	—	—	—	·24	·04	·60	22
23	·02	× ·16	—	·21	—	·06	—	·24	—	·14	·07	·17	23
24	—	×·14	·02	·02	·69	·09	—	·04	—	·55	—	·21	24
25	—	×·54	·14	—	·09	—	—	·39	—	—	·09	—	25
26	·02	·05	·07	—	—	·31	—	·08	·61	·24	·02	—	26
27	·03	×·14	×1·19	—	—	·03	—	·16	·32	·07	·01	—	27
28	—	×·19	·02	—	—	·10	—	·06	·18	·39	—	·46	28
29	·01	·69	·05	—	—	·40	—	1·50	·05	25	—	·38	29
30	—		—	—	—	—	—	·01	—	·24	—	—	30
31	—		—		—		—	·08		·14		·17	31
Total	1·36	4·49	3·22	1·70	2·60	2·03	1·42	4·24	2·37	5·01	2·84	3·70	YEAR'S TOTAL 34·98
Rain Days.	21	27	27	13	18	17	10	16	12	23	21	13	218

W. 8,000. X. 15.

partly × melted snow

1969

FORM A.
BRITISH RAINFALL.

8 JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Wells Asylum.

in the County of Somerset.

by

Lat. 51·13N. Long. 2·37.
Time of Observation 9 A.M.
Nearest Railway Station Wells
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 300. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·12	*·27	—	·07	—	·96	·39	—	·05	—	1
2	·02	—	·15	*·05	—	·06	—	·08	—	—	—	—	2
3	·02	—	—	·01	—	—	·64	—	—	·22	·02	—	3
4	—	*·09	·03	—	—	—	·02	·06	—	·14	—	—	4
5	·31	—	·09	·25	—	·12	—	—	·24	·32	·16	—	5
6	—	—	·14	—	—	—	—	—	—	·06	·22	—	6
7	·25	—	—	—	—	—	·18	·42	—	·14	·02	—	7
8	·23	—	*·09	·09	—	—	·32	·79	·01	·33	·19	·06	8
9	—	—	·07	05	·02	—	·02	·16	·08	·44	·17	—	9
10	·20	—	·19	*·14	—	—	—	·19	·16	—	—	—	10
11	—	—	·81	*·42	—	—	—	·38	·02	·12	·06	—	11
12	—	—	·02	·02	·29	—	—	·72	—	·79	—	—	12
13	—	—	·13	—	—	·04	—	·29	·14	—	—	·02	13
14	—	—	·21	—	—	—	·02	1·04	·04	—	—	·17	14
15	—	—	—	—	—	—	·21	·06	·02	·09	—	·05	15
16	*·09	·13	—	·11	—	—	06	—	—	·21	—	—	16
17	—	·01	—	·39	·07	—	64	·04	·36	·04	·04	—	17
18	·01	·04	—	—	—	—	·16	·02	·48	—	·03	—	18
19	·02	·54	·05	—	—	·07	—	—	·15	—	·12	—	19
20	—	·03	·08	—	·23	·14	—	·74	—	·01	·01	—	20
21	—	—	*·32	—	—	·02	—	—	—	—	—	—	21
22	—	—	·04	—	—	—	—	·16	—	·03	—	—	22
23	—	·15	—	—	·11	—	—	·31	—	—	·01	—	23
24	—	·05	—	—	—	·16	·09	·13	—	·05	—	·01	24
25	—	·09	—	—	—	—	·18	·05	·02	·24	—	—	25
26	—	—	—	—	·22	·08	—	·67	·37	·32	·01	—	26
27	—	—	—	—	·94	·12	—	·74	—	·04	·01	—	27
28	—	—	·06	—	·06	2·60	—	·36	—	—	—	·02	28
29	—	X	·26	—	—	·33	·04	·15	—	·12	—	·21	29
30	*·01	X	·13	—	—	—	·19	·17	—	·10	—	—	30
31	—	X	·16	X	—	X	—	·02	X	·07	X	·03	31
Total	1·16	1·13	3·15	1·80	1·94	3·90	2·77	8·71	2·48	3·88	1·12	·57	YEAR'S TOTAL 32·61
Rain Days.	10	9	20	11	8	12	14	25	14	21	15	8	167

W. 8,000, VIII. 16 * PARTLY MELTED SNOW.

127

REGISTER OF ~~RAINFALL~~ Excel 902 IN 19 18.

FORM A.
BRITISH RAINFALL.
7 . 1 . 19

Kept at Wells Asylum.
in the County of Somerset.
by Dispenser.

Lat. 51·13N. Long. 2.37.
Time of Observation 9 A.M.
Nearest Railway Station Wells.
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 300. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	—	·09.	·08.	—	—	·56	—	·02	·64.	—	1
2	—	—	—	·14.	—	—	—	·24.	·23.	·05.	·09.	·09.	2
3	—	·01.	·01	·12.	·14.	—	—	—	·02.	·02.	·03.	·02.	3
4	—	·03.	—	—	—	—	—	·05.	·04.	·08.	·41.	·04.	4
5	—	—	—	—	·07.	—	—	·47.	·06.	·26.	—	·02.	5
6	·17.	·19.	—	·34.	—	—	—	—	·03.	·07.	—	·11.	6
7	*·04.	·16.	—	·03.	·69.	·03.	—	—	·26.	·24	·26.	—	7
8	—	—	—	—	—	—	—	·03.	·17.	·31.	—	·06.	8
9	·01.	·22.	—	·46.	—	·38.	·34.	—	·32.	·09.	—	·27.	9
10	·08.	·03.	—	·08.	—	—	·94.	—	·26.	·16.	·06.	·56.	10
11	—	·11.	·14.	—	—	—	·22.	—	·34.	·11.	·07.	·24.	11
12	—	·09.	·12.	—	·45.	—	·12.	—	·15.	—	—	·06.	12
13	*·24.	—	—	—	—	·02.	·39.	—	·92.	·12.	—	·25.	13
14	*·19.	—	03	—	·02.	·07.	56	—	·23.	·23.	—	·09.	14
15	·62.	—	—	*·76.	·04.	·23.	·32.	—	—	—	—	·23.	15
16	*·36.	—	—	·72.	—	—	·03.	—	·16.	—	—	·21.	16
17	·16	—	—	·14.	—	—	·29.	·12.	·12.	·01.	—	·14.	17
18	·25	—	—	—	—	·81.	·12.	—	·54.	·02.	—	·46.	18
19	·02.	·02.	·15.	—	—	—	·09.	·07.	·32.	·01.	—	·12.	19
20	—	·27.	—	·09.	—	·06.	·86.	—	·07.	·09.	—	—	20
21	—	·03.	—	—	—	·02.	·13.	—	·61.	·02.	—	·11.	21
22	—	·04.	—	—	·08.	—	·44.	—	·56.	·12.	—	·49.	22
23	·17.	·03.	—	—	·56.	—	·41.	·03.	04	—	—	·04.	23
24	—	·27.	—	—	—	·03.	·12.	·04.	·24.	—	·09.	—	24
25	—	—	—	·02.	—	—	·06.	1·12	—	—	·04.	·02.	25
26	—	—	—	—	—	—	·55.	—	·05.	·03.	·25.	·53.	26
27	—	·18.	—	—	—	—	·02.	·19.	·62.	·02.	·21.	·06.	27
28	—	*·12.	15	—	—	—	—	—	04	—	·23.	·52.	28
29	—	X	16	—	—	—	—	—	1·10.	—	—	·02.	29
30	—	X	·49.	—	—	—	—	·21.	·03.	·02	·14.	·03.	30
31	—	X	·26.	X	—	X	—	·03.	X	·04.	X	—	31
Total	2·31.	1·80.	1·51.	2·99.	2·13	1·65.	6·01.	3·16.	7·62.	2·14.	2·52	4·79	YEAR'S TOTAL 38·63.
Rain Days.	12.	16.	9.	12.	9.	9.	19.	13.	27.	23.	13.	26.	188.

W. 8,000, IX. 17.

* Partly melted snow.

1844

FORM A.
BRITISH RAINFALL.

2 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Wells Asylum
in the County of Somerset
by J. E. P. Shera

Lat. 51·13 N. Long. 2·37.
Time of Observation 9 a.m.
Nearest Railway Station Wells.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. ·30

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	✕	✕	✕	✕	✕	✕	✕	✕	✕	✕	✕	✕	
1	·62	—	·06	—	·19	—	·54	—	—	·12	—	1·08	1
2	·11	—	—	—	·04	—	·09	—	·05	·03	·13	·39	2
3	*1·41	—	·26	—	·15	—	—	—	·08	—	·09	·62	3
4	*·56	*·21	·35	—	·01	·04	—	·06	·27	—	—	·07	4
5	·04	·37	·86	—	·06	—	—	—	·47	—	·03	·67	5
6	·32	·04	·19	—	—	—	—	—	·01	—	·01	·14	6
7	·13	—	·41	·16	—	—	—	—	·01	—	—	—	7
8	·12	—	·48	—	—	·01	—	—	—	—	—	—	8
9	·02	—	·05	·19	·06	—	—	—	—	—	·11	—	9
10	·04	—	·06	·07	·02	—	—	—	—	·02	·03	·13	10
11	·03	—	·12	·12	·19	·01	·27	—	—	—	—	·18	11
12	·04	—	·05	—	—	·12	—	—	—	·45	*·19	—	12
13	·06	—	·02	·47	—	—	·03	—	—	·01	—	·04	13
14	·06	·03	—	·49	·01	—	·19	—	—	—	—	·08	14
15	·32	·04	—	—	—	—	—	—	—	·05	—	—	15
16	·14	·71	—	—	—	—	—	—	—	—	·16	·03	16
17	·25	*·32	—	—	—	·06	—	·05	—	—	·51	·02	17
18	—	·04	·57	—	—	—	·26	·54	·05	—	·28	·03	18
19	·05	·21	1·16	—	—	·11	·91	·26	·25	—	·15	·16	19
20	·46	·16	·07	—	—	·26	—	·21	·01	—	—	·20	20
21	·42	·69	—	—	—	—	·59	·03	·02	—	·03	·12	21
22	—	·15	—	—	—	—	·11	—	·19	—	·16	·25	22
23	—	—	—	—	—	·03	—	—	—	·76	·05	·13	23
24	—	—	—	·12	—	·13	—	—	·02	·92	·04	·38	24
25	·19	—	—	·11	—	·01	—	·84	—	—	·08	·18	25
26	·01	·02	·12	·34	—	·01	—	·46	·20	—	·01	·32	26
27	*·18	—	·04	*·21	—	—	·04	·65	—	—	—	·08	27
28	*·02	—	*·44	—	—	—	—	·32	—	—	·38	·63	28
29	—	✕	—	·07	—	—	—	·03	—	·11	·02	·03	29
30	*·03	✕	*·02	·23	—	·09	—	·25	—	·03	·43	·43	30
31	—	✕	·02	✕	—	✕	·03	—	✕	—	✕	·36	31
Total	5·63	2·99	5·05	2·58	·73	·88	3·06	3·70	1·63	2·50	2·89	6·75	YEAR'S TOTAL 38·39
Rain Days.	26	13	20	12	9	12	11	12	13	10	20	26	183

* Partly melted snow.

W. 6,500, VII. 18. W W C

1757

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

57.3

6 JAN 1921

Kept at County Asylum Wells

in the County of Somerset

by J E P Shera

Lat. 51.13. N. Long. 2.37

Time of Observation 9. am

Nearest Railway Station Wells

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30	—	—	·19	·20	—	·26	·14	·12	·31	·23	·53	1
2	·04	·01	·02	·11	—	—	·49	·40	·22	·10	—	·05	2
3	·18	·04	—	·07	·04	—	·72	—	·04	·54	—	·02	3
4	·08	—	·07	·11	—	—	·06	·76	—	·23	—	—	4
5	—	—	·07	·22	·33	—	·68	·08	—	·21	—	–	5
6	—	—	·27	·06	·25	—	·12	—	—	·02	—	—	6
7	·02	—	·10	·30	—	—	·20	—	—	—	·01	—	7
8	·03	·13	—	·47	·16	—	·86	—	—	—	—	—	8
9	·73	·05	·11	·35	—	·11	(·13)	·01	·01	—	—	—	9
10	·65	·29	·23	·06	—	·11	·52	—	—	—	—	—	10
11	·18	—	·14	·48	·19	·02	·12	—	—	—	—	—	11
12	·26	—	·03	·13	—	·57	·02	—	—	—	·11	—	12
13	·18	·15	·43	·07	—	—	—	—	—	—	—	—	13
14	·18	·03	·23	·39	—	·01	·01	—	·16	·39	·33	·01	14
15	·03	·12	·06	·20	·06	·12	·05	—	·05	·40	·05	—	15
16	—	·01	·05	·03	—	·07	·44	—	·14	·03	·25	—	16
17	·10	—	·09	·59	·19	·50	—	—	·43	—	—	·01	17
18	·08	·02	·04	·15	·02	·03	—	·60	·33	—	—	·02	18
19	·08	·13	—	·19	·06	·26	—	—	—	—	—	—	19
20	·13	·09	—	·13	—	·50	·01	—	—	—	—	·20	20
21	—	—	—	·03	—	—	·39	—	·01	·01	—	·20	21
22	·02	—	—	·16	—	—	·04	·07	—	—	—	·51	22
23	·01	—	—	—	—	—	·45	—	—	—	—	·33	23
24	·03	—	·11	·04	—	—	—	—	—	—	·07	·05	24
25	·01	·19	·04	—	·21	—	·33	—	—	—	—	—	25
26	·23	—	·11	—	—	·07	·12	—	—	—	·09	·06	26
27	·16	·02	·06	·37	·01	·74	·25	—	—	—	·02	·21	27
28	1·15	·02	·11	·12	·08	·01	·09	—	—	—	—	·03	28
29	·11	—	·10	—	·04	—	·02	—	—	—	·11	·16	29
30	·04	✕	·01	·11	·07	·25	·41	—	·40	—	·46	·01	30
31	·21	✕	·34	✕	·02	✕	·02	—	✕	·63	✕	·09	31
TOTAL	5·22	1·30	2·82	5·13	1·93	3·37	6·81	2·06	1·91	2·87	1·73	2·49	YEAR'S TOTAL 37.64
Days with ·01 in. or more	27	~~16~~ 15	23	26	16	15	26	7	11	11	11	17	205 ~~206~~
	20	3	26	24	13	11	21	6	9	8	9	12	162

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

WELLS

WOOKEY HOLE PAPER MILLS

SOMERSET

1911 - 1920

19 11

Kept at Wookey H

in the County of So

by Guy.

er of top 5 in.
of top above Ground 1 ft. 4 in.
" " Sea Level 180 ft.
ation 9 am.
y Station { Name Wookey
Distance 3/4 m. Direction SW.

IMPORTANT a.m., and the result entered to the previous day. If a most universal rule, he is earnestly requested to add the llowing year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	=	=	·46	=	=	=	·01	=	=	=	·20	·01	1
2	·02	=	·08	·35	·02	=	=	·10	=	·02	·05	·02	2
3	=	=	·02	·08	·43	=	=	·17	=	·01	·36	·13	3
4	=	=	=	=	·28	=	=	=	=	·02	·08	·30	4
5	=	=	·24	=	=	·52	=	·80	=	·04	·21	=	5
6	·04	=	·04	=	=	=	=	·09	=	·03	·31	·02	6
7	·20	=	=	=	=	=	=	=	=	·02	·15	·43	7
8	·07	=	=	=	=	=	=	=	=	·01	·44	·01	8
9	·20	=	·10	=	=	=	=	=	=	·01	=	·53	9
10	·15	=	·25	=	=	=	=	=	=	=	=	·50	10
11	·05	·02	·33	=	·17	=	=	=	=	=	·73	·38	11
12	·45	=	·30	=	·10	=	=	=	=	=	·57	·25	12
13	=	=	·66	=	=	=	=	=	=	=	·26	·23	13
14	=	=	=	=	=	=	=	=	·25	·03	·24	·40	14
15	=	·40	=	=	=	=	=	=	=	=	=	·81	15
16	=	·07	=	=	=	=	=	=	=	=	·43	·10	16
17	=	=	=	=	=	·03	=	=	=	=	·49	·30	17
18	=	=	=	·05	=	·24	=	=	=	=	·07	·26	18
19	=	·33	·16	·08	=	·10	=	=	=	·03	·02	·30	19
20	=	·05	=	·16	=	·20	=	=	·35	·15	·12	·35	20
21	=	·05	·03	·02	=	·01	=	=	·12	·12	=	·32	21
22	=	·22	·10	=	=	·01	=	·06	=	·75	=	·28	22
23	=	=	·12	·35	=	·10	=	=	=	·46	=	·64	23
24	=	·35	=	=	=	·11	=	=	·33	·12	=	·15	24
25	=	·15	=	=	=	·31	=	·02	=	·70	=	·25	25
26	=	=	·04	·20	=	·50	=	·03	·02	=	·01	·15	26
27	=	·04	=	·15	=	=	=	·02	=	·17	·04	·42	27
28	=	·70	·26	·25	=	=	=	·13	·08	·01	·06	·32	28
29	=	=	=	·40	=	=	=	·15	=	=	=	=	29
30	–	=	=	·52	=	·48	=	=	·11	·80	=	=	30
31	=	= ·46	=	=	=	= ·01	=	=	=	·17 ·20	= ·01	·04	31
Total	1·18 1·18	2·38 2·84	3·19 2·73	2·61 2·61	1·00 1·00	2·61 2·62	·01 ·00	1·57 1·57	1·26 1·26	3·67 3·87	4·24 4·05	7·90 7·89	31·62 Total for year 31·02
No. of Rain Days.	8	~~11~~ 12	~~10~~ 15	12	5	~~12~~ 13	~~1~~ 0	10	7	~~20~~ 21	20	~~28~~ 27	150

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Wookey Hole

in the County of Somerset 2

by Guy. A. Hodgkinson

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 4 in.
" " " Sea Level 180 ft.

Time of Observation 9 am.

Nearest Railway Station
Name Wookey
Distance 3/4 m. Direction SW.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	=	=	·46	=	=	=	·01	=	=	=	·20	·01	1
2	·02	=	·08	·35	·02	=	=	·10	=	·02	·05	·02	2
3	=	=	·02	·08	·43	=	=	·17	=	·01	·36	·13	3
4	=	=	=	=	·28	=	=	=	=	·02	·08	·30	4
5	=	=	·24	=	=	·52	=	·80	=	·04	·21	=	5
6	·04	=	·04	=	=	=	=	·09	=	·03	·31	·02	6
7	·20	=	=	=	=	=	=	=	=	·02	·15	·43	7
8	·07	=	=	=	=	=	=	=	=	·01	·44	·01	8
9	·20	=	·10	=	=	=	=	=	=	·01	=	·53	9
10	·15	=	·25	=	=	=	=	=	=	=	=	·50	10
11	·05	·02	·33	=	·17	=	=	=	=	=	·13	·38	11
12	·45	=	·30	=	·10	=	=	=	=	=	·57	·25	12
13	=	=	·66	=	=	=	=	=	=	=	·26	·23	13
14	=	=	=	=	=	=	=	=	·25	·03	·24	·40	14
15	=	·40	=	=	=	=	=	=	=	=	=	·81	15
16	=	·07	=	=	=	=	=	=	=	=	·43	·10	16
17	=	=	=	=	=	·03	=	=	=	=	·49	·30	17
18	=	=	=	·05	=	·24	=	=	=	=	·07	·26	18
19	=	·33	·16	·08	=	·10	=	=	=	·03	·02	·30	19
20	=	·05	=	·16	=	·20	=	=	·35	·15	·12	·35	20
21	=	·05	·03	·02	=	·01	=	=	·12	·12	=	·32	21
22	=	·22	·10	=	=	·01	=	·06	=	·75	=	·28	22
23	=	=	·12	·35	=	·10	=	=	=	·46	=	·64	23
24	=	·35	=	=	=	·11	=	=	·33	·12	=	·15	24
25	=	·15	=	=	=	·31	=	·02	=	·70	=	·25	25
26	=	=	·04	·20	=	·50	=	·03	·02	=	·01	·15	26
27	=	·04	=	·15	=	=	=	·02	=	·17	·04	·42	27
28	=	·70	·26	·25	=	=	=	·13	·08	·01	·06	·32	28
29	=	=	=	·40	=	=	=	·15	=	=	=	=	29
30	–	=	=	·52	=	·48	=	=	·11	·80	=	=	30
31	=	= ·46	=	=	=	= ·01	=	=	=	·17 ·20	= ·01	·04	31
Total	1·18	2·38	3·19	2·61	1·00	2·61	·01	1·57	1·26	3·67	4·24	7·90	Total for year 31·62 31·62
No. of Rain Days.	1·18 8	2·84 ~~11~~ 12	2·73 ~~10~~ 15	2·61 12	1·00 5	2·62 ~~12~~ 13	·00 ~~1~~ 0	1·57 10	1·26 7	3·87 ~~20~~ 21	4·05 20	7·89 ~~28~~ 27	150

W. 8,000, X. '11.

cor for W.D. 26.11.13

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 9 - JAN 1913

Kept at Wookey Hole

in the County of Somerset 2

by Guy A Hodgkinson

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 4 in.
" " " Sea Level 180 ft.

Time of Observation 9 am.

Nearest Railway Station
Name Wookey
Distance 1/2 miles Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·10)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	—	—	·45		·05	·05	·28	·05	·18	·04	·02	1
2	·02	—	·05			·28	·05			·67		·35	2
3	—	—	·15			·30	·32		·06		·05		3
4	·04	—	·14	·05		·10	·02	·65			·02	·15	4
5	·33	—	·70			·25	·09	·05			·30		5
6	·42	·03	·49		·02	·02		·30				·19	6
7	·71	·30	·04		·24	·01	·25	·70			·01	·02	7
8	·04	·02	·10		·26	·60	·05	·20			·03	·13	8
9	·35	·43	·50			·02		·35				·01	9
10	·01	·05	·13	·11		·09		·07			·10	·61	10
11	·05	·25	·02					·09				·11	11
12	·10	·04	·30									·45	12
13	·04	·56	·05				·05					·06	13
14	—	·02	·05					·02				·09	14
15	·12	·04	·80		·20	·06		1·05					15
16	—	·11	—		·25	·75		·49				·78	16
17	·78	—	·47		·14			·06				·10	17
18	·50	—	·11			·10		·87		·02		·15	18
19	·11	—	1·00					·08		·18	·10	·10	19
20	·02	·09	·07		·02	·08	·05	·15			·02		20
21	·02	·05	·55		·25		·10	1·03		·75			21
22	—	·20	·30		·45		·07	·12		·39	—		22
23	·30	·10	·17		·25	·05		·45		·07		·11	23
24	·36	·51	·20		·01	·02		1·10		·10		·48	24
25	—	·03	·04			·45				·02		·25	25
26	—	·02	—			·15	·02	·70		·07	·65	·35	26
27	—	—	—				·07	·12		·15	·50	·34	27
28	—	—	—			·30	1·24	[illegible]		·80		·60	28
29	—	·09	—			·05	·25	·50	·10	·50	·40	·45	29
30	—		—			·15	·17	·10	·35	·39		·05	30
31	—		—				·27			·60			31
	–	–	·45	–	·05	·05	~~·28~~	·05	·18	·04	·02	(·10)	
Total	4·37	2·94	6·43	·61	2·09	3·88	3·12	9·53	·56	4·89	2·22	5·95	TOTAL for year 46·54
No. of Rain Days.	4·32 ~~20~~ 19	2·94 19	6·88 ~~23~~ 24	·16 ~~3~~ 2	2·14 ~~11~~ 12	3·88 21	3·35 1	9·30 24	·69 4	4·75 15	2·20 12	6·03 24	46·64 193

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

2 FEB 1914

Kept at Wookey Hole near Wells
in the County of Somerset 2
by W. S. Hodgkinson Co. Wookey Hole Mill

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station Wookey.
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—		·06	·01				·34			·15	1
2	—	·04	·03	·08	·33				·30		·04	·41	2
3	—	—	·02	·06	·04					·09	·18	·03	3
4	—	—			·30				·45			·35	4
5	1.27	—			1·00							·24	5
6	0. 3	—			·35	·62			·25		·10	·09	6
7	—	·48	·40		·15	·18	·09			·81	·05	·60	7
8	0·08	·25	·03		·50	·17				·26	·21	·02	8
9	—	·09	·01		·02	·03	·07			·15		·02	9
10	—	—			·04	·24	·36	·20	·05		·11		10
11	0·29	—		·06	·20			·05		·15	·15	·03	11
12	0.60	—		·28	·14	·12				·09	·65		12
13	—	—	·02		·03						·10		13
14	0.09	—	·01					·13	·83		·19		14
15	0.15	—	·25	·14					·30		·55		15
16	0.16	—		·47					·05				16
17	0.03	—	·92	·02							·17		17
18	0.10	—		·03			·27				·08		18
19	0.65	—	·15	·15		·10					·10		19
20	0.02	—			·10	·11			·53				20
21	—	—	·10	·05						·02	·10		21
22	—	—	·20	·20	·12		·17				·35		22
23	1.07	—			·03	·02		·03	·20				23
24	—	—		·05		·10		·15			·07		24
25	·02	—		·04								·03	25
26	—	·20		·21					·01			·10	26
27	—	—		·30				·15			·02	·57	27
28	·08	—	·49	·10						·24	·10		28
29	·30		·10	·25						·18			29
30	·06		·47	·30				·08		·24			30
31	·30									·53			31
Total	5·30	1.06	3·20	2·85	3·36	1.69	·96	·79	3·31	2·76	3·32	2·64	YEAR'S TOTAL 31·24
Rain Days.	18.	5	15	19.	16	10	5	7	11	11	19	13	149

W.7,000, XI. 13

+ refer to W.D.
referred 15.III.15

~~W~~ DL

Cor'd by Observer 22.III.15 for W.D. 24.III.15

FORM A. BRITISH RAINFALL.

27 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Wookey Hole near Wells

in the County of Somerset 2

by W. S. Hodgkinson & Co.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Wookey.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·10

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·20			·01		·04			·07	·26	1
2				·02		·02	·82	·90			·20	·05	2
3				·14	·03		·54				·81	·27	3
4			·22	·25	·21	·05		·72			·03	·11	4
5	·41		·24	·50	·10		·20	·28			·44	·48	5
6	·02		·44	·11	·12		·05	·04			·09	·30	6
7	·03	·27	·05	·20	·05	·02	·43	·11				·08	7
8	·18	·65	·30	·30	·35	·03	·36	·30				·06	8
9	·04		1·00	·04	·20	·55	·02	·10					9
10	·34		·02	·12	·13	·19		·06	·15		·02		10
11	·08	·09	·14	·09	·09				·76		·03	·05	11
12		·15	1·02		·10	·18	·11		·07		·07	·07	12
13		·11	·30		·03				·40		·06	·60	13
14		·17	·31						·18		·11	·08	14
15		·25	·50			·01		·35	·10				15
16			·20				·07	·65	·05				16
17			·03				·14		·25				17
18		·38	·05				·04		·02			·40	18
19			·23				·14					·44	19
20		·14	·50				1·20					·20	20
21		·46	·25							·70		·27	21
22		·49	·02			·25				·02			22
23		·09			·30	·35		·12		·18			23
24			·38		·12	·05				·20		·20	24
25			·03			·01	·05			·20	·80	·10	25
26			·15		·02		·04	·48		·50	·02	·15	26
27			·04				·06			·06	·35	·30	27
28	·30									·15	·10	·03	28
29		·20	·25		·02					·12	·20	1·45	29
30		✕	·04		·03					·23	·35	·58	30
31		✕	·03	✕	·02	✕			✕	·25	✕	·10	31
Total	1·40	3·45 3·85	6·74 6·94	1·77	1·93 1·92	1·21 1·72	4·37 ~~4·27~~	4·11 4·15	1·98	2·68 2·61	3·94 ~~3·75~~	6·33 ~~6·49~~	YEAR'S TOTAL 40·35 40·85
Rain Days.	8	12	27	10	17	13	16	13	9	11	14	23	178
		13	26		18	12	17	12		12			176

W. 8,000. X. 14.

6X ML

2122

REGISTER OF RAINFALL IN 1915.

FORM A. BRITISH RAINFALL
30 MAY 1916

Kept at Wookey Hole near Wells
in the County of Somerset
by W. S. Hodgkinson & Co.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Wookey.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 180. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	—			·09				·50	·05		·23	1
2	·32	·53	·10	·15	·06	·18		·40	·10			·43	2
3	·15	·18	·15	·38	·22			·10				·37	3
4	·45	·07			·04		·04					·43	4
5	·13	·02										·15	5
6	—	·45		·33			·43	·23				·10	6
7	·50	·05		·03			·33	·03				·35	7
8	·25	·40		·02				·11					8
9	·26	·27		·28							·74	·74	9
10	—	·10		·04				·23		·02	·05	·13	10
11	·30	—	·09	·05				·50		·01	·57		11
12	—	—	·50	·08	·47		·02	·04			·28		12
13	·30	·23			·45			·10	·10			·88	13
14	·03	·75					·35	·08	·15	·03		·06	14
15	—	·03			·21		·11	1.05	·20		·09		15
16	·30	—			·49		1.10	·20					16
17	—	·55			·25			·03					17
18	—	·35											18
19	—	·19			·10		·47						19
20	—	—		·15									20
21	·45	·33										·55	21
22	·05	·10	·38				·53					·26	22
23	·14	—	·24	·05			·55			1·90		·40	23
24	—	—					·06			·41			24
25	—	—	·02	·05		·06	·42					·16	25
26		·04					·11					·50	26
27	—	·05				·26	·26			·45		·50	27
28	—	·26			—	·05			1.05	·20			28
29	—					·19							29
30	—	X				·07			·30	·15	·45	·35	30
31	—	X		X		X			X	1.00	X	·15	31
Total	3·73	4·95	1.48	1.61.	2.38	·81.	4·78	3.10	2.40	4.22	2.12	6·74	YEAR'S TOTAL 38.32.
Rain Days.	15	20	7	12	10	6	14	13	7	10	6	19	139

W. 8,000. X. 15.

2062

FORM A.
BRITISH RAINFALL.

9. JAN 191

REGISTER OF RAINFALL IN 1916.

Kept at Wokey Hole Mill
in the County of Somerset
by W. S. Hodgkinson & Co.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Wokey.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					.11	.11			.02	.61	.10		1
2	.55						.34			.80	.04		2
3	.20	.82							.04	.50	.17		3
4		.05				.48	.02		.36	.19			4
5					.16	.25					.80		5
6	.30	.28				.13	.71				.32		6
7		.09	.33			.39					.54	.26	7
8		.23	.05							.27		.08	8
9		.11				.10	.02			.16	.17		9
10		.54	.03	.10						.03	.02	.07	10
11				.34		.05							11
12			.05	.15			.26		.12	.12	.03		12
13		.39	.13					.21					13
14		.31		.16				.39					14
15		.11	.07					.33		.09			15
16	.04	.04		.46	.07		.08	.82		.04			16
17	.38	.28						.07	.90	.48	.15		17
18	.02	.05		.06					.06	.13			18
19	.13		.58	.31							.58		19
20	.18	.13	.40					.03			.18	1.07	20
21	.06		.52		.12					.42		.57	21
22	.04					.10					.06	.74	22
23				.32		.03		.17		.11	.11		23
24					.85			.12		.56			24
25								.57					25
26			.29		.10	.42			.80	.39	.25		26
27	.03		1.55			.03			.27	.11		.50	27
28			.03			.11			.20		.02	.58	28
29			.05			.45			.06	1.15		.44	29
30		X						.35		.24			30
31		X		X		X		2.00	X	.16	X	.16	31
Total	1.93	3.43	4.08	1.90	1.41	2.65	1.43	5.00	2.83	6.56	3.54	4.44	YEAR'S TOTAL 39.23
Rain Days.	11	14	13	8	6	13	6	11	10	20	16	10	138

W. 8,000, VIII. 16

1970

FORM A.
BRITISH RAINFALL.

29 JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Wookey Hole Mill

in the County of Somerset

by W. S. Hodgkinson & Co.

Lat. — Long. —

Time of Observation 9 a.m.

Nearest Railway Station Wookey.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·17			·12		1.10			·08		1
2	·03		·20					·12			·05		2
3				·60			·68		·56	·82			3
4			·07							·20			4
5	·37		·19	·32		·33			·19	·29	·15		5
6			·10								·26		6
7	·33									·27			7
8	·19			·11			·61			·66	·23		8
9			·12					1.23	·14	·55	·19		9
10	·22							·40	·05			·14	10
11			1.02						·07	·13	·07		11
12				·72				1.22		·85			12
13			·13			·07		·19	·22				13
14			·24		·49			·66		·06			14
15							·49	·11		·13			15
16		·33		25			·16		·07	·34			16
17				·31			·59	·06	·48	·07			17
18	·13	·06					·29		·65		·11		18
19		·62	·07						·08		·07		19
20								·21					20
21					·29	·22							21
22								·09		·08			22
23		·22						·26			·03	·30	23
24					·07	·37	·09	·10		·26			24
25		·11	·48							·28			25
26								·90		·37			26
27						·14		·96			·08		27
28			·09			3.50		·35					28
29			·18		1.09	·39		·05		·41			29
30		╳	·10		·09			·20		·10			30
31		╳		╳		╳			╳	·9	╳		31
Total	1.27	1.34	3.16	2.31	2.03	5.14	2.91	8.21	2.57	5.96	1.32	·44	YEAR'S TOTAL 36·60
Rain Days.	6	5	14	6	5	8	7	18	10	19	11	2	111

W. 8,000, IX. 17.

54

FORM A.
BRITISH RAINFALL.

8. 2. 19

REGISTER OF RAINFALL IN 1918.

Kept at Wookey Hole Mill near Wells.
in the County of Somerset
by W. S. Hodgkinson & Co

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Wookey.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level Unknown ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1				.02	.10			.37					1
2				.19					.18	.05	.69	.31	2
3		.06		.10	.13							.03	3
4		.09								.11	.51	.10	4
5									.13				5
6	.42	.69						.60		.38			6
7		.29		.32	.59					.23	.25		7
8									.69	.30			8
9	.18			.39		.26	.64	.40	.34	.12		.40	9
10	.7	.13		.06			.60		.53			.35	10
11			.23				.26		.31	.26	.10	.20	11
12		.15	.12		.46		.21		.17			.09	12
13									.28	.12		.22	13
14	.35					.08	.51			.26			14
15	.99			.65	.10		.28					.31	15
16	.41			.80		.25	.05		.09			.21	16
17	.25			.06			.21		.12			.12	17
18	.47					.59	.11		.53			.37	18
19			.14				.08	.19	.34			.10	19
20	.06	.25				.07		.06	.06	.13			20
21				.10			.55			.06			21
22							.35		1.28			.50	22
23	.23				.40		.42					.06	23
24		.26					.03		.31		.14		24
25							.21	1.14					25
26				.17			.55		.06		.24	.51	26
27								.19	.47	.14	.22	.03	27
28			.15										28
29									.90			.49	29
30		X							.08				30
31		X	.83	X		X		.20	X		X		31
Total	3.43	1.92	1.47	2.86	1.78	1.25	5.06	3.15	6.87	2.16	2.15	4.40	YEAR'S TOTAL 36.50
Rain Days.	10	8	5	11	6	5	16	8	19	12	7	18	~~125~~

W. 8,000, IX. 17.

1845

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Wookey Hole Mill, Wells.

in the County of Somerset.

by W.S. Hodgkinson & Co. Ltd

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Wookey.

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·61			·10	·17		·48			·18		1·13	1
2							·16		·07			·29	2
3	1·60		·50						·11		·09	·71	3
4			·29		·16				·25		·10	·08	4
5	·45	·68	·98						·43			·67	5
6	·30	·08	·13										6
7	·14		·37	·14								·17	7
8	·12												8
9			·23	·12									9
10			·13	·11									10
11			·17	·15	·07		·16					·18	11
12	·17		·07							·42		·09	12
13	·07			·34			·05						13
14	·24			·57	·15		·18						14
15				·2						·07		·38	15
16	·29	·65									·45	·26	16
17	·03	·22				·05		·29			·43		17
18			·63					·43			·21		18
19	·05	·21	1·32			·27	·95	·25	·28		·17		19
20	·07	·17	·10			·22		·22				·21	20
21	·80	·68					·43	·02					21
22							·11		·22			·25	22
23										·79	·18	·19	23
24				·06		·13				·96		·10	24
25				·10				·52			·15		25
26			·13					·44	·20			·79	26
27				·59				·37					27
28								·34					28
29				·10						·10	·40	·72	29
30	·30		·50	·27		·18					·49	·34	30
31								·22				·45	31
TOTAL	5·24	2·69	5·55	2·61	·55	·85	2·52	3·10	1·56	2·52	2·67	7·01	YEAR'S TOTAL 36·87
Days with ·01 in. or more	15 Days	7.	14.	13	4.	5.	8.	10	7.	6.	10	18.	117 Days

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

1758
4 FEB 1921

REGISTER OF RAINFALL IN 1920

Kept at Wookey Hole Mills, Wells.
in the County of Somerset
by W. S. Hodgkinson & Co. Ltd.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

Same as last year

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·22				·52	·41	1
2	·21	·23		·14	·27		·76	·63	·34		·15		2
3				·15						·76			3
4	·3	·6					·96	·76		·22			4
5			·11		·34		·52	·2		·14			5
6			·8	·49	·36		·19						6
7				·31			·15						7
8			·21	·47			·76						8
9	·4	·9		·60	·12	·14	·7						9
10	·67		·13			·13	·66						10
11		·28	·18	·48	·29								11
12	·89		·13	·12			·3						12
13	·26	·2		·13		·60							13
14	·16	·13	·63	·49						·31			14
15	·18	·15		·30		·10	·10		·23				15
16	·3		·4	·4		·8					·54		16
17					·28	1·11			·22	·43			17
18			·7	·37		·4		·33					18
19	·15	·2		·21					·34				19
20	·8			·16	·27	·83							20
21	·12	·21								·2		·53	21
22				·18				·10					22
23								·2				·86	23
24			·16										24
25			·7										25
26		·14	·16		·21		1·65						26
27	·26					·91	·20					·37	27
28	·14		·15	·25		·1	·9					·4	28
29	·96	·2		·11	·10	·2	·41				·50		29
30	·13		·7	·12	·13	·12			·37		·38	·34	30
31	·4		·31									·12	31
TOTAL	4·35	1·35	2·50	5·12	2·37	409	6·77	1·86	1·50	~~1·88~~ 2·40	~~2·09~~ 1·57	2·67	YEAR'S TOTAL 36·55
Days with ·01 in. or more	14	11	15	19	10	12	15	6	5	6	5	7	128
Days with ·04 in. or more	15	8	15	19	10	12	14	4	5	5	5	7	119

(44.283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

[illegible]

Cor. T

FORM A2.
BRITISH RAINFALL.

30 APR 1912

REC… 1911

WESTON - SUPER - MARE
CLARENCE PARK
SOMERSET
1911 – 1920

Kept at Weston-…
in the County of So…
by W. H. Alle…

…eteorological Pattern
…p 5 in. 8
…bove Ground 1 ft. 2 in.
„ Sea Level 30 ft.
9 a.m
…n Name Weston-s-Mare
Distance 150 yds Direction E

IMPORTANT NOTE … and the result entered to the previous day. If an Obse… universal rule, he is earnestly requested to add the readi… year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0·02	0·02	0·04	—	—	0·17	—	—	0·09	—	1
2	—	—	—	0·37	0·29	—	0·01	0·31	—	0·02	0·31	—	2
3	—	—	0·02	—	0·25	—	—	—	—	—	0·06	0·07	3
4	—	—	0·14	—	0·01	—	—	—	0·01	0·01	0·23	0·45	4
5	0·11	—	0·09	—	—	—	—	0·15	—	—	0·65	—	5
6	0·06	—	0·04	—	—	—	—	0·06	—	—	0·17	0·33	6
7	0·04	—	—	—	—	—	—	—	—	—	0·38	—	7
8	0·07	—	0·28	—	—	—	—	—	—	—	0·02	0·32	8
9	0·03	—	—	—	—	—	—	—	—	—	0·20	0·40	9
10	0·08	0·01	0·19	—	0·46	—	—	—	—	—	0·02	0·20	10
11	0·33	—	0·02	—	—	—	—	—	—	—	0·81	0·35	11
12	—	—	0·72	—	—	—	—	—	—	—	0·41	0·22	12
13	—	—	—	—	0·03	—	—	—	0·48	0·06	0·07	0·57	13
14	—	0·09	—	—	—	—	—	—	—	—	0·02	0·89	14
15	—	0·07	—	—	—	0·08	—	—	—	—	0·25	0·06	15
16	—	—	—	—	—	0·07	—	—	—	—	25	0·16	16
17	—	0·08	—	—	—	0·04	—	—	—	—	03	0·09	17
18	—	0·35	0·03	0·12	—	0·35	—	—	—	—	—	0·12	18
19	—	0·03	—	—	—	0·13	—	—	0·15	0·16	—	0·42	19
20	—	0·05	0·18	0·36	—	—	—	—	0·23	0·06	—	0·24	20
21	0·01	0·12	0·02	—	—	0·01	—	—	0·03	0·42	—	0·28	21
22	0·04	0·04	0·20	0·5	—	0·21	—	—	—	0·12	—	0·57	22
23	0·03	0·06	0·16	—	—	·02	—	—	0·09	0·12	06	0·21	23
24	0·01	0·34	—	—	—	·66	—	0·11	—	0·46	—	0·14	24
25	—	0·13	—	0·22	—	·09	—	—	—	0·05	—	0·68	25
26	—	0·09	—	0·33	0·04	—	0·01	0·03	—	0·11	07	0·34	26
27	—	0·46	0·10	—	—	—	—	0·36	0·05	—	02	0·15	27
28	—	0·35	—	0·65	—	—	—	0·06	—	—	08	—	28
29	—		—	0·13	—	0·40	0·04	0·03	0·07	0·44	—	0·02	29
30	—		—	—	—	0·01	—	0·20	—	0·19	03	0·06	30
31	—		—		—		—	—		0·18		—	31
Total	0·81	2·27	2·21	2·25	1·12	2·07	0·06	1·48	1·11	2·40	4·23	7·34	TOTAL for year 27·35
No. of Rain Days.	11	15	15	9	7	12	3	10	8	14	22	25	15½!

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

30 APR 1912

REGISTER OF RAINFALL IN 1911

Kept at Weston-super-Mare

in the County of Somerset 2

by W. H. Allen, Town Hall.

RAIN GAUGE
Pattern Meteorological Pattern
Diameter of top 5 in. 5
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 30 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Weston-s-Mare
Distance 150 yds Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0.02	0.02	0.04	—	—	0.17	—	—	0.09	—	1
2	—	—	—	0.37	0.29	—	0.01	0.31	—	0.02	0.31	—	2
3	—	—	0.02	—	0.25	—	—	—	—	—	0.06	0.07	3
4	—	—	0.14	—	0.01	—	—	—	0.01	0.01	0.23	0.45	4
5	0.11	—	0.09	—	—	—	—	0.15	—	—	0.65	—	5
6	0.06	—	0.04	—	—	—	—	0.06	—	—	0.17	0.33	6
7	0.04	—	—	—	—	—	—	—	—	—	0.38	—	7
8	0.07	—	0.28	—	—	—	—	—	—	—	0.02	0.32	8
9	0.03	—	—	—	—	—	—	—	—	—	0.20	0.40	9
10	0.08	0.01	0.19	—	0.46	—	—	—	—	—	0.02	0.20	10
11	0.33	—	0.02	—	—	—	—	—	—	—	0.81	0.35	11
12	—	—	0.72	—	—	—	—	—	—	—	0.41	0.22	12
13	—	—	—	—	0.03	—	—	—	0.48	0.06	0.07	0.57	13
14	—	0.09	—	—	—	—	—	—	—	—	0.02	0.89	14
15	—	0.07	—	—	—	0.08	—	—	—	—	0.25	0.06	15
16	—	—	—	—	—	0.07	—	—	—	—	25	0.16	16
17	—	0.08	—	—	—	0.04	—	—	—	—	03	0.09	17
18	—	0.35	0.03	0.12	—	0.35	—	—	—	—	—	0.12	18
19	—	0.03	—	—	—	0.13	—	—	0.15	0.16	—	0.42	19
20	—	0.05	0.18	0.36	—	—	—	—	0.23	0.06	—	0.24	20
21	0.01	0.12	0.02	—	—	0.01	—	—	0.03	0.42	—	0.28	21
22	0.04	0.04	0.20	0.5	—	0.21	—	—	—	0.12	—	0.57	22
23	0.03	0.06	0.16	—	—	·02	—	—	0.09	0.12	06	0.21	23
24	0.01	0.34	—	—	—	·66	—	0.11	—	0.46	—	0.14	24
25	—	0.13	—	0.22	—	·09	—	—	—	0.05	—	0.68	25
26	—	0.09	—	0.33	0.04	—	0.01	0.03	—	0.11	07	0.34	26
27	—	0.46	0.10	—	—	—	—	0.36	0.05	—	02	0.15	27
28	—	0.35	—	0.65	—	—	—	0.06	—	—	08	—	28
29	—		—	0.13	—	0.40	0.04	0.03	0.07	0.44	—	0.02	29
30	—		—	—	—	0.01	—	0.20	—	0.19	03	0.06	30
31	—		—		—		—	—		0.18		—	31
Total	0.81	2.27	2.21	2.25	1.12	2.07	0.06	1.48	1.11	2.40	4.23	7.34	TOTAL for year 27.35
No. of Rain Days.	11	15	15	9	4	12	3	10	8	14	22	25	151!

W. 8,000, X. '11.

Section **A** for the entry of Daily Observations

Station No. ~~[illegible]~~ 408126

METEOROLOGICAL OFFICE

REGISTER OF RAINFALL IN 19~~6~~12

METFORM 1090
(Rev. Feb. 1965)

Kept at WESTON-SUPER-MARE (CLARENCE PARK)

in the County of SOMERSET

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

COPY ~~[illegible]~~

Units 5 C/N 23

ALT. 30 FT

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			20			40				·62		20		1
2			02			14	14				04			2
3	01		10			26	01	31	06		03	02		3
4	29		68			20		03			20			4
5	43	10	14		04			34				08		5
6	50	07	05		10		05	58				05		6
7	02	23	15		20	55								7
8	44	14	15			07	08	03				11		8
9	01	04	01	22		15	04	04			03	45		9
10	18	06				41		02			06	04		10
11	05	03									02	43		11
12	07	54	11	13	02		03					06		12
13												13		13
14	10	06	85		12			13						14
15	05	08			23	51						61		15
16	46		36		14	04		60		07	13	10		16
17	61		14			14		96			02	30		17
18	27	01	71					58		07		29		18
19	04	04	05			01	28	96		19		02		19
20		06	21		13			37		50				20
21		22	13		77		03	18		14				21
22	63	16	07		06		06	38			03	02		22
23	45	43	41		01	04		83		10	07	31		23
24	14		03			25						09		24
25						70		75		23	38	43		25
26		02					03	38		55	70	11		26
27		01				27	81			90		58		27
28		05				15	26	53	06	31	35	70		28
29		02				04	32	02	60	31		14		29
30		X	01			09	25		04	25				30
31		X	35	X		X	38	05	X		X	08		31
TOTAL	4·75	2·37	4·93	0·~~25~~ ·35	1·82	4·42	2·77	8·07	0·76	4·24	2·06	5·35	Year's Total 41·89	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

S. made

Ex.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

JAN 1913

Kept at Weston-super-Mare
in the County of Somerset 2
by W. H. Allen

Lat. 51°20′43″ Long. 2° 58′ 33″ W.
Time of Observation 9 a.m.
Nearest Railway Station G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·20	—	—	·40	—	—	—	·62	—	·20	1
2	—	—	·02	—	—	·14	·14	—	—	—	·04	—	2
3	·01	—	·10	—	—	·26	·01	·31	·06	—	·03	·02	3
4	·29	—	·68	—	—	·20	—	·03	—	—	·20	—	4
5	·43	* —	·14	—	·04	—	—	·34	—	—	—	·08	5
6	·50	*·10	·05	—	·10	—	·05	·58	—	—	—	·05	6
7	·02	·07	·15	—	·20	·55	—	—	—	—	—	—	7
8	·44	·23	·15	—	—	·07	·08	·03	—	—	—	·11	8
9	·01	·14	·01	0·22	—	·15	·04	·04	—	—	·03	·45	9
10	·18	·04	—	—	—	·41	—	·02	—	—	·06	·04	10
11	·05	·06	—	—	—	—	—	—	—	—	·02	·43	11
12	·07	·03	·11	·13	·02	—	·03	—	—	—	—	·06	12
13	—	·54	—	—	—	—	—	—	—	—	—	·13	13
14	·10	—	·85	—	·12	—	—	·13	—	—	—	—	14
15	·05	·06	—	—	·23	·51	—	—	—	—	—	·61	15
16	·46	·08	·36	—	·14	·04	—	·60	—	*	·13	·10	16
17	·61	—	·14	—	—	·14	—	·96	—	*·07	·02	·30	17
18	·27	—	·71	—	—	—	—	·58	—	—	—	·29	18
19	·04	·01	·05	—	—	·01	·28	·96	—	·07	—	·02	19
20	—	·04	·21	—	·13	—	—	·37	—	·19	—	—	20
21	—	·06	·13	—	·77	—	·03	·18	—	·50	—	—	21
22	·63	·22	·07	—	·06	—	·06	·38	—	·14	·03	·02	22
23	·45	·16	·41	—	·01	·04	—	·83	—	—	·07	·31	23
24	·14	·43	·03	—	—	·25	—	—	—	·10	—	·09	24
25	—	—	—	—	—	·70	—	·75	—	—	·38	·43	25
26	—	—	—	—	—	—	·03	·38	—	·23	·70	·11	26
27	—	·02	—	—	—	·27	·81	—	—	·55	—	·58	27
28	—	·01	—	—	—	·15	·26	·53	·06	·90	·35	·70	28
29	—	·05	—	—	—	·04	·32	·02	·60	·31	—	·14	29
30	—	·02	·01	—	—	·09	·25	—	·04	·31	—	—	30
31	—		·35		—		·38	·05		·25		·08	31
Total	4·75	2·37	4·93	0·35	1·82	4·42	2·77	8·07	0·76	4·24	2·06	5·35	YEAR'S TOTAL 41·89
Rain Days.	19	20	22	2	11	19	15	21	4	13	13	24	183

* all days go up one.

* all days go up one

W. 7,500, XI. ·12

made ✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

5 FEB 1914

Kept at Weston-super-Mare 2+721

in the County of Somerset 2

by W.H. Allen, for U.D.C.

Lat. 51°21'43" Long. 2°58'33" W.

Time of Observation Local

Nearest Railway Station Weston-s-Mare

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·03	0·20	0·20	0·05	—	—	—	—	0·15	—	0·07	0·14	1
2	0·03	0·05	—	0·03	0·06	—	0·02	—	—	0·32	0·09	—	2
3	0·07	—	0·05	—	0·25	—	—	—	—	—	—	0·42	3
4	1·29	—	0·04	—	0·05	—	—	—	0·70	0·28	—	0·20	4
5	—	0·07	0·05	—	0·30	0·14	—	—	0·22	—	0·15	0·14	5
6	0·02	0·06	0·09	—	0·01	0·18	0·02	—	—	0·65	0·27	0·54	6
7	—	0·07	0·06	—	0·26	0·13	0·33	—	—	0·60	0·24	—	7
8	—	0·03	—	—	0·11	—	0·09	—	—	0·04	—	—	8
9	—	0·09	—	0·01	0·12	0·32	—	0·09	—	—	0·08	—	9
10	0·30	—	0·02	—	0·07	—	—	0·06	—	0·42	0·23	—	10
11	0·56	—	—	0·13	0·05	—	—	0·01	—	—	0·93	0·02	11
12	0·16	—	—	—	0·08	—	—	—	0·17	—	0·32	—	12
13	0·05	—	0·04	—	—	—	—	0·09	0·27	—	0·11	—	13
14	0·11	—	0·19	0·02	—	—	—	—	0·02	0·05	0·22	—	14
15	0·28	0·03	0·36	0·45	—	—	—	0·02	0·04	—	0·18	0·03	15
16	0·17	—	0·43	—	—	—	—	0·02	0·08	—	0·01	—	16
17	0·13	—	0·01	0·02	—	—	—	—	—	—	—	—	17
18	0·16	—	0·05	0·15	—	—	—	—	—	—	0·05	—	18
19	0·22	—	—	—	0·03	0·28	—	—	0·28	—	—	—	19
20	0·20	—	0·14	0·08	—	—	—	—	—	0·08	0·17	—	20
21	—	—	0·02	0·39	0·30	—	0·22	—	—	—	0·28	—	21
22	0·70	—	0·73	0·10	—	0·20	—	—	0·25	—	—	—	22
23	—	—	—	—	—	—	—	0·31	0·02	—	0·15	0·30	23
24	0·11	—	—	0·06	—	—	—	—	—	—	—	—	24
25	—	—	—	0·27	—	—	—	—	0·03	—	0·02	0·05	25
26	—	0·03	—	0·12	—	—	—	0·09	—	—	—	0·12	26
27	0·10	—	0·08	0·25	—	—	—	—	—	0·09	—	0·06	27
28	0·26	—	0·03	0·25	0·03	—	—	—	—	0·46	—	0·06	28
29	0·01	X	0·38	0·27	—	—	—	0·10	—	0·07	0·03	—	29
30	0·31	X	—	0·03	—	—	—	—	—	0·43	0·07	—	30
31	0·18	X	0·03	X	0·19	X	—	0·13	X	—	X	—	31
Total	5·45	0·63	3·00	2·68	1·85	1·28	0·68	0·92	2·23	3·52	3·67	2·14	YEAR'S TOTAL 28·05
Rain Days.	23	9	20	18	15	6	5	10	12	12	20	12	162

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 19~~13~~14

FORM A.
BRITISH RAINFALL.

12 JAN 1915

Kept at Weston-super-Mare

in the County of Somerset 2

by W. H. Allen, for W. D. Council

Lat. 51 20' 10" Long. 2 58' 74" W.
Time of Observation 9 a.m
Nearest Railway Station Weston-s-Mare
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	0·10	—	0·09	0·25	0·40	—	—	0·04	0·01	1
2	—	—	—	—	0·01	—	0·48	0·01	—	—	0·56	0·43	2
3	—	—	0·16	0·18	0·20	—	—	—	—	—	0·18	0·07	3
4	0·15	—	0·10	0·19	0·13	—	0·19	0·08	—	—	0·72	0·43	4
5	0·07	—	0·18	0·48	—	—	—	—	—	—	0·04	0·30	5
6	—	0·03	0·04	0·16	0·02	—	0·06	0·17	—	—	0·06	0·15	6
7	0·02	0·34	0·31	0·30	0·28	0·02	0·32	0·17	—	—	—	0·04	7
8	0·16	—	0·71	0·02	0·07	0·71	—	0·05	—	—	—	—	8
9	0·20	0·03	0·31	0·08	0·03	0·66	—	0·08	0·45	—	—	—	9
10	—	0·08	0·01	0·18	0·14	—	—	—	0·72	—	—	—	10
11	—	0·07	0·70	—	0·13	0·20	0·60	—	0·05	—	0·05	0·55	11
12	—	0·12	0·15	—	—	—	—	—	0·21	—	0·04	0·16	12
13	—	0·17	0·22	—	—	—	—	—	0·48	0·28	0·05	0·14	13
14	—	0·07	0·21	—	—	—	0·01	0·33	—	0·09	0·17	—	14
15	—	0·02	0·25	—	—	—	—	0·76	0·07	0·01	0·30	—	15
16	—	—	0·02	—	—	—	0·07	—	0·30	—	—	—	16
17	—	0·40	0·24	—	—	—	0·03	—	—	—	—	0·28	17
18	—	0·08	0·05	—	—	—	0·05	—	—	—	—	0·29	18
19	—	0·05	0·35	—	—	—	0·85	—	—	—	0·02	0·07	19
20	—	0·08	0·08	—	—	0·02	—	—	—	—	—	0·22	20
21	—	0·36	—	—	—	0·04	0·03	—	—	0·27	—	—	21
22	—	0·07	0·15	—	0·08	0·20	0·03	0·17	—	0·13	—	—	22
23	—	0·03	0·11	—	0·10	0·01	—	—	—	0·17	—	—	23
24	—	—	0·05	—	0·02	—	—	0·15	—	0·10	0·34	—	24
25	0·10	—	0·18	—	—	—	—	0·71	—	0·51	0·01	0·28	25
26	—	0·04	0·25	—	—	—	—	—	—	0·12	0·23	0·28	26
27	0·02	—	—	—	—	—	—	—	—	0·36	0·28	0·03	27
28	—	0·14	0·07	—	0·03	—	—	—	—	0·06	0·50	0·87	28
29	0·34	╳	0·46	—	0·18	—	0·01	—	—	0·05	0·07	—	29
30	—	╳	0·01	—	—	0·02	—	—	—	0·12	0·25	0·60	30
31	—	╳	—	╳	0·01	╳	0·27	—	╳	0·16	╳	0·12	31
Total	1·06	2·18	5·37	1·69	1·43	1·97	3·25	3·08	2·28	2·43	3·91	5·32	YEAR'S TOTAL 33·97
Rain Days.	8	18	26	9	15	10	15	12	7	14	19	20	173

W. 8,000. X. 14.

2140

FORM A.
BRITISH RAINFALL.

25 JAN 1916

REGISTER OF RAINFALL IN 1915

2

Kept at Weston-super-Mare
in the County of Somerset
by W. H. Allen.

Lat. 51.20'10" Long. 2°58'47" W.
Time of Observation 9 a.m.
Nearest Railway Station Weston-s-Mare
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·23	0·18	—	—	0·14	—	—	0·12	0·78	0·29	—	0·10	1
2	0·10	0·11	0·20	0·10	—	0·06	—	0·29	0·21	0·01	—	0·24	2
3	—	0·02	0·11	0·33	0·12	—	—	—	—	—	—	0·28	3
4	0·02	0·01	—	—	0·04	—	1·16	0·01	—	—	—	0·68	4
5	0·05	0·32	—	—	—	—	—	0·13	—	—	—	0·23	5
6	0·40	0·04	—	0·21	—	—	0·47	0·10	—	—	—	0·15	6
7	0·37	0·36	—	0·04	—	—	0·20	—	—	—	—	0·25	7
8	0·29	0·13	—	—	—	—	—	0·12	—	—	0·08	0·05	8
9	—	0·03	—	0·02	—	—	—	0·01	—	—	0·27	0·72	9
10	0·27	0·04	0·04	0·05	—	—	—	0·03	—	0·01	—	0·01	10
11	—	—	0·04	0·04	—	—	—	0·12	—	0·06	0·83	—	11
12	0·19	0·36	—	0·09	0·40	—	—	0·04	—	0·16	0·07	—	12
13	—	0·30	—	—	0·61	—	0·23	0·09	0·13	—	—	0·07	13
14	0·03	0·02	—	—	—	—	0·15	0·65	0·03	—	—	0·54	14
15	0·16	—	—	—	0·14	—	0·30	0·02	0·05	0·01	0·10	0·01	15
16	—	0·33	—	—	0·13	—	0·82	0·04	—	—	—	0·01	16
17	—	0·13	—	—	0·43	—	—	—	—	—	—	—	17
18	—	0·14	—	—	0·01	—	—	—	—	—	—	—	18
19	—	0·03	—	—	0·04	—	0·15	—	—	—	—	—	19
20	0·25	—	—	0·10	—	—	—	—	—	0·02	—	0·05	20
21	0·14	0·09	—	—	—	—	—	—	—	0·22	—	0·01	21
22	0·05	0·09	0·53	0·10	—	—	0·54	—	0·01	—	—	0·07	22
23	—	—	0·29	—	—	—	0·02	—	0·01	0·64	—	0·60	23
24	—	—	0·02	0·02	—	—	0·07	—	0·08	0·63	—	0·22	24
25	—	—	0·01	—	—	0·37	0·07	—	—	—	—	0·22	25
26	—	0·01	—	—	—	0·01	0·22	—	—	—	—	0·34	26
27	—	—	—	—	—	0·01	0·02	—	—	0·50	—	—	27
28	—	0·13	—	—	—	—	—	0·03	0·56	0·23	—	0·01	28
29	—	X	—	—	—	0·60	—	—	—	—	—	0·04	29
30	0·25	X	—	0·01	—	0·63	—	—	—	0·55	0·18	0·30	30
31	—	X	—	X	—	X	0·03	0·21	X	0·74	X	0·62	31
Total	2·80	2·87	1·24	1·11	2·06	1·68	4·45	2·01	1·86	4·07	1·53	5·82	YEAR'S TOTAL 31·50
Rain Days.	15	21	8	12	10	6	15	16	9	14	6	25	157

W. 8,000. X. 15.

2079

FORM A.
BRITISH RAINFALL.

17. FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at Weston-super-Mare
in the County of Somerset
by W. H. Allen

Lat. 51 20' 10" Long. 2° 58' 44 W.
Time of Observation 9 a.m.
Nearest Railway Station Weston-s-Mare
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·05	—	—	—	0·13	0·17	0·28	—	0·02	0·62	0·13	—	1
2	0·74	0·06	—	—	0·07	—	—	—	0·05	0·71	0·04	—	2
3	—	0·57	—	—	0·28	0·01	0·01	—	—	0·27	0·21	—	3
4	0·37	0·16	—	—	0·13	0·50	—	—	0·10	0·10	0·55	—	4
5	0·24	—	—	—	0·23	0·18	—	—	—	0·01	0·12	—	5
6	0·04	0·22	0·01	—	0·12	0·56	0·32	—	—	0·09	0·30	—	6
7	0·03	0·09	0·09	—	0·06	0·23	—	—	—	0·13	0·37	0·19	7
8	—	0·19	0·03	—	0·11	0·30	—	—	—	—	—	0·15	8
9	—	0·01	—	—	0·14	0·01	—	—	—	0·05	0·05	0·01	9
10	—	0·35	—	0·06	0·04	—	—	—	—	—	—	0·05	10
11	—	—	—	0·40	0·04	0·03	—	—	—	—	—	—	11
12	0·01	0·11	0·04	0·01	0·21	—	0·12	0·01	—	0·19	—	—	12
13	—	0·60	0·40	—	—	—	—	0·17	—	0·01	—	—	13
14	—	0·35	0·01	0·09	0·30	—	—	0·06	—	—	—	—	14
15	0·04	0·14	0·06	0·05	0·02	—	—	0·63	—	—	—	—	15
16	0·06	0·02	—	0·43	—	—	0·05	0·38	—	0·03	—	—	16
17	0·11	0·25	—	—	—	—	—	0·05	0·34	0·41	0·29	—	17
18	—	0·09	0·15	0·03	—	—	—	—	—	0·12	0·14	0·06	18
19	0·20	—	0·80	0·16	—	—	—	—	—	—	0·08	—	19
20	0·07	0·12	0·28	—	—	—	—	—	—	—	0·10	0·82	20
21	0·08	0·05	0·55	—	0·06	—	—	—	—	—	—	0·31	21
22	—	—	—	0·04	—	0·18	—	—	—	0·18	0·02	0·66	22
23	0·03	0·16	—	0·35	—	0·05	—	0·33	—	0·06	0·18	0·20	23
24	—	0·25	—	0·03	1·15	—	—	0·05	—	0·71	—	0·21	24
25	—	0·20	0·23	—	0·01	—	—	0·59	—	0·04	0·21	0·08	25
26	0·03	0·06	0·13	—	0·01	0·21	—	0·23	0·80	0·56	—	—	26
27	0·01	0·04	1·22	—	0·07	0·05	—	0·05	0·42	0·41	—	—	27
28	—	0·21	0·10	—	—	—	—	0·05	0·06	0·60	—	0·50	28
29	—	0·46	0·11	—	—	0·55	—	1·87	0·09	0·38	—	0·42	29
30	—	╳	—	—	—	—	—	—	—	0·39	—	0·02	30
31	—	╳	—	╳	—	╳	—	0·03	╳	0·08	╳	0·07	31
Total	2·11	4·76	4·21	1·65	3·18	3·03	0·78	4·50	1·88	6·15	2·79	3·75	YEAR'S TOTAL 38·79
Rain Days.	16	24	16	11	19	14	5	14	8	23	15	15	180

W. 8,000, VIII. 16

1987

FORM A.
BRITISH RAINFALL.

14 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Weston-super-Mare
in the County of Somerset
by W. H. Allen, for U.D.C.

Lat. 51°20'10" Long. 2°58'47" W.
Time of Observation 9 a.m.
Nearest Railway Station Weston-s-Mare
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		–	0·41	0·32	–	0·16	–	0·89	0·26	–	0·10	–	1
2		–	–	0·03	–	0·15	–	0·04	–	–	0·09	–	2
3	02	–	–	0·04	–	–	0·40	–	–	1·23	0·15	–	3
4		0·25	0·07	–	–	–	0·07	0·01	–	0·20	–	0·02	4
5	23	–	0·28	0·35	–	0·16	–	–	0·17	0·55	0·20	–	5
6		–	0·05	–	–	0·05	–	–	–	0·09	0·21	–	6
7	32	–	–	–	–	–	0·25	0·22	–	0·13	–	0·01	7
8	01	–	0·25	0·08	–	–	0·80	0·87	0·14	0·75	0·15	0·08	8
9		–	0·07	0·04	0·04	–	0·06	0·10	0·17	0·38	0·08	–	9
10	25	–	0·15	0·14	–	–	–	0·40	0·05	–	–	–	10
11	02	–	0·96	0·34	0·07	–	–	0·05	–	0·10	0·05	–	11
12	01	–	–	–	0·75	–	–	0·54	–	1·12	–	–	12
13	–	–	0·14	0·01	–	0·07	–	0·13	0·07	0·15	–	–	13
14	–	–	0·16	0·05	–	–	–	0·35	0·18	–	–	–	14
15	–	–	–	0·03	–	–	0·06	0·32	–	0·22	–	0·25	15
16	–	0·20	–	0·08	–	–	–	–	–	0·10	–	0·16	16
17	–	0·02	–	–	0·09	–	0·40	0·06	0·34	0·09	0·06	–	17
18	0·01	–	–	–	0·02	–	0·34	0·04	0·78	–	–	–	18
19	–	0·60	0·03	–	–	0·11	–	0·07	0·05	–	0·06	–	19
20	–	0·14	0·01	–	0·36	0·08	–	–	–	–	0·01	–	20
21	–	–	0·07	–	–	·02 ~~0·02~~	–	0·01	–	0·01	–	–	21
22	–	–	–	–	–	0·01	–	0·10	–	0·12	–	–	22
23	–	0·15	–	–	0·07	–	–	0·41	–	–	0·06	0·02	23
24	–	–	–	–	–	0·22	0·03	0·16	–	0·26	–	–	24
25	–	0·12	0·05	–	–	–	–	0·01	–	0·68	0·05	–	25
26	–	–	–	–	0·30	–	–	0·67	0·27	0·34	0·03	–	26
27	–	–	–	–	0·68	36 ~~0·36~~	–	0·76	–	–	–	–	27
28	–	0·01	0·10	–	0·03	1·51 ~~1·57~~	–	0·49	–	–	–	–	28
29	–	☒	0·17	–	–	0·14	–	–	–	0·43	–	0·14	29
30	–	☒	–	–	–	–	0·09	0·20	–	0·28	–	–	30
31	~~–~~	☒	0·12	☒	–	☒	–	0·12	☒	0·08	☒	0·04	31
Total	0·97 ~~0·94~~	1·49	3·09	1·54	2·41	304 ~~2·94~~	2·50	7·02	2·48	7·31	1·30	0·75	YEAR'S TOTAL ~~33·80~~
Rain Days.	10	8	17	12	10	13	10	25	11	21	14	8	159

W. 8,000, IX. 17.

1·03

(3383)

Excd 930 →

73

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
7.1.19

Kept at Weston-super-Mare

in the County of Somerset

by W. H. Allen

Lat. 51° 20′ 10″ Long. 2° 58′ 47″ W.

Time of Observation 9 a.m

Nearest Railway Station Weston-s-Mare

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 14 in.

" " " " Sea Level 28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	—	0·08											
1	0·01	0·01	—	0·09	0·11	—	—	0·46	—	0·02	0·55	—	1
2	—	—	—	0·04	—	—	—	0·31	—	—	0·06	0·22	2
3	—	0·10	—	0·22	0·11	—	—	—	0·06	0·02	0·05	—	3
4	—	—	—	0·08	—	—	—	0·06	0·06	0·04	0·26	0·15	4
5	0·13	0·49	—	0·10	0·05	—	—	0·30	0·13	0·22	0·04	—	5
6	—	0·21	—	0·28	—	—	—	—	0·01	0·12	—	0·05	6
7	0·02	—	—	—	0·67	0·01	—	—	0·40	0·49	0·18	—	7
8	0·01	0·07	—	—	—	—	—	—	0·74	0·33	—	—	8
9	—	—	—	0·40	—	0·06	0·58	—	0·60	0·06	0·01	0·19	9
10	0·04	0·02	—	0·13	—	—	0·69	—	0·33	0·08	0·01	0·25	10
11	—	0·04	0·07	0·01	—	—	0·10	—	0·77	0·43	0·05	0·27	11
12	0·23	—	0·16	—	0·21	—	0·09	—	0·06	—	—	0·07	12
13	0·18	—	—	—	—	—	0·02	—	0·49	0·17	—	0·30	13
14	1·19	—	0·05	—	0·01	0·03	0·68	—	0·15	0·09	—	0·07	14
15	0·23	—	—	0·35	0·07	0·11	0·32	—	0·06	—	—	0·55	15
16	0·36	—	—	0·15	—	—	0·03	0·13	0·22	—	—	0·14	16
17	0·69	—	0·08	0·06	—	—	0·28	—	—	—	—	0·22	17
18	0·04	—	0·03	—	—	1·31	0·26	—	0·76	0·05	—	0·29	18
19	0·01	0·18	0·13	0·02	—	—	0·04	—	0·83	0·03	—	0·06	19
20	0·03	—	—	0·07	—	—	1·18	—	0·06	—	—	—	20
21	—	—	—	0·02	—	0·01	0·49	—	0·48	—	—	0·15	21
22	0·20	—	—	—	0·16	—	0·88	—	0·12	0·04	—	0·60	22
23	—	0·09	—	—	0·15	—	0·19	—	—	—	—	0·02	23
24	—	—	—	—	—	—	0·09	0·15	0·26	—	0·07	—	24
25	—	—	—	—	0·06	—	0·58	0·79	—	—	0·03	—	25
26	—	—	—	0·05	—	—	0·41	0·23	0·01	0·02	0·20	0·48	26
27	—	0·03	—	—	—	—	0·01	0·25	0·40	—	0·17	0·04	27
28	—	0·06	0·07	—	—	—	—	—	—	—	0·03	0·15	28
29	—		0·10	—	—	—	—	—	1·07	—	—	0·02	29
30	—		0·35	—	—	—	—	—	—	—	0·08	0·08	30
31	—		0·19		—		—	—		—		—	31
Total	3·37	1·38	1·23	2·07	1·60	1·53	6·92	2·98	8·07	2·21	1·49	4·37	YEAR'S TOTAL 34·52
Rain Days.	15	12	10	16	10	6	19	9	23	16	15	22	173

W. 6,500, VII. 18. W W C

Section **A** for the entry of Daily Observations

Station No. ....

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 1918

Kept at WESTON-SUPER-MARE

in the County of SOMERSET

COPY

Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		08		09	11			76		03	55			1
2	01	01		04				31			06	22		2
3				22	11				06	02	05			3
4		10		08				06	06	04	26	15		4
5				10	05			30	13	22	04			5
6	13	49		28					01	12		05		6
7		21			67	01			40	49	18			7
8	02								74	33				8
9	01	07		40		06	58		60	06	01	19		9
10				13			69		33	08	01	25		10
11	04	02	07	01			10		77	43	05	27		11
12		04	16		21		09		06			07		12
13	23						02		49	17		30		13
14	18		05		01	03	68		15	09		07		14
15	119			35	07	11	32		06			55		15
16	23			15			03	13	22			14		16
17	36		08	06			28					22		17
18	69		03			131	26		76	05		29		18
19	04		13	02			04		83	03		06		19
20	01	18		07			118		06					20
21	03			02		01	49		48			15		21
22					16		88		12	04		60		22
23	20				15		19					02		23
24		09					09	15	26		07			24
25					06		58	79			03			25
26				05			41	23	01	02	20	48		26
27		03					01	25	40		17	04		27
28		06	07								03	15		28
29		X	10						107			02		29
30		X	35								08	08		30
31		X	19	X		X			X		X			31
TOTAL	3·37	1·38	1·23	2·07	1·60	1·53	6·92	2·98	8·07	2·21	1·79	4·37	Year's Total 37·52	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

1862

18Sfo cord for [illegible] +B.

REGISTER OF RAINFALL IN 1919.

FORM A. BRITISH RAINFALL.

Kept at Weston super Mare (M.O.)

in the County of Somerset

by W. H. Allen Esq.

Lat. 51°20'N Long. 2°59'W

Time of Observation 9h G.M.T. 9am to [illegible] 9 to 18 March — [illegible] 9 to 17 May.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 29 [illegible] ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	
1	0.57	-	-	-	0.03	-	0.58	-	-	0.34	-	0.73	1
2	0.07	-	-	-	-	-	0.04	-	0.07	-	-	0.34	2
3	0.13	-	0.15	-	0.05	-	-	-	0.03	-	0.10	0.61	3
4	0.31	0.24	0.40	-	-	0.09	0.06	0.05	0.26	-	-	0.11	4
5	-	0.38	0.91	-	-	-	-	-	0.39	-	0.03	0.47	5
6	0.49	0.14	0.11	-	-	-	-	-	-	-	-	0.18	6
7	0.14	-	0.27	0.16	-	-	-	-	-	-	-	-	7
8	0.14	-	0.23	0.04	-	0.01	-	-	-	-	-	-	8
9	0.10	-	0.05	0.07	0.05	-	-	-	-	-	0.14	-	9
10	-	-	0.50	0.02	0.02	-	-	-	-	0.07	-	0.31	10
11	0.03	-	0.36	0.09	0.10	-	0.18	-	-	-	-	0.13	11
12	0.07	-	0.03	0.04	-	0.28	-	-	-	0.05	0.15	0.02	12
13	0.08	-	0.02	0.15	-	-	0.01	-	-	-	-	0.05	13
14	0.32	0.09	-	0.53	0.11	-	0.18	-	0.03	-	-	0.09	14
15	0.25	0.09	-	0.02	-	-	-	-	-	0.11	-	0.28	15
16	0.16	0.82	-	-	-	-	-	-	-	-	0.20	-	16
17	-	0.34	-	-	-	0.04	-	-	-	-	0.30	0.01	17
18	0.02	-	0.48	-	-	-	0.01	0.29	0.03	-	0.25	0.02	18
19	0.35	0.16	0.92	-	-	0.09	1.02	0.48	0.02	-	0.05	0.03	19
20	0.43	0.12	0.15	-	-	0.12	-	0.11	-	-	-	0.09	20
21	-	0.55	-	-	-	-	0.11	-	0.07	-	-	0.10	21
22	-	0.07	-	-	-	-	0.02	-	0.13	-	0.02	0.06	22
23	-	-	-	-	-	-	-	0.01	-	1.02	0.03	0.04	23
24	-	-	-	0.13	-	0.16	-	-	-	0.73	0.18	0.66	24
25	0.09	-	-	0.02	-	0.01	-	0.50	-	-	0.05	0.15	25
26	0.04	-	0.04	0.22	-	-	-	0.06	0.09	-	-	0.39	26
27	0.17	-	0.03	0.11	-	-	0.01	0.26	-	-	-	0.05	27
28	0.02	-	0.48	-	-	-	-	0.06	-	-	0.31	0.58	28
29	(02)		-	0.05	-	-	-	-	-	0.01	0.02	0.21	29
30	-		0.08	0.13	-	0.12	-	0.41	-	0.01	0.06	0.31	30
31	-		-		0.08		-	-		-		0.22	31
Total	4.00	3.00	5.21	1.78	0.44	0.92	2.22	2.23	1.12	2.34	1.89	6.24	YEAR'S TOTAL 31.39
Rain Days.	22	11	18	15	7	9	11	10	10	8	15	27	163

Copied from M.O. Form 3.203.

W, 6,500, VII. 18. W W C

#–RV cmd by A 1775

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Weston-super-Mare (M.O)
in the County of Somerset
by S. C. Smith & W. H. Allen for the District Council.

Lat. 51° 20' N Long. 2° 59' W
Time of Observation 9h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 29 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	-	-	0.13	0.29	-	0.30	0.18	0.22	0.08	.11	0.55	1
2	0.11	-	0.02	0.12	0.01	-	0.16	0.22	0.04	0.30	–	0.05	2
3	0.04	0.01	-	0.09	-	-	0.21	-	0.02	0.18	–	0.02	3
4	–		0.02	0.09	-	-	0.13	0.84	-	0.14	–	–	4
5	–		0.10	0.15	0.30	-	0.55	-	-	0.09	–	–	5
6	–		0.12	0.02	0.53	-	0.05	-	-	0.08	–	–	6
7	0.01		-	0.13	0.02	-	0.16	-	-	-	.05	–	7
8	0.01	0.03	-	0.57	0.17	-	0.52	0.10	-	-	–	–	8
9	0.52	0.07	0.08	0.58	-	0.20	0.12	0.04	-	-	–	–	9
10	0.91	0.19	0.10	0.22	-	0.20	0.42	-	-	-	–	–	10
11	0.09	-	0.11	0.29	0.38	0.02	0.12	-	-	-	–	–	11
12	0.22	0.03	0.02	0.06	-	0.43	0.05	0.03	-	-	.08	–	12
13	0.10	0.03	0.44	0.09	-	0.09	-	-	-	-	–	–	13
14	0.12	0.03	0.32	0.28	-	-	0.03	-	0.18	1.00	.32	–	14
15	0.04	0.13	0.04	0.10	0.05	0.11	-	-	0.17	0.54	.12	–	15
16	–	-	0.02	0.03	0.13	0.73	0.43	-	0.36	0.15	.60	–	16
17	0.10	-	-	0.53	0.17	0.16	0.02	-	0.62	-	–	–	17
18	0.04	-	-	0.05	0.07	0.08	-	0.38	0.34	-	–	–	18
19	0.02	0.31	-	0.17	-	0.15	-	0.02	-	-	–	–	19
20	0.03	0.05	-	0.12	-	0.32	0.04	-	-	-	–	0.10	20
21	–	-	-	0.06	-	-	0.05	-	-	-	–	0.08	21
22	0.01	-	-	0.10	-	0.01	0.06	0.08	-	-	–	0.37	22
23	–	-	-	-	-	-	0.46	-	-	-	–	0.36	23
24	–	-	0.16	-	-	-	0.02	0.02	-	-	.06	0.14	24
25	–	0.04	0.07	-	-	-	0.66	-	-	-	–	–	25
26	0.25	-	0.27	-	-	-	-	-	-	-	.05	0.06	26
27	0.26	-	0.07	0.03	0.10	0.71	0.02	-	-	-	–	0.20	27
28	0.64	-	0.15	0.05	-	0.01	0.07	-	-	-	–	0.04	28
29	0.06	-	0.15	-	0.05	0.04	0.04	-	-	-	.26	0.26	29
30	0.03	╳	0.02	0.12	-	0.60	0.33	-	0.30	-	50	0.08	30
31	0.25	╳	0.45	╳	-	╳	0.02	-	╳	0.48	╳	0.14	31
TOTAL	3.86	0.95	2.73	4.18	2.27	3.86	5.04	1.91	2.25	3.04	2.15	2.45	YEAR'S TOTAL 34.69
Days with ·01 in. or more	22	11	20	25	13	16	26	10	9	10	10	14	186
	14	6	15	23	11	13	21	7	8	10	10	13	152

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied from M.O 3203

1775

7 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Weston-super-Mare

in the County of Somerset

by W. H. Allen

Lat. 51·20' 10" Long. 2 58' 20" W.

Time of Observation 9 am.

Nearest Railway Station Weston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	0·43	0·29	—	0·30	0·18	0·22	0·08	0·11	0·55	1
2	0·11	—	0·02	0·12	0·01	—	0·16	0·22	0·04	0·30	—	0·05	2
3	0·04	0·01	—	0·09	—	—	0·31	—	0·02	0·18	—	0·02	3
4	—	—	0·02	0·09	—	—	0·13	0·84	—	0·14	—	—	4
5	—	—	0·10	0·15	0·30	—	0·53	—	—	0·09	—	—	5
6	—	—	0·12	0·02	0·53	—	0·05	—	—	0·08	—	—	6
7	0·01	—	—	0·13	0·02	—	0·16	—	—	—	0·05	—	7
8	0·01	0·03	—	0·57	0·17	—	0·52	0·10	—	—	—	—	8
9	0·52	0·07	0·08	0·58	—	0·20	0·12	0·04	—	—	—	—	9
10	0·91	0·19	0·10	0·22	—	0·20	0·42	—	—	—	—	—	10
11	0·09	—	0·11	0·29	0·38	0·02	0·12	—	—	—	—	—	11
12	0·22	0·03	0·02	0·06	—	0·43	0·05	0·03	—	—	0·08	—	12
13	0·10	0·03	0·44	0·09	—	0·09	—	—	—	—	—	—	13
14	0·12	0·03	0·32	0·28	—	—	0·03	—	0·18		0·32	—	14
15	0·04	0·13	0·04	0·10	0·05	0·11	—	—	0·17	1·00	0·12	—	15
16	—	—	0·02	0·03	0·13	0·73	0·43	—	0·36	0·54	0·60	—	16
17	0·10	—	—	0·53	0·17	0·16	0·02	—	0·62	0·15	—	—	17
18	0·04	—	—	0·05	0·07	0·08	—	0·38	0·34	—	—	—	18
19	0·02	0·31	—	0·17	—	0·15	—	0·02	—	—	—	—	19
20	0·03	0·05	—	0·12	—	0·32	0·04	—	—	—	—	0·10	20
21	—	—	—	0·06	—	—	0·05	—	—	—	—	0·08	21
22	0·01	—	—	0·10	—	0·01	0·06	0·08	—	—	—	0·37	22
23	—	—	—	—	—	—	0·46	—	—	—	—	0·36	23
24	—	—	0·16	—	—	—	0·02	0·02	—	—	0·06	0·14	24
25	—	0·07	0·07	—	—	trace	0·66	—	—	—	—	—	25
26	0·25	—	0·27	—	—	trace	—	—	—	—	0·05	0·06	26
27	0·26	—	0·07	0·03	0·10	0·71	0·02	—	—	—	—	0·20	27
28	0·64	—	0·15	0·05	—	0·01	0·07	—	—	—	—	0·04	28
29	0·06	—	0·15	—	0·05	0·04	0·04	—	—	—	0·26	0·26	29
30	0·03		0·02	0·12	—	0·60	0·33	—	0·30	—	0·50	0·08	30
31	0·25		0·45		—		0·02	—		0·48		0·14	31
TOTAL	3·86	0·95	2·73	4·18	2·27	3·86	5·04	1·91	2·25	3·04	2·15	2·45	YEAR'S TOTAL 34·69
Days with ·01 in. or more	22	11	20	25	13	16	26	10	9	10	10	14	186
Days with ·04 in. or more	16	6	15	22	11	13	21	7	8	10	10	13	152

WESTON SUPER MARE
WORLE
SOMERSET
1911 1913

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

REG 19 11

Kept at Wor
top 5 in.
above Ground 1 ft. – in.
in the County of Som
„ Sea Level ft.
9. am
Name Worle
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	04	07	05	–	–	20	–	–	31	61	1
2	–	–	01	21	27	–	04	33	–	05	10	02	2
3	–	–	03	–	26	–	–	–	–	–	–	08	3
4	–	–	16	–	01	–	–	–	01	01	27	42	4
5	17	–	05	–	–	–	–	16	–	01	52	04	5
6	16	–	08	–	–	–	–	05	–	01	23	35	6
7	05	–	–	–	–	–	–	–	–	–	38	–	7
8	14	–	22 22	–	–	–	–	–	–	–	05	34	8
9	06	–	01	–	–	–	–	–	–	–	18	39	9
10	08	02	32	–	35	–	–	–	–	–	02	25	10
11	40	–	02	–	–	–	–	–	–	–	80	35	11
12	–	–	60	–	–	–	–	–	01	–	28	15	12
13	–	–	–	–	27	–	–	–	47	1.13	05	69	13
14	–	06	–	–	–	–	–	–	–	–	02	75	14
15	–	07	–	–	–	08	–	–	–	–	37	07	15
16	–	01	–	–	–	07	–	–	–	–	25	16	16
17	–	06	–	–	–	03	–	–	–	–	02	10	17
18	–	35	04	13	–	25	–	–	–	02	–	12	18
19	–	10	–	63	–	19	–	–	15	11	02	35	19
20	01	03	09	33	–	–	–	–	15	05	–	29	20
21	–	13	03	01	–	01	–	–	03	41	–	27	21
22	05	04	22	63	–	26	–	–	01	28	–	53	22
23	03	09	14	01	–	02	–	–	07	13	–	20	23
24	–	30	–	–	–	59	–	14	01	55	–	15	24
25	–	11	–	23	–	08	–	–	01	05	–	25	25
26	–	06	–	33	01	–	01	04	–	14	05	33	26
27	–	52	08	–	–	–	–	44	05	–	02	14	27
28	–	45	–	62	–	02	–	–	–	–	06	–	28
29	–		–	12	–	43	05	02	09	49	–	01	29
30	–		–	02	–	02	–	–	–	17	03	09	30
31	–		–		–		–	–		08		01	31
Total	1.15	2.40	2.14	2.14	1.22	2.05	·10	1.38	1.06	3.69	4.63	6.91	TOTAL for year 28.27
No. of Rain Days	10	16	17	13	7	13	3	8	12	17	21	29	166.

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Worle
in the County of Somerset 2
by

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level — ft.
Time of Observation 9 am
Nearest Railway Station
Name Worle
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	04	07	05	—	—	20	—	—	31	01	1
2	—	—	01	21	27	—	04	33	—	05	10	02	2
3	—	—	03	—	26	—	—	—	—	—	—	08	3
4	—	—	16	—	01	—	—	—	01	01	27	42	4
5	17	—	05	—	—	—	—	16	—	01	52	04	5
6	16	—	08	—	—	—	—	05	—	01	23	35	6
7	05	—	—	—	—	—	—	—	—	—	38	—	7
8	14	—	22	—	—	—	—	—	—	—	05	34	8
9	06	—	01	—	—	—	—	—	—	—	18	39	9
10	08	02	32	—	35	—	—	—	—	—	02	25	10
11	40	—	02	—	—	—	—	—	—	—	80	35	11
12	—	—	60	—	—	—	—	—	01	—	28	15	12
13	—	—	—	—	27	—	—	—	47	1.13	05	69	13
14	—	06	—	—	—	—	—	—	—	—	02	75	14
15	—	07	—	—	—	08	—	—	—	—	37	07	15
16	—	01	—	—	—	07	—	—	—	—	25	16	16
17	—	06	—	—	—	03	—	—	—	—	02	10	17
18	—	35	04	13	—	25	—	—	—	02	—	12	18
19	—	10	—	03	—	19	—	—	15	11	02	35	19
20	01	03	09	33	—	—	—	—	15	05	—	29	20
21	—	13	03	01	—	01	—	—	03	41	—	27	21
22	05	04	22	03	—	26	—	—	01	28	—	53	22
23	03	09	14	01	—	02	—	—	07	13	—	20	23
24	—	30	—	—	—	59	—	14	01	55	—	15	24
25	—	11	—	23	—	08	—	—	01	05	—	25	25
26	—	06	—	33	01	—	01	04	—	14	05	33	26
27	—	52	08	—	—	—	—	44	05	—	02	14	27
28	—	45	—	62	—	02	—	—	—	—	06	—	28
29	—		—	12	—	43	05	02	09	49	—	01	29
30	—		—	02	—	02	—	—	—	17	03	09	30
31	—		—		—		—	—		08		01	31
Total	1.15	2.40	2.14	2.14	1.22	2.05	.10	1.38	1.06	3.69	4.63	6.91	TOTAL for year 28.27
No. of Rain Days	10	16	17	13	7	13	3	8	12	17	21	29	166

9,000, IX. '10.

Smadly ✓

Ex. [illegible]

FORM A2.
BRITISH RAINFALL.
3 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Worle

in the County of Somerset

by [illegible] M.D.

RAIN GAUGE
Pattern Circ Cov
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level ft.

Time of Observation 9 am

Nearest Railway Station
Name Worle
Distance 1 mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	17	—	—	40	01	—	01	65	—	23	1
2	—	—	04	—	—	19	23	—	—	01	04	—	2
3	01	—	08	01	—	19	02	35	09	—	05	02	3
4	32	—	46	—	—	32	—	07	—	—	16	—	4
5	47	09	13	—	04	—	—	41	—	—	—	09	5
6	50	09	01	—	08	—	08	66	—	—	01	07	6
7	02	21	14	—	21	72	—	04	—	—	02	06	7
8	42	15	15	—	—	06	09	02	—	—	—	08	8
9	02	04	05	25	—	04	03	05	—	—	02	51	9
10	10	07	—	—	—	46	01	03	—	—	07	04	10
11	08	02	—	—	—	—	—	—	—	—	03	53	11
12	06	48	10	13	01	04	03	—	—	—	—	13	12
13	—	—	02	—	—	—	—	—	—	—	—	20	13
14	10	01	91	—	14	—	—	05	—	—	—	01	14
15	06	13	02	01	22	62	—	—	—	—	—	63	15
16	39	—	37	—	22	05	—	63	—	09	16	08	16
17	58	—	14	—	03	15	—	1.08	—	—	03	35	17
18	22	—	45	—	—	01	—	43	—	11	—	26	18
19	05	06	11	—	—	02	30	110	—	34	—	02	19
20	02	03	23	—	12	—	02	23	—	52	01	—	20
21	01	18	16	—	77	—	05	23	—	14	—	—	21
22	46	24	06	—	27	—	07	44	—	02	03	02	22
23	29	32	40	—	01	—	01	96	—	08	09	34	23
24	16	—	06	—	—	22	—	01	—	01	—	09	24
25	—	—	—	—	—	64	—	80	—	19	46	42	25
26	—	03	—	—	—	25	03	23	—	54	66	16	26
27	—	01	—	—	—	—	72	—	—	93	01	62	27
28	—	05	—	—	—	18	32	64	19	35	42	68	28
29	—	02	—	—	—	14	49	13	54	30	—	15	29
30	—		—	—	01	13	24	—	04	44	—	02	30
31	—		36		07		37	06		—		09	31
Total	4.34	2.23	4.62	.40	2.20	4.83	3.12	8.65	.87	4.72	2.27	5.90	TOTAL for year
		6.57	11.19	11.59	13.79	18.62	21.74	30.39	31.26	35.98	38.25	44.15	✓
No. of Rain Days.	21	19	23	4	14	20	19	23	5	16	17	27	208

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
23 JAN 1914

Kept at Worle

in the County of Somerset 2

by

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level ft.

Time of Observation 9 am

Nearest Railway Station
Name Worle
Distance 1 mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	02	17	29	05	—	08	—	—	19	—	10	13	1
2	03	08	01	06	08	—	—	—	02	20	10	02	2
3	09	—	09	—	31	—	—	—	—	—	02	36	3
4	1.40	—	06	—	08	—	—	—	81	23	02	15	4
5	01	09	04	—	28	23	05	—	24	—	14	17	5
6	01	07	11	—	02	22	07	—	—	46	25	47	6
7	—	05	03	—	20	14	05	—	—	66	24	—	7
8	01	03	03	—	16	—	—	—	—	04	—	—	8
9	—	09	02	—	06	39	—	14	01	—	09	—	9
10	28	—	01	—	04	—	—	09	—	31	23	—	10
11	67	02	—	12	04	05	—	03	—	—	89	—	11
12	20	—	—	—	09	—	—	02	09	—	23	02	12
13	09	01	05	—	—	01	01	10	30	—	14	—	13
14	09	—	21	02	—	—	—	—	03	09	18	01	14
15	33	03	43	55	—	—	—	05	09	—	15	06	15
16	27	—	45	03	—	—	—	01	12	—	—	—	16
17	12	—	01	04	—	—	02	—	—	—	03	—	17
18	27	—	05	17	—	—	—	—	—	—	04	—	18
19	20	—	04	—	04	13	—	—	31	—	—	—	19
20	25	—	12	03	—	—	—	—	—	03	15	—	20
21	—	—	02	67	37	—	15	—	—	—	36	—	21
22	69	—	65	06	01	16	—	02	25	—	—	—	22
23	02	—	—	—	—	—	—	40	03	—	16	29	23
24	14	—	—	07	—	—	—	—	—	—	—	—	24
25	—	01	—	19	—	—	—	—	02	—	03	09	25
26	—	02	—	18	—	—	—	07	—	—	—	14	26
27	10	—	07	34	—	—	—	—	—	09	—	01	27
28	27	—	01	27	—	—	—	—	—	42	—	09	28
29	01		42	29	—	—	—	13	—	19	—	01	29
30	43		—	03	—	—	—	—	—	45	11	—	30
31	20		05		22		—	08		—		—	31
Total	6.20	.67	3.27	3.17	2.00	1.41	.35	1.14	2.51	3.17	3.66	2.02	TOTAL for year 29.57
No. of Rain Days.	26	12	24	18	15	9	6	12	14	12	21	15	184

W. 8,000, X. '11.

WESTON SUPER MARE
KEWSTOKE

SOMERSET
1914 - 17

FORM A.
BRITISH RAINFALL.
6 - JAN 1915

RE

Kept at Kews m
eston S Mare
in the County of So
5 in.
by H Rudd
Ground 1 ft. 0 in.
Sea Level About 40 ft.

IMPORTANT the result entered to the previous day. If a ersal rule, he is earnestly requested to add the r in the space provided for it at the end o ment of rain, the selection and p itish Rainfall Organization are gi application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				~~0.11~~			0.30	0.49			0.06		1
2				0.11		0.11	0.50				0.55	0.41	2
3				~~0.43~~	0.29		0.03						3
4	0.24		0.20	0.44	0.14		0.21	0.13			0.04	0.45	4
5			0.20	0.43							0.93	0.23	5
6		0.06	0.06		0.04		0.11	0.29			0.06	0.18	6
7		0.26	0.03	0.33	0.35							0.06	7
8	0.24		1.00	0.04	0.07	0.73	0.34	0.21	0.02				8
9	0.23	0.05	0.31	0.13	0.04	0.71			0.48				9
10		0.10		0.22		0.02			0.78		0.04		10
11			0.72		0.12	0.20					0.08	0.65	11
12		0.04	0.04				0.60		0.30			0.08	12
13		0.36	0.53				0.03		0.42	0.29	0.15		13
14		0.11	0.29					0.49	0.03	0.10			14
15								0.56	0.22		0.62		15
16			0.23						0.23				16
17		0.48	0.32									0.43	17
18			0.08				0.14				0.10	0.30	18
19		0.18	0.23				0.97					0.05	19
20		0.11	0.12			0.07					0.05	0.18	20
21		0.43											21
22		0.09	0.10		0.10			0.18		0.11			22
23		0.06	0.13		0.07	0.21	0.11			0.27			23
24										0.23	0.25	0.08	24
25			0.20				0.01			0.51	0.03	0.50	25
26	0.13		0.15					0.68			0.33	0.18	26
27	0.02	0.18								0.27	0.43	0.32	27
28		0.05								0.36	0.38	0.74	28
29	0.40		0.44		0.26						0.09		29
30		×	0.05							0.22	0.39	0.66	30
31		×		×	0.03	×	0.34		×	0.29	×		31
Total	1.26	2.76	5.43	1.70	1.51	2.05	3.69 ~~0.34~~	3.03	2.48	2.65	4.58	5.50	YEAR'S TOTAL 36.64
Rain Days.	6	15	21	7	11	7	13	8	8	10	18	17	141

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.

6 - JAN 1915

REGISTER OF RAINFALL IN 19

Kept at Kewstoke

in the County of Somerset

by H Ruddle

2

Lat. .... Long. ....

Time of Observation 9 a.m

Nearest Railway Station Weston S Mare

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level About 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				~~0.11~~			0.30	0.49			0.06		1
2				0.11		0.11	0.50				0.55	0.41	2
3				~~0.43~~	0.29		0.03						3
4	0.24		0.20	0.44	0.14		0.21	0.13			0.04	0.45	4
5			0.20	0.43							0.93	0.23	5
6		0.06	0.06		0.04		0.11	0.29			0.06	0.18	6
7		0.46	0.03	0.33	0.35							0.06	7
8	0.24		1.00	0.04	0.07	0.73	0.34	0.21	0.02				8
9	0.23	0.05	0.31	0.13	0.04	0.71			0.48				9
10		0.10		0.22		0.02			0.78		0.04		10
11			0.72		0.12	0.20					0.08	0.65	11
12		0.04	0.04				0.60		0.30			0.08	12
13		0.36	0.53				0.03		0.42	0.29	0.15		13
14		0.11	0.29					0.49	0.03	0.10			14
15								0.56	0.22		0.62		15
16			0.23						0.23				16
17		0.48	0.32									0.43	17
18			0.08				0.14				0.10	0.30	18
19		0.18	0.23				0.97					0.05	19
20		0.11	0.12			0.07					0.05	0.18	20
21		0.43											21
22		0.09	0.10		0.10			0.18		0.11			22
23		0.06	0.13		0.07	0.21	0.11			0.47			23
24										0.23	0.25	0.08	24
25			0.20				0.01			0.51	0.03	0.50	25
26	0.13		0.15					0.68			0.33	0.18	26
27	0.02	0.18								0.27	0.43	0.32	27
28		0.05								0.36	0.38	0.74	28
29	0.40		0.44		0.26						0.09		29
30		X	0.05							0.22	0.39	0.66	30
31		X		X	0.03	X	0.34		X	0.29	X		31
Total	1.26	2.76	5.43	1.70	1.51	2.05	3.69 ~~0.34~~	3.03	2.48	2.65	4.58	5.50	YEAR'S TOTAL 36.64
Rain Days.	6	15	21	7	11	7	13	8	8	10	18	17	141

W. 8,000. X. 14.

Ex D L

2141

FORM A. BRITISH RAINFALL. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Kewstoke

in the County of Somerset

by H Ruddle

2

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Weston S Mare

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.20

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.40	0.19			0.18				0.92	0.36		0.04	1
2	0.13	0.13	0.23	0.29		0.05		0.60	0.14			0.42	2
3	0.02	0.03	0.17	0.20	0.23			0.04				0.24	3
4		0.07			0.05		1.08					0.60	4
5	0.12	0.39										0.27	5
6	0.43	0.02		0.36			0.45	0.22				0.24	6
7	0.32	0.40										0.21	7
8	0.29	0.18		0.16							0.20	0.24	8
9		0.06		0.04			0.18	0.10			0.08	0.97	9
10	0.30	0.06	0.07					0.02				0.03	10
11	0.03			0.13				0.06		0.17	0.98		11
12								0.03		0.32			12
13	0.18	0.73			1.12								13
14	0.06						0.27	0.21	0.23			0.87	14
15	0.23	0.48			0.15				0.10	0.06	0.10		15
16					0.18		1.00	0.12					16
17		0.20			0.59			0.08					17
18		0.23			0.02								18
19				0.12	0.05								19
20	0.25			0.05								0.04	20
21		0.15		0.04			0.13		0.02	0.28	~~0.07~~	0.24	21
22	0.07	0.04	0.48				0.70		0.03		~~0.03~~	0.25	22
23			0.40				0.08		0.03	0.47	0.	0.63	23
24				0.02			0.13			1.00		0.08	24
25			0.06			0.37	0.11		0.14			0.25	25
26		0.03				0.02	0.31			0.04		0.35	26
27	0.06					0.02	0.03			0.40			27
28		0.09				0.02			0.50	0.15			28
29						0.70					0.04	0.10	29
30		╳								1.13	0.20	0.28	30
31	0.25	╳		╳		╳			╳		╳	0.20	31
Total	3.14	3.48	1.41	1.32	2.57	1.18	4.47	1.48	2.11	4.38	1.60	6.15	YEAR'S TOTAL 33.29
Rain Days.	16	18	6	10	9	6	12	10	9	11	6	21	134

W. 8,000. X. 15.

Som 9L

020

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

9 JAN 1917

Kept at Kewstoke
in the County of Somerset
by H. Ruddle

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Weston S Mare
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						0.19	0.34		0.07	0.75			1
2	0.95	0.13			0.30				0.04	0.73	0.15		2
3		0.62	0.01		0.30		0.04			0.32	0.13		3
4	0.45	0.15				0.56			0.14	0.12	0.58		4
5	0.03				0.40					0.03	0.03		5
6	0.07	0.22	0.18		0.23	0.32	0.27				0.43		6
7		0.04			0.10	0.03		—		0.32	0.36	0.37	7
8		0.20				0.20							8
9	0.19	0.11			0.34						0.08		9
10		0.43								0.17			10
11	0.04	0.18		0.37	0.21								11
12	0.04	0.65	0.18	0.01	0.20		0.16			0.35 ~~0.16~~			12
13		0.22	0.33							~~0.22~~			13
14				0.08	0.33			0.40		0.02 ~~0.14~~			14
15		0.18						0.32					15
16	0.13	0.02		0.46				0.35	0.01	0.16			16
17	0.14							0.02	0.35	0.22	0.18		17
18		0.25		0.08					0.01	0.14			18
19	0.13		1.00	0.09							0.25		19
20			0.30			0.29					0.09	0.95	20
21	0.10		0.53								0.05	0.05	21
22					0.09					0.20	0.18	0.38	22
23	0.21			0.06		0.03		0.32				0.21	23
24		0.40		0.48	1.44			0.08		0.84		0.28	24
25		0.30	0.08					0.47	0.01			0.25	25
26	0.06	0.15	0.20			0.22		0.03	0.70	0.53	0.22		26
27			1.25		0.06			0.29	0.43	0.43			27
28		0.20						0.97	0.02	0.63		0.52	28
29		0.32	0.20			0.44		1.58		0.57		0.42	29
30		×								0.47		0.02	30
31		×		×		×			×	0.23	×	0.05	31
Total	2.45	4.77	4.26	1.63	4.02	2.28 ~~2.26~~	0.81	3.93	1.7.8 1.78	7.23	2.73	3.50	YEAR'S TOTAL 39.39
Rain Days.	13	19	11	8	12	9	4	11	10	20	13	11	141 ~~139~~

W. 8,000, VIII. 16

FORM A. BRITISH RAINFALL. 28 JAN 18

REGISTER OF RAINFALL IN 1917

Kept at Kewstoke Weston-S-Mare

in the County of Somerset

by H. Ruddle

Lat. .... Long. ....

Time of Observation 9. AM

Nearest Railway Station Weston S Mare

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. foot in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.02			0.30				1.25			0.10		1
2	0.05			0.04		0.14		0.02			0.53		2
3							0.33	0.06		1.03			3
4		0.20	0.38	0.33					0.51				4
5	0.21					0.15				0.70	0.32		5
6			0.12							0.10			6
7										0.14		0.14	7
8									0.32	0.73			8
9			0.12	0.04	0.29		0.99	1.09					9
10	0.20		0.12				0.05			0.27			10
11	0.02		1.07	0.43				0.45					11
12					0.42 ~~0.42~~			0.13	0.12	0.95			12
13						0.36		0.29	0.14				13
14								0.42		0.15			14
15			0.23	0.04			0.10						15
16		0.15		0.04	0.12		0.13		0.02	0.29		0.29	16
17				0.10			0.35						17
18							0.40		1.06				18
19			0.04			0.18		0.46					19
20		0.98			0.34	0.18							20
21		0.03						0.13					21
22			0.26			0.03		0.38					22
23						0.18		0.07					23
24						0.08		0.35	~~0.57~~	0.57			24
25		0.26	0.04			0.03			~~0.45~~	0.45			25
26					0.33	0.14		0.85	0.12 0.26	0.12 ~~0.26~~	0.28		26
27					0.66	0.25		0.70					27
28			0.14			1.79		0.68					28
29						0.20		0.04					29
30		X						0.26		0.56			30
31		X	0.25	X	0.19	X			X	0.12	X		31
Total	0.50 .50	1.62 1.62	~~2.15~~ 2.77	1.32	2.35	~~4.06~~ 3.71	~~2.3~~ 2.35	~~7.59~~ 7.63	~~2.37~~ 2.49	~~6.11~~ 6.13	~~4.13~~ 1.23	0.41 .43	YEAR'S TOT. ~~28.76~~ 32.53
Rain Days.	5	5	12	8	7	13	7	18	~~18~~ 8	14	4	2	1[illegible]2

W. 8,000, IX. 17.

~~103~~

WESTON-S-MARE

WORLE

SPRINGFIELD HSE

SOMERSET

1920

8 JAN 1921

FORM A. 1. METEOROLOGICA RGANIZATION.

REGIST 20.

Kept at Springfield Hous 9 am.

once

in the County of Somer Rain Gauge 5 in.

by James Stuckey (late bove Ground 1 ft. 18 in.

„ Sea Level 1 ft.

IMPORTANT NOTE.—Rain entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·25	·08	·22	·17	·13	·53	1
2							·48	·38	·06	·18		·06	2
3							·21			·31		·07	3
4							·11	·87		·12			4
5							·49			·08			5
6							·06			·13	·06		6
7							·15						7
8							·20	·05					8
9							·05	·08					9
10							·47						10
11							·14						11
12								·02		·09			12
13													13
14							·04		·17	·68	·33		14
15							~~[illegible]~~		·15	·60	·10		15
16							·50	·07	·35	·25	·56		16
17							·04	·02	·61	·01			17
18							·07	·36	·42				18
19								03					19
20							·03					·14	20
21							·04					·06	21
22							·05	·14				·38	22
23												·45	23
24							·60				·01	·08	24
25							·63				·07		25
26											·05	·05	26
27							·02				·07	·15	27
28							·04					·03	28
29							·10				·18	·26	29
30		X					·27		·25		·33	·19	30
31		X		X		X	·02		X	·28	X	·24	31
TOTAL							5·03	2·04	2·23	3·16	1·77	2·63	YEAR'S TOTAL 16·80
Days with ·01 in. or more							25	11	8	12	11	14	
Days with ·04 in. or more							20	7	8	[illegible]	8	12	

over

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

- 8 JAN 1921

Kept at Springfield House, Wrec

in the County of Somersetshire

by James Stuckey (late of Wraxellon, Bedford N. Devon.)

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Wrec

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 18 in.

" " " " Sea Level ? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·25	·08	·22	·17	·13	·53	1
2							·48	·38	·06	·18		·06	2
3							·21			·31		·07	3
4							·11	·87		·12			4
5							·49			·08			5
6							·06			·13	·06		6
7							·15						7
8							·20	·05					8
9							·05	·08					9
10							·47						10
11							·14						11
12								·02		·09			12
13													13
14							·07		·17	·68	·33		14
15							~~44~~		·15	·60	·10		15
16							·50	·07	·35	·25	·56		16
17							·04	·02	·61	·07			17
18							·07	·36	·42				18
19								03					19
20							·03					·14	20
21							·04					·06	21
22							·05	·14				·38	22
23												·45	23
24							·60				·01	·08	24
25							·63				·07		25
26											·05	·05	26
27							·02				·07	·15	27
28							·04					·03	28
29							·10				·18	·26	29
30							·27		·25		·33	·19	30
31							·02			·48		·24	31
TOTAL							5·03	2·04	2·23	3·10	1·77	2·63	YEAR'S TOTAL ~~16·80~~
Days with ·01 in. or more							25	11	8	12	11	14	
Days with ·04 in. or more							20 X	X 7			8 X	X 12	

+ over

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WESTON-SUPER-MARE
LEYCROFT HSE
SOMERSET
1911 - 1917

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REG 1911.

Kept at Leycroft House top 8 in.

above Ground 1 ft. in.

in the County of Somers „ Sea Level 12 ft.

9 a.m.

by Charles Bro tion { Name Weston-super-mare. Distance 1 mile Direction north.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·02	·04			·19			·07		1
2			·02	·33	·29			·30		·02	·30	·01	2
3			·02		·24						·09	·04	3
4			·15							·01	·23	·49	4
5	·05		·05					·17			·55	·01	5
6	·07		·11					·06			·33	·35	6
7	·05										·40		7
8	·09		·28								·01	·33	8
9	·06										·20	·35	9
10	·08	·02	·16		·55						·02	·23	10
11	·30		·01		·02						·78	·28	11
12			·75								·37	·18	12
13									·46	·05	·08	·59	13
14		·08									·02	·85	14
15		·07				·08					·19	·09	15
16						·07					·24	·08	16
17		·08				·04					·03	·17	17
18		·30	·11	·15		·22						·18	18
19		·07		·02		·22			·13	·18		·38	19
20	·01	·02	·19	·37					·28	·03		·28	20
21		·14	·02			·05				·41		·23	21
22		·01	·18	·05		·16				·11		·57	22
23	·08	·07	·17			·03				·11	·06	·21	23
24	·01	·33				·62		·10	·09	·47		·15	24
25		·15		·19		·09				·02		·58	25
26		·08		·35	·08		·01			·14	·08	·36	26
27		·42	·10	·01				·40	·06		·02	·15	27
28		·39		·62							·09		28
29				·15		·39	·04	·08	·07	·38			29
30			·05			·01				·19	·03	·08	30
31										·20			31
Total	·80	2·23	2·37	2·26	1·22	1·98	·05	1·30	1·09	2·32	4·19	7·22	TOTAL for year 27·03
No. of Rain Days.	10.	15.	16.	11.	6.	12.	2.	4.	6.	14.	22.	26.	147.

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911.

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at Leycroft House Weston-s-Mare

in the County of Somerset 2

by Charles Brown.

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 12 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Weston-super-Mare
Distance 1 mile Direction north

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-			·02	·04			·19			·07		1
2			·02	·33	·29			·30		·02	·30	·01	2
3			·02		·24						·09	·04	3
4			·15							·01	·23	·49	4
5	·05		·05					·17			·55	·01	5
6	·07		·11					·06			·33	·35	6
7	·05										·40		7
8	·09		28								·01	·33	8
9	·06										·20	·35	9
10	·08	·02	·16		·55						·02	·23	10
11	·30		·01		·02						·78	·28	11
12			·75								·37	·18	12
13									·46	·05	·08	·59	13
14		·08									·02	·85	14
15		·07				·08					·19	·09	15
16						·07					·24	·08	16
17		·08				·04					·03	·17	17
18		·30	·11	·15		·22						·18	18
19		·07		·02		·22			·13	·18		·38	19
20	·01	·02	·19	·37					·28	·03		·28	20
21		·14	·02			·05				·41		·23	21
22		·01	·18	·05		·16				·11		·57	22
23	·08	·07	·17			·03				·11	·06	·21	23
24	·01	·33				·62		·10	·09	·47		·15	24
25		·15		·19		·09				·02		·58	25
26		·08		·35	·08		·01			·14	·08	·36	26
27		·42	·10	·01				·40	·06		·02	·15	27
28		·39		·62							·09		28
29				·15		·39	·04	·08	·07	·38			29
30			·05			·01				·19	·03	·08	30
31										·20			31
Total	·80	2·23	2·37	2·26	1·22	1·98	·05	1·30	1·09	2·32	4·19	7·22	TOTAL for year 27·03
No. of Rain Days.	10.	15.	16.	11.	6.	12.	2.	4.	6.	14.	22.	26.	147.

W. 8,000, X. '11.

Eng 92 Co. [illegible] surv. stats. 17.IV.13

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.
20 JAN 1913

Kept at Weston super Mare
in the County of Somerset 2
by Chas. Brown

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			24			35						19	1
2			03			14	21		13	55	03		2
3	.01		10			23	02	32		02	03	01	3
4	.28		67			21		08			20		4
5	36		18		03			03				09	5
6	53	17	01		09		05	1.05				06	6
7	03	22	18		22	56					02	09	7
8	45	13	14			10	12					04	8
9	03	05	01	21		15	06	11			02	43	9
10	14	06				56					06	04	10
11	09	01									03	43	11
12	08	52	13	12	02		03					07	12
13	10											16	13
14	07		83		07			26					14
15	41	16			28	52						63	15
16	79		36		12	02		1.15		06	14	10	16
17	16		10		01	13		30			02	27	17
18	04		63					61		10	01	22	18
19	01	04	08			01	29	06		19		01	19
20		04	19		14			44		52			20
21	61	19	21		75		04	84		15	01		21
22	36	19	03		03		07				02	03	22
23	14	43	43		01	12		98		10	07	30	23
24			03			23		24				11	24
25						72				12	41	39	25
26		03						48		53	60	14	26
27		01				23	84			91	02	59	27
28		04				17	22		05	27	34	71	28
29		02	01			05	34		58	30		08	29
30						10	35		03	29		02	30
31			40				33					07	31
Total	4.69	2.31	4.99	.33	1.77	4.60	2.97	6.87	·79	4.11	2.03	5.28	YEAR'S TOTAL 40.74
Rain Days.	20	17	22	2	12	19	14	14	4	14	17	26	181

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 19~~11~~13

FORM A.
BRITISH RAINFALL.
15 JAN 1914

Kept at *Weston Super Mare*
in the County of *Somerset*
by *Charles Brown*

2

Lat. Long.
Time of Observation *9*
Nearest Railway Station *Weston Super Mare*
Diameter of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. in.
" " " " Sea Level *about 20* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02	17	19	04					16		09	17	1
2	04	06		04	03					28	11	02	2
3	07		07		28							45	3
4	1.27		05		07				70	28	02	21	4
5		07	03		28	26	20		25		11	17	5
6	03	05	12			20				64	27	55	6
7		09	06		20	13	10			39	25		7
8		03			15					10			8
9		10	02	02	06	40		08			06		9
10	26				11			08		43	25		10
11	53			01	06	02					1.24	03	11
12	10				09			03	07		33		12
13	06	02	05					05	28		12		13
14	10		19	02					01		22	01	14
15	25	02	37	41				04	06		20	04	15
16	17		40	03			02		07				16
17	13			03							01		17
18	15		05	15						07	.03		18
19	23		02		03	36			28	09			19
20	21		11	05			24				14		20
21				35	35						36		21
22	70		80	13		17			23				22
23	01							27	02		16	.30	23
24	08			07									24
25		03		21					03	02	05	06	25
26				17				.09					26
27	10		08	26						08	.01	13	27
28	24		03	23	01			~~13~~		36		06	28
29	01		39	26				13		08	.03		29
30	32			03						41	.07		30
31	18		04		17			16					31
Total	5.26	.64	3.07	2.51	1.89	1.54	.56	.93	2.16	3.23	4.13	2.20	YEAR'S TOTAL 28.12
Rain Days.	24	10	19	19	14	7	4	9	12	13	22	13	166

W.7,000, XI. 13

Exd BJ

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

14 JAN 1915

Kept at Weston Super Mare

2

in the County of Somerset

by Charles Brown

Lat. Long.

Time of Observation 9. am

Nearest Railway Station Weston Super Mare

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			15	10		09	24	41			04		1
2					01		47				54	48	2
3	06		16	18	16						17	08	3
4	15		12	19	14		17	09			70	52	4
5	04		19	45				08			05	24	5
6		04	04	14	01		04	10			06	15	6
7	02	35	29	27	24	02	26	20			01	03	7
8	17		65	01	07	63	07						8
9	19	03	30	10	03			10	42				9
10		09		12	16	02			71				10
11		08	66		11	20	66		06		05	50	11
12		14	12						21	01	04	22	12
13		18	22				02		51	29	06	15	13
14		08	22					93	01	10	16		14
15		01	25					12	08		30		15
16	01		02				10		29				16
17		45	25				04			01		27	17
18		08	06				05	28				27	18
19		04	20				90				03	10	19
20		08	21			03						20	20
21		36	–				02			24			21
22		07	13		09	14		24		12			22
23		03	12		14					16			23
24	03		04		02					11	35		24
25			20					39		47	02	27	25
26	10	06	21				04			11	21	29	26
27	02									27	18	04	27
28			09		04					14	67	85	28
29	30		36		18					05	08		29
30			01							13	25	54	30
31					01		27			20		09	31
													YEAR'S TOTAL
Total	1.12	2.17	5.27	1.56	1.41	1.13	3.35	2.94	2.29	2.41	3.97	5.29	32.91
Rain Days.	11	17	26	9	15	7	15	11	8	15	20	19	173

W. 8,000. X. 14.

Brown

2139

FORM A.
BRITISH RAINFALL.
19 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Leycroft House, Weston Super Mare

in the County of Somerset

by Charles Brown

2

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Weston Super Mare

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. ...... in.

" " " " Sea Level 15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	22	28			16			27	77	29		20	1
2	06	11	20	11		06		20	20	03		24	2
3	02	02	10	36	13			02				28	3
4	02	03			04		1.15					65	4
5	06	29		04								23	5
6	40	05		22			45	21				16	6
7	35	37		05			20	02			01	25	7
8	31	15									09		8
9		04		04				12			27	77	9
10	29	05	05	06						02		02	10
11	01		06	05				15		07	82		11
12	16	35		10	38			02		21	08		12
13	03	27			69		27		13				13
14	05	02					13	15	04	02		60	14
15	18				13		30		07		10	04	15
16		31			12		65	66					16
17		15			45			08					17
18		16			02								18
19		04			05		16						19
20	28			10						03		08	20
21	14	12					38			22		02	21
22	06	10	53	11			20		03			09	22
23		02	26	11						78		61	23
24			04	01			15		09	56		22	24
25			02			36				02		24	25
26		01				01	38					32	26
27						03	20			47			27
28								02	57	22		02	28
29		12				55	.15				02	04	29
30	26	X		02		59				49	09	30	30
31		X		X		X		12	X	70	X	15	31
Total	2.90	3.06	1.26	1.27	2.17	1.60	4.77	2.04	1.90	4.13	1.48	5.53	YEAR'S TOTAL 32 11
Rain Days.	18	22	8	13	10	6	14	13	8	15	8	22	157

W. 8,000. X. 15

Exe D.L

2078

FORM A.
BRITISH RAINFALL.
18. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Weston Super Mare

in the County of Somerset

by Charles Brown

Lat. Long.

Time of Observation 9. am

Nearest Railway Station Weston Super Mare

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level about 15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	24				13	16	26		02	50	13		1
2	58	07	03		08				05	60	03		2
3		53			19	01	01			25	20		3
4	37	17			23	51			10	08	50		4
5	23	01			24	17				02	08		5
6	07	25	02		13	56	29			08	27		6
7	03	10	08		07	20				13	33	17	7
8		20	10		17	24						15	8
9		01			14	01				05	05	02	9
10		32		06	04							03	10
11	.01		01	38	06	05				20			11
12	03	12	04		22		12						12
13		47	39										13
14		40	02	10	29			10					14
15	05	13	08	07	04			12		02			15
16	07	03		39				50	01				16
17	12	24		03				36	33	37	26		17
18		10	25	03				08		12	12	05	18
19	08		72	19							09		19
20	19	12	30	02							11	84	20
21	09		58		06							28	21
22	01			05		18				08	02	70	22
23	03	28		30		06		32		04	17	11	23
24		07		07	1.20	03		05		68		20	24
25	02	33	24		01			55		06	23	08	25
26	.02	11	13			20		21	72	44			26
27		05			10	06		03	40	28			27
28		21	1.28					03	12	49		48	28
29		48	21			.52		1.83	03	49		42	29
30		X								37		02	30
31		X		X		X		03	X	06	X	08	31
Total	2.24	4.80	4.48	1.69	3.40	2.96	.68	4.21	1.78	5.41	2.59	3.63	YEAR'S TOTAL 37.87
Rain Days.	18	24	17	12	18	15	4	13	9	22	15	15	182

W. 8,000, VIII. 16

1986

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Weston Super Mare

in the County of Somerset

by Charles Brown

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Weston Super Mare

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02		41	34		15		87	25		09		1
2	07			02		15					09		2
3				04		~~34~~	34			1.14	14		3
4		18	07			~~08~~	08	04	01	17		01	4
5	23		24	33		16			15	52	19		5
6			07			05				08	21	01	6
7	30					~~25~~	25	23		13			7
8			18	08		~~74~~	74	80	13	70	16	08	8
9				05	05	~~06~~	06	12	16	36	06		9
10	24		15	15				35	05				10
11	02		92	38	08			04		08	06		11
12	02				64	01		48		1.12			12
13			13	01		07		14	08	13		01	13
14			15	04				25	17				14
15				04		~~04~~	04	24		12	01	22	15
16		22		11						18		10	16
17		02		01	08	~~38~~	38	05	32	08	05		17
18	02	02			02	~~32~~	32	06	69				18
19		51	02			10		06	07		06		19
20		18			34	09					01		20
21			39			02		.02		02			21
22						02		.11		13			22
23		16			07			37			05	02	23
24			03			20 ~~03~~	03	19		27	01		24
25		12	03					62		61	04		25
26			02		21			60	25	33	05		26
27					66	24		69					27
28			08		08	1.38		54		03			28
29			13			20				42		18	29
30		X	01					20		26			30
31		X	11	X		X	10	07	X	08	X	05	31
Total	.92	1.41	3.14	1.60	2.23	2.84	2.34	6.54	2.33	6.96	1.28	.68	YEAR'S TOTAL 32.27
Rain Days.	8	8	18	13	10	14	10	24	12	22	16	9	164

W. 8,000, IX. 17.

7th
Mid-Wessex.

WEST COKER
SOMERSET

1913 - 1915

FORM A.
BRITISH RAINFALL.

8 APR 1914

REGI 1913.

Kept at West Co

in the County of So

by Arthur

Long.

on

Station

Gauge in.

Gauge above Ground ft. in.

" " Sea Level ft.

IMPORTANT NOT a.m. and the result entered to the previous day. If an Observer prefers not to conform host universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				–									1
2				·03									2
3				·22									3
4				·02									4
5				·02									5
6				–									6
7				–									7
8				–									8
9				–									9
10				–									10
11				·16									11
12				–									12
13				–									13
14				·02									14
15				·63									15
16				·03									16
17				·01									17
18				·06									18
19				–									19
20				·13									20
21				·24									21
22				·28									22
23				–									23
24				·05									24
25				·20									25
26				·79									26
27				·53									27
28				·40									28
29				·39									29
30				–									30
31													31
Total				4·21									YEAR'S TOTAL
Rain Days.				19									

7th
Mid-Wessex

REGI 1913.

S.C. Wg.

Kept at West Coker

in the County of Somerset 3

by Arthur Scratton
Rev. H A Boys

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

FORM A.
BRITISH RAINFALL.
-8 APR 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				-									1
2				·03									2
3				·22									3
4				·02									4
5				·62									5
6				-									6
7				-									7
8				-									8
9				-									9
10				-									10
11				·16									11
12				-									12
13				-									13
14				·02									14
15				·63									15
16				·03									16
17				·01									17
18				·06									18
19				-									19
20				·13									20
21				·24									21
22				·28									22
23				-									23
24				·05									24
25				·20									25
26				·79									26
27				·53									27
28				·40									28
29				·39									29
30				-									30
31													31
Total				4·21									YEAR'S TOTAL
Rain Days.				19									

W.7,000, XI. 13

cd /w W.D. 12.III.15   Exc DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
12 JAN 1915
W. R

Kept at West Coker. Yeovil
in the County of Somerset
by Arthur Scratton

3

Lat. .... Long. ....
Time of Observation 9.30 AM
Nearest Railway Station Sutton Bingham L & S W.R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .40

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.12	.11			.02		.16			.54	.42	1
2			.05			.02	.17	.35			.13	.07	2
3	.01			.02	.09		.63	.01			1.56	.54	3
4	.01		.06	.09	.47		.11	.11			.12	.09	4
5	.17		.02	.20	.07		.15	.42			.33	.62	5
6	.05		.14	.26	.07		.11				.06	.03	6
7		.26	.02	.09	.01	.04					.01	.43	7
8		1.16	.07	.02	.09	.02		.05	.03		.01	.24	8
9	.04		.79	.12	.11	.15		.10				.07	9
10			.27	.37	.10	1.01		.17	.66			~~.06~~	10
11	.04	.63	.03	.07	.06	.01			.33		.05	.06 ~~.43~~	11
12		.17	.30		.08	.22					.03	.43 ~~.49~~	12
13		.16	.07						.23	.04	.01	.49	13
14		.50	.41						.20	.27	.21	.62	14
15	.03	.30	.43			1.96		.78		.24	.32	.08	15
16			.10					.35	.01	.04	.16	.01	16
17									.26			.05	17
18		.44	.25						.02			.73	18
19		.02	.05									.34	19
20		.03	.55						.11		.08	.02	20
21		.65	.09									.50	21
22		.76				.80		.03	~~.23~~	.23			22
23		.04			.25	.10		.01	~~.33~~	.33			23
24		.09	.18		.03				~~.15~~	.15			24
25			.01		.15					.33	.09	.06	25
26	.07		.25					.27		.29	.04	.45	26
27	.16		.12					.33		.04	.34	.72	27
28										.05	.10	.35	28
29			.31		.02				.01	.02	.20	.99	29
30	.17	✕	.12		.20	.11				.21	.72	.08	30
31		✕	.09	✕		✕			✕	.29	✕	1.14	31
	.12	.11	-	-	.02	-	.16	-	-	.54	.42	.40	YEAR'S TOTAL
Total	~~.75~~ .87	~~5.33~~ 5.32	~~4.89~~ 4.78	~~1.24~~ 1.24	~~1.80~~ 1.82	~~4.46~~ 4.44	~~1.17~~ 1.33	~~3.14~~ 2.98	~~1.86~~ 1.86	~~2.53~~ 3.07	~~5.11~~ 4.99	~~9.63~~ 9.61	~~41.91~~ 42.31
Rain Days.	~~10~~ 11	15	~~26~~ 25	9	~~15~~ 16	~~12~~ 11	~~5~~ 6	~~14~~ 13	10	~~14~~ 15	21	27	179

W. 8,000. X. 14.

All entered on day of taking. AS

corrected for WD 11.v.16

Exe 8L

2159

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

8 - JAN 1916

Kept at West Coker

in the County of Somerset

by Arthur Scratton

3

Lat. 51 Long. 2.50

Time of Observation 9.15. A.M.

Nearest Railway Station Yeovil

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .33

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.40	.01	.11	—	—		.29	.10			.68	.56	1
2	.43	.13	—	—	.02			.26	.14	.30		.16	2
3	.60	.26	.05	.10	—	.05		.44	.07	.08		.35	3
4	.04	.29	.11	.08	.23		.05			.01	.01	.35	4
5	.03	.06	—	—				.07				.27	5
6	.06	.98	—	.12			.32	.10				.44	6
7	.65	.12	—	.41			.57	.06				.23	7
8	.19	.45	—	.06			.13				.01	.29	8
9	.08	.37	—	—				.15				.07	9
10		.01	—	.04						.01	.32	.48	10
11	.18	.07	.05	.07				.01		.04		.07	11
12	.06	.06	.02	.11	.02			.02		.02	.89	.02	12
13	.21	.57		.11	.58			.14		.14	.25	—	13
14	.05	.47			.79			.50	.11		.14	.02	14
15	.02	.11					.12	.22	.11		.02	.91	15
16	.12	—			.25		.10			.09	.11	.25	16
17		1.47			.25		.64					.22	17
18		.60			.29			.06		.01		.03	18
19		.31			.06					.01		—	19
20		.02			.13		.16					—	20
21	.15	—		.23		.06				.05		.09	21
22	.24	.07					.07			.40		.30	22
23	.10	.09	.29	.04			.52		.03	.01		.30	23
24		.02	.04				.11		.16	1.57	.02	.23	24
25		—	.01	.07			.09		.33	.45		.41	25
26		—	.02	.02			.47					.20	26
27		.14				.33	.30		—			.95	27
28		.03				.41	.41		.02	.62		.02	28
29						.12			.64	.12	.02	.01	29
30		X				.59	.41	.02	.06	.01	.22	.11	30
31	.11	X		X		X			X	.65	X	.46	31
	.01	.11	—	—	—	.29	.10	—	—	.68	.56	.33	YEAR'S TOTAL
Total	~~3.72~~	~~6.71~~	~~.70~~	~~1.46~~	~~2.62~~	~~1.56~~	~~4.76~~	~~2.15~~	~~1.67~~	~~4.53~~	~~2.69~~	~~7.80~~	~~40.37~~
	3.33	6.81	.59	1.46	2.62	1.85	4.57	2.05	1.67	5.21	2.57	7.57	40.30
Rain Days.	19	24	~~9~~ 8	13	10	~~6~~ 7	17	~~14~~ 13	10	~~19~~ 20	12	28	181

W. 8,000. X. 15.

These measurements are put down on the day taken & not to the previous day.

WEST COKER
SOMERSET
1911 - 1920

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REGIS II

Kept at West Coker ... 5 in.

...ove Ground 1 ft. ... in.

in the County of Somers... „ Sea Level 265 ft.

by J T Deedes ... 9 am

Name Sutton Bingham
Distance 2½ Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1		1	2								3	1
2				22	27			3		10	21	29	2
3			2		20			15			6	10	3
4	1		12					2	1½		13	41	4
5	5		1							7	10		5
6	33		20					25		6	7	90	6
7	5										31	1	7
8			15								3	77	8
9	18		2								9	75	9
10	2	3	32		72						1	17	10
11	36		1		3						69	6	11
12			78		2			15	1½		3	40	12
13									20			31	13
14		1								2		96	14
15		1	1			7					32	4	15
16						34					47	66	16
17		1	5			11					14	79	17
18		18	11	19		28				3	4	61	18
19		4		2		28			25	15	16	45	19
20	7	7	14			1			15	14		45	20
21	1	14	6	4		1			8	44		14	21
22	16	3	6	2					6	31		40	22
23	2	14	5			21			2	7	2	31	23
24		5				44		7		42		15	24
25		4		6		13		3	6	5		16	25
26		1		18	34			2		24		17	26
27		21	9	7				11	8	23	6	15	27
28		30	1	38				19			6	1	28
29				97		14			7	15	1		29
30						11	12			18	13	1	30
31							2			1			31
Total	127	127	222	217	1.58	2.13	14	102	1.00	2.67	314	9.66	TOTAL for year 28.27
No. of Rain Days	12	15	19	11	6	12	2	10	11	17	21	28	164

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at West Coker Grove

in the County of Somerset 3

by J T Deede

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 265 ft.

Time of Observation 9 am

Nearest Railway Station
Name Sutton Bingham
Distance 2½ Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1		1	2								3	1
2				22	27			3		10	21	29	2
3			2		20			15			6	10	3
4	1		12					2	1½		13	41	4
5	5		1							7	10		5
6	33		20					25		6	7	90	6
7	5										31	1	7
8			15								3	77	8
9	18		2								9	75	9
10	2	3	32		72						1	17	10
11	36		1		3						69	6	11
12			78		2			15	1½		3	40	12
13									20			31	13
14		1								2		96	14
15		1	1			7					32	4	15
16						34					47	66	16
17		1	5			11					14	79	17
18		18	11	19		28				3	4	61	18
19		4		2		28			25	15	16	45	19
20	7	7	14			1			15	14		45	20
21	1	14	6	4		1			8	44		14	21
22	16	3	6	2					6	31		40	22
23	2	14	5			21			2	7	2	31	23
24		5				44		7		42		15	24
25		4		6		13		3	6	5		16	25
26		1		18	34			2		24		17	26
27		21	9	7				11	8	23	6	15	27
28		30	1	38				19			6	1	28
29				97		14			7	15	1		29
30						11	12			18	13	1	30
31							2			1			31
Total	127	127	222	217	1.58	2.13	14	102	1.00	2.67	314	9.66	TOTAL for year 28.27
No. of Rain Days	12	15	19	11	6	12	2	10	11	17	21	28	164

9,000, IX. '10.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
6 - JAN 1913

Kept at West Coker (Grout)
in the County of Somerset 3
by J. T. Deedes

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 265 ft.

Time of Observation 9 am

Nearest Railway Station
Name Sutton Bingham
Distance 2½ Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			12		2	53		34	3	72		38	1
2			43	1	1	7	22	5		3	2	1	2
3	1		11			25	7	54	1		2	3	3
4	14		1.06		4	12					40		4
5	54	24	12		2	3		57			1	21	5
6	27	3			19	3	17	56				2	6
7	4	54	29		6	90	26	12				20	7
8	32	26	88	2		60	1	28				1	8
9	4	2	20	5		1	2	16				19	9
10	3	13	2								2	32	10
11	6	10										48	11
12	1	48	9	7			3	17					12
13								2			1		13
14	17		36		35			1		1			14
15	40	11			17	57		1				2	15
16	84	1	31		7	1		6		3	6	32	16
17	83		12			1		89				2	17
18	13	2	27					34		1	4	1	18
19	1	3	19			8	11	18			1	7	19
20	10	2	31		11		3	30		31		2	20
21		16	24		30		1	13		11			21
22	44	25	4		12			6		11		1	22
23	19	39	9			1		33		13	5	16	23
24	12	2	1			25		8				28	24
25		2				10		29		26	21	52	25
26		4					6	11		26	46	33	26
27			1			21	77			112	5	22	27
28		9				9	4	41	23	56	51	61	28
29		25				1	17	10	58	57		2	29
30					1	28	5		29	26			30
31			40				26					9	31
Total	4.69	3 21	5.67	15	1.47	4.16	2 2 8	6.11	1.14	4.49	1.87	4 5 5	TOTAL for year 39.79
No. of Rain Days.	20	21	22	4	13	20	16	25	5	15	14	25	200

W. 8,000, X. '11.

cmd. 25.111.14 ~~4f~~ DS

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
3 - JAN 1914

✓

Kept at West Coker Grove

in the County of Somerset

3

by G F Deedes

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 265 ft.

Time of Observation 9. am

Nearest Railway Station
Name Sutton Bingham
Distance 2½ Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		30	16	22	11	5	8		19	4	17		1
2	9	11		5	11				1	6	11		2
3	81		1		27				3			16	3
4	86		2		42				38	15	3	18	4
5	4	1			14	13	2		48		10	15	5
6	5	9	14		8	26	7			138		46	6
7	2	30	1		46	2	20			39	3	1	7
8		8			24	2	2			1	25		8
9		2			10	1	10	64	4		24	2	9
10	32	1			3			2		13	27		10
11	60			13	4					17	59		11
12		1			27	1			1	1	20		12
13	6							5	45		15		13
14	21		5	1			1		20	1	10		14
15	15	2	17	48				7	36		1		15
16	12		29	2					2				16
17	1												17
18	9		29	5							3		18
19	70		14			5			34	1			19
20	6		11	11						9	21		20
21			25	17	4		4			7	60		21
22	44		28	20		7		4	16		[illegible]		22
23			2					1			7	67	23
24				3									24
25		6		17								2	25
26				67				24				20	26
27	7		21	48				1		5		3	27
28	8		3	37						34		3	28
29	10		60	33				11		56			29
30	43			1				9		41	1		30
31	15		2				1	91		8			31
Total	496	1.01	2.80	3.50	231	63 ·62	55 ·55	219	2.67	4.16	3.17	193	TOTAL for year 29·87 2987
No. of Rain Days.	22	11	18	17	13	9	9	11	13	18	18	11	170

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

6 - JAN 1915

Kept at West Coker

in the County of Somerset 3

by J F Deedes

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Sutton Bingham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 265 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	2		3				17	38			11	4	1
2				1	7		50				1.46	42	2
3	1		4	7	42		5	10			14	5	3
4	15		1	17	6		12	42			37	54	4
5	4		12	22	6		8				2		5
6	1	18	1	8	1	2	2					36	6
7		100	3	3	11		15	4	2			19	7
8	2	1	59	8	7	15		7			1	6	8
9			43	34	8	96		18	50				9
10	3	52	2	4	4				28		3	4	10
11		15	26		7	20	22				2	32	11
12		14	5						18	3		45	12
13		43	37				1		17	25	19	58	13
14		24	34			1.68	1	64		24	31	7	14
15	2		8				15	32		2	12	1	15
16							1		22			1	16
17		38	20									62	17
18			3				28		2			27	18
19		3	29				70		7		6		19
20		58	20									46	20
21		63				91		2		21			21
22		2			21	4	6			29			22
23		9	16		3		8			19		2	23
24		1	1		13					22	7	3	24
25	5		20				22	25		26	2	43	25
26	1		11				19	30		3	27	56	26
27	14						3			2	7	17	27
28		9	22							3	18	100	28
29	12		14		22		12			17	78	3	29
30			7			8				25	32	104	30
31	8				1		14			50		33	31
Total	70	4.50	4.01	1.04	1.59	4.04	331	2.72	1.46	270	455	8.10	YEAR'S TOTAL 38.72
Rain Days.	13	16	25	9	15	8	21	11	8	15	19	26	186

W. 7,500, XI. 12

Cx 912

2158

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at West Coker
in the County of Somerset
by G A Deeks

3

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Sutton Bingham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 265 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	37	11			1			28	11	30		11	1
2	52	19	3	3		3		26	5	2		29	2
3	3	25	9	13	15		8			1		35	3
4	2	4						3				18	4
5	4	86		7			45	6				38	5
6	58	10		38			53	4				12	6
7	15	39		3			11				2	28	7
8	7	34						12			5	9	8
9	1			2							22	40	9
10	14	5	3	5						4		5	10
11	3	5		11	1			2		2	74	1	11
12	20	44		15	57					12	25		12
13		40			67			54	8		12		13
14	1	6					10	17	10	1	2	75	14
15	10				22		9			7	8	32	15
16		126			21		59						16
17		49			32			2				1	17
18		19								1			18
19		1			9		13						19
20	11			20		5				4		7	20
21	22	6					7			36		27	21
22	10	8	29	2			45		1			27	22
23		2	2				9		15	1.34		30	23
24			1	5			7		31	47		33	24
25			1	1		33	57					9	25
26		10				5	20					79	26
27		1				31	31		1	54		1	27
28		9				10			61	12	3		28
29	8					55	41		2		19	5	29
30						16	1			55	56	47	30
31							6			62		26	31
Total	277	559	48	1.25	225	158	4.26	1.54	1.45	4.64	228	6.25	YEAR'S TOTAL 34.34
Rain Days.	17	23	7	13	9	8	18	10	10	17	11	25	168

W. 8,000. X. 14.

2096

FORM A. BRITISH RAINFALL.
5 JAN 1917

REGISTER OF RAINFALL IN 1916

[illegible]

Kept at West Coker.
in the County of Somerset
by G F Weedes

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Sutton Bingham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 265 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

~~Date~~	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	12		1		55	1	1		29	20	65		1
2	10	11			2				1	20	17		2
3	3	159			19	1			5	52	30		3
4	11	19			3	10			8	4	89		4
5	1	1	3		18	4				2	36		5
6	2	14	2		12	10	30			9	103		6
7		6	23		5	3	33			7	69	20	7
8	1	9	2		10	3					32	11	8
9		1			13	10	13			6	1	12	9
10	2	54		5	4		9			1		13	10
11			6	7					1				11
12	4		6	3	8					2	1		12
13		22	17		1		1	60			1		13
14	1	43			4			12		9			14
15		5	5	8				22	5	3			15
16	5	15	1	15	5		1	69	1	6			16
17	16	19		6				22	29	28	35		17
18	2	1	14					3	15	8	15	8	18
19	10		48	1							18	8	19
20	10	27	36								7	1.41	20
21	4	2	9		6		2				2	22	21
22						3		10		69	1	59	22
23	2	14		2		9		7		4	22	8	23
24				4	104	2		1		92	4	27	24
25		34	10					48	1		21	3	25
26		6	4			22		36	91	85	1		26
27		9	84			1		2	8	53		1	27
28		34						12	30	59		12	28
29		56	6			19		3 11	37	25		24	29
30		X								44			30
31		X		X		X		4	X	21	X	3	31
Total	96	3.61	2.77	·50	269	·98	90	6.10	2.61	6.29	5.70	3.72	YEAR'S TOTAL 38 83
Rain Days.	17	23	18	9	16	14	8	15	14	24	21	16	195

W. 8,000, X. 15.

Exd

2004

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL
5 JAN 1918

Kept at West Coker

in the County of Somerset

by G. H. Deedes

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Sutton Bingham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 265 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			14	32		17		90	2		5		1
2				8		6							2
3	2			5			46	2		14	20		3
4		9	14				1	6		29			4
5	9		23	25		2		7	13	11	8		5
6	1		2			5				5	17		6
7	18						46	28		17		2	7
8	9		6	3			37	49	6	16	10	17	8
9			12	4	3		4	13		16	8		9
10	12		31	28				29	3	1			10
11	2		60	35	2			11	10	13	4		11
12	5				56					17	1	1	12
13				2				25		2			13
14			9	6			18	12	2			1	14
15							36	2	1	14		38	15
16	1	16		17			4	1		31		10	16
17		1		18	2		30	16	55	13			17
18		8			1		5		37		1		18
19		44	14			4		1	13				19
20		7	4		31	6		2	12			3	20
21			19			14		1		1			21
22			1					13		7			22
23		16			12			16		7		2	23
24		4	1			3	10	4		2	2		24
25		12	1					10		9			25
26					21	13		46	6	2	1		26
27					58	19		76	10	1			27
28		2	5		3	193		7				2	28
29			2		1	19	2			86		10	29
30			15				43	9		1			30
31			6							11		1	31
Total	59	1.19	2.39	1.83	1.90	3.01	2.82	4.76	1.70	3.26	.77	.87	YEAR'S TOTAL 25.09
Rain Days.	9	10	19	12	11	12	13	25	13	24	11	11	170

W. 8,000, VIII. 16

137

REGISTER OF RAINFALL IN 19/8

FORM A.
BRITISH RAINFALL
7·1·19

Kept at West Coker

in the County of Somerset

by G. T. Deedes

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Sutton Bingham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 265 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		4		10	13			64			79	1	1
2		20		6				21		4	3	18	2
3		15	1	5	15				1	6	7	1	3
4		2	1					7	27	1	1.22	23	4
5		1	10	2				26	24	19	7	2	5
6	16	10		22	4			8	24	8		14	6
7	1	•11 12				3			35	3	34	19	7
8	2	17			33	2			5	22		7	8
9		1		11		8	76		46	2		33	9
10	3			20			43		11	22	2	49	10
11			12				90		9	40	4	3	11
12		2	9		22		9		7				12
13	29	2			10		26		47	7		5	13
14	13				4	25	1		12	6		12	14
15	1.18			46	1	9	40		2	1		26	15
16	48			24		1	2		34			3	16
17	26			26			29		1			20	17
18	84					43	14		20	6		10	18
19	11	8	3				12			6		6	19
20	5	5		12			5		14	7			20
21	2	+				3	1		40	9	1	14	21
22	2				12		70		31	7		9	22
23	5				7		55	1	2		8	2	23
24		15					1		10		5	3	24
25							12	72			6		25
26							15		1	2	5	19	26
27		10	4					5	18	1	10	2	27
28		13	17									3	28
29			6						1.05		2	1	29
30		✕	39					1	4	10	15	2	30
31		✕	2	✕		✕		2	✕	9	✕		31
Total	3.65	1.37	1.04	1.84	1.21	94	5.01	207	5.25	1.98	310	307	YEAR'S TOTAL 30.53
Rain Days.	15	17	11	11	10	8	18	10	25	22	16	21	190

W. 8,000, IX. 17.

W.M.C.

1880

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at West Coker

in the County of Somerset

by G. F. Deedes

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Sutton Bingham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 285 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		1					80			37			
1	45		5		2		21		2		5	92	1
2	10		2		3				13		7		2
3	87	34	22		11				18		1	12	3
4	17	25	64				13	9	53		4	9	4
5	2	19	80			3	3		20		1	10	5
6	58		1									20	6
7	17		33	11									7
8	33		19								30		8
9	4		1	21	12								9
10	12		15				30			6		43	10
11			22	14	20		2				6	7	11
12	11		3	1		1	3			6		3	12
13	8		2	70			15			13		12	13
14	46	6		57	15							25	14
15	19	8		1	1						20	19	15
16	3	47			1			30			3	1	16
17	3	28					7				4		17
18	11	2	62				91	1			12		18
19	46	17	62			6	90	37	41			5	19
20	32	4	8			35		37					20
21	9	60					18					6	21
22		1					16		3			6	22
23									42	34	[illegible]	1	23
24				1		7	1			76	7	31	24
25	19			2		2		22			2	6	25
26	2		6			1		5	3			31	26
27	14		8	26			1	106			~~37~~	3	27
28		7	24					16			37	24	28
29				10				16		6	~~55~~	1	29
30	1	X		13		23		71		2	55	55	30
31		X	1	X		X			X		X	28	31
Total	509	259	449	227	65	78	3.11	3.50	195	180	1.94	450	YEAR'S TOTAL 3258
Rain Days.	24	14	20	12	8	8	14	11	9	8	15	24	167

W. 6,500. VII. 18. w w c

Sp° wms

1794

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at West Coker

in the County of Somerset

by G. F. Deedes

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Sutton Bingham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " Sea Level 265 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			1	13	37		31		10	5	13	40	1
2	53			17			12	69	7	5		9	2
3	2	9		7			64		1	65.		2	3
4			1	8			30	43		25			4
5		1	13	11	3		50	36		13			5
6			31	7	12		17			5			6
7	1		3	42	13		34						7
8	10	10		18	2		38					1	8
9	36			8		10	11						9
10	59	3	11	3		11	24				1		10
11	13		8	36	23	2.	7						11
12	12	1	4	12		20	1				16		12
13	15	2	47	8						13		1	13
14	1	1	24	76					11	26	30		14
15		12	2	61	21	3	1		1	19	1		15
16			1	2		1	19		25	4			16
17				21	24	1			34				17
18	8		13	9	12	18	6	40	17			2	18
19	4			14	9	22							19
20	2	21		13		37						30	20
21				2			10			2		5	21
22	1			12			1	1				32	22
23	1						58	3				22	23
24		1	25								13	7	24
25	4	6	9	1	26		32						25
26	35		16			2	3				7	12	26
27	75	4	15	19		11	2				1	20	27
28	73		5	4	1	1	3					5	28
29	45	1	21	2							22	16	29
30	10			2	7	12	4		55	7	37	35	30
31			28							41		10	31
TOTAL	4.60	72	2.78	4.28	1.90	1.51	4.58	1.92	1.61	2.30	1.41	249	YEAR'S TOTAL 30.10
Days with ·01 in. or more	21	13	20	27	13	14	23	6	9	13	10	17	186
	15	6	15	21	10	8	17	4	7	12	7	13	135

(44,283). W 21,958—2/18. 7500. 10/19. Gp.132. A.&E.W.

WILLITON
CAPTON

SOMERSET

1914 - 1916

REGIST 14

FORM A.
BRITISH RAINFALL
5 - JAN 1915

Kept at Capton. W
in the County of Somers
by Rev. Henry H. Tr

ng.
9 a.m
on Williton
ge 5 in.
e above Ground 1 ft. — in.
„ Sea Level over 300 ft.

IMPORTANT NOTE.—Rain should be measured daily and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·11	—	·15	·48	·16	—	—	·23	·08	1
2	—	—	·02	·03	—	—	1·09	—	—	—	·17	·75	2
3	—	—	·22	·29	·29	—	—	—	—	—	·03	·24	3
4	·28	—	·02	·30	·06	—	·33	·16	—	—	—	·80	4
5	·14	—	·24	·22	·01	—	—	·01	—	—	·50	·08	5
6	—	·04	·07	·21	·02	—	·02	—	—	—	·11	·26	6
7	—	·41	·11	·10	·15	·11	·25	·06	·01	—	—	—	7
8	—	—	·67	·03	·10	·75	—	·03	—	—	—	·08	8
9	—	—	·40	·11	·03	·75	—	·07	·85	—	—	—	9
10	—	·21	·02	·30	·10	·04	—	—	·32	—	·03	·02	10
11	—	·12	·42	—	—	·31	·03	—	·12	—	·05	·63	11
12	—	·44	·02	—	—	—	—	—	·13	·03	—	·44	12
13	—	·29	·50	—	—	—	·02	—	·12	·56	·34	·15	13
14	—	·24	·45	—	—	·03	—	·77	—	·12	·31	—	14
15	—	—	·17	—	—	—	·05	·58	—	·03	·28	—	15
16	—	—	·04	—	—	—	·10	—	·13	—	—	—	16
17	—	·24	·35	—	—	—	·01	—	—	—	—	·76	17
18	—	·04	·11	—	—	·47	·06	—	·10	—	—	·34	18
19	—	·04	·36	—	—	—	2.27	—	·01	—	·09	·03	19
20	—	·27	·15	—	—	·14	—	—	—	—	—	·18	20
21	—	·44	—	—	—	·03	—	·01	—	·29	—	·04	21
22	—	·01	—	—	·15	·30	—	·07	—	·09	—	—	22
23	—	·01	·06	—	·02	·05	·09	—	—	·27	—	—	23
24	—	—	—	—	·09	—	·03	·07	—	·07	·06	—	24
25	·14	—	·39	—	—	—	·10	·25	—	·04	·02	·20	25
26	·04	·01	·24	—	—	—	·31	·04	—	—	·20	·52	26
27	—	—	—	—	—	—	·01	—	—	·10	·19	·35	27
28	—	·05	·19	—	·05	—	—	—	—	·07	—	·95	28
29	—	X	·55	—	·17	—	—	—	—	1·09	·57	·15	29
30	—	X	·07	—	—	—	—	—	—	·47	·45	·65	30
31	·01	X	—	X	·03	X	·28	—	X	·93	X	·20	31
Total	·61	2·86	5·84	1·70	1·27	3.13	5·53	2.28	1·79	4·16	3·63	7·90	YEAR'S TOTAL 40·70
Rain Days.	5	16	25	10	14	12	18	13	9	14	17	23	176

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Capton. Williton

in the County of Somerset

by Rev. Henry H. Tripp. M. A.

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Williton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level over 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·11	—	·15	·48	·16	—	—	·23	·08	1
2	—	—	·02	·03	—	—	1·09	—	—	—	·17	·75	2
3	—	—	·22	·29	·29	—	—	—	—	—	·03	·24	3
4	·28	—	·02	·30	·06	—	·33	·16	—	—	—	·80	4
5	·14	—	·24	·22	·01	—	—	·01	—	—	·50	·08	5
6	—	·04	·07	·21	·02	—	·02	—	—	—	·11	·26	6
7	—	·41	·11	·10	·15	·11	·25	·06	·01	—	—	—	7
8	—	—	·67	·03	·10	·75	—	·03	—	—	—	·08	8
9	—	—	·40	·11	·03	·75	—	·07	·85	—	—	—	9
10	—	·21	·02	·30	·10	·04	—	—	·32	—	·03	·02	10
11	—	·12	·42	—	—	·31	·03	—	·12	—	·05	·63	11
12	—	·44	·02	—	—	—	—	—	·13	·03	—	·44	12
13	—	·29	·50	—	—	—	·02	—	·12	·56	·34	·15	13
14	—	·24	·45	—	—	·03	—	·77	—	·12	·31	—	14
15	—	—	·17	—	—	—	·05	·58	—	·03	·28	—	15
16	—	—	·04	—	—	—	·10	—	·13	—	—	—	16
17	—	·24	·35	—	—	—	·01	—	—	—	—	·76	17
18	—	·04	·11	—	—	·47	·06	—	·10	—	—	·34	18
19	—	·04	·36	—	—	—	2.27	—	·01	—	·09	·03	19
20	—	·27	·15	—	—	·14	—	—	—	—	—	·18	20
21	—	·44	—	—	—	·03	—	·01	—	·29	—	·04	21
22	—	·01	—	—	·15	·30	—	·07	—	·09	—	—	22
23	—	·01	·06	—	·02	·05	·09	—	—	·27	—	—	23
24	—	—	—	—	·09	—	·03	·07	—	·07	·06	—	24
25	·14	—	·39	—	—	—	·10	·25	—	·04	·02	·20	25
26	·04	·01	·24	—	—	—	·31	·04	—	—	·20	·52	26
27	—	—	—	—	—	—	·01	—	—	·10	·19	·35	27
28	—	·05	·19	—	·05	—	—	—	—	·07	—	·95	28
29	—	X	·55	—	·17	—	—	—	—	1·09	·57	·15	29
30	—	X	·07	—	—	—	—	—	—	·47	·45	·65	30
31	·01	X	—	X	·03	X	·28	—	X	·93	X	·20	31
Total	·61	2·86	5·84	1·70	1·27	3.13	5·53	2.28	1·79	4·16	3·63	7·90	YEAR'S TOTAL 40·70 ✓
Rain Days.	5	16	25	10	14	12	18	13	9	14	17	23	176 ✓

W. 8,000. X. 14.

2196

FORM A. BRITISH RAINFALL. 4. JAN 1916

REGISTER OF RAINFALL IN 19*15*

Kept at Capton Williton

in the County of Somerset

by Rev. Henry H. Tripp M.A.

4

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Williton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·46	·02	—	—	—	—	—	·84	·14	·32	—	·20	1
2	·18	·22	·02	·04	—	—	—	·35	—	·02	—	·57	2
3	·01	·07	·03	·07	·11	—	—	—	—	—	—	·27	3
4	—	·15	—	—	·08	—	·60	·29	—	—	—	·85	4
5	·12	·68	—	·09	—	—	—	—	—	—	—	·57	5
6	·33	·10	—	·15	—	—	·43	—	—	—	—	·27	6
7	·31	·48	—	·07	—	—	·07	—	—	—	—	·16	7
8	·23	·29	—	—	—	—	—	·12	—	—	·12	·02	8
9	·04	·22	—	—	—	—	—	—	—	—	·22	·84	9
10	·15	·23	—	·09	—	—	—	·09	—	·04	—	—	10
11	·03	·60	·08	—	—	—	—	·02	—	—	1·11	·04	11
12	·19	·58	—	·12	·58	—	—	·42	—	—	·15	—	12
13	·01	·60	—	—	·75	—	—	·14	·07	·08	·18	—	13
14	—	—	—	—	—	—	·23	·12	·06	—	—	·60	14
15	·39	—	—	—	·17	—	·18	—	—	·02	·33	·01	15
16	·01	1·05	—	—	·13	—	·90	—	—	—	—	·01	16
17	—	·30	·02	—	·56	—	—	—	—	—	—	—	17
18	—	·20	—	—	—	—	—	—	—	—	—	—	18
19	—	—	—	—	·09	—	·07	—	—	—	—	—	19
20	·07	—	—	·10	—	·03	—	—	—	·05	—	·10	20
21	·30	·14	—	—	—	—	·01	—	—	·12	—	·21	21
22	·07	·03	·12	·03	—	·09	·17	—	·04	·02	—	·26	22
23	—	·02	·22	—	—	·12	·10	—	—	1·04	—	·52	23
24	—	—	·02	·01	—	—	·18	—	·04	·51	—	·45	24
25	—	—	·06	—	—	·18	·37	—	—	—	—	·15	25
26	—	·16	—	—	—	—	·02	—	—	—	—	·61	26
27	—	·06	—	—	—	·07	·03	—	·13	·51	—	—	27
28	—	·09	—	—	—	·01	—	—	·64	·17	—	·04	28
29	—	✕	—	—	—	·20	—	·02	—	—	·10	·30	29
30	·10	✕	—	—	—	·01	—	—	—	·91	·40	·39	30
31	—	✕	—	✕	—	✕	·07	—	✕	·81	✕	·68	31
Total	3·00	6·29	·57	·77	2·47	·71	3·43	2·41	1·12	4·62	2·61	8·12	YEAR'S TOTAL 36·12
Rain Days.	18	22	8	10	8	8	15	10	7	14	8	24	152

W. 8,000. X. 15.

W. C. 55 and p. month

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

8 JAN 1917

Kept at Capton Farm House Williton
in the County of Somerset
by Rev. Henry H. Tripp M.A.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Williton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level over 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	—	—	—	·24	·04	·17	—	·02	·28	·07	—	1
2	·39	·05	—	—	·03	—	—	—	·02	·39	·20	—	2
3	—	·85	—	—	·37	—	·24	—	·03	·36	·34	—	3
4	·25	·10	—	—	·25	·26	—	—	—	·05	·76	—	4
5	—	·03	·12	—	·10	·36	—	—	—	·01	·31	—	5
6	·02	·23	—	—	·15	·15	·45	—	—	·06	·51	—	6
7	·03	·14	·05	—	·25	·01	·21	—	—	—	·72	·25	7
8	—	·19	·02	—	·29	·33	—	—	—	—	·35	·08	8
9	—	·14	—	—	·15	·01	—	—	—	—	·26	·24	9
10	—	·34	·02	·06	—	—	·01	—	—	·05	·06	—	10
11	—	—	·02	·08	·05	—	—	—	—	—	—	—	11
12	—	·03	·08	—	·17	—	—	—	—	—	—	—	12
13	—	·35	·23	·05	—	—	—	·15	—	—	—	—	13
14	—	·63	—	—	—	—	—	·26	—	·08	—	—	14
15	—	·24	·05	·09	—	—	—	·38	—	·03	—	—	15
16	·06	·08	—	·10	—	—	·02	2.01	—	·04	—	—	16
17	·08	·22	—	·04	—	—	—	·03	·23	·23	·45	—	17
18	—	·27	·27	·07	—	—	—	—	·14	·03	·01	·08	18
19	·18	·01	·37	·02	—	—	—	—	—	—	·14	—	19
20	·09	·29	·23	—	—	—	—	—	—	—	·07	·79	20
21	·08	·15	·36	—	·03	—	—	—	—	—	—	·12	21
22	·01	—	·03	—	—	·09	—	—	—	·44	—	·72	22
23	·01	·25	—	—	—	·03	—	·21	—	·07	·23	·05	23
24	—	·10	·01	·03	·50	—	—	·05	—	·77	—	·31	24
25	—	·39	·20	—	—	·01	—	·33	·04	—	·11	·02	25
26	—	·07	·07	—	—	·26	—	·27	·75	·66	—	·01	26
27	—	·01	1·47	·04	—	·09	—	·03	·25	1·13	·02	—	27
28	·01	·47	—	—	—	—	—	·08	·06	·42	—	·22	28
29	—	·52	—	—	—	·18	—	3·77	·21	·30	—	·26	29
30	—	X	—	—	—	—	—	·02	—	·21	—	·02	30
31	—	X	—	X	—	X	—	·01	X	·18	X	·09	31
Total	1·36 ✓	6·15 ✓	3·60 ✓	·58 ✓	2·58 ✓	1·82 ✓	1·10 ✓	7·60 ✓	1·85 ✓ 1·85	5·79 ✓	4·61 ✓	3·26 ✓	YEAR'S TOTAL 40.20
Rain Days.	13 ✓	26 ✓	17 ✓	10 ✓	13 ✓	13 ✓	6 ✓	14	10	21 ✓	17 ✓	15	40·30 175

W. 8,000, VIII. 16

1910

2094

WILLITON, THE WHITE HOUSE

1919-20

FORM A. 1. METEOROL ANIZATION.

RE 9

JAN 20

Kept at White Ho 3.19

M

illiton G W R

in the County of So Gauge 5 in.

e Ground ft 9 in.

by S L Ro Sea Level 75 ft.

IMPORTANT NOTE. tered to the previous day.

If an Observer prefers not ted to add the reading at 9 a.m. on 1st the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27	·0	·2	·0	·10	0	·19	0	·2	·23	·0	·92	1
2	·7	·0	·1	·0	·0	0	·12	0	·82	·0	·4	·19	2
3	·10	·0	·25	·0	·1	0	0	0	·9	·0	·16	·22	3
4	·64	·29	·38	·0	·0	·23	·4	·4	·31	·0	·0	·06	4
5	·2	·35	·74	·0	·6	·0	·1	·0	·15	·0	·3	·22	5
6	·69	·16	·5	·0	·0	0	·0	·0	·0	·0	·0	·27	6
7	·23	·0	·19	·6	·0	0	·0	·0	·1	·0	·0	·10	7
8	·18	·0	·24	·0	·0	0	·0	·0	·0	·0	0	·0	8
9	·41	·0	·1	·10	·0	0	·0	·0	·0	·0	·70	·0	9
10	·01	·0	·35	·1	·13	0	·0	·0	·0	·12	0	·17	10
11	✓·2	·0	·26	·4	·5	0	·12	·0	·0	·0	0	·13	11
12	·16	·0	·19	·0	·0	·15	·0	·0	·4	·13	9	·01	12
13	·5	·0	·3	·31	·0	0	·2	·0	·5	·14	0	·07	13
14	·32	·7	·0	·71	·26	0	·3	·0	·8	·2	0	·22	14
15	·37	·3	·0	·6	·0	0	·0	·0	·0	·0	0	·26	15
16	·10	·83	·0	·0	·0	0	·0	·0	0	·6	·3	·03	16
17	·0	·48	·0	·0	·0	0	·0	·4	0	0	·24	·0	17
18	·12	·11	·64	·0	·0	0	·3	·7	·7	0	·7	·0	18
19	·25	·24	·28	·0	·0	·5	·73	·25	·33	0	·9	·12	19
20	·26	·5	·21	·0	·0	·10	·0	·28	·7	0	·0	·03	20
21	·1	·85	·0	·0	·0	0	·13	·0	·3	0	0	·12	21
22	·0	·3	·0	·0	·0	0	·14	·0	·5	0	0	·03	22
23	·0	·0	·0	0	·0	0	·0	0	·0	0	·9	·05	23
24	·0	·0	·0	·3	·0	·8	·0	0	·0	·46	·8	·41	24
25	·7	0	·0	·0	·0	·3	·0	·44	·0	·89	·9	·12	25
26	·3	0	·15	·5	·0	·1	·0	·8	·10	·0	0	·31	26
27	·15	0	·8	·32	·0	·0	·0	·63	·0	·0	0	·08	27
28	·5	0	·27	·0	·0	0	·0	·18	·0	·0	·22	·25	28
29	·3	✕	·0	·17	·0	0	·0	·10	·0	·6	0	·15	29
30	·0	✕	·3	·15	·0	·22	·0	·24	·0	·4	·31	·53	30
31	·1	✕	·3	✕	·0	✕	·9	·0	✕	·0	✕	·35	31
TOTAL	4·62	3·49	4·41	2·01	·61	·87	1·65	2·35	222 ~~2·18~~	2·15	224 ~~2·08~~	5·42	YEAR'S TOTAL ~~31·64~~ 32·04
Days with ·01 in. or more	26	12	21	12	6	8	12	11	15	10	14	27	174

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

1910

JAN 2

FORM A. 1. **METEOROLO ANIZATION.**

REGISTER OF RAINFALL IN 19 9.

Kept at White House, Williton
in the County of Somerset
by S L Rogers

Lat 51·10 Long 3·19
Time of Observation 9 A M
Nearest Railway Station Williton G W R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft 9 in.
" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27	·0	·2	·0	·10	0	·19	0	·2	·23	·0	·92	1
2	·7	·0	·1	·0	·0	0	·12	0	·82	·0	·4	·19	2
3	·10	·0	·25	·0	·1	0	0	0	·9	·0	·16	·22	3
4	·64	·29	·38	·0	·0	·23	·4	·4	·31	·0	·0	·06	4
5	·2	·35	·74	·0	·6	·0	·1	·0	·15	·0	·3	·22	5
6	·69	·16	·5	·0	·0	0	·0	·0	·0	·0	·0	·27	6
7	·23	·0	·19	·6	·0	0	·0	·0	·1	·0	·0	·10	7
8	·18	·0	·24	·0	·0	0	·0	·0	·0	·0	0	·0	8
9	·41	·0	·1	·10	·0	0	·0	·0	·0	·0	·70	·0	9
10	·01	·0	·35	·1	·13	0	·0	·0	·0	·12	0	·17	10
11	·2	·0	·26	·4	·5	0	·12	·0	·0	·0	0	·13	11
12	·16	·0	·19	·0	·0	·15	·0	·0	·4	·13	9	·01	12
13	·5	·0	·3	·31	·0	0	·2	·0	·5	·14	0	·07	13
14	·32	·7	·0	·71	·26	0	·3	·0	·8	·2	0	·22	14
15	·37	·3	·0	·6	·0	0	·0	·0	·0	·0	0	·26	15
16	·10	·83	·0	·0	·0	0	·0	·0	0	·6	·3	·03	16
17	·0	·48	·0	·0	·0	0	·0	·4	0	0	·24	·0	17
18	·12	·11	·64	·0	·0	0	·3	·7	·7	0	·7	·0	18
19	·25	·24	·28	·0	·0	·5	·73	·25	·33	0	·9	·12	19
20	·26	·5	·21	·0	·0	·10	·0	·28	·7	0	·0	·03	20
21	·1	·85	·0	·0	·0	0	·13	·0	·3	0	0	·12	21
22	·0	·3	·0	·0	·0	0	·14	·0	·5	0	0	·03	22
23	·0	·0	·0	·0	·0	0	·0	0	·0	0	·9	·05	23
24	·0	·0	·0	·3	·0	·8	·0	0	·0	·46	·8	·41	24
25	·7	0	·0	·0	·0	·3	·0	·44	·0	·89	·9	·12	25
26	·3	0	·15	·5	·0	·1	·0	·8	·10	·0	0	·31	26
27	·15	0	·8	·32	·0	·0	·0	·63	·0	·0	0	·08	27
28	·5	0	·27	·0	·0	0	·0	·18	·0	·0	·22	·25	28
29	·3	×	·0	·17	·0	0	·0	·10	·0	·6	0	·15	29
30	·0	×	·3	·15	·0	·22	·0	·24	·0	·4	·31	·53	30
31	·1	×	·3	×	·0	×	·9	·0	×	·0	×	·35	31
TOTAL	4·62	3·49	4·41	2·01	·61	·87	1·65	2·35	222 ~~2·18~~	2·15	224 ~~2·08~~	5·42	YEAR'S TOTAL ~~31·64~~ 32·04
Days with ·01 in. or more	26	12	21	12	6	8	12	11	15	10	14	27	174

1821

3 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Williton

in the County of Somerset

by S L Rogers

Lat. 51·10 Long. 3·19

Time of Observation 9 A M

Nearest Railway Station Williton G W R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 98 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·0	0	·13	·17	0	·22	·06	·12	·40	·29	·63	1
2	·30	·0	0	·22	·0	0	·07	·21	·04	·13	0	·11	2
3	·07	·02	·03	·08	·0	0	·55	·0	·0	·38	0	·10	3
4	·0	·0	·13	·05	·03	0	·02	·39	·0	·08	0	0	4
5	·0	·0	·07	·0	·02	0	·54	·06	·0	·08	0	0	5
6	·0	·0	·27	·0	·06	0	·01	·0	·0	·15	·03	0	6
7	·0	·0	·03	·03	·0	0	·31	·0	·04	0	·01	0	7
8	·14	·07	·0	·31	·08	0	·21	·03	·0	0	0	·02	8
9	·42	·03	·02	·21	·0	·26	·05	·0	·0	0	0	0	9
10	1·31	·08	·0	1·05	·0	·25	·13	·03	·0	0	0	0	10
11	·17	·0	·23	·37	·26	·0	·11	·0	·0	0	0	0	11
12	·18	·04	·03	·21	·0	·05	·01	·0	·0	0	·08	0	12
13	·10	·0	·58	·01	·0	·0	·0	·0	·0	0	0	0	13
14	·0	·02	·27	·77	·0	·0	·0	·0	·04	·27	·47	0	14
15	·0	·07	·06	·41	·34	·21	·0	·0	·05	·37	·06	0	15
16	·0	·0	·01	·02	·0	·21	·10	·0	·21	·39	·12	0	16
17	·0	·0	·0	·23	·24	·02	·0	·0	·25	0	0	0	17
18	·09	·01	·0	·0	·03	·06	·05	·19	·30	0	0	0	18
19	·07	·32	·0	·33	·0	·36	·0	·13	·0	0	0	0	19
20	·02	·02	·0	·24	·0	·06	·02	·0	·0	0	0	·20	20
21	·0	·0	·0	·03	·0	·01	·09	·0	·0	·06	0	·36	21
22	·0	·0	·0	·01	·0	0	·04	·0	·0	0	0	·49	22
23	·0	·0	·0	·0	·0	0	·49	·12	·0	0	0	·36	23
24	·04	·01	·20	·0	·03	0	·05	·0	·0	0	·13	·06	24
25	·02	·06	·22	·0	·0	0	·39	·0	·0	0	0	·01	25
26	·21	·0	·40	·0	·0	·36	·0	·0	·0	0	·12	·08	26
27	·57	·08	·22	·14	·18	0	·03	·0	·0	0	·32	·39	27
28	·82	·0	·08	·05	·0	0	·05	·0	·0	0	·03	·02	28
29	·37	·0	·48	·0	·13	0	·0	·0	·0	0	·09	·20	29
30	·07		·02	·04	0	·06	·03	·0	·44	04	·52	·23	30
31	·10		·40		·0		·03	·02		1·09		·08	31
Total	5·13	·83	3·75	4·94	1·57	1·91	3·60	1·24	1·49	3·44 ~~3·38~~	2·27	3·34 ~~3·12~~	Year's Total 33·51 ~~33·58~~
Days with ·01 in. or more	20	13	20	22	12	12	24	10	9	12	13	16	183
Days with ·04 in. or more	18	~~8~~ 7	14	17	8	10	17	7	9	12	10	13	142

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

126
12 MAR 1912

REGIS 911

WINCANTON
HOLBROOK
SOMERSET
1911

Kept at Holbrook

in the County of Somer

by A Peacock

op 5 in.
above Ground 2 ft. 6 in.
„ Sea Level ~~450~~ ft.

tion { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily , and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10												1
2													2
3													3
4													4
5	.08												5
6	.26												6
7													7
8	.11												8
9	.24												9
10	.15												10
11	.43												11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20	.03												20
21													21
22	.13												22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
Total	1.53												TOTAL for year
No. of Rain Days.	9												

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 191

FORM A2. BRITISH RAINFALL.

126

12 [illegible] 1912

Kept at Holbrook Wincanton

in the County of Somersetshire 7

by A Peacock (H. A Boys)

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. 4 in.
" " " Sea Level ~~450~~ ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10												1
2													2
3													3
4													4
5	·08												5
6	·26												6
7													7
8	·11												8
9	·24												9
10	·15												10
11	·43												11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20	·03												20
21													21
22	·13												22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
Total	1·53												TOTAL for year
No. of Rain Days.	9												

Jan & Feb interpolated

REGIST

2075 —

WINCANTON, MAPERTON HOUSE GARDEN

1912 - 20

FORM A. BRITISH RAINFALL.

10 MAR 1913

Kept at Mapperton House

in the County of Some

by L. G. Read

in.

d ft. in.

evel ft.

IMPORTANT NOTE.— esult entered to the previous day. If an Observ rule, he is earnestly requested to add the reading the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.15	.01	.01	.61	.05	.01	.04	.79	.01	.50	1
2			.30	.05		.16	.48	.16		.02	.03	.02	2
3			.12	.01	.01	.36	.13	.61	.04		.03	.07	3
4			.73		.09	.50		.10			.32	.01	4
5		.09	.17		.01	.03		.64	.02		.02	.14	5
6		.15	.02		.10	.02	.94	.63				.13	6
7		.32	.21	.01	.30	.66		.15				.15	7
8		.23	.43	.01	.01	.22	.03	.02	.02			.05	8
9		.03	.22	.06		.09	.04	.10				.59	9
10		.13	.01			.01	.01	.03		.01	.03	.31	10
11		.12	.04			.01		.04		.01	.01	.35	11
12		.57	.11	.03		.01	.03	.05		.01	.02	.01	12
13		.02	.03	.01		.01	.02	.35			.02	.04	13
14			.36		.06			.27	.01	.02		.02	14
15		.08	.10		.22	.85		.04				.41	15
16		.03	.21		.09	.02		.06		.09	.07	.07	16
17			.16	.01	.02	.03		.61			.01	.03	17
18		.01	.42			.01		.42		.03	.04	.16	18
19		.12	.10			.14	.10	.13			.04	.04	19
20		.04	.31		.11	.01	.03	.51		.34	.03	.01	20
21		.15	.13		.50		.01	.30		.30	.01		21
22		(.15) .49	.07		.12		.24	.34		.08		.02	22
23		03	.24		.02		.01	1.01		.07	.18	.19	23
24			.02			.70		.22			.01	.28	24
25		.02				.11		.40		.14	.29	.61	25
26		.04					.18	.07		.34	.46	.23	26
27						.19	.75			.79		.34	27
28		04			.01	.14	.06	.26	.10	.69	.59	.57	28
29		.10	.03			.05	.16	.05	.81	61	.03	.02	29
30					.02	.48	.13		.36	.35			30
31			.50		.06		.29	.02		06		04	31
Total	(5.77)	(2.96)	5.19	.20	1.76	5.42	3.69	7.60	1.40	4.75	2.25	5.41	YEAR'S TOTAL (46.40)
Rain Days.	(23)	(22)	26	9	18	25	20	29	8	19	21	29	(249)

Tand Feb interpolated

REGIST

FORM A.
BRITISH RAINFALL.

10 MAR 1913

Kept at Mapperton House Garden Wincanton

in the County of Somerset 3

E & RL

by L. G. Read Rev H a Boys

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.15	.01	.01	.61	.05	.01	.04	.79	.01	.50	1
2			.30	.05		.16	.48	.16		.02	.03	.02	2
3			.12	.01	.01	.36	.13	.61	.04		.03	.07	3
4			.73		.09	.50		.10			.32	.01	4
5		.09	.17		.01	.03		.64	.02		.02	.14	5
6		.15	.02		.10	.02	.94	.63				.13	6
7		.32	.21	.01	.30	.66		.15				.15	7
8		.23	.43	.01	.01	.22	.03	.02	.02			.05	8
9		.03	.22	.06		.09	.04	.10				.59	9
10		.13	.01			.01	.01	.03		.01	.03	.31	10
11		.12	.04			.01		.04		.01	.01	.35	11
12		.57	.11	.03		.01	.03	.05		.01	.02	.01	12
13		.02	.03	.01		.01	.02	.35			.02	.04	13
14			.36		.06			.27	.01	.02		.02	14
15		.08	.10		.22	.85		.04				.41	15
16		.03	.21		.09	.02		.06		.09	.07	.07	16
17			.16	.01	.02	.03		.61			.01	.03	17
18		.01	.42			.01		.42		.03	.04	.16	18
19		.12	.10			.14	.10	.13			.04	.04	19
20		.04	.31		.11	.01	.03	.51		.34	.03	.01	20
21		.15	.13		.50		.01	.30		.30	.01		21
22		(.15) .49	.07		.12		.24	.34		.08		.02	22
23		03	.24		.02		.01	1.01		.07	.18	.19	23
24			.02			.70		.22			.01	.28	24
25		.02				.11		.40		.14	.29	.61	25
26		.04					.18	.07		.34	.46	.23	26
27						.19	.75			.79		.34	27
28		04			.01	.14	.06	.26	.10	.69	.59	.57	28
29		.10	.03			.05	.16	.05	.81	61	.03	.02	29
30					.02	.48	.13		.36	.35			30
31			.50		.06		.29	.02		06		04	31
Total	(5.77)	(2.96)	5.19	·20	1·76	5·42	3·69	7·60	1·40	4·75	2·25	5·41	YEAR'S TOTAL (46·40)
Rain Days.	(23)	(22)	26	9	18	25	20	29	8	19	21	29	(249)

made

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
7 - JAN 1914

Kept at Maperton House Gardens 2½ W
3
in the County of Somerset
by Lewis George Read

Lat. 51 N. Long. 2½ W
Time of Observation 9 a.m
Nearest Railway Station Wincanton
Diameter of Rain Gauge 5 ins.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·32	·09	·09	·08	·01			·32		·17	·45	1
2	·11	·09	·02	·12	·08		·05		·10	·03	·13	·02	2
3	·14	·01	·04	·08	·54				·01	·03		·29	3
4	·89		·05	·01	·59	·02			·91	·15	·04	·13	4
5	·05	·03	·01		·12	·15	·02		·37		·05	·13	5
6	·06	·04	·07		·29	·34	·36			·89	·07	·63	6
7	·02	·20	·04		·27	·01	·12			·55	·21	·01	7
8	·02	·05			·34	·10	·02			·08	·01	·02	8
9		·03		·01	·09	·12	·11	·35	·13	·01	·12	·01	9
10	·20		·04	·02	·06	·01	·01	05		·27	·20		10
11	·73	·01		·30	·16	·02				·05	·22		11
12		·03	·01		·55					·02	·43		12
13	·06	·02	·02		·01	·02		·06	·53	·01	·33		13
14	·18	·01	·17	·03			·01		·30	·02	·38		14
15	·28	·08	·24	·43			·20	·03	·18		·07	·03	15
16	·33		·46	·11			·03	·12	·10		·02		16
17	·03		·04	·08		·01	·02		·01		·02		17
18	·09		·21	·12	·05	·02	·01		·01		·08		18
19	·78		·08		·03	·60	·03		·56	·01	·01	·02	19
20	·07		·16	·11		·02				·22	·16	·02	20
21			·14	·20	·09		·07			·03	·69		21
22	·78		·31	·01	·01	·02		·07	·27	·04	·03	·01	22
23	·02		·02			·07		·01	·01	·01	·03	·68	23
24	·07	·03	·01	·11				·03		·02	·04		24
25		·20		·15						·01	·02	·09	25
26	·01	·13		·52		·02		·28		·01		·32	26
27	·05	·01	·28	·11						·15		·03	27
28	·16		·12	·35						·21		·08	Snow 28
29	·09		·56	·38	·04			·13		·41		·04	Snow 29
30	·42		·02					·03	·01	·44	08		30
31	·21		·02					·73		·06			31
Total	5·86	1·19	3·23	3·34	3·40	1·56	1·06	1·79	3·72	3·73	3·61	3·01	YEAR'S TOTAL 35·50
Rain Days.	~~28~~ 27	17	26	21	18	17	14	12	16	25	25	19	~~238~~ 237

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 JAN 1915

Kept at Maperton House Gardens
nr. Wincanton
in the County of Somerset 3
by Lewis George Read

Lat. 51. N Long. 2½ W.
Time of Observation 9 a.m
Nearest Railway Station Wincanton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·05			·02	·07	·41			·23	·05	1
2				·01	·04		·74	·09			·76	·32	2
3	·02		·14	·12	·39	·01	·07	·18		·03	·14	·08	3
4	·12		·08	·16	·04		·17	·41			·60	·45	4
5	·11		·28	·42	·22		·14	·02		·01	·11	·06	5
6	·02	·20	·04	·22	·02	·02	·12	·03			·03	·35	6
7	·02	·70	·06	·18	·41	·02	·31	·09	·07		·02	·21	7
8	·04	·02	·76	·03	·26	·20	·03	·19	·03		·01	·06	8
9	·03		Snow ·53	·25	·12	1·12		·15	·92			fog ·01	9
10	·03	·31	·06	·06	·13	·02		·01	·42		·03	·02	10
11		·19	·59	·04	·18	·23	·15		·39		·02	·44	11
12		·16	·17	·01		·01			·35			·50	12
13		·31	·27	·01					·13	·22	·34	·66	13
14		·20	·27			·08	·03	·50	·03	·18	·29	·12	14
15	·03	·04	·15				·17	·47	·05	·06	·08	·01	15
16							·08		·14				16
17		·34	·36				·02		·03			·48	17
18		·04	·08				·35		·02			·55	18
19		·08	·34 Snow ·54				1·47		·01		·11	·18	19
20		·35	·19	~~fog ·01~~	fog ·01	·02						·23	20
21		·76	·01	~~fog ·01~~	fog ·01	·21		·02		·16		·04	21
22		·02		~~·19~~	·19	·14	·02	·05	Dew ·01	·53		·03	22
23		·10	·28	~~·08~~	·08	·14	·01			·17			23
24		fog ·01	·06	~~·07~~	·07		·21		Dew ·01	·40	·09	·11	24
25	·10		·35				·38	·26	fog ·01	·24	·05	·30	25
26		fog ·02	·02				·18		Dew ·01	·05	·28	·58	26
27	·16		·01				·04			·07	·11	·14	27
28	·01	·10	·23		·04		·15			·06	·20	1·16	28
29	·16		·11		·12		·01	·01		·21	·35	·03	29
30		X	·05			·04				·18	·31	1·20	30
31	05	X		X		X	·06		X	·72	X	·13	31
Total	·90	3·95	6·08	1·51	2·33	2·28	4·98	2·89	2·63	3·29	4·16	8·50	YEAR'S TOTAL 43·50
Rain Days.	14	19	27	12	17	15	24	16	17	16	21	29	227

W. 8,000. X. 14.

W DL Cndly Boys 6.V.16

2182

FORM A.
BRITISH RAINFALL.

3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Maperton House Gardens

in the County of Somerset

by Lewis George Read

3

Lat. 51·N. Long. 2½·W.

Time of Observation 9·a.m

Nearest Railway Station Wincanton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.94	.23		.01	.04			.27	.21	.30	.01	.18	1
2	.63	.18	.29	.09		.08		.53	.05	.15		.61	2
3	.14	.08	.15	.17	.22	.01	.04	.04		.02		.50	3
4	.02	.04			.01							.20	4
5	.14	.64		.06	.01			.11				.46	5
6	.66	.12		.38			.82	.11			.01	.11	6
7	.29	.55		.08	.02		.25			.03	.02	.44	7
8	.25	.59						.10				.02	8
9	.01	.02		.20							.43	.72	9
10	.31	.08	.04	.03				.08		.02		.11	10
11	.06	.01	.13	.05	.01			.82		.01	.80	.04	11
12	.20	.54		.16	.67			.04		.12	.38	Snow .02	12
13	.04	.71			.74			.03	.09	Fog .01	.21	.01	13
14	.03	.07					.18	.22	.13	.02	.02	.84	14
15	.10	.02		Fog .02	.22		.03	.01	.02	.13	.13	.20	15
16		.76			.46		.86	.58	.02		.01	.20	16
17		.48			.31		.02	.42		Fog .01	.01	.03	17
18		.33	Snow .01		.14					Fog .01			18
19		.02	.01		.12		.22					.02	19
20	.31	.02	.01	.12		.01				.01		.09	20
21	Snow .10	.03				.04	.07			.46		.27	21
22	.07	.22	.50	.01		.05	.66		.02	.04		.27	22
23		.05	.12				.27		.22	1.85		.30	23
24		.02	.01	.07			.03		.42	1.22		.37	24
25	.01		.02	.03		.18	.44		1.07		.01	.26	25
26		.06				.17	.13				.01	.82	26
27		.07				.24	.69			.48		.02	27
28		.14				.12	.01	.04	.63	.05	.01	.01	28
29						.47	.24	01	.05	.01	.19	.07	29
30	.10	✕		.03		.06				.89	.49	.32	30
31	.05	✕		✕		✕	.06		✕	1.09	✕	.34	31
Total	4.46	6.08	1.29	1.51	2.97	1.43	5.02	3.41	2.93	6.93	2.74	7.85	YEAR'S TOTAL 46.62
Rain Days.	21	27	11	16	13	11	18	16	12	22	16	30	213

W. 8,000. X. 15.

Ex D L

2119

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Maperton House Gardens

in the County of Somerset

by Lewis George Read

Lat. 51 N. Long. 2½ W.

Time of Observation 9 a.m.

Nearest Railway Station Wincanton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 ins.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14		·03		·43	·06	·02		·23	·29	·74		1
2	·27	·09	Snow ·01	·01	·03				·04	·32	·03		2
3	·03	1·40			·08	·02			·34	·51	·34	·02	3
4	·24	·22			·07	·32	·04		·32	·05	·94	·01	4
5	·12	·02	Snow ·02		·15	·33				·06	·67	·01	5
6	·01	·23	Snow ·01		·09	·01	·64			·11	·80		6
7	·04	·07	Snow ·29		·15	·03	·11			·03	·61	·18	7
8	·01	·27	Snow ·08		·20	fog ·01					·18	·15	8
9		Snow ·03			·19	·20	·02			·18	·22	·10	9
10	·02	·63	Snow ·01	·13	·06		·15			·02		·29	10
11	·02			·17		·06			·02		fog ·02		11
12	·11	·02	·10	·20	·07		·07			·12	fog ·01		12
13		·26	·13	·08				·47			fog ·01	·01	13
14	·05	·45	·03	·08	·13			·02		·13	fog ·01		14
15	·01	·14	·11	·05				·30	·01	·03			15
16	·05	·08	·01	·24	·02		·04	·62		·04			16
17	·16	·24		·09				·03	·37	·49	·34		17
18	·01	·13	·18	·07				·01	·13	·11	Snow ·25	·20	18
19	·09		·58	·10					·01		·22	·06	19
20	·15	Snow & Rain ·12	·34	·05							·09	1·29	20
21	·06	Snow & Rain ·14	·17		·05		·04					·50	21
22	·04	Snow ·02	·01	·06	·02	·04				·40	·02	·52	22
23	·02	Snow ·13		·05		·08		·21		·10	·13	·14	23
24		Snow ·12		·07	·88	·51		·03	fog ·01	·91	·05	·29	24
25		Snow ·58	·10		·02			·63	·02		·23	·02	25
26		Snow ·05	Hail & Snow ·07			·35		·11	1·03	·74	·03	·02	26
27		Snow ·08	Rain, Hail & Snow ·41			·11		·97	·66	·41	·01		27
28		Snow ·32	Rain & Snow ·02		·01			·08	·22	·79		·17	28
29		Snow ·68	·01		·02	·30		2·37	·81	·43		·26	29
30								·02		·50		·02	30
31								·04		·19		·09	31
Total	1·65	6·52	3·72	1·45	2·67	2·43	1·13	5·91	4·22	6·96	5·95	4·35	YEAR'S TOTAL 46·96
Rain Days.	21	26	22	15	19	15	9	15	15	24	23	21	225

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Maperton House Gardens, Wincanton
in the County of Somerset
by Lewis George Read

Lat. 51·N. Long. 2½W.
Time of Observation 9. a.m.
Nearest Railway Station Wincanton
Diameter of Funnel of Rain Gauge 5 inches in.
Height of top of Gauge above Ground 1 ft. 3 ins.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		Snow ·02		Snow ·35		·16		·90	·08	fog ·01	·11		1
2			·10	Snow Hail ·17		·06		·14	·02				2
3			·01	Hail Snow ·05			·92	·01	fog ·01	·18	·08		3
4		Snow ·15	Snow Rain ·18				·04	·05		·47	·01		4
5	·19		·25	Snow Rain ·29		·21		·01	·15	·18	·10		5
6	·01		·19							·06	·15	·02	6
7	·33		Snow ·01				·09	·47		·22	·02	·04	7
8	34		Snow ·15	Hail ·14			·63	·52	·08	·35	·23	·09	8
9			Snow ·05 Rain ·03	Hail ·02	·02		·07	·19	·05	·21	·23		9
10	Snow Rain ·17		·34	Rain Hail Snow ·26			·01	·22		·01	·01	·01	10
11	·09		·47	Hail Snow ·40	·04			·06		·19	·03	·01	11
12	Hail ·02				·32			·01		·36	·02	fog ·01	12
13	·01		·22	Hail ·28		·02		·44	·12	·11	·02	fog ·01	13
14			Snow ·22	·17			·11	·01		·01		·02	14
15							·20	·11	·01	·09	·01	Snow Rain ·33	15
16		·22		·07	·01		09	·02		·46		Snow Rain ·38	16
17		·02		·31	·10		·33	·11	·65	·19			17
18	·02	·03			·01	..	·18		·38	·01	·01		18
19		·47	·08			·03		·01	·21		·01		19
20		·05	Rain Hail Snow ·07		·27	·09		·66	·08		·01	·02	20
21		..	Snow ·35					·01	·01	·07			21
22	Snow Rain} ·02		Snow ·06					·17		·03			22
23		·29			·11			·15		·01		·03	23
24		·09	·02			·08	·08	·06		·23	·07		24
25		·11	·03				·31	·06	·09	·02	·01		25
26		..	·02		·22	·05		·76	·17	·01	·03		26
27					1·16	·14		1·06	Dw. ·01	·10		·02	27
28		·03	·06		·25	3·12		·65				Hail ·04	28
29			·15		—	·19	·05	·01	fog ·01	·74		·11	29
30		×	Hail ·28				·31	·04	fog ·01	·03			30
31		×	Hail Snow ·05	×		×		·03	×	·17	×	Snow ·09	31
Total	1·20	1·48	3·39	2·51	2·51	4·15	3·42	6·94	2·14	4·52	1·16	1·23	YEAR'S TOTAL 34·65
Rain Days.	10	11	23	12	11	11	15	29	18	27	19	16	202

W. 8,000, IX. 17.

109

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 19/8

Kept at Maperton House Gardens.
in the County of Somerset
by Lewis George Read.

Lat. 51·N Long. 2½W.
Time of Observation 9. a.m.
Nearest Railway Station Wincanton.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
		0											
1		·01			·10			·79	·02	·02	·82	·03	1
2		·08		Hail ·25				·40	·02	·02	·04	·07	2
3		·08	·02	·10	·22			·03	·01	·06	·02	·02	3
4		·04	-	·03	..			·07	·14	·06	·85	·12	4
5			·03	·01	·06			·22	·49	·16	·04	·05	5
6	·20	·17		·19				·11	·05	·03	White Frost ·01	·10	6
7		·17		·04	·59	·03		·05	·15	·08	·37	·04	7
8	Snow ·02	·10							·18	·22	·05	·04	8
9	Snow ·01	·14		·22		·53	·52		·40	·12	..	·25	9
10	·04			·11			·22		·12	·24	·05	·48	10
11			·01	·02			1·18		·21	·08	·12	·05	11
12		·03	·02		·41		·36		·23	·01	..	·02	12
13	Snow ·29	·01			·22		·74		·67	·07		·12	13
14	·12		·05		·02	·16	·02		·14	·18		·25	14
15	1·52			Snow Rain ·47	·05	·03	·32		·01	·02		·17	15
16	·59		·05	Snow Rain ·24			·04		·23	..		·14	16
17	·38		·01	Snow Rain ·22			·36		·03	..		·11	17
18	·57	White Frost ·01				·55	·12		·18	·01		Hail Rain ·18	18
19	·15		·15	·01		..	·25	·06	..	·02	Fog ·01	Hail Rain ·18	19
20	·06	·09	..	·17		·01	·27	..	·19	·02	White Frost ·01	White Frost ·01	20
21	·05	·03	Fog ·01	..		·05	·08		·33	·09	·01	·15	21
22	·07			Fog ·01	·14	·01	·59		·25	Fog ·01		·34	22
23	·14				·22	·01	·82	·03	·09		·05	·11	23
24		·20				·05	·17	·01	·13		·06	..	24
25				·01			·20	·75	..		·03	·01	25
26							1·06	·01	·06	·05	·11	·32	26
27		·20	·04					·14	·21	·01	·16	·03	27
28		Snow ·10	·20	·01				..	·02	·01	·23	·14	28
29			·06					..	1·23	..	·02	·04	29
30		X	·49					·05	·02	·07	·11	·08	30
31	Fog ·01	X	·05	X		X		·06	X	·03	X	...	31
Total	4·22	1·46	1·19	2·12	2·03	1·43	7·32	2·78	5·81	1·69	3·17	3·65	YEAR'S TOTAL ~~36·86~~ 36·86
Rain Days.	16	16	14	17	10	10	18	15	28	25	21	29	219

W, 6,500, VII. 18. wwe

1898

5 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Maperton House Gardens. Wincanton

in the County of Somerset

by Lewis George Read.

Lat. 51 N Long. 2½ W

Time of Observation 9 a.m.

Nearest Railway Station Wincanton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·53	Snow ·01	·10	Hail Snow ·07	·09		·55		·04	·14		1·16	1
2	·11		·02		·05		·06		·22	fog ·01	·06	·13	2
3	Snow & Rain 1·06		·30		·16				·21		·05	·38	3
4	·13	Snow Rain ·17	·75		·01	·06		·11	·42	fog ·01	·01	·04	4
5	·03	Snow Rain ·53	·54		·08				·15		·08	·35	5
6	·67	·16	·19		·05					fog ·01	·01	Hail Rain ·24	6
7	·23		·30	·12	..								7
8	·25		·22	·03		·02							8
9	·02		·01	·12	·01				·01		·10		9
10	Hail & Rain ·20		·11	·04	·01					·05		·27	10
11	..		·25	·17	·18		·28					·14	11
12	·09		·03	·03	·01	·12	·02			·12	Hail Snow ·14	·15	12
13	·04		·02	Hail Rain ·60			·08			Hail Rain ·03		·03	13
14	·39	·12		·52	·18		·22		·04	Hail Rain ·14		·17	14
15	·25	·02		·01						·06		·36	15
16	·02	·60					·02	·17			·23	fog ·01	16
17	·02	Snow Rain ·25			·02						·29		17
18	·02	Snow Rain ·01	·70				·25	·02	·01	fog ·01	·26	·03	18
19	·60	·29	1·15			·06	·80	·35	Snow Rain ·38	fog ·01	Hail Rain ·26	·10	19
20	·39	·06	Snow Rain ·16			·24		·26	·05		·01	·06	20
21	..	·58					·39		·03			·11	21
22		·03					·26		·40	fog ·01	·02	·17	22
23			Snow ·01			·01		·02		·41	·01	·13	23
24				·01		·61	·03			·99	Hail Rain ·08	Hail Rain ·36	24
25	·12	·04		Hail Rain ·07		·03		·28		·01	Rain Snow ·07	Hail Rain ·24	25
26	·07	Snow Rain ·04	Hail Rain ·12	·09		·01		·19	·15		·01	·23	26
27	Snow & Rain ·18	Snow Rain ·02	Hail Snow ·02	Snow Rain ·52		·03		1·12				·08	27
28		·06	Hail Snow ·54					·35			Rain Snow ·59	·38	28
29				·05				·17		·06		·02	29
30			Hail Snow ·01	·24		·23		·88		·02	·43	·43	30
31	Snow ·02						·01					·40	31
TOTAL	5·44	2·99	5·55	2·69	·85	1·42	2·97	3·92	2·11	2·09	2·41	6·17	YEAR'S TOTAL 38·91
Days with ·01 in. or more	23	17	21	16	12	11	13	12	13	17	19	27	201

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

July 29-31 est'd Boys. August from map 1811

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Maperton House Gardens, Wincanton

in the County of

by Sir Boys, L. G. Read, W Smith

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·02	·20	·40		·28		·09	·09	·46	·54	1
2	·30		·02	·29			·69		·12	·01		·15	2
3	·20	·11		·03	·01		·53		·01	·75		·04	3
4			·03	·10			·16			·26			4
5			·07	·01	·08		·55			·25			5
6	·01		·19	·03	·18		·22			·08			6
7	·13		·06	·48	·01		·42						7
8	·12	·22		·25	·02		·57						8
9	·46		·03	·10		·17	·02						9
10	·42	·17	·13	·10		·37	·31						10
11	·37		·10	·71	·23	·07	·16						11
12	·22	·02	·03	·21		·56	·01			·01	·06		12
13	·17	·04	·50	·09							·07		13
14	·05	·02	·23	·60					·15	·41	·26		14
15	·03	·13	·04	·37	·08	·19	·03		·02	·36	·28		15
16		·01	·04	·07		·02	·12		·14	·11			16
17	·03		·01	·32	·18	·01	·01		·40				17
18	·08		·03	·06	·14	·09	·06						18
19	·04			·21	·05	·22			·15				19
20	·07	·24		·12		·52						·18	20
21				·02			·15			·16		·18	21
22	·03			·19	·01	·01	·04					·30	22
23	·01						·80					·28	23
24			·12	·01	·08						·10	·02	24
25		·08	·07		·03	·01	·35						25
26	·22		·13			·04	·08				·17	·08	26
27	·58	·04	·06	·41		·25	·03					·24	27
28	·97		·06	·19	·21	·05	·05					·02	28
29	·36		·12		·02	·01	(·06)				·17	·15	29
30	·04	×		·12	·11	·18	(·25)		·50		·34	·25	30
31	·03	×	·31	×	·01	×	(·02)		×	·91	×	·14	31
TOTAL	4·99	1·08	2·40	5·29	1·85	2·77	(5·97) ~~5·64~~	(1·80)	1·58	3·40	1·91	2·57	YEAR'S TOTAL (35·61)
Days with ·01 in. or more	25	11	23	26	18	17	26 ~~23~~		9	12	9	14	
Days with ·04 in. or more	19	8	16	21	11	12	20		7	10	9	12	

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

1 - JAN 1912

WINCANTON

ROUNDHILL GRANGE

SOMERSET

1911 — 1920

REG 11

nons

Kept at Roundhill Gra
Charlton Mus
in the County of —
by Mg General C. H. P. Du

5 in.
ve Ground 2 ft.
Sea Level 375 ft.
a.m
Name Wincanton
Distance 2½ miles Direction S

IMPORTANT NOTE.— d the result entered to the previous day. If an Observ iversal rule, he is earnestly requested to add the reading year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07		.06	.06				.03			.01	.05	1
2	.03		.04	.14	.33			.11		.05	.34	.18	2
3					.25	.01		.09			.08	.04	3
4	.02		.12	.03		.14			.01	.08	.27	.52	4
5	.10		.02					.32		.07	.16		5
6	.30		.13							.01	.09	.70	6
7	.02			.01							.39		7
8	.08		.19								.05	.50	8
9	.18	.01	.02								.08	.33	9
10	.13	.07	.26		.84						.02	.35	10
11	.35	.01	.01								.57	.20	11
12			.89					.02			.17	.29	12
13			.02						.18	.01	.03	.56	13
14		.10								.01		.81	14
15		.06	.02			.07					.30	.20	15
16						.32					.44	.34	16
17		.03	.01			.09					.10	.47	17
18		.37	.04	.11	.02	.43				.02	.06	.48	18
19		.16		.03		.15			.15	.14	.02	.44	19
20	.03	.03	.08	.11		.03			.40	.05		.53	20
21	.01	.31	.02	.06		.03		.15	.21	.49		.25	21
22	.10		.25	.02				.03	.02	.72		.41	22
23		.10	.12	.01		.09			.15	.07	.01	~~.15~~	23
24		.23				.65		.13		.42		.20	24
25		.12		.22		.13		.01	.04	.02		.32	25
26		.05		.39				.02		.15	.01	.33	26
27		.55	.11	.14				.06	.13	.02	.01	.24	27
28		.36		.31				.15			.08	.01	28
29				.70		.25	.04		.10	.49	.01		29
30				.01	.05	.09				.29	.10	.02	30
31										.07			31
Total	1.42	2.56	2.41	2.37	1.49	2.46	.04	1.12	1.39	3.18	3.40	8.92	TOTAL for year 30.78
No. of Rain Days.	13	16	19	16	5	14	1	12	10	19	24	27	176

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

1 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Roundhill Grange
Charlton Musgrove
in the County of Somerset 7
by M. General C. H. P. Dunn

RAIN GAUGE
Pattern Symons
Diameter of top 5 in.
Height of top above Ground 2 ft.
" " " Sea Level 375 ft.
Time of Observation 9 a.m.
Nearest Railway Station
Name Wincanton
Distance 2½ miles Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.07		.06	.06				.03			.01	.05	1
2	.03		.04	.14	.33			.11		.05	.34	.18	2
3					.25	.01		.09			.08	.04	3
4	.02		.12	.03		.14			.01	.08	.27	.52	4
5	.10		.02					.32		.07	.16		5
6	.30		.13							.01	.09	.70	6
7	.02			.01							.39		7
8	.08		.19								.05	.50	8
9	.18	.01	.02								.08	.33	9
10	.13	.07	.26		.84						.02	.35	10
11	.35	.01	.01								.57	.20	11
12			.69					.02			.17	.29	12
13			.02						.18	.01	.03	.56	13
14		.10								.01		.81	14
15		.06	.02			.07					.30	.20	15
16						.32					.44	.34	16
17		.03	.01			.09					.10	.47	17
18		.37	.04	.11	.02	.43				.02	.06	.48	18
19		.16		.03		.15			.15	.14	.02	.44	19
20	.03	.03	.08	.11		.03			.40	.05		.53	20
21	.01	.31	.02	.08		.03		.15	.21	.49		.25	21
22	.10		.25	.02				.03	.02	.72		.41	22
23		.10	.12	.01		.09			.15	.07	.01	.15	23
24		.23				.65		.13		.42		.20	24
25		.12		.22		.13		.01	.04	.02		.32	25
26		.05		.39				.02		.15	.01	.33	26
27		.55	.11	.14				.06	.13	.02	.01	.24	27
28		.36		.31				.15			.08	.01	28
29				.70		.25	.04		.10	.49	.01		29
30				.01	.05	.09				.29	.10	.02	30
31										.07			31
Total	1.42	2.56	2.41	2.37	1.49	2.46	.04	1.12	1.39	3.18	3.40	8.92	TOTAL for year 30.78
No. of Rain Days.	13	16	19	16	5	14	1	12	10	19	24	27	176

W. 8,000, X. '11.

made

cwd for arith 28-11-13

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. JAN 1913

Kept at Roundhill Grange
Charlton Musgrove
in the County of Somerset
by Major General C. H. P. Ducat

RAIN GAUGE
Pattern Symons' Snowdon
Diameter of top 5 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 375 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Wincanton
Distance 2½ miles Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·15			·15	·29		·01	·53	·01	·42	1
2		·01	·34	·02		·18	·40	·01			·03		2
3			·08			·32	·13	·42			·02	·05	3
4	·26		·78			·36		·06	·01		·24		4
5	·53	·08	·25		·03	·02		·52			·02	·15	5
6	·70	·21			·11		·80	·54				·11	6
7	·05	·22	·11	·02	·22	·52		·10				·08	7
8	·34	·25	·40	·04		·18	·20	·26	·02			·05	8
9	·01	·04	·20	·08		·06	·02	·08			·02	·57	9
10		·10						·11			·18	·25	10
11	·15	·06	·04			·01					·01	·36	11
12	·07	·48	·11	·03	·01		·04	·04			·03		12
13		·01	·03			·03	·01	·17			·01	·08	13
14	·23		·35		·08	·01		·05		·02			14
15	·08	·11	·04		·22	·81		·04				·60	15
16	·70		·26		·12			·07		·10	·03	·05	16
17	1·11		·08			·02		·61			·03	·03	17
18	·17		·49			·02		·29		·03	·03	·16	18
19	·03	·17	·08			·18	·12	·17		·01	·03	·01	19
20	·04	·03	·31		·06	·02		·37		·37	·05		20
21	·01	·16	·29		·48		·02	·15		·35			21
22	·39	·23	·65		·14		·09	·34		·05		·04	22
23	·15	·47	·28		·01	·01	·03	·78		·08	·24	·30	23
24	·06	·02	·01			·57	·02	·27		·08		·22	24
25	·05	·02				·10		·33		·13	·23	·65	25
26		·02					·20	·30		·37	·41	·15	26
27						·17	·80			·74		·40	27
28		·05				·10	·03	·29	·11	·64	·43	·53	28
29		·08	·02			·23	·14	·09	·66	·47	·03	·01	29
30					·07	·15	·12		·31	·46			30
31			·50		·01		·44	·03		·04		·05	31
Total	5·13	2·84	5·25	·19	1·56	4·22	3·90	6·49	1·12	4·47	2·08	5·32	TOTAL for year 42·54 42·5
No. of Rain Days.	20	21	24	5	13	23	19	27	6	17	20	24	219

W. 8,000, X. '11.

REGISTER ~~Ex DL~~ OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Roundhill Grange Charlton Musgrove
in the County of Somerset
by Major General Ducat

7

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Wincanton
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground one ft nine in.
" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	.01	.33	.10	.01	.03	.25			.41	.01	.17	.41	1
2	.08	.10	.02	.09	.04		.02		.06	.07	.25	.01	2
3	.09		.06	.07	.33				.01	.01		.15	3
4	.53		.02		.55	.01			.88	.29	.05	.13	4
5	.05	.05			.03	.18			.34		.04	.24	5
6	.03	.04	.11		.33	.22	.37			.72	.04	.67	6
7	.01	.14	.01		.20		.07			.45	.19	.01	7
8		.03			.35	.02	.03			.02	.7	.02	8
9		.04			.05	.08	.06	.50	.03		.09	.02	9
10	.15		.02		.02	.01	.03			.38	.27		10
11	.74	.01	.01	.41	.09	.04				.02	.18		11
12		.01			.40	.02			.01	.01	.35		12
13	.03	.01	.14			.01			.48	.01	.23		13
14	.14	.01	.14	.02		.01			.12	.01	.37		14
15	.20	.06	.25	.44			.08	.05	.02		.07	.01	15
16	.21		.56	.10			.02		.11		.02		16
17	.01		.02	.02		.01	.04		.01		.02		17
18	.08		.18	.16			.02		.02		.10		18
19	.70		.07		.05	.19	.05		.60				19
20	.05		.12	.08						.19	.16		20
21			.07	.17	.11		.07			.02	.80	.61	21
22	.55		.52	.04				.03	.24	.03			22
23	.02		.03			.05				.01	.03	.60	23
24	.05	.02		.15				.11			.07		24
25		.21		.10								.04	25
26		.03		.43				.23		.01		.29	26
27	.63		.21	.06						.05		.01	27
28	.15		.10	.35						.09		.06	28
29	.07		.42	.37	.03			.11		.34		.02	29
30	.50									.52	.04		30
31	.27		.03					.77		.05			31
Total	5.35	1.09	3.21	3.07	2.61	1.10	.86	1.50	3.34	3.31	3.57	2.70	YEAR'S TOTAL 32.01
Rain Days.	25	15	23	18	15	14	12	7	15	22	21	17	204

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Roundhill Grange.
in the County of Somerset Charlton Musgrove
by Major General C. H. P. Ducat

7

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Wincanton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·82

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01				·04	·39			·16	·05	1
2			·01	·02	·05		·69	·15			·74	·35	2
3			·36	·13	·30		·27	·34		·03	·40	·06	3
4	·09		·12	·16	·04		·21	·49			·62	·46	4
5	·15		·31	·53	·16		·23				·14		5
6		·18	·03	·23	·03		·18	·02			·06	·36	6
7	·02	·43	·05	·09	·36	·02	·23	·09	·02			·20	7
8	·11	·04	·90	·02	·30	·12	·12	·23	·02			·03	8
9	·25		·38	·24	·02	·75		·13	·58				9
10	·07	·20	·04	·05	·06				·37		·03		10
11		·17	·65	·02	·07	·21	·13		·47		·06	·30	11
12		·16	·19						·31			·28	12
13		·23	·22						·10	·24	·48	·49	13
14		·10	·19				·02	·36	·09	·36	·28	·01	14
15	·02	·05	·18				·63	·34	·07	·01	·07		15
16							·10		·12				16
17		·50	·27				·02		·03			·43	17
18		·02	·07				·27		·02			·53	18
19		·10	·54				1·07				·11	·18	19
20		·32	·32									·22	20
21		·77	·03			·04		·02		·16			21
22		·01			·33	·14	·02	·02		·48			22
23		·10	·20		·10	·05	·02			·18			23
24		·06	·12		·15		·65			·31	·16		24
25	·07		·26				·09	·24		·27	·03	·41	25
26							·06	·05		·04	·24	·53	26
27	·10									·05	·11	·13	27
28	·02	·11	·19		·02					·03	·24	1·10	28
29	·26		·11		·12		·03			·30	·22		29
30		✕	·03			·04				·17	·22	1·03	30
31	·03	✕		✕		✕	·06		✕	·39	✕	·10	31
Total	1·19	3·55	5·78	1·49	2·14	1·37	5·14	2·87	2·20	3·02	4·37	7·25	YEAR'S TOTAL 40·37
Rain Days.	12	18	26	10	15	8	22	14	12	15	19	21	192

W. 8,000. X. 14.

W 9th L cord by Bosp. 6. V. 16

2217

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

7

Kept at Roundhill Grange, Charlton Musgrove

in the County of Somerset

by M. General C.H.P. Dreat

Lat. Long.

Time of Observation 9 a m.

Nearest Railway Station Wincanton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·15

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·82	·36	·03		·05			·25	·12	·28	·02	·20	1
2	·64	·24	·25	·08		·04		·75	·01	·11	·01	·45	2
3	·12	·08	·15	·07	·18		·03	·04		·02		·40	3
4	·03	·02			·01					·01		·25	4
5	·10	·58	·01	·05				·10			·01	·38	5
6	·60	·06		·40			·61	·06			·	·18	6
7	·29	·50		·07	10 ·01	·02	·34			·01	·01	·38	7
8	·25	·48		·01				·09			·01	·01	8
9		·02		·21				·01			·37	·71	9
10	·30	·02	·04	·05			·01	·03		·02		·10	10
11	·05		·09	·08			·01	·52			·72	·05	11
12	·17	·45		·17	·56			·05		·07	·32		12
13	·02	·86			·69			·13	·11	·01	·04	·01	13
14	·07	·04					·20	·25	·10			·72	14
15	·17	·01		·01	·20		·03	·05	·02	·13	·09	·15	15
16		·57			·30		1·08	·41	·01			·17	16
17		·35			·30		·01	·25				·01	17
18		·31	·01		·07			·01		·01			18
19		·02			·12		·24				·01		19
20	·35			·09	·01	·02				·01	·01	·07	20
21	·06	·01				·02	·07			·32		·30	21
22	·66	·26	·47	·04			·74		·02	·01		·27	22
23		·05	·12				·94		·15	1·92		·33	23
24			·01	·06			·05		·55	·92		·50	24
25				·02		·16	·71		·14			·26	25
26		·04				·15	·10		·01			·60	26
27		·11				·26	·58			·37			27
28		·10				·14		·05	·65	·03			28
29						·51	·10	·05	·01	·01	·13	·04	29
30	·09	X		·03		·04				·71	·57	·23	30
31	·04	X		X		X	·05		X	1·17	X	·30	31
Total	4·23	5·57	1·18	1·44	2·59	1·36	5·80	3·10	1·90	6·14	2·26	7·07	YEAR'S TOTAL 42·64
Rain Days.	19	24	10	16	12	10	19	18	13	20	14	26	201

W. 8,000. X. 15.

Ex D L

2152

FORM A. BRITISH RAINFALL. 3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Roundhill Grange Charlton Musgrove

in the County of Somerset

by M. General C. H. P. Ducat

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Wincanton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 11 in.

" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.15	.01			.37	.02	.01		.19	.42	.81		1
2	.30	.10	.03		.06				.05	.53	.03		2
3	.02	.97			.03				.16	.42	.30		3
4	.19	.22			.06	.26			.28	.07	.77		4
5	.17				.39	.45				.04	.71		5
6	.01	.17	.02		.04		.62			.05	.67		6
7	.05	.08	.32		.16		.42			.06	.57	.20	7
8		.27	.05		.28						.08	.13	8
9		.02			.04	.20				.20	.07	.06	9
10	.02	.50	.01	.11	.03	.05	.04			.02		.22	10
11	.02		.01	.13		.08			.03				11
12	.10	.07	.04	.25	.05		.11			.13			12
13		.29	.19	.01				.39	.01		.01		13
14	.03	.39	.02	.05	.14			.02		.02			14
15		.18	.10	.02				.24		.01			15
16	.04	.08		.22			.02	.24		.03			16
17	.17	.32		.08				.01	.52	.60	.15		17
18	.01	.24	.13	.10					.05	.10	.20	.20	18
19	.11		.49	.16					.01		.21	.07	19
20	.28	.23	.35								.05	1.08	20
21	.03	.15	.22		.06		.01				.01	.25	21
22	.02		.02			.03				.28	.06	.51	22
23	.02	.18		.01		.09		.19		.07	.08	.23	23
24		.06	.03	.08	.62	.17		.03		.51	.06	.19	24
25		.58	.11		.03			.38		.02	.13		25
26	.01	.05	.04			.26		.16	.80	.66	.01		26
27		.10	1.15			.36	.02	2.07	.55	.28			27
28		.28	.02		.05			.11	.72	.24	.01	.17	28
29		.55	.01			.28		1.93	.52	.65		.22	29
30		╳	.02					.02		.69			30
31		╳		╳		╳		.07	╳	.21	╳	.09	31
Total	1.75	6.09	3.38	1.22	2.41	2.25	1.25	5.86	3.89	6.31	4.99	3.62	YEAR'S TOTAL 43.02
Rain Days.	20	25	22	12	16	12	8	14	13	25	21	14	202

W. 8,000, VIII. 16

Cnd by Boys

REGISTER OF RAINFALL IN 1917

2054

FORM A.
BRITISH RAINFALL.
3. JAN 1918

Kept at Roundhill Grange Charlton Musgrove
in the County of Somerset
by Major General Ducat

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Wincanton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 11 in.
" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·14	·17		·19		·93	·05		·09		1
2	·01			·17		·07		·11	·01		·01		2
3				·63			·88	·01	·	·24	·03		3
4		·12	·10					·05	·01	·24			4
5	·33		·21	·24		·30			·18	·22	·08		5
6			·17							·04	·16	·01	6
7	·30						·17	·18		·52		·04	7
8	·38		·06	·15			·65	·46	·07	·33	·18	·10	8
9			·08	·01	·03		·01	·16		·14	·36		9
10	·12		·32	·21				·17	·04				10
11	·06		·39	·33				·04	·01	·24	·01		11
12	·02				·46					·57	·01		12
13			·15	·05		·01		·30	·05	·01			13
14			·20	·17			·10	·07			·01		14
15							·80	·012	·01	·10	·06	·28	15
16	·01	·17		·07	·03		·47	·01	·01	·45		·27	16
17		·01		·20	·09		·48	·10	·62	·14	·01		17
18	·01	·02					·18		·32	·06	·01		18
19		·50	·11			·04			·14		·07		19
20		·03	·05		·29	·29		·16	·14		·05	·03	20
21			·28			·13		·02		·06			21
22			·06					·12		·03			22
23		·25			·09			·21					23
24		·06	·01			·10	·04	·13		·18	·16		24
25		·09	·07					·03	·07	·06			25
26					·21			·65	·16	·08	·02		26
27					1·20	·15		1·04		·03		·01	27
28		·01	·16		·03	6·02		1·05				·03	28
29			·12			·18	·06	·03		·61		·13	29
30		✕	·18				·47	·06		·12			30
31		✕	·14	✕		✕		·01	✕	·15	✕	·06	31
Total	1·24	1·27	3·02	1·80	2·43	7·48	4·31	6·22	1·89	4·62	1·27	·96	YEAR'S TOTAL 36·57
Rain Days.	9	11	20	12	9	11	12	26	16	23	17	10	176

W. 8,000, IX. 17.

135

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL
3 1 19

Kept at Roundhill Grange
in the County of Somerset
by Major General C. H. P. Ducat

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Wincanton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 11 in.
" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. ·50

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					·07			·57	·04		·75	·04	1
2		·64		·24				·28	·21		·03	·13	2
3		·05	·02	·17	·18					·05	·01	·02	3
4	·01	·02	·01	·01				·7	·03	·07	·59	·10	4
5			·03	·05	·06			·35	·56	·20	·01	·05	5
6	·19	·32		·27				·02	·03	·02		·12	6
7		·15		·01	·50				·16	·09	·31	·01	7
8		·10						·01	·27	·28	·01	·02	8
9		·00		·18		·32	·56		·43	·10	·01	·22	9
10	·08			·07			·27		·28	·20	·03	·55	10
11			·02				·82		·19	·03	·05	·10	11
12		·05	·02		·38		·06		·11			·02	12
13	·28	·01			·02		·46		·60	·06		·16	13
14	·09		·06			·09	·02		·13	·17		·20	14
15	1·12			·50	·02	·03	·26			·01		·11	15
16	·42		·01	·25			·02		·18	·01		·19	16
17	·30		·02	·20			·39	·03	·05			·10	17
18	·67			·01		·56	·11		·14	·01		·32	18
19	·10		·10	·17			·19	·03	·02	·01		·15	19
20	·03	·08				·02	·20		·14	·04			20
21	·06	·01				·05	·03		·39	·05		·15	21
22	·05				·09		·59		·16	·01		·30	22
23	·19				·31	·01	·53	·01	·10		·07	·09	23
24		·15				·04	·01	·01	·08		·20		24
25				·03			·47	·75			·02	·01	25
26		·01					1·22		·04	·01	·11	·29	26
27		·30	·02				·05	·09	·22	·01	·12	·04	27
28		·08	·15								·30	·15	28
29			·07						1·19		·01		29
30		X	·36					·08	·03	·05	·09	·13	30
31		X	·13	X		X		·14	X	·02	X		31
Total	3·59	1·37	1·02	2·16	1·63	1·12	6·26	2·44	5·86	1·50	2·72	3·77	YEAR'S TOTAL 33·44
Rain Days.	14	15	14	14	9	8	19	14	26	22	18	27	200

W, 6,500, VII. 18. W W C

1927

8 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Roundhill Grange

in the County of Somerset

by C. H. P. Ducat

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Wincanton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 11 in.

" " " " Sea Level 275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·14

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·50		·08	·09	·10		·60		·02	·12		1.21	1
2	·08				·14		·01		·30		·06	·12	2
3	1·18		·16		·10				·17		·06	·56	3
4	·22	·17	·75			·04		·22	·39			·07	4
5		·51	·45		·07		·13		·18		·06	·47	5
6	·50	·11	·14		·03						·04	·30	6
7	·20		·37	·10								·01	7
8	·21		·16			·02							8
9	·03		·04	·14	·01						·10		9
10	·14		·06	·05	·01					·07		·25	10
11	·02		·24	·18	·17		·26					·08	11
12	·05		·02	·03		·05	·01			·12	·13	·11	12
13	·12	·01	·01	·65			·08			·02		·02	13
14	·42	·08		·52	·02		·12			·01		·14	14
15	·16			·03						·01		·40	15
16	·05	·60					·01	·19			·17	·01	16
17		·37						·04			·36		17
18		·02	·57				·25	·01	·01		·23	·02	18
19	·45	·24	·98			·04	·61	·33	·22		·26	·10	19
20	·37	·09	·11			·22		·13				·08	20
21		·54					·45	·01	·02			·12	21
22		·11					·14		·31		·04	·46	22
23									·04	·33	·05	·15	23
24						·17	·07			1.00	·06	·51	24
25	·09	·04		·09		·04		·31		·02	·05	·18	25
26	·03		·10	·12				·17	·13			·23	26
27	·21	·03	·03	·34			·03	·97				·08	27
28			·37					·40			·59	·39	28
29				·62				·12		·05		·04	29
30		✕	·01	·20		·13		·86		·02	·38	·33	30
31	·01	✕	·03	✕		✕	·01		✕		✕	·40	31
TOTAL	4·94	2·92	4·76	2.56	·65	·71	2.78	3·76	1.79	1·77	2.64	6.84	YEAR'S TOTAL 36.06
Days with ·01 in. or more	21	14	20	14	9	8	15	13	11	11	16	28	180

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1841

8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Roundhill Grange
in the County of Somerset
by Major General Ducat

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Wincanton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 11 in.
" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·37

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14		·01	·22	·37		·28	·06	·05	·05	·52	·41	1
2	·14		·02	·17			·27	·53	·18	·01		·15	2
3	·15	·07		·03	·05		·47		·01	·63		·05	3
4			·03	·06			·27	·36		·14			4
5			·07	·05	·19		·53	·40		·24		·02	5
6			·20		·08		·18	·01		·01			6
7	·09		·08	·52			·23				·01		7
8	·07	·14		·39	·04		·38			·01		·01	8
9	·64	·20	·03	·11		·12	·63						9
10	·51	·39	·15	·08		·22	·30					·62	10
11	·26		·09	·43	·23	·01	·22			·61			11
12	·33	·01	·01	·18	·02	·60	·03			·01	·05		12
13	·26	·06	·43	·15							·04		13
14	·06	·03	·22	·50					·13	·17	·27		14
15	·03	·10	·04	·35	·04	·22	·03		·07	·44	·04		15
16			·14	·05	·01	·02	·11		·07	·08	·01		16
17	·04		·01	·27	·23	·01	·01		·33			·01	17
18	·05		·06	·08	·15	·05	·01	·39	·25		·01	·03	18
19	·07			·22	·10	·16			·02				19
20	·13	·27		·15		·50	·01					·14	20
21							·13		·02	·15		·21	21
22	·04	·01		·15		·01	·93	·04		·01	·01	·34	22
23							·98			·01		·29	23
24	·01		·11	·02	·06						·12	·03	24
25		·07	·12		·03		·32						25
26	·27		·14			·04	·30				·15	·06	26
27	·30	·02	·05	·46	·01	·31	·04			·01	·01	·18	27
28	1·13	·02	·03	·08	·17	·03	·04					·03	28
29	·28		·15		02	·01					·16	·12	29
30	·07	✕	·02	·09	·02	·25	·28		·45		·41	·18	30
31	·12	✕	·34	✕		✕	·01		✕	·49	✕	·19	31
Total	5.19	1.39	2.55	4.64	1.52	2.56	5.49	1.78	1.58	2.47	1.81	2.47	Year's Total 33.95 ✓
Days with ·01 in. or more	24	13	24	24	18	16	26	7	11	17	14	19	213 ✓
Days with ·04 in. or more	22	8	16	22	12	~~11~~ 10	18	7	8	9	9	~~13~~ 12	~~154~~ 152

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. **Gp.132.** A.&E.W.

WINSCOMBE

THE DOWN

SOMERSET.

1911 — 1920

RE 911

FORM A2. BRITISH RAINFALL. 2 - JAN 1912

Kept at The Down, nowdon

in the County of Som

by John

op 5 in.

above Ground 1 ft. in.

„ Sea Level 295 ft.

9 a m

ion Name Winscombe

Distance 1 m Direction NW.

IMPORTANT NOT and the result entered to the previous day. If an Ob universal rule, he is earnestly requested to add the read g year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·04	·09	·05	–	–	·09	–	–	·08	·03	1
2	–	–	·01	·29	·34	–	–	·20	–	·04	·37	·02	2
3	–	–	·03	–	·31	–	–	–	–	–	·09	·06	3
4	–	–	·20	·01	·01	–	–	·01	·02	·03	·25	·43	4
5	·07	–	·09	·01	–	–	–	·41	–	·02	·54	·01	5
6	·18	–	·01	·01	–	–	–	·11	–	–	·29	·47	6
7	·02	–	–	–	–	–	–	–	–	–	·41	–	7
8	·31	–	·22	–	–	–	–	–	–	–	–	·29	8
9	·21	–	·01	–	–	–	–	–	–	–	·15	·41	9
10	·12	·03	·32	–	·07	–	–	–	–	–	·03	·29	10
11	·43	·02	·01	–	·26	–	–	·06	–	–	·56	·37	11
12	–	–	·92	–	–	–	–	–	·03	–	·28	·16	12
13	–	–	–	–	–	–	–	–	·47	·06	·10	·47	13
14	–	·13	–	–	–	–	–	–	–	–	·09	·94	14
15	–	·08	·01	–	–	·07	–	–	–	–	·38	·02	15
16	–	·07	–	–	–	·12	–	–	–	–	·30	·18	16
17	–	·04	·01	–	–	·04	–	–	–	–	·02	·19	17
18	–	·27	·09	·13	·01	·33	–	–	–	·01	·01	·19	18
19	–	·09	–	·05	–	·11	–	–	·40	·10	·03	·42	19
20	·03	·04	·07	·45	–	·03	–	–	·34	·05	–	·27	20
21	–	·20	·01	·02	–	·09	–	·03	·08	·38	–	·29	21
22	·05	·02	·26	·08	–	·59	–	–	·01	·17	–	·64	22
23	·01	·15	·12	·01	–	·07	–	–	·17	·11	–	·23	23
24	·01	·32	–	–	–	·59	–	·16	–	·80	–	·27	24
25	–	·12	·01	·24	–	·17	–	–	·01	·06	–	·50	25
26	–	·09	–	·42	·04	·01	·29	·03	–	·17	·05	·42	26
27	–	·43	·13	·01	–	·01	–	·18	·11	–	·03	·14	27
28	–	·42	·01	·52	–	–	–	·25	–	–	·06	·01	28
29	–		–	·24	–	·49	·03	·09	·11	·59	·01	–	29
30	–		–	·03	–	·01	–	–	–	·21	·07	·02	30
31	–		–		·02		·01	–		·15		–	31
Total	1·44	2·52	2·58	2·61	1·11	2·73	·33	1·62	1·75	2·95	4·20	7·74	TOTAL for year 31·58
No. of Rain Days.	11	17	21	17	9	15	3	12	11	16	23	28	183

31·58

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at The Down, Wiscombe

in the County of Somerset 2

by John Grubbs

RAIN GAUGE
Pattern "Snowdon"
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 295 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Wiscombe
Distance 1 m Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·04	·09	·05	—	—	·09	—	—	·08	·03	1
2	—	—	·01	·29	·34	—	—	·20	—	·04	·37	·02	2
3	—	—	·03	—	·31	—	—	—	—	—	·09	·06	3
4	—	—	·20	·01	·01	—	—	·01	·02	·03	·25	·43	4
5	·07	—	·09	·01	—	—	—	·41	—	·02	·54	·01	5
6	·18	—	·01	·01	—	—	—	·11	—	—	·29	·47	6
7	·02	—	—	—	—	—	—	—	—	—	·41	—	7
8	·31	—	·22	—	—	—	—	—	—	—	—	·29	8
9	·21	—	·01	—	—	—	—	—	—	—	·15	·41	9
10	·12	·03	·32	—	·07	—	—	—	—	—	·03	·29	10
11	·43	·02	·01	—	·26	—	—	·06	—	—	·56	·37	11
12	—	—	·92	—	—	—	—	—	·03	—	·28	·16	12
13	—	—	—	—	—	—	—	—	·47	·06	·10	·47	13
14	—	·13	—	—	—	—	—	—	—	—	·09	·94	14
15	—	·08	·01	—	—	·07	—	—	—	—	·38	·02	15
16	—	·07	—	—	—	·12	—	—	—	—	·30	·18	16
17	—	·04	·01	—	—	·04	—	—	—	—	·02	·19	17
18	—	·27	·09	·13	·01	·33	—	—	—	·01	·01	·19	18
19	—	·09	—	·05	—	·11	—	—	·40	·10	·03	·42	19
20	·03	·04	·07	·45	—	·03	—	—	·34	·05	—	·27	20
21	—	·20	·01	·02	—	·09	—	·03	·08	·38	—	·29	21
22	·05	·02	·26	·08	—	·59	—	—	·01	·17	—	·64	22
23	·01	·15	·12	·01	—	·07	—	—	·17	·11	—	·23	23
24	·01	·32	—	—	—	·59	—	·16	—	·80	—	·27	24
25	—	·12	·01	·24	—	·17	—	—	·01	·06	—	·50	25
26	—	·09	—	·42	·04	·01	·29	·03	—	·17	·05	·42	26
27	—	·43	·13	·01	—	·01	—	·18	·11	—	·03	·14	27
28	—	·42	·01	·52	—	—	—	·25	—	—	·06	·01	28
29	—		—	·24	—	·49	·03	·09	·11	·59	·01	—	29
30	—		—	·03	—	·01	—	—	—	·21	·07	·02	30
31	—		—		·02		·01	—		·15		—	31
Total	1·44	2·52	2·58	2·61	1·11	2·73	·33	1·62	1·75	2·95	4·20	7·74	TOTAL for year 31·58
No. of Rain Days.	11	17	21	17	9	15	3	12	11	16	23	28	183

31·58

W. 8,000, X. '11.

FORM A2. BRITISH RAINFALL.

2 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at The Dawn, Wiviscombe

in the County of Somerset 2

by John Grubb

RAIN GAUGE
Pattern "Snowdon"
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 295 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Wiviscombe
Distance 1 m Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·20	—	—	·48	—	·01	·01	·66	—	·23	1
2	—	—	·06	·01	—	·26	·33	—	—	—	·03	·01	2
3	·02	—	·11	·03	—	·20	·05	·50	·15	—	·03	·07	3
4	·38	—	·69	—	·01	·10	—	·05	·02	—	·20	—	4
5	·39	·09	·15	—	·04	—	—	·65	—	—	·01	·17	5
6	·44	·11	·08	—	·13	—	·33	·92	—	—	—	·03	6
7	·04	·20	·13	—	·16	·67	—	·03	—	—	·01	·17	7
8	·35	·23	·20	—	—	·16	·20	·23	—	—	—	·07	8
9	·01	·02	·10	·13	—	·02	·03	·04	—	—	—	·59	9
10	·18	·11	—	—	—	·17	—	·01	—	—	·09	·10	10
11	·02	·04	—	—	—	—	—	—	—	—	—	·50	11
12	·07	·73	·10	·13	·04	·03	·05	—	—	—	·02	·21	12
13	—	—	·02	—	—	—	—	—	—	—	—	·13	13
14	·15	·04	·75	—	·23	—	—	·51	—	—	—	·01	14
15	·09	·12	—	·01	·26	·70	—	·02	—	—	—	·75	15
16	·48	·01	·35	—	·29	·09	—	·51	—	·08	·17	·13	16
17	·84	—	·26	—	·08	·11	—	·82	—	—	·04	·18	17
18	·09	·01	·65	—	—	—	—	·06	—	·13	·01	·14	18
19	·03	·08	·04	—	—	·03	·29	·20	—	·33	·01	·02	19
20	·04	·04	·26	—	·40	—	·06	·85	—	·71	—	—	20
21	·01	·34	·27	—	·66	—	·04	·19	—	·16	·04	—	21
22	·63	·10	·09	—	·08	—	·10	·26	—	·03	·14	·10	22
23	·37	·72	·40	—	—	·06	—	·94	—	·11	·01	·44	23
24	·10	·02	·06	—	—	·48	—	·17	—	·01	—	·13	24
25	—	—	—	—	—	·65	—	·68	—	·14	·41	·45	25
26	—	·03	·01	—	—	—	·04	·32	—	·46	·63	·22	26
27	—	·02	—	—	—	·25	·81	—	—	·76	·07	·54	27
28	—	·06	—	—	—	·09	·35	·45	·04	·29	·64	·84	28
29	—	·22	—	—	—	—	·35	—	·35	·50	—	·05	29
30	—		—	—	·03	·08	·30	·02	·09	·30	—	·01	30
31			·33		·19		·29	·06		·02		·13	31
Total	4·73	3·34	5·31	·31	2·60	4·63	3·62	8·50	·66	4·69	2·56	6·42	TOTAL for year 47.37
No. of Rain Days	21	22	23	5	14	19	16	25	6	16	18	28	213

7,000. X. '09.

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.

2 - JAN 1914

Kept at The Down. Winscombe

in the County of Somerset 2

by John Grubb

Rain Gauge
Pattern "Snowdon"
Diameter of top 5 in.
Height of top above Ground ~~295~~ 1 ft. in.
" " " Sea Level 295 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Winscombe
Distance 1 M Direction S W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·20	·14	·05	·16	-	-	-	·28	·01	·05	·22	1
2	·06	·03	·01	·08	·06	-	·02	-	·02	·10	·10	·03	2
3	·14	·01	·09	-	·38	-	-	-	-	-	·03	·52	3
4	1·35	-	·10	-	·31	·01	-	-	·74	·13	·03	·15	4
5	·02	·07	·06	-	·18	·75	·09	-	·23	-	·05	·08	5
6	·04	·05	·15	-	·04	·21	·03	-	-	·51	·18	·45	6
7	·01	·20	·06	-	·25	·37	·13	-	-	·50	·21	·01	7
8	·01	·15	·01	-	·30	·03	-	-	-	·06	-	·01	8
9	-	-	·03	·01	·07	·39	-	·25	·08	-	·06	·02	9
10	·25	-	·02	-	·05	-	-	·19	-	·27	·13	-	10
11	·67	·01	-	·23	·19	·05	-	·01	-	·02	·72	·10	11
12	·17	-	-	-	·10	-	·01	·05	·09	-	·17	·01	12
13	·09	-	·06	-	·01	-	·09	·10	·49	-	·15	-	13
14	·11	·04	·21	·04	-	·01	-	-	-	·08	·32	·02	14
15	·19	-	·33	·58	-	-	-	·05	·16	-	·25	·07	15
16	·31	-	·37	·04	-	-	-	-	·23	-	·01	·01	16
17	·11	-	·02	·09	-	-	·10	-	·02	-	·11	-	17
18	·14	-	·10	·16	-	·02	-	-	-	-	·11	-	18
19	·34	-	·02	-	·08	·21	-	-	·39	-	-	-	19
20	·12	-	·11	·05	-	-	-	-	-	·13	·36	-	20
21	·01	-	·09	·50	·11	-	·09	·01	-	-	·11	-	21
22	·68	-	·69	·16	·04	·08	-	·04	·22	·03	-	-	22
23	-	·01	·01	-	-	·01	-	·41	·02	-	·02	·31	23
24	·09	·03	-	·05	-	-	-	·02	-	-	·03	-	24
25	-	-	-	·14	-	-	-	-	·01	-	-	·18	25
26	-	·04	-	·19	-	-	-	·12	-	-	-	·10	26
27	·08	-	·10	·21	-	-	-	-	-	·34	·02	·04	27
28	·13	-	·03	·26	-	-	-	-	-	·15	-	·24	28
29	·02		·52	·30	-	-	-	·19	-	·25	·02	·02	29
30	·49		-	-	-	-	-	-	-	·57	·10	-	30
31	·07		·04		·49		-	·17		-		-	31
Total	5·70	·84	3·37	3·14	2·82	2·14	·56	1·61	2·98	3·15	3·34	2·59	TOTAL for year 32·24
No. of Rain Days.	26	12	25	18	17	12	8	13	14	15	24	20	204

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at The Down, Winscombe

in the County of Somerset 2

by John Grubb

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Winscombe
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·15	–	·05	·16	·68	–	–	·03	·01	1
2	–	–	–	·02	·03	·01	·65	·04	–	–	·79	·30	2
3	–	–	·11	·26	·10	–	–	1·40	–	–	·02	·08	3
4	·20	–	·23	·23	·30	–	·15	·17	–	–	·70	·36	4
5	·11	–	·20	·47	·03	–	·12	·02	–	–	·06	·43	5
6	–	·07	·05	·28	·05	·05	·34	·27	–	–	·05	·13	6
7	·02	·56	·24	·35	·22	·08	1·51	·16	–	–	–	·05	7
8	·15	·02	·81	·04	·11	·47	·08	·12	–	–	–	·04	8
9	·15	–	·33	·11	·03	·71	–	·13	·18	–	–	–	9
10	·01	·11	·01	·13	·18	–	–	–	·53	–	·03	–	10
11	–	·09	·64	–	·14	·23	·30	–	·03	–	·04	·29	11
12	–	·12	·17	–	–	–	–	–	·27	·02	·06	·12	12
13	–	·20	·34	–	–	–	·02	–	·40	·25	·09	·24	13
14	–	·07	·23	–	–	–	–	·39	·05	·14	·32	–	14
15	–	·01	·19	–	–	–	–	·42	·17	·02	·21	–	15
16	–	–	·01	–	–	–	·09	–	·21	–	–	–	16
17	–	·50	·21	–	–	–	·06	–	–	–	–	·15	17
18	–	·03	·07	–	–	–	·24	–	–	–	–	·40	18
19	–	·07	·22	–	–	–	·81	–	·06	–	·07	·07	19
20	–	·21	·16	–	–	·20	–	–	–	·13	–	·26	20
21	–	·73	·01	–	–	–	–	–	–	·05	–	–	21
22	–	·02	·04	·01	·45	·24	·02	·14	–	·20	–	–	22
23	–	·06	·36	–	·09	·06	·01	·01	–	·12	–	–	23
24	–	–	·03	–	·07	–	–	·07	–	–	·29	–	24
25	·07	–	·14	–	·02	–	–	·68	–	·52	·02	·33	25
26	–	–	·05	–	–	–	·05	·04	–	·14	·26	·56	26
27	·06	–	–	–	–	–	–	–	–	·19	·12	·07	27
28	·01	·11	·11	–	·10	–	–	–	–	·10	·52	·92	28
29	·21		·24	–	·14	–	–	–	–	·10	·14	–	29
30	·03		·01	–	·02	·06	–	–	–	·25	·21	·38	30
31	–		–		·02		·22	–		·23		·07	31
Total	1·02	2·98	5·21	2·05	2·10	2·16	4·83	4·74	1·90	2·46	4·03	5·26	YEAR'S TOTAL 38·74
Rain Days.	11	17	27	11	18	11	17	16	9	15	20	21	193

W.7,000, XI. 13

Ex DL

2129

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

Kept at The Down, Winscombe
in the County of Somerset
by John Grubb

2

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Winscombe
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30	·21	-	-	·14	-	-	·05	·37	·29	·03	·10	1
2	·10	·20	·18	·21	-	·10	-	·56	·17	·02	-	·24	2
3	·04	·06	·16	·29	·19	-	·02	·01	-	-	-	·74	3
4	·03	·01	·03	-	·03	-	·32	·01	-	-	-	·25	4
5	·09	·32	·01	·04	-	-	-	·09	-	-	-	·25	5
6	·45	·10	-	·26	-	-	·37	·13	-	-	-	·13	6
7	·34	·49	-	·03	-	-	·36	·01	-	-	-	·23	7
8	·36	·26	-	·03	-	-	·01	·14	-	-	·07	·02	8
9	-	·05	-	·14	-	-	-	·12	-	-	·41	·61	9
10	·30	·05	·09	·07	-	-	-	·13	-	·02	·02	·07	10
11	·02	-	·06	·06	·02	-	·01	·28	-	-	·61	·04	11
12	·19	·26	-	·11	·44	-	-	·12	-	·12	·20	·01	12
13	·02	·48	-	-	·76	-	·13	·04	·14	-	-	·04	13
14	·09	·03	-	-	-	-	·26	·88	·10	·01	-	·72	14
15	·28	·04	-	-	·17	-	·23	·05	·12	·04	·17	·05	15
16	-	·68	-	-	·23	-	·89	·06	-	-	-	·02	16
17	-	·16	·01	-	·43	-	-	·01	-	-	-	-	17
18	-	·18	·01	-	-	-	-	-	-	-	-	-	18
19	-	·02	-	-	·10	-	·25	-	-	-	-	-	19
20	·39	-	-	·13	-	-	·01	-	-	·04	-	·07	20
21	·08	·10	-	-	-	-	·01	-	-	·17	-	·05	21
22	·08	·09	·45	·05	-	·02	·74	-	·03	-	-	·15	22
23	-	·02	·27	-	-	·01	·13	-	·06	1·07	-	·53	23
24	-	-	·06	·02	-	-	·05	-	·22	·99	-	·46	24
25	-	-	·04	-	-	·10	·17	-	-	-	-	·35	25
26	-	·01	-	-	-	-	·15	-	·02	-	-	·44	26
27	-	·02	-	-	-	·04	·38	-	-	·48	·01	·01	27
28	-	·11	·02	-	-	·02	-	-	·66	·11	-	-	28
29	-		-	-	-	·33	-	·04	-	-	·02	·03	29
30	·26	X	-	·02	-	·47	-	-	-	·20	·13	·20	30
31	-	X	-	X	-	X	·02	·18	X	·70	X	·17	31
Total	3·42	3·95	1·39	1·46	2·51	1·09	4·51	2·91	1·89	4·26	1·67	6·00	YEAR'S TOTAL 35·06
Rain Days.	18	24	13	14	10	8	20	19	10	14	10	27	187

W. 8,000. X. 14.

Exd Ely

2069

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
2 JAN 1917

Kept at The Down, Winscombe

in the County of Somerset

by John Grubb

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Winscombe

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16	—	·02 s	—	·12	·18	·28	—	·04	·61	·14	—	1
2	·75	·05	·02 s	—	·13	—	·01	—	·01	·76	·06	—	2
3	—	·65	—	—	·08	·02	·03	—	·01	·38	·16	—	3
4	·34	·13	—	·01	·36	·60	—	—	·25	·17	·43	—	4
5	·13	·03	·01 s	—	·24	·20	—	—	—	·03	·14	—	5
6	·08	·17	·01 s	—	·25	·18	·56	—	—	·13	·59	—	6
7	·08	·06	·19 s	—	·08	·09	—	—	—	·12	·53	·16	7
8	—	·21	·04 s	—	·16	·06	—	—	—	·01	·01	·12	8
9	·01	·03	—	—	·18	·02	—	—	—	·07	·05	·07	9
10	—	·42	·03 s	·10	·09	·03	—	—	—	·03	·02	·02	10
11	·03	—	·02 s	·33	·08	·08	—	—	·01	—	·02	—	11
12	·03	·18	·04	·03	·50	—	·20	·03	—	·16	·01	—	12
13	—	·57	·18	—	·01	—	·01	·12	·01	·01	—	—	13
14	·01	·43	·01	·11	·33	—	—	·36	—	·02	—	—	14
15	·02	·19	·03	·07	·01	—	—	·30	·14	—	—	—	15
16	·08	·04	—	·55	·03	—	·06	·85	·02	·01	—	—	16
17	·17	·20	—	·05	—	—	—	·20	·49	·53	·09 s	—	17
18	—	·03	·17	·06	—	—	—	—	·03	·16	·22	·08	18
19	·14	—	·45	·35	—	—	—	—	—	—	·17	—	19
20	·18	·13	·52	·01	—	—	—	—	—	—	·11	·90	20
21	·19	·05	·50	—	·11	—	—	—	—	—	—	·27 s	21
22	·01	—	·01	·07	—	·15	—	—	—	·30	·10	·67 s	22
23	·05	·29 s	—	·25	—	·06	—	·24	—	·16	·24	·16	23
24	—	·13 s	·01	·11	·93	·02	—	·09	—	·46	·01	·26	24
25	—	·55 s	·22	—	—	·01	—	·42	—	·07	·18	·21	25
26	·03	·08 s	·16	—	·04	·30	—	·78	·65	·40	·05	—	26
27	·05	·26 s	1·32 s	—	·01	·09	—	·22	·24	·41	—	—	27
28	—	·32 s	·02 s	—	—	·02	—	·01	·17	·96	—	·70	28
29	—	·42 s	·11	—	—	·45	—	1·59	·03	·65	—	·59	29
30	—	✗	·01	—	—	—	—	—	—	·32	—	·03	30
31	—	✗	—	✗	—	✗	—	·04	✗	·10	✗	·07	31
Total	2·54	5·56	4·10	2·10	3·74	2·56	1·15	5·25	2·10	7·03	3·33	4·31	YEAR'S TOTAL 43·77
Rain Days.	20	25	24	14	20	18	7	14	14	26	21	15	218

W. 8,000. X. 15. S. = Snow

REGISTER OF RAINFALL IN 1917

1917

FORM A.
BRITISH RAINFALL
2 JAN 1918

Kept at The Down. Winscombe

in the County of Somerset

by John Grubb

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Winscombe

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	–	·28	·31	–	·16	–	1·10	·21	–	·09	–	1
2	·04	–	–	·01	–	·19	–	·09	–	·01	·06	–	2
3	·03	·02	–	·02	–	–	·27	–	–	·95	·11	–	3
4	–	·10	·07	–	–	–	·12	·03	–	·17	–	–	4
5	·27	–	·21	·49	–	·21	–	–	·15	·47	·18	–	5
6	–	–	·08	–	–	–	–	–	–	·11	·22	–	6
7	·40	–	–	–	–	–	·40	·22	–	·24	·01	·01	7
8	·03	–	·05	·11	–	·08	·51	·55	·09	·83	·23	·04	8
9	–	–	·04	·02	·06	–	·03	·13	·06	·43	·10	–	9
10	·35	–	·21	·17	–	–	–	·29	·01	·01	–	–	10
11	·04	–	·78	·42	·10	–	–	·11	·11	·17	·05	–	11
12	–	–	·01	·02	·44	–	–	·44	–	·83	–	–	12
13	–	–	·12	·04	–	·09	–	·22	·23	·06	–	·01	13
14	–	–	·10	·12	–	–	–	1·35	·29	–	–	–	14
15	–	–	–	·04	–	–	·15	·06	·02	·18	–	·17	15
16	–	·25	–	·18	·03	–	·11	–	–	·17	–	·15	16
17	–	·02	–	·11	·08	–	·52	·07	·40	·11	·08	–	17
18	·03	·01	–	·01	·01	·02	·53	·04	·77	·02	–	–	18
19	·02	·61	·04	–	–	·10	–	·18	·07	–	·05	–	19
20	·01	·12	·02	–	·25	·37	–	·02	·01	–	·01	·05	20
21	–	–	·39	–	–	·10	–	–	–	·02	–	–	21
22	–	–	–	–	–	·07	–	·12	–	·16	–	–	22
23	–	·14	–	–	·03	·01	–	·29	–	–	·04	·01	23
24	–	·01	·01	–	–	·34	·04	·30	–	·26	·01	–	24
25	–	·15	·02	–	–	·01	–	·04	·04	·57	–	–	25
26	–	–	–	–	·22	·01	–	·71	·34	·39	·08	–	26
27	–	–	–	–	·72	·13	·02	·85	–	–	·02	–	27
28	–	·02	·13	–	–	2·60	–	·52	–	–	·01	·01	28
29	–		·05	–	–	·10	·03	·03	–	·64	–	·19	29
30	–	×	·04	–	–	–	·20	·29	–	·17	–	–	30
31	–	×	·21	×	·02	×	–	·17	×	·05	×	·02	31
Total	1·24	1·45	2·86	2·07	1·96	4·59	2·93	8·22	2·80	7·02	1·35	·66	YEAR'S TOTAL 37·15 ✓
Rain Days.	11	11	20	15	11	17	13	26	15	24	17	10	190 ✓

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
2. I. 19

Kept at The Down, Winscombe
in the County of Somerset
by John Grubb

Lat. .... Long. ....
Time of Observation 9 a m
Nearest Railway Station Winscombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·02	—	·13	·14	—	—	·42	—	·04	·68	·01	1
2	—	·04	—	·04	—	—	—	·36	—	—	·03	·42	2
3	—	·03	—	·17	·13	—	—	—	·05	·02	·05	·02	3
4	—	·12	—	·03	—	—	—	·06	·01	·11	·53	·14	4
5	—	·01	·03	·07	·11	—	—	·34	·12	·21	·02	·02	5
6	·17	·64	—	·32	—	—	—	·03	·03	·13	—	·12	6
7	—	·17	—	·01	·68	·01	—	·01	·59	·41	·27	·01	7
8	·01	·02	—	—	—	—	·01	—	1·72	·35	—	·07	8
9	·01	·15	—	·52	—	·12	·36	—	·75	·10	·02	·22	9
10	·02	—	—	·13	—	—	·44	—	·35	·14	·03	·39	10
11	·10	·12	·11	·02	—	—	·35	—	·33	·34	·08	·27	11
12	—	·17	·15	—	·34	—	·25	—	·06	—	—	·06	12
13	·19	·02	—	—	—	·05	·06	—	·57	·18	—	·31	13
14	·14	—	·03	—	—	·04	·34	—	·31	·21	—	·12	14
15	1·14	—	—	·27	·10	·34	·37	—	·01	—	—	·40	15
16	·43	—	—	·71	—	—	·03	·04	·17	—	—	·23	16
17	·29	—	·02	·10	—	—	·31	·10	·27	·02	—	·27	17
18	·79	—	·03	—	—	·67	·33	—	1·78	·11	—	·39	18
19	·04	·01	·18	·01	—	—	·06	·05	1·09	·03	—	·05	19
20	·02	·24	—	·08	—	·03	·58	—	·22	·02	—	—	20
21	—	·04	—	·03	—	·02	·35	—	·65	·04	—	·10	21
22	·01	—	—	—	·29	—	·78	—	·39	·03	—	·49	22
23	·21	—	—	—	·10	—	·39	—	·01	—	—	·04	23
24	—	·13	—	—	—	—	·04	·11	·25	—	·07	—	24
25	—	—	—	—	·03	—	·21	1·22	—	·01	·04	—	25
26	—	—	—	·18	—	—	·39	·06	·06	·03	·19	·64	26
27	—	·05	·01	—	—	—	—	·30	·49	—	·17	·03	27
28	—	·09	·10	—	—	—	—	—	·02	—	·04	·22	28
29	—		·09	—	—	—	—	—	1·10	·03	—	·04	29
30	—	X	·47	—	—	—	—	·04	·14	·01	·09	·16	30
31	—	X	·15	X	—	X	—	·02	X	·01	X	—	31
Total	3·57 ✓	2·07 ✓	1·37 ✓	2·82 ✓	1·92 ✓	1·28 ✓	5·65 ✓	3·16 ✓	11·54 ✓	2·58 ✓	2·31 ✓	5·24	YEAR'S TOTAL 43·51 ✓
Rain Days.	15 ✓	18 ✓	12 ✓	17 ✓	9 ✓	8 ✓	19 ✓	15 ✓	27 ✓	23 ✓	15 ✓	28 ✓	206

W. 8,000, IX. 17.

1574

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at The Down, Winscombe
in the County of Somerset
by John Coombs

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Winscombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·61	·01	·02	·03	·21	-	·32	-	·05	·30	-	·80	1
2	·15	-	·01	-	-	-	·12	-	·11	-	·02	·43	2
3	·68	-	·26	-	·06	·07	-	-	·11	-	·08	·62	3
4	·43	·21	·41	-	·02	·05	·26	·09	·21	·01	·01	·13	4
5	·03	·37	·53	-	-	-	·01	-	·51	-	·02	·62	5
6	·37	·08	·18	-	-	-	-	-	-	-	-	·14	6
7	·28	-	·30	·17	-	-	-	-	-	-	-	-	7
8	·16	-	·17	·06	-	·03	-	-	-	-	-	-	8
9	·10	-	·07	·13	·05	-	-	-	-	-	·18	-	9
10	·04	-	·27	·01	·03	-	-	-	-	·05	·01	·40	10
11	·06	-	·08	·18	·13	-	·23	-	-	·01	-	·20	11
12	·09	-	·02	·02	-	·24	-	-	·01	·11	·17	·02	12
13	·18	·02	-	·28	-	-	·05	-	·01	-	-	·02	13
14	·40	·07	-	·51	·15	-	·21	-	·03	-	-	·23	14
15	·47	·02	-	·06	-	-	-	-	-	·04	-	·27	15
16	·22	·65	-	-	-	-	-		-	-	·16	-	16
17	·03	·32	-	·02	·03	·06	·14	-	-	-	·36	·03	17
18	·02	-	·60	-	-	-	-	·47	·09	-	·39	·04	18
19	·33	·26	1·09	-	-	·14	1·02	·32	·39	-	·18	·09	19
20	·58	·21	·20	-	-	·19	-	·19	·01	-	·02	·07	20
21	·01	·68	·01	-	-	-	·13	·02	·02	-	·01	·11	21
22	-	·18	-	-	-	·02	·12	-	·43	-	·02	·14	22
23	-	-	-	-	-	·01	-	·01	-	1·17	·04	·03	23
24	-	-	-	·09	-	·18	-	-	·06	·90	·23	·66	24
25	·11	-	-	·01	-	·01	-	1·15	-	-	·05	·14	25
26	·07	·05	·10	·08	-	·01	-	·22	·18	-	-	·46	26
27	·17	·02	·01	·45	-	·01	-	·43	-	-	-	·07	27
28	·03	-	·56	-	-	-	-	·20	-	-	·30	·59	28
29	·02		-	·13	-	-	-	·01	-	·05	·03	·18	29
30	-	X	·03	·23	-	·23	-	·22	-	·02	·18	·33	30
31	·01	X	-	X	-	X	·03	-	X	-	X	·25	31
Total	5·65	3·15	4·92	2·46	·68	1·25	2·64	3·33	2·22	2·66	2·46	7·07	YEAR'S TOTAL 38·49
Rain Days.	27	15	20	17	8	14	12	12	15	10	20	27	197

W. 8,000, IX. 17.

Copy 1766

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

3 JAN 1921

Kept at The Down, Winscombe
in the County of Somerset
by John Grubb

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Winscombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, ,, ,, ,, Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	—	·17	·27	—	·26	·04	·20	·09	·18	·34	1
2	·12	—	·01	·13	·01	—	·23	·25	·11	·16	—	·04	2
3	·05	·03	—	·05	—	—	·67	—	·02	·33	—	·01	3
4	—	—	·03	·08	—	—	·08	·72	—	·30	—	—	4
5	—	—	·18	·66	·33	—	·56	—	—	·17	—	—	5
6	—	—	·14	·04	·60	—	·03	—	—	·03	—	—	6
7	·03	—	·01	·10	·02	—	·15	—	—	—	·05	—	7
8	·03	·04	—	·60	·12	—	·41	—	—	—	—	—	8
9	·65	·09	·09	·59	—	·16	·28	·04	—	—	—	—	9
10	·62	·33	·16	·03	—	·19	·63	—	—	—	—	—	10
11	·38	—	·15	·38	·32	·04	·10	—	—	—	—	—	11
12	·25	·13	·02	·14	—	·53	·17	—	—	—	·14	—	12
13	·10	·07	·39	·20	—	—	—	—	—	—	—	·01	13
14	·23	·02	·34	·57	—	—	·15	—	·26	·48	·40	—	14
15	·03	·17	·04	·20	·16	·06	—	—	·23	·37	·12	—	15
16	—	·01	·02	·04	—	1·39	·25	—	·19	·09	·42	—	16
17	·16	—	·01	·01	·20	·59	·01	·02	·51	—	—	·02	17
18	·06	—	·01	·27	·10	·10	·13	·46	·11	—	—	·01	18
19	·03	·22	—	·22	·03	·24	—	·02	—	—	—	·01	19
20	·03	·04	—	·19	—	·41	·07	—	—	—	—	·14	20
21	—	—	—	·04	—	—	·14	—	—	—	—	·11	21
22	·02	—	—	·14	—	·02	·07	·16	·01	—	—	·46	22
23	—	—	·01	—	—	—	·81	·03	—	—	—	·56	23
24	·05	—	·14	·02	—	—	·09	·02	—	—	·04	·07	24
25	·01	·12	·06	—	·03	·02	·46	—	—	—	—	—	25
26	·31	—	·18	—	—	·06	·01	—	—	—	·12	·08	26
27	·19	—	·06	·04	·03	·92	·03	—	—	—	·01	·16	27
28	·77	·01	·14	·02	·03	·05	·08	—	—	—	—	·05	28
29	·23	·01	·16	—	·15	·01	·27	—	—	—	·18	·31	29
30	·04	✕	·04	·08	—	·51	·25	—	·37	—	·33	·11	30
31	·29	✕	·33	✕	·03	✕	·07	—	✕	·29	✕	·24	31
TOTAL	4·70	1·29	2·72	5·01	2·43	5·30	6·46	1·76	2·01	2·31	1·99	2·73	YEAR'S TOTAL 38·71
Days with ·01 in. or more	25	14	24	26	16	17	28	10	10	10	11	18	209

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

·04	17	9	16	22	9	14	24	6	8	9	10	13	147

II.12

FORM A2.
BRITISH RAINFALL.
16 JAN 1912

RE

WINSFORD SCHOOL

SOMERSET

1911-1920

Kept at Winsfor
in the County of So
by W Dick

Snowden
5 in.
Ground 1 ft. 2 in.
Sea Level 685 ft.
am
Name Dulverton
Distance 9m Direction SE

IMPORTANT NOTE the result entered to the previous day. If an Obs ersal rule, he is earnestly requested to add the read ar in the space provided for it at the end of this ment of rain, the selection and placing tish Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08		·06	·13				·05		·01	·04		1
2			·06		·46			·33		·25	·27	·23	2
3	·02		·08		·58						·45	·17	3
4			·15					·14		·23	·79	·76	4
5	·45		·09					·19		·20	·48	·16	5
6	·31		·21								·24	(·92)	6
7	·05			·03							·97		7
8	·10		·25								·20	1·14	8
9	·08		·03								·57	·39	9
10	·20	·08	·80		·47							·58	10
11	·51		·07						·02		·96	·60	11
12			·96		·02			·08	·06		·37	·38	12
13			·02						·61		·12	·61	13
14		·11								·02	·01	·77	14
15		·09	·07			·08					·74	·13	15
16						·26					·23	·48	16
17		·28	·26			·16	·03				·17	·68	17
18		·97	·06	·32		1·05				·21	·33	·47	18
19		·27		·27		·71			·16	·15	·27	·72	19
20		·10	·05	·44					·25	·15	·03	·53	20
21		·53				·· }		·40	·57	·51		·24	21
22	·06	·08		·16		·57 }			·25	·35		·75	22
23		·54	·02	·06		·06			·29	·40		·25	23
24		·70				·49		·18		·38		·25	24
25		·09		·21		·05			·13	·10		·30	25
26	·11	·28		·76	·01		·04	·23		·57	·07	·55	26
27		·94	·16	·30		·02		·35	·20	·03	·	·16	27
28		·25	·03	·79				·05			·18	·02	28
29				·42		·73	·26	·03	·28	·85			29
30						·06	·· }		·03	·53	·20		30
31							·07 }			·30			31
Total	1·97	5·31	3·43	3·89	1·54	4·24	·40	2·03	2·85	5·24	7·69	~~11·74~~ 12·24	TOTAL for year ~~50·33~~ 50·83
No. of Rain Days.	~~12~~ 11	~~16~~ 15	~~21~~ 19	~~14~~ 12	5	~~15~~ 13	5	~~12~~ 11	12	18	~~23~~ 22	~~29~~ 26	169

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
16 JAN 1912

REGISTER OF RAINFALL IN 19

Kept at Winsford School
in the County of Somerset (W) 5
by W. Dicker

RAIN GAUGE
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 685 ft.
Time of Observation 9. am
Nearest Railway Station
Name Dulverton
Distance 9m Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08		·06	·13				·05		·01	·04		1
2			·06		·46			·33		·25	·27	·23	2
3	·02		·08		·58						·45	·17	3
4			·15					·14		·23	·79	·76	4
5	·45		·09					·19		·20	·48	·16	5
6	·31		·21								·24	(·92)	6
7	·05			·03							·97		7
8	·10		·25								·20	1·14	8
9	·08		·03								·57	·39	9
10	·20	·08	·80		·47							·58	10
11	·51		·07						·02		·96	·60	11
12			·96		·02			·08	·06		·37	·38	12
13			·02						·61		·12	·61	13
14		·11								·02	·01	·77	14
15		·09	·07			·08					·74	·13	15
16						·26					·23	·48	16
17		·28	·26			·16	·03				·17	·68	17
18		·97	·06	·32		1·05				·21	·33	·47	18
19		·27		·27		·71			·16	·15	·27	·72	19
20		·10	·05	·44					·25	·15	·03	·53	20
21		·53				·· }		·40	·57	·51		·24	21
22	·06	·08		·16		·57 }			·25	·35		·75	22
23		·54	·02	·06		·06			·29	·40		·25	23
24		·70				·49		·18		·38		·25	24
25		·09		·21		·05			·13	·10		·30	25
26	·11	·28		·76	·01		·04	·23		·57	·07	·55	26
27		·94	·16	·30		·02		·35	·20	·03	·	·16	27
28		·25	·03	·79				·05			·18	·02	28
29				·42		·73	·26	·03	·28	·85			29
30						·06	·· }		·03	·53	·20		30
31							·07 }			·30			31
Total	1·97	5·31	3·43	3·89	1·54	4·24	·40	2·03	2·85	5·24	7·69	~~11·74~~ 12·34	TOTAL for year ~~50·33~~ 50·83
No. of Rain Days.	~~12~~ 11	~~16~~ 15	~~21~~ 19	14 12	5	~~15~~ 13	5	~~12~~ 11	12	18	~~23~~ 22	~~29~~ 26	~~182~~ 169

FORM A.
BRITISH RAINFALL.
2 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Winsford School
in the County of Somerset 5
by W. Dicker

Lat. 51° Long. 3½° W.
Time of Observation 9. a.m
Nearest Railway Station Dulverton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 685 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			.42		.03	.62	.07	.06	.19	.98		.53	1
2			.40	.03		.54	.14			.07			2
3	.05		.32		.02	.22	.18	1.05	.22			.16	3
4	.78		1.60		.03	.19		.14			.37		4
5	1.20	.10	.57		.03			.53			.03		5
6	.96	.16	.11		.23	.02		.46			.01	.26	6
7	.15	.45	.12	.03	.33	.68		.30				.08	7
8	.50	.26	.25	.08		.09	.05	.49	.07			.03	8
9	.04	.22	.62	.16		.49	.09	.27			.04	.80	9
10	.33	.14	.02	.04		.22	.04		.12		.48	.14	10
11		.19					.13				.27	.71	11
12	.05	.35	.38				.18					.45	12
13	.35		.09			.62		.13		.12		1.25	13
14	.15	.05	.70		.14			.13				.35	14
15	.34	.05	.05		.26	.95		.04				.88	15
16	.45		.58		.09	.03		.50		.36		.14	16
17	.23		.14		.04	.18		.64				.31	17
18	.15	.03	.41					.86			.02	.16	18
19	.02	.26	.14			.10	.21	.66		.12	.05	.06	19
20	.14	.08	.90		.16		.11	.59		.18	.10	.01	20
21		.35	.60		.83		.09	.28		.76			21
22	.35	.24	.35		.27	.62	.02	.60		.36	.08	.13	22
23	.43	.66	.34		.03	.03	.07	1.25		.06	.17	.39	23
24	.14	.07	.30			.57		.02		.43		.24	24
25		.01	.01			1.32	.10	.43		.19	.97	.50	25
26		.22	.02			.01		.08		.62	.88	.53	26
27		.03	.04			.63	.62			1.38	.15	.90	27
28		.11	.02			.25	.60	1.06	.36	.34	.50	.63	28
29		.15				.15	.46	.04	.68	.40		.23	29
30			.04		.04	.25	.41	.03	.07	.53		.03	30
31			.79				.68	.08		.06		.65	31
Total	6.81	4.18	10.27	.34	2.53	7.58	4.25	10.72	1.71	6.98	4.12	10.57	YEAR'S TOTAL 70.06
Rain Days.	20	23	29	7	15	24	20	27	7	18	17	29	236

W. 7,500, XI. ·12

FORM A. BRITISH RAINFALL.
2 - JAN 1914

✓

REGISTER ~~OF~~ Ex Dl RAINFALL IN 1913

Kept at Winsford School
in the County of Somerset (W) 5
by William Dicker

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Dulverton G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 685 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·25	·35	·08	·12				·17	·02	·32	·63	1
2	·05	·48	·13	·28	·24				·04	·10	·27	·13	2
3	·30		·40		·27				·03	·03		·47	3
4	1·08		·38	·24	·23				·19	·05	·12	·65	4
5	·09	·11			·24	·64	·14		·34		·23	·30	5
6	·16	·15	·41		·05	·34	·32			·38	·33	·40	6
7	·02	·89	·05		·72	·26	·20			·62	·34	·03	7
8	·03	·28	·01		·61	·04		·06		·09	·02	·05	8
9		·07	}		·25	·38	·41	·03	·10		·50	·15	9
10	·75		·27 }	·04	·15	·05				·28	·31	·01	10
11	·80			·29	·27	·09			·05	·09	·77	·10	11
12	·44				·15	·03			·08		·70	·13	12
13					·01		·05	·17	·44		·35		13
14	·34		1·35	·09				·04	·13	·07	·35	·04	14
15			·77	1·64					·19		·33	·09	15
16	·19		1·10	·12		·07	·04	·22	·40		·07	—	16
17	·27		·06	·20			·02		·02		·23		17
18	·57		·47	·55		·04	·02				·37		18
19	·48		·16		·10	·08	·04		·34	·08	·02		19
20	·72		·24	·19					·03	·35	·62		20
21			·49	·04	·17			·27		·02	·30		21
22	1·30		·85		·05	·21	·05	·24	·12				22
23			·06			·10		·10	·02			·68	23
24	·08	·05		·20				·07 ·07			·21		24
25		·03		·68					·09	·02	·08	·23	25
26				·62				·05				·98 gale at night,	26
27	·17		·26	·37				·03		·54		·08	27
28	·23		·14	·37	·01					·56		·25 snow,	28
29			·85	·25	·09			·03		·18	·03		29
30	1·43			·03						·87	·16		30
31	·61		·37		·39			·43		·03		— 21 degrees frost	31
Total	10·14	2·31	9·17	6·28	4·12	2·28	1·29	1·74	2·78	4·58	7·03	5·40	YEAR'S TOTAL 57·12
Rain Days.	~~26~~ 23	9	23 ~~25~~	~~20~~ 19	~~20~~ 19	~~15~~ 13	10	13	18	19	24	19	209 ~~218~~

W. 7,500, XI. 12

Exe D L

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
11 JAN 1915

Kept at The School, Winsford, Dulverton
in the County of Somerset 5 (W.)
by W. Dicker

Lat. 51 11 Long. 3¾ W
Time of Observation 9·am
Nearest Railway Station Dulverton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~12~~ 1 ft. in.
" " " " Sea Level 685 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02	·04	·12		·20	·32	·47			·25	·14	1
2	·02		·05	·20			·45	·17			·15	·73	2
3			·62		·62			·02			·02	·14	3
4	·58		·31	·43	·20		·58	·21			·49	}	4
5	·14		·48	·70	·12			·06				}	5
6			·26	·40	}		·22	·18			·09	2·00 }	6
7	·20	·63	·82	·25	·44 }	·16	·64	·61	·10				7
8	·19		1·25	·04	·30	·90		·05			·02	·20	8
9	·27	·02	·48	·19	·09	·72		·22	·85				9
10	·10	·38	·05	·42	·18	·10			·38			·06	10
11		~~·24~~	1·11		·12	·37			·02		·25	·57	11
12		·59	·15						·60	·06	·23	·58	12
13		·68	·54				·06		·60	·35	·96	·18	13
14		·33	·76			·27		·87	·04	·36	·38	·01	14
15	·02	·02	·50				·02	·41	·	·04	·66	·07	15
16			·06						·45			~~·83~~	16
17		·90	·41				·08		·09			·83	17
18		·15	·39						·18			·48	18
19		·19	}				2·36X		·08		·18	·32	19
20		·40	·84 }			·15						·30	20
21		·39	·02							·35			21
22		·09	·08		·13	·54		·15		·36			22
23		·13	·20							·39			23
24			·06		·19		·16			·04	·30		24
25	·22		·47				·35	·60		·64	·04	·61	25
26			·24				·25	·18		·13	·48	·65	26
27	·19		·01				·01		·02	·17	·57	·44	27
28	·05	·04	·18		·11					·46	·11	1·20	28
29	·62	·24	·20		·14					·61	·65	·07	29
30	·08	X	·19		·19					·56	·86	·83	30
31	·09	X		X	·05	X	·65		X	·68	X	·57	31
Total	2·77	5·44	10·77	2·75	2·88	3·41	6·15	4·20	3·41	5·20	6·69	10·98	YEAR'S TOTAL 64·65
Rain Days.	~~15~~ 14	~~19~~ 18	30	9 ~~11~~	~~13~~ 15	~~11~~ 9	~~16~~ 14	~~15~~ 14	~~13~~ 12	15	~~20~~ 19	~~26~~ 24	~~204~~ 193

W. 8,000. X. 14.

X v. heavy rain July 19.

Exe DL

2206

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Winsford School

in the County of Somerset

by W. Dicker

5

Lat. 51 N Long. 3½ W
Time of Observation 9 am
Nearest Railway Station Dulverton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 685 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·31	·39			·10			·67	·31	·44	·09	·50	1
2	·40	·15	·24	·21				·53		·03		·67	2
3		·32	·60	·14	·12	·05		·01				1·30	3
4	·20	·14			·07		·44					·90	4
5	·22	·61		·43				·28				·65	5
6	·61	·15	·04	·28			·50			·02		·27	6
7	·68	·80					·18	·07				·36	7
8	·44	·39									·25	·06	8
9	·07	·39		·54				·14			·59	1·32	9
10	·95	·14	·04	·05				·21		·24	·13	·13	10
11	·19	·45								·32	1·59	·40	11
12	·25	·57		·09	·60			·28	·05	·14	·37	·12	12
13	·15	·59			·96		·10		·11		·35		13
14	·35						·25	1·15	·17			1·60	14
15	·50				·25		·32	·06				·15	15
16	·14	1·37			·24		1·64						16
17	·02	·25											17
18		·47											18
19	·02	·05			·30		·23						19
20	·94			·25		·07				·32		·71	20
21	·30	·30					·21			·30		·55	21
22	·20		·31	·12		·08	·52		·12	·18		·50	22
23	·07	·09	·08			·14	·10		·10	·90		1·24	23
24	~~·07~~						·36		·04	·69		·73	24
25			·10			·61	·52		·06	·04		·18	25
26	·05	·34				·62	·19		·04			·85	26
27		·16				·13	·14			·79		·09	27
28		·18					·03		·89	·18		·03	28
29						·12			·03		·73	·28	29
30	·15	✕								·81	·43	·52	30
31		✕		✕		✕	·19	·19	✕	1·13	✕	·37	31
Total	7·21	8·50	1·41	2·11	2·64	1·82	5·92	3·59	1·92	6·53	4·53	13·88	YEAR'S TOTAL 60·06
Rain Days.	23	22 23	7 10	12 9	9 8	9 8	18 17	15 11	13 11	17 16	13 9	26	167 188

W. 8,000. X. 14.

(188)

2141

FORM A.
BRITISH RAINFALL.

9 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Winsford School

in the County of Somerset

by W. Dicker

Lat. 51° N Long. 3·30 W

Time of Observation 9 am

Nearest Railway Station Dulverton 9 mls

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 685 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·24		·45		26	·33	·32			·35	·08		1
2	1·50	·12			·13				·13	·59	·15		2
3	·03	1·11			·26		·08		·15	·76	·32	·05	3
4	·95	·25		·04		1·29	·06		·10	·26	·74		4
5	·18	·38	Snowstorms		·50	·23					·43		5
6	·36	·53			·19	·08	·60			·46	·76		6
7	·10	·23			·38					·08	·80	·17	7
8					·35	·33					·47	·14	8
9		·37					·05			·16	·18	·18	9
10	·02	·56	·77	·13	·18	·05					·02	·16	10
11				·30	·02	·02			·03	·19			11
12	·12	·35	·15	·14	·28		·25	·06		·38			12
13		·86		·04			·10	·29					13
14	·03	·82	·20	·03	·15			·45	misty rain	·38			14
15		1·00	·34		·01			·72		·11			15
16	·06	·24	~~·45~~	·50			·02	·36		·17	Snow		16
17	·26	·42	~~·29~~	·20					·57	·52			17
18	·06	·81	~~·35~~	·15					·32	·21			18
19	·47		·15	·42							·73	·10	19
20	·57	·57	·29								·26	·52	20
21	·57		·35		·05							·30	21
22						·18				·66	·07	·16	22
23	·08							·41		·21	·37	1·03	23
24			·18	·28	·50	·19		·13		·58	·08	·30	24
25		Snow	·32	·15				·50	·05	·03	·46		25
26	·10							·26	·85	·75	·09		26
27	·05		snow ·90		·02	·29		·27	·35	1·09			27
28			·35			·07		·05		·62		1·33	28
29		1·52				·89		3.11	·27	·66		1·05	29
30		✕				·03		·03		·39		·08	30
31		✕	·01	✕		✕		·24	✕	·32	✕	·16	31
Total	5·69	10·14	4·46	2·38	3·28	3·98	1·48	6·88	2·82	9·93	6·01	5·73	YEAR'S TOTAL 62·78
Rain Days.	20	24	21	14	18	16	9	14	14	27	20	16	(213)

W. 8,000, VIII. 16

S

Exed TW

REGISTER OF RAINFALL IN 1917

2046

FORM A.
BRITISH RAINFALL.
5 JAN 1918

Kept at Winsford School
in the County of Somerset
by W Dicker

Lat. 51 N. Long. 3½ W.
Time of Observation 9. a.m.
Nearest Railway Station Dulverton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 685 ft. approx Ordnance Survey

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09		·09	·28		·24		·80	·22		·06	·11	1
2	·27			·25		·26		·06	·10		·03		2
3							·50			1·77	·77		3
4		·64 snow	·14				·08		·03	·62			4
5	·34		·77	·67		·32			·10	·38	·39		5
6						·02				·24	·38	·14	6
7	·47							·18		·78	·03		7
8	·13			·30			·66	·74	·04	1·03	·44		8
9			·29	·09				·56		·68	·37	·19	9
10	·27		·50	·66	·01	·07		·23		·08	·10		10
11			·49	·20				·25	·02	·48	·14	·01	11
12					·45			·45		·93			12
13			·38			·06	·14	·50	·27	·03			13
14			·02	·39			·04	·29					14
15				·03			·53		·05	·63		·30	15
16				·19		·01	·62			·20	·02	·52	16
17	a little snow	·09	·01	·31	·01	-		·19	·35	·06			17
18				·07	·06	·06		·15	·95				18
19		·59	·09			·58		·08	·03		·05		19
20					·40	·16					·08		20
21					·03	·58		·17		·13	·03		21
22			·23			·03		·80		·23			22
23		·28			·10			·78		·23			23
24						·10		·61		·61			24
25			·07				·10 ~~[illegible]~~	·75	·05	·47	·43		25
26		·10			·20			~~1·35~~	·32	·26	·20		26
27					·33	·30		1·35		·23 snow	·04		27
28		·08	·25			5.35		·90			·02		28
29			·33			1.09		·09		·55	·08	·39	29
30		╳	·07				·02	·50		·26			30
31		╳	·05	╳	·16	╳		·30	╳	·23	╳	·03	31
Total	1·52	1·78	3·78	3·44	1·75	9·23	2·69	10·68	2·53	11·11	3·66	1·69	YEAR'S TOTAL 53·86
Rain Days.	12	9	20	15	10	17	10	25	15	26	22	10	(191)
	6		16	12		16	9	23	13	24	19	9	176

88

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
3 . 1 . 19

Kept at Winsford School
in the County of Somerset
by W Dicker

Lat. 51 Long. 3½ W
Time of Observation 9 a.m.
Nearest Railway Station Dulverton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 685 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		·1											
1		·17		·66	·06			·10	·10		1·15		1
2		·08		·10				1·40	·03	·04		·62	2
3		·25			·10					·11	·05		3
4		·10		·07				·09	·15		1·14	·03	4
5		·04	·12	·68				·60	·53	·73		·62	5
6	·10	1·11			·06					·27		·32	6
7		·27			·20			·07		·40	·44	·18	7
8										·70		·37	8
9	·30	·19				·46	·19		2·47		·08	·20	9
10	·19	·11		·26			·70		·44	·11		·64	10
11	·13	·20	·17				·45		·28		·09	·40	11
12		·34	·12		·34		·15					·13	12
13		·13	·07		·03	·11	·07			·30		·78	13
14	·97						·32		1·35	·12		·14	14
15	2·30	·03				·13	·40		·04			·78	15
16				·16		·14						·31	16
17	1·78		·10	1·81			·44	·22	·34			·55	17
18	1·30			·43		·81			·76			·52	18
19	·21	·03	·22				·35		·28	·40		·40	19
20	·16	·39		·19			·45		·26	·02			20
21	·10	·10					·07		1·05			·30	21
22	·02				·40		·68		·23			·68	22
23	·45	·05			·20		·25		·46		·15	·09	23
24		·23				·10	·29		·23		1·15	·30	24
25								1·10		·06	·15	·04	25
26		·07			·10		1·50		·47	·07	·24	·67	26
27		·12	·14					·48	·42	·12	·43	·23	27
28		·16										·27	28
29									1·56			·18	29
30		X	·60						·02		·33	·18	30
31		X	·50	X		X		·10	X	·05	X		31
Total	8·01	4·17	2·04	4·36	1·49	1·75	6·34	4·16	11·47	3·50	5·40	9·93	YEAR'S TOTAL 62·62
Rain Days.	16 13	21	10 9	14 9	9	10 6	17	11 9	20 26	18 15	15 12	27	(193) 173

1920

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at The School Winsford

in the County of Somerset

by W. Dicker

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Dulverton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
„ „ „ „ Sea Level 685 ft.

9 JAN 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.08		·15	+	·51		·32		+	1·16		1·31	1
2	·34		·09		·08				·52			·35	2
3	+		·12						·02	·11	·16	·81	3
4	·18	·28	·76		·09		·33	·13	·56			·18	4
5	1·00	·60	1·18		·02							·72	5
6	·67	·27	·37									·71	6
7	·30		·73	·17								·79	7
8	·18		·22	·05		·11							8
9	·59		·08	·12	·15						·25		9
10	·18		·79	·40	+		·10			·19	·10	·15	10
11	·10		·41		·21	·05	+						11
12	·19		·19			·62				·14		·12	12
13	·20			·62			+			·08		·30	13
14	·75	·27		1·37	·60				·11	+		·18	14
15	·71			·15						+		·52	15
16	·55	·98									·94	·07	16
17	·10	·10			·06	·17		·02			1·11	·16	17
18	·08	·66	·59				+	·46	·08		·53	·08	18
19	·40	·38	·49			·16	·28	·96	·48		·61	·14	19
20	·56	·35	·30			·07			·20			·34	20
21	·04	1·17	·04			·14	·33		·08			·24	21
22		·15						·06	·35		·15	·30	22
23									+	·97	·28	·23	23
24				·04		·23		+	·06	1·11	·30	·24	24
25	·15			+				1·03	+		·24	1·15	25
26	·15	·03	·37	+				·12	·16	·11		·83	26
27	·28		·17	·64				+				·50	27
28	×		·55	+				·80			[illegible]	·63	28
29	×			·27				·46		·38	·35	·56	29
30				·25		·18		·33		·10	·68	·93	30
31	·32		·09									·32	31
TOTAL	9·10	5·24	7·69	4·08	1·72	1·73	1·36	4·37	2·62	4·35	5·70	12·86	YEAR'S TOTAL 60·82
Days with ·01 in. or more	27	13	22	15	9	9	8	13	14	12	15	28	(185)

1833
8 FEB 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Winsford School
in the County of Somerset (West)
by W Dicker

Lat. 51° N Long. 3½° W.
Time of Observation 9 am
Nearest Railway Station Dulverton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 685 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12			·10	·20		·72	·22	·14	·30		·77	1
2	·20			·07	·01		·20	·20	·12	·15		30	2
3	·12	·09		·21	·01		·13	·04		·83		·26	3
4			·07				·35	·70	·02	·20			4
5			·21	·11	·31		·43	·24	·02	·34			5
6			·33		·71		·06		·02	·30	·01		6
7				·04			·40				·02		7
8	·51	·09	·08	·18	·33		·75					·04	8
9	2·13		·12			·27	·34		·03				9
10	2·40	1·46	·04	·78		·25	·48				·06		10
11	·33	·12	·22	·40	·35		·08						11
12	·72	·24	·30	·73	·07	·07	·11			·04	·29	·10	12
13	·18	·12	·38	·63			·13			·02			13
14	·20		·62	·78			·06		·28	·33	1·32		14
15	·04	·09	·27	·20	·11	·10	·08	·08	·30		·14		15
16	·02	·24	·10	·65		·27			·31		·19		16
17	·18	·01		·15		·30	·02		·77				17
18	·27	·01	·07	·26		·30	·18	·31	·24			·05	18
19	·10	·27		·48		·29	·08	·08				·08	19
20	·11			·69		·09	·05	·02				·27	20
21				·07			·08	·01	·08				21
22	·07			·24			·15	·01	·04			·63	22
23	·03		·05	·07			·61	·04				·50 ×	23/·21
24	·08	·19	·29	·04	·19						·27	1·21 ×	24 ·50
25	·11	·04	·26	·04			1·03		·01		·15		25
26	·30		·37			·05	·13	·02	·02			·20	26
27	·43		·16	·22	·13	·72	·06				1·15	·43	27
28	·30		·28	·23		·13	·13				·10	·07	28
29	·90	·18	·53	·06		·09	·25				·15	·71	29
30	·61			·15	·04	·43	·12		·59	·20	·40	·55	30
31	·43		·41				·03			·75		·23	31
TOTAL	10.89	3·15	5·16	7.58	2·46	3·36	7·24	1.97	2.99	3·46	4.25	6·40	YEAR'S TOTAL 58·91
Days with ·01 in. or more	26	~~15~~ 14 15	~~22~~ 22	~~27~~ 27	~~13~~ 12	14	30	13	16	11	14	17	218
Days with ·04 in. or more	24	~~12~~ 13	21 ~~22~~	27	~~11~~ 10	14	~~28~~ 27	9	10	10	12	17	~~196~~ 194

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WINSCOMBE
KAMIAH.
SOMERSET

1918

REGIST 8

FORM A.
BRITISH RAINFALL.
4 3 19

Kept at Winscomb

in the County of Somers

by Dr Caroline S

g. 2.50 W.

9 a.m.

n Winscombe

Rain Gauge 5 in.

e above Ground ft. 10 in.

,, Sea Level 216 ft.

IMPORTANT NOTE.—Rain shou and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0·04	—	0·10	0·34	—	—	0·34	—	0·04	0·68	—	1
2	—	0·03	0·02	0·03	—	—	—	0·50	—	0·01	0·02	0·40	2
3	—	0·02	—	—	0·12	—	—	—	0·08	0·02	—	—	3
4	—	0·11	—	0·14	—	—	—	0·06	0·01	0·10	0·52	0·13	4
5	—	—	0·02	0·05	0·10	—	—	0·26	0·12	0·18	0·02	—	5
6	0·14	0·64	—	0·29	—	—	—	0·10	0·03	0·14	—	—	6
7	—	0·17	—	—	0·65	—	—		0·60	0·40	0·25	—	7
8	0·01	0·02	—	—	—	—	0·01		1·28	0·32	—	0·18	8
9	0·01	0·14	—	0·46	—	0·13	0·43	—	0·69	0·10	—	0·22	9
10	0·02	—	—	0·11	—	—	0·38	—	0·38	0·15	0·12	0·46	10
11	0·10	0·06	0·13	—	—	—	0·40	—	0·38	0·26	—	0·38	11
12	—	0·12	0·13	—	0·38	—	0·30	—	0·07	—	—	—	12
13	0·13	0·31	—	—	—	—	0·08	—	0·52	0·19	—	0·30	13
14	0·96	—	0·02	—	—	0·09	0·34	—	0·29	0·23	—	0·08	14
15	0·62	—	—	0·36	0·10	0·60	0·35	—	—	—	—	0·48	15
16	0·28	—	—	0·83	—	—	0·04	—	0·15	—	—	0·08	16
17	0·73	—	—	0·10	—	0·72	0·14	0·10	0·25	0·04	—	0·26	17
18	—	—	—	—	—	—	0·28	0·05	1,97	0·08	—	0·40	18
19	0·05	—	0·19	—	—	0·04	0·10	—	1·12	0·03	—	0·04	19
20	0·01	0·24	—	0·10	—	—	0·64	—	0·32	—	—	—	20
21	0·01	0·03	—	—	—	—	0·30	—	0·65	0·04	—	0·10	21
22	—	—	—	—	0·25	—	0·81	—	0·32	0·03	—	0·50	22
23	0·20	—	—	—	0·15	—	0·43	—	—	—	—	0·02	23
24	—	0·13	—	—	—	0·01	0·05	—	0·32	—	—	—	24
25	—	—	—	—	0·04	—	0·17	1·65	—	—	0·08	—	25
26	—	0·01	—	—	—	—	0·43	0·05	0·05	0·04	0·20	0·69	26
27	—	0·03	—	—	—	—	—	0·31	0·55	—	0·17	0·04	27
28	—	0·07	0·08	—	—	—	—	—	—	0·05	0·04	0·18	28
29	—		—	—	—	—	—	—	0·96	—	—	—	29
30	—	X	0·54	—	—	—	—	0·08	0·09	—	0·10	—	30
31	—	X	0·16	X	—	X	—	0·08	X	0·02	X	—	31
Total	3·27	1·87	1·29	2·56	2·13	1·59	5·68	3·58	11·20	2·47	2·20	4·94	YEAR'S TOTAL 42·78
Rain Days.	14	17	9	11	9	6	19	12	24	21	11	19	172

W. 6,500, VII. 18. w w c

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

4 . 3 . 19

Kept at Winscombe

in the County of Somerset

by Dr Caroline Sturge

Lat. 51·19 N. Long. 2·50 W.

Time of Observation 9 a.m.

Nearest Railway Station Winscombe

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 216 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0·04	—	0·10	0·34	—	—	0·34	—	0·04	0·68	—	1
2	—	0·03	0·02	0·03	—	—	—	0·50	—	0·01	0·02	0·40	2
3	—	0·02	—	—	0·12	—	—	—	0·08	0·02	—	—	3
4	—	0·11	—	0·14	—	—	—	0·06	0·01	0·10	0·52	0·13	4
5	—	—	0·02	0·05	0·10	—	—	0·26	0·12	0·18	0·02	—	5
6	0·14	0·64	—	0·29	—	—	—	0·10	0·03	0·14	—	—	6
7	—	0·17	—	—	0·65	—	—		0·60	0·40	0·25	—	7
8	0·01	0·02	—	—	—	—	0·01		1·28	0·32	—	0·18	8
9	0·01	0·14	—	0·46	—	0·13	0·43	—	0·69	0·10	—	0·22	9
10	0·02	—	—	0·11	—	—	0·38	—	0·38	0·15	0·12	0·46	10
11	0·10	0·06	0·13	—	—	—	0·40	—	0·38	0·26	—	0·38	11
12	—	0·12	0·13	—	0·38	—	0·30	—	0·07	—	—	—	12
13	0·13	0·31	—	—	—	—	0·08	—	0·52	0·19	—	0·30	13
14	0·46	—	0·02	—	—	0·09	0·34	—	0·29	0·23	—	0·08	14
15	0·62	—	—	0·36	0·10	0·60	0·35	—	—	—	—	0·48	15
16	0·28	—	—	0·83	—	—	0·04	—	0·15	—	—	0·08	16
17	0·73	—	—	0·10	—	0·72	0·14	0·10	0·25	0·04	—	0·26	17
18	—	—	—	—	—	—	0·28	0·05	1·97	0·08	—	0·40	18
19	0·05	—	0·19	—	—	0·04	0·10	—	1·12	0·03	—	0·04	19
20	0·01	0·24	—	0·10	—	—	0·64	—	0·32	—	—	—	20
21	0·01	0·03	—	—	—	—	0·30	—	0·65	0·04	—	0·10	21
22	—	—	—	—	0·25	—	0·81	—	0·32	0·03	—	0·50	22
23	0·20	—	—	—	0·15	—	0·43	—	—	—	—	0·02	23
24	—	0·13	—	—	—	0·01	0·05	—	0·32	—	—	—	24
25	—	—	—	—	0·04	—	0·17	1·65	—	—	0·08	—	25
26	—	0·01	—	—	—	—	0·43	0·05	0·05	0·04	0·20	0·69	26
27	—	0·03	—	—	—	—	—	0·31	0·55	—	0·17	0·04	27
28	—	0·07	0·08	—	—	—	—	—	—	0·05	0·04	0·18	28
29	—		—	—	—	—	—	—	0·96	—	—	—	29
30	—	X	0·54	—	—	—	—	0·08	0·09	—	0·10	—	30
31	—	X	0·16	X	—	X	—	0·08	X	0·02	X	—	31
Total	3·27	1·87	1·29	2·56	2·13	1·59	5·68	3·58	11·20	2·47	2·20	4·94	YEAR'S TOTAL 42·78
Rain Days.	14	17	9	11	9	6	19	12	24	21	11	19	172

W. 6,500, VII. 18. W W C

WINSCOMBE
WINTRATH
SOMERSET
1911-1912

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

REC 19 11

nowdon

Kept at Wintrath, of top 5 in.
op above Ground 5 ft. 5 in.
in the County of Somers „ Sea Level 300 ft.
9.a.m
by F. Albright ation { Name Winscombe
Distance 1 mile Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·03	·08	·03		·01	·01			·04	·02	1
2			·01	·25	·27			·18		·03	·35	·05	2
3			·01	·01	·25						·05	·01	3
4			·18						·02	·03	·21	·40	4
5	·05		·04					·40		·01	·55		5
6	·07		·01					·10			·27	·36	6
7	·01			·01							·36		7
8	·25		·28									·25	8
9			·01								·13	·38	9
10	·21	·03	·26		·06						·04	·23	10
11	·26	·02			·31			·05			·55	·38	11
12	·37		·87						·03		·25	·20	12
13									·47	·06	·16	·43	13
14		·11									·05	·90	14
15		·06				·05					·31	·02	15
16		·06	·01			·10					·27	·10	16
17		·02				·02					·01	·15	17
18		·23	·10	·08	·01	·27						·15	18
19		·08		·02		·16			·39	·11	·02	·33	19
20	·01	·01	·08	·34		·01			·34	·03		·26	20
21		·20	·01	·01		·05		·04	·06	·30		·26	21
22	·04	·01	·25	·05		·56				·25		·58	22
23	·01	·13	·12			·07			·14	·08		·12	23
24		·25		·05		·54		·15		·79		·30	24
25		·12	·01	·30		·16						·46	25
26		·05		·37	·03			·01		·17	·05	·35	26
27		·36	·15				·27	·16	·07		·02	·10	27
28		·40		·48				·30			·07		28
29				·24				·06	·09	·50			29
30				·01		·44	·02			·17	·03	·01	30
31					·02					·14			31
Total	1·28	2·14	2·43	2·30	·98	2·43	·30	1·46	1·61	2·67	3·79	6·80	TOTAL for year 28·19
No. of Rain Days.	10	17	18	15	8	12	3	11	9	14	21	26	164

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Wintrath, Winscombe

in the County of Somerset 2

by F. A. Knight

Rain Gauge
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 5 ft. 5 in.
" " " Sea Level 300 ft.

Time of Observation 9. a. m

Nearest Railway Station
Name Winscombe
Distance 1 mile Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03	·08	·03		·01	·01			·04	·02	1
2			·01	·25	·27			·18		·03	·35	·05	2
3			·01	·01	·25						·05	·01	3
4			·18						·02	·03	·21	·40	4
5	·05		·04					·40		·01	·55		5
6	·07		·01					·10			·27	·36	6
7	·01			·01							·36		7
8	·25		·28									·25	8
9			·01								·13	·38	9
10	·21	·03	·26		·06						·04	·23	10
11	·26	·02			·31			·05			·55	·38	11
12	·37		·87						·03		·25	·20	12
13									·47	·06	·16	·43	13
14		·11									·05	·90	14
15		·06				·05					·31	·02	15
16		·06	·01			·10					·27	·10	16
17		·02				·02					·01	·15	17
18		·23	·10	·08	·01	·27						·15	18
19		·08		·02		·16			·39	·11	·02	·33	19
20	·01	·01	·08	·34		·01			·34	·03		·26	20
21		·20	·01	·01		·05		·04	·06	·30		·26	21
22	·04	·01	·25	·05		·56				·25		·58	22
23	·01	·13	·12			·07			·14	·08		·12	23
24		·25		·05		·54		·15		·79		·30	24
25		·12	·01	·30		·16						·46	25
26		·05		·37	·03			·01		·17	·05	·35	26
27		·36	·15				·27	·16	·07		·02	·10	27
28		·40		·48				·30			·07		28
29				·24				·06	·09	·50			29
30				·01		·44	·02			·17	·03	·01	30
31					·02					·14			31
Total	1·28	2·14	2·43	2·30	·98	2·43	·30	1·46	1·61	2·67	3·79	6·80	TOTAL for year 28·19
No. of Rain Days.	10	17	18	15	8	12	3	11	9	14	21	26	164

W. 8,000, X. '11.

corrd fr auth 26.11.13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
4 - JAN 1913

Kept at Wintrath, Winscombe

in the County of Somerset. 2

by F. Albright.

Rain Gauge
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 5 ft. in.
„ „ „ Sea Level 300 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Winscombe
Distance 1 m. Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·15			·43				·68		·19	1
2			·04	·01		·30	·33				·03	·01	2
3	·01		·04	·02		·15	·05	·53	·13		·02	·05	3
4	·35		·02			·10		·05	·02		·17		4
5	·35	·07	·15		·02			·61			·01	·15	5
6	·40	·07	·07		·10		·33	·94				·01	6
7	·01	·16	·10		·14	·61		·04				·20	7
8	·27	·20	·14		·01	·14	·20	·23				·01	8
9			·09	·13			·03	·03			·03	·54	9
10	·10	·10				·14		·01			·05	·10	10
11	·07	·03									·01	·45	11
12	·05	·70	·09	·12	·04	·03	·05					·20	12
13		·31	·31									·01	13
14	·11		·67		·28			·55					14
15	·07	·10			·21	·67						·70	15
16	·54		·30		·27	·08		·48		·07	·20	·11	16
17	1·00		·20		·05	·08		·83			·04	·18	17
18	·10		·01					·02		·12	·01	·12	18
19	·33	·07	·04			·03	·29	·22		·82		·01	19
20	·02	·52	·21		·34		·36	·80		·69			20
21		·25	·20		·65		·04	·20		·15			21
22	·02	·13	·04		·07		·10	·30		·04	·08	·09	22
23	·39	·72	·38		·01	·03		·95		·10	·11	·46	23
24	·09	·02	·03			·45		·04		·01	·01		24
25						·56		·06		·17	·36	·41	25
26		·02					·04	·30		·42	·60	·20	26
27		·02				·21	·81			·69	·20	·47	27
28		·05				·05	·35	·40	·05	·28	·56	·82	28
29		·19					·35	·03	·34	·45		·05	29
30					·03		·30		·09	·30		·01	30
31			·31		·21		·29	·05		·02		·12	31
Total	4·58	2·83	4·49	·28	2·43	4·06	3·62	8·27	·63	4·51	2·44	5·66	TOTAL for year ~~45·90~~ 43·90
No. of Rain Days.	19	2·93 19	22	4	15	17	16	23	5	16	17	26	199

W. 8,000, X. '11.

Ex d Comp

REGISTE... IN 1918.

WINSCOMBE
YEW TREE HSE
SOMERSET

1918 - 1920

SPECIMEN 2·1

FORM A.
BRITISH RAINFALL.

2·52·45/4

Kept at Yew Tree House
Winscomb
in the County of Somerset
by Wm. Hy. Stephe

.pm
Winscombe G.W.
Rain Gauge 8 in.
above Ground 1 ft. 6 in.
„ Sea Level 124 ft.

IMPORTANT NOTE.— ... and the result entered to the previous day. If an Observer pr ... ers ... universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 1

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·15	·13			·04	·05		·48	·12	1
2		·05		·13				·86		·05	·12	·16	2
3		·04									·05	·20	3
4				·32	·09			·03	·07		·12		4
5		·15						·33	·13	·05	·27		5
6		·10		·28	·13				·15			·15	6
7		·40			·36					·27			7
8		·19			·37				·65		·24	·10	8
9	·39						·20		1·05	·30		·12	9
10				·40			·13		·65	·07		·10	10
11		·05		·09			·63		·23	·14		·20	11
12		·07	·17				·05		·23	·27	·08	·28	12
13	·12		·06		·20		·08		·03				13
14	·33						·38		·35	·38			14
15					·08	·07	·37		·37			·05	15
16	·60			·95		·05	·03		·15			·22	16
17	1·43			·10			·17	·08	·20			·28	17
18	·25		·05	·04		·50	·52		·69			·33	18
19	·53		·21			·32	·03		·32	·08			19
20	·07	·12				·02	·50		·66	·04			20
21				·08			·32		·11	·08		·03	21
22				·03			·95		·56			·43	22
23					·14		·35		·33			·14	23
24	·21					~~·22~~ ·03	·07		·03		·10		24
25		·16					·03	·88	·37		·04		25
26				·08			·58			·05	·23		26
27								·26	·10		·05	·57	27
28		·05	·09					·06	·37		·18	·05	28
29									·53	·06			29
30		X	·36						·36			·30	30
31		X	·09	X		X		·04	X		X		31
Total	3·93	1·38	1·03	2·65	1·50	·99	5·39	2·58	8·74	1·84	1·96	3·83	YEAR'S TOTAL in. 35·82
Rain Days.	9	11	7	12	8	6	18	9	26	13	12	19	150

REGISTE 8.

Kept at Yew Tree House, Barton, Winscombe,
in the County of Somersetshire.
by Wm. Hy. Stephens.

Moved

Lat. 2·52·45/4
Time of Observation 6 pm
Nearest Railway Station Winscombe G.W.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 124 ft.

SPECIMEN. 2·1·

FORM A. BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. /

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·15	·13			·04	·05		·48	·12	1
2		·05		·13				·86		·05	·12	·16	2
3		·04									·05	·20	3
4				·32	·09			·03	·07		·12		4
5		·15						·33	·13	·05	·27		5
6		·10		·28	·13				·15			·15	6
7		·40			·36					·27			7
8		·19			·37				·65		·24	·10	8
9	·39						·20		1·05	·30		·12	9
10				·40			·13		·65	·07		·10	10
11		·05		·09			·63		·23	·14		·20	11
12		·07	·17				·05		·23	·27	·08	·28	12
13	·12		·06		·20		·08		·03				13
14	·33						·38		·35	·38			14
15					·08	·07	·37		·37			·05	15
16	·60			·95		·05	·03		·15			·22	16
17	1·43			·10			·17	·08	·20			·28	17
18	·25		·05	·04		·50	·52		·69			·33	18
19	·53		·21			·32	·03		·32	·08			19
20	·07	·12				·02	·50		·66	·04			20
21				·08			·32		·11	·08		·03	21
22				·03			·95		·56			·43	22
23					·14		·35		·33			·14	23
24	·21					~~·22~~ ·03	·07		·03		·10		24
25		·16					·03	·88	·37		·04		25
26				·08			·58			·05	·23		26
27								·26	·10		·05	·57	27
28		·05	·09					·06	·37		·18	·05	28
29									·53	·06			29
30		X	·36						·36			·30	30
31		X	·09	X		X		·04	X		X		31
Total	3·93	1·38	1·03	2·65	1·50	·99	5·39	2·58	8·74	1·84	1·96	3·83	YEAR'S TOTAL 35·82
Rain Days.	9	11	7	12	8	6	18	9	26	13	12	19	150

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1919.

FORM A. BRITISH RAINFALL. 6 JAN 20

Kept at Yew Tree House, Barton, Winscombe
in the County of Somerset.
by A. E. Stephens.

Lat. 51°·18·11 N. Long. 2°·52·44 W.
Time of Observation 6 pm.
Nearest Railway Station Winscombe G.W.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 124 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ~~(·25)~~

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	45	S. 3	.	.	18	.	70	.	.	10	.	18	1
2	H. 22	.	.	3	9	.	20	.	12	16	.	132	2
3	37	.	.	.	.	.	7	.	8	.	11	86	3
4	S. 16	.	39	.	7	8	25	7	12	.	.	24	4
5	S. 28	S. 54	76	.	.	.	.	.	25	.	2	45	5
6	S. 8	3	2	.	.	.	.	.	24	.	.	12	6
7	R.H. S. 69	.	39	.	.	.	.	.	.	.	.	3	7
8	6	.	24	15	.	.	.	.	.	.	.	.	8
9	18	.	1	2	.	2	.	.	.	.	10	.	9
10	-	.	6	11	8	.	.	.	.	6	.	12	10
11	-	.	32	2	2	1	.	.	.	.	.	30	11
12	8	.	20	15	7	5	18	.	.	12	S. 18	25	12
13	6	.	2	4	.	8	.	.	.	.	.	1	13
14	41	.	.	25	.	.	4	.	3	.	.	3	14
15	59	20	.	40	13	.	21	.	2	5	.	32	15
16	18	25	.	.	.	.	.	.	.	.	.	5	16
17	-	51	.	1	10	6	.	.	.	.	48	3	17
18	-	15	23	.	.	.	.	30	15	.	.	33	18
19	16	14	94	.	.	.	55	16	.	.	25	5	19
20	48	8	59	.	.	30	47	42	26	.	12	7	20
21	25	55	4	.	.	1	12	.	.	.	.	12	21
22	-	28	1	.	.	.	8	.	24	.	2	5	22
23	-	.	1	.	.	.	.	1	19	.	3	3	23
24	-	.	.	10	.	.	.	3	.	1·35	10	5	24
25	11	.	.	.	.	20	.	20	.	.	14	41	25
26	5	.	.	3	.	.	.	116	5	.	.	29	26
27	S. 25	4	9	36	.	.	.	.	.	.	15	5	27
28	.	.	1	4	.	1	.	73	.	.	.	41	28
29	.	.	45	.	.	.	.	.	.	2	S. 15	24	29
30	.	X	.	11	.	.	.	6	.	.	3	43	30
31	.	X	4	X	.	X	.	20	X	1	X	10	31
Total	·03 ~~5·11~~ 4.69	– ~~2·80~~ 2.77	– 4·82	·18 ~~1·82~~ 2.00	– ~~0·74~~ ·56	·70 ~~0·82~~ 1.52	– ~~2·87~~ 2.17	– 3·34	·10 ~~1·75~~ 1.85	– ~~1·87~~ 1.77	·18 ~~1·88~~ 2.06	·25 6·94 7·01	YEAR'S TOTAL ~~34·76~~ 34.56
Rain Days.	26	~~12~~ 11	20	~~15~~ 16	~~8~~ 7	~~10~~ 11	~~11~~ 10	11	~~12~~ 13	~~8~~ 7	~~14~~ 15	~~28~~ 29 29	~~170~~ 170

W. 8,000, IX. 17.

~~W.D~~ 1765

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Yew Tree House, Barton,
in the County of Winscombe,
by A. C. Stephens. Som.

Lat. 51·18·11 N. Long. 2·52·44 W.
Time of Observation 6 pm.
Nearest Railway Station Winscombe G. W. R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 124 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. /

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·19	·14		·52	·20		·02	·05	·05	·17	·13	·07	1
2				6	12		36	25	14	25		39	2
3	12			5			38		8	11		4	3
4		1		9				26	4	20			4
5			5	50			12	43		18			5
6			20	5	95		60			17			6
7			7	10			10						7
8		3		43			28				5		8
9	3			57	11		12			1			9
10	73	21	17	15		22	77		2				10
11	75			10		29						2	11
12	10		14	21	33	30	15						12
13		6	28	21		20	1		1		11		13
14	10	8	20	23						25			14
15	12	2	15	48			8		45	60	33		15
16	4	13		13	19	18			26	18	13		16
17	3		2		13	102	24	2	30	1	23		17
18	7		1		17	4		48	38				18
19	5			17	3	8		2	3			3	19
20	4	30		26		73	4						20
21	4						7					9	21
22	2			13			4						22
23								15	2	1		34	23
24	1		6				41					53	24
25	-	5	13				44		1		4		25
26	29	3	18				10	3					26
27	23		5	3	1	48	2				7	7	27
28	41		11		2	54						15	28
29	23		6			2					15	10	29
30	18	×	9		13	7	54		19	2	40	19	30
31	10	×		×		×	2		×	37	×	23	31
TOTAL	3·88	1·06	1·97	4·47	2·39	4·17	4·91	1·69	1·98	2·48	1·64	2·25	YEAR'S TOTAL 32·89
Days with ·01 in. or more	22	11	17	20	12	13	22	9	14	14	10	13	177
·04	18	7	15	19	9	12	18	6	9	10	10	11	144

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

WIVELLSCOMBE
CULVERHEAD

SOMERSET

1911 - 1920

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

RE

Kept at Culver

in the County of Some

by T. Robertson

ions'

in.

Ground 1 ft. – in.

ea Level 450 ft.

AM.

ame Wiveliscombe

istance 1m Direction E.

IMPORTANT NOTE he result entered to the previous day. If an Obse sal rule, he is earnestly requested to add the readi r in the space provided for it at the end of this ent of rain, the selection and placing sh Rainfall Organization are given in " Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		·05	·12			·03					·01	1
2					·45			·40		·15	·27	·33	2
3			·05		·30						·16	·04	3
4			·13							·19	·24	·53	4
5	·18		·20					·45			·28	·13	5
6			·27							·02	·23	·47	6
7											·73		7
8	·41		·18								·04	·83	8
9	·03										·43	·40	9
10	·10	·02	·44		·70						·02	·40	10
11	·37										·52	·30	11
12			·88								·24	·30	12
13									·48		·05	·53	13
14		·02									·20	1·04	14
15											·38	·09	15
16		·08				·47					·27	·48	16
17		·03	·13			·28					·03	·63	17
18		·52	·16	·45		·36				·17	·17	·57	18
19		·07		·13		·08			·47	·13	·13	·63	19
20		·02	·08	·17		·03			·16			·43	20
21		·18				·04		·03	·19	·52		·23	21
22	·21	·04		·16		·18			·13	·37		·81	22
23		·10				·09			·14	·25		·15	23
24		·40				·44		·10		·36		·23	24
25	·05	·13		·19		·03		·01	·08	·12		·23	25
26		·10		·38				·03		·18		·41	26
27		·45	·08	·20				·22	·12	·20		·14	27
28		·33		·50	·12			·10			·33	·01	28
29						·33	·15		·10	·33			29
30				·42			·04			·25	·13	·02	30
31										·08			31
Total	1·36	2·53	2·65	2·72	1·57	2·35 2·33	·22	1·34	1·87	3·32	4·85 4·85	10·39	TOTAL for year 35·13
No. of Rain Days.	8	15	12	10	4	11	3	8	9	15	20	28	143

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

REGISTER OF RAINFALL IN 191

Kept at Culverhead

in the County of Somerset 3

by T. Robertson Marsh

RAIN GAUGE
Pattern Symons'
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 450 ft.

Time of Observation 9. AM.

Nearest Railway Station
Name Wiveliscombe
Distance 1m Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·05	·12			·03					·01	1
2					·45			·40		·15	·27	·33	2
3			·05		·30						·16	·04	3
4			·13							·19	·24	·53	4
5	·18		·20					·45			·28	·13	5
6			·27							·02	·23	·47	6
7											·73		7
8	·41		·18								·04	·83	8
9	·03										·43	·40	9
10	·10	·02	·44		·70						·02	·40	10
11	·37										·52	·30	11
12			·88								·24	·30	12
13									·48		·05	·53	13
14		·02									·20	1·04	14
15											·38	·09	15
16		·08				·47					·27	·48	16
17		·03	·13			·28					·03	·63	17
18		·52	·16	·45		·36				·17	·17	·57	18
19		·07		·13		·08			·47	·13	·13	·63	19
20		·02	·08	·17		·03			·16			·43	20
21		·18				·04		·03	·19	·52		·23	21
22	·21	·04		·16		·18			·13	·37		·81	22
23		·10				·09			·14	·25		·15	23
24		·44				·44		·10		·36		·23	24
25	·05	·13		·19		·03		·01	·08	·12		·23	25
26		·10		·38				·03		·18		·41	26
27		·45	·08	·20				·22	·12	·20		·14	27
28		·33		·50	·12			·10			·33	·01	28
29						·33	·15		·10	·33			29
30				·42			·04			·25	·13	·02	30
31										·08			31
Total	1·36	2·53	2·65	2·72	1·57	2·35 2·33	·22	1·34	1·87	3·32	4·85 4·85	10·39	TOTAL for year 35·13
No. of Rain Days.	8	15	12	10	4	11	3	8	9	15	20	28	143

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A.

JAN 17

Kept at Culverhead. Wiveliscombe.

in the County of Somerset 3

by T. Robertson March

Lat. 51° 2' 24" N. Long. 3° 19' 10" W.

Time of Observation 9. A.M.

Nearest Railway Station Wiveliscombe

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·28	-	-	·62	·03	·04	·09	1·17	-	·36	1
2	-	-	·23	-	-	·15	·08	-	-	·01	·03	-	2
3	-	-	·15	-	-	·18	·09	1·00	·13	-	·02	-	3
4	·28	·02	1·18	-	-	·60	-	·03	-	-	·32	·01	4
5	·66	·08	·55	-	-	·18	-	·33	-	-	-	·05	5
6	·62	·26	·04	-	-	·15	·27	·74	-	-	-	·03	6
7	·05	50 ~~·80~~	·12	-	·43	·73	-	·29	-	-	-	·07	7
8	·51	·22	·34	·07	-	·27	·01	·26	-	-	-	·07	8
9	-	·12	·03	·15	-	·33	·03	·01	-	-	·02	·33	9
10	·22	·16	-	·02	-	·04	-	·07	-	-	·26	·13	10
11	-	·08	·09	-	-	-	-	-	-	-	·19	·42	11
12	·03	·43	·13	·04	-	-	·06	-	-	-	-	·10	12
13	·10	-	·01	-	-	-	-	·03	-	·02	-	·39	13
14	·13	-	·77	-	·11	-	-	·09	-	-	-	·17	14
15	·28	·06	·01	-	·22	·63	-	·01	-	-	-	·60	15
16	·95	-	·25	-	·04	·05	-	·15	-	·10	·10	·10	16
17	·21	-	·15	-	·05	·06	-	·78	-	-	-	·14	17
18	·03	-	·41	-	-		-	·12	-	·03	·02	·10	18
19	·05	·24	·08	-	-	·04	·30	·54	-	·07	·02	·05	19
20	·09	·06	·60	-	·22	·03		·30	-	·67	·04	-	20
21	·01	·16	·50	-	·81	·02	·05	·20	-	·16	-	-	21
22	·36	·19	·13	-	·53	·01	·07	·23	-	·15	·03	·14	22
23	·44	·50	·35	-	-		·01	·82	-	·18	·10	·42	23
24	·10	·05	·12	-	-	·30	-		-	·11	-	·16	24
25	-	-	-	-	-	·26	·02	·42	-	·13	·45	·40	25
26	-	·04	-	-	-		·05	·04	-	·29	·55	·36	26
27	-	-	-	-	-	·47	·60	-	-	1·34	·07	·39	27
28	-	·18	-	-	-	·05	·09	·63	·25	·31	·43	·52	28
29	-	·20	·05	-	-	·58	·23	·10	·40	·60	-	·15	29
30	-		-	-	-	·19	·21	-	·12	·34	-	·01	30
31	-		·64		-		·34	·01		·04	-	·13	31
Total	5·12	3·49	7·21	·28	2·41	5·94	2·54	7·24	·99	5·72	2·65	5·83	YEAR'S TOTAL 49·42
Rain Days.	19	16	25	4	9	23	19	25	5	18	16	27	206

W. 7,500, XI. 12

✓ cor. by own stats 25-III-14

REGISTER OF RAINFALL IN 1913

FORM A2. BRITISH RAINFALL.
21 JAN 1914

Kept at Culverhead, Wiveliscombe

in the County of Somerset

by T. Robertson Marsh

3

RAIN GAUGE
Pattern Symons
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 450 ft.

Time of Observation 9 AM

Nearest Railway Station
Name Wiveliscombe
Distance .59 Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		25	.25	.05	.11		.02		.14		.25	42	1
2	18	19	.01	.17	.19				03		.13	.03	2
3	27		.01	.04	.35				06		.01	.47	3
4	1.56			.02	.14				27	12	03		4
5	.04	02			18	.26			51		.10	.80	5
6	02	08	.18			.12	.13			.80	.16	.28	6
7	02	52	.04		70	16	.13			67	.22		7
8	02	09			41			.11	[illegible]				8
9		06	.02 (.18)	.07	.08	.28		.06	.02		.31		9
10	37		.05	.02	.12	.04				57	7		10
11	75	—		.15	.43			03		05	1.00		11
12	07				.07				02		53	.15	12
13	02		03				.02	.13	.40		.19		13
14	25		.28	05					02		.21	03	14
15	16		54	.87					16		.14		15
16	23		75	.02		.02		.30	26		.01		16
17	17		05	.11			.02				.06		17
18	25		28	.22							.08		18
19	42		11		.04	.03			.35	.01			19
20	56		16	.19						.03	.12		20
21			.08	05						[illegible]	.29	.03	21
22	1.03		.94		.03	.12		.02	.10	.03	.01	.07	22
23	02							.05			.07	.56	23
24	05	.08		.05				.02		01	.09		24
25		.05		58					04	03	.03	08	25
26			.27	1.48				.09		01		.29	26
27	14		.18	.21						.41			27
28	32			.34	.05					.45		.24	28
29	07		.52	38				.04		.35	02		29
30	56			15						.55	08		30
31	37		.10		.12			(.65) .65		.01			31
Total	7.92	1.33	5.12 ✓	5.22	3.32	1.03	.31	1.50 ✓	2.38	4.09	4.21	3.48	TOTAL for year 39.88 ✓
No. of Rain Days	26	9	22 ✓	21	15	8	5	11	14	16	25	~~14~~ 13	185

9,000, IX. '10.

Ex F L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
12 FEB 1915

Kept at Culverhead. Wiveliscombe

in the County of Somerset 3

by J. Robertson Marsh

Lat. Long.

Time of Observation 9. AM

Nearest Railway Station Wiveliscombe

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·15		·06	·35	·20			·22	·11	1
2			·03	·12			·48	·02			·45	·66	2
3			·21	·26	·43			·37			·01	·25	3
4	·26		·16	·45	·23		·36	·40			·42	·81	4
5	·09		·19	·52	·11			·02				·10	5
6	·01		·09	·29	·06		·22	·12			·01	·31	6
7	·01	·63	·29	·16	·12	·06	·25	·14	·03			·16	7
8	·07		1·12	·04	·23	·81		·07					8
9			·32	·15	·06	·63		·13	·52				9
10	·18	·24	·02	·25	·08	·05			1·16		·02	·02	10
11		·14	·53		·07		·10				·25	·60	11
12		·39	·11						·33	·02	·05	·55	12
13		·37	·42				·05		·38	·47	·37	·18	13
14		·23	·44			·14		·67	·02	·22	·45	·02	14
15		·02	·31					·53	·07	·03	·25		15
16			·08						·31			·03	16
17		·35	·42						·01			·83	17
18		·12	·13			·87	·06		·13	·02		·65	18
19		·04	·52				3·28		·04		·15	·11	19
20		·27	·51			·18						·23	20
21		·35	·01			·08		·01		·17		·05	21
22		·01			·12	·47		·03		·65			22
23		·12	·16			·02	·04			·23			23
24			·01				·05			·47	·20		24
25	·16		·57				·14	·63		·05	·01	·24	25
26	·06	·01	·18				·08	·20		·16	·22	·66	26
27	·01	·01									·13	·52	27
28	·04	·11	·20		·06					·26	·13	1·06	28
29	·28		·24		·11		·07			·39	·51	·05	29
30	·01	X	·08							·31	·43	1·09	30
31	·02	X		X		X	·51		X	·58	X	·28	31
Total	1·20	3·41	7·36	2·39	1·68	3·37	6·04	3·54	3·00	4·03	4·28	9·57	YEAR'S TOTAL 49·87
Rain Days.	13	17	28	10	12	11	15	15	11	15	19	25	191

W. 8,000. X. 14.

cmd 6.v.16

2178

FORM A. BRITISH RAINFALL.

14 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Culverhead, Wiveliscombe.

in the County of Somerset

by T.Robertson Marsh

3

Lat. 52.2'.24"N. Long. 3.19'.10".W.

Time of Observation 9 a.m.

Nearest Railway Station Wiveliscombe

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.34	.14	-	-	.04	-	-	.74	.05	.41	.04	.21	1
2	.23	.31	.22	.11	-	.01	-	.38	.02	.10	-	.84	2
3	-	.16	.13	.06	.14	-	-	-	-	.01	-	.45	3
4	.13	.15	.01	-	.04	-	.13	-	-	-	-	.40	4
5	.14	.52	-	.07	-	-	-	.25	-	-	-	.64	5
6	.65	.09	-	.37	-	-	.42	.03	-	-	-	.19	6
7	.48	.52	-	.09	.36	-	.14	-	-	-	-	.35	7
8	.31	.30	-	-	-	-	-	.10	-	-	-	.12	8
9	.03	.15	-	.12	-	-	-	.13	-	-	.46	.98	9
10	.41	.23	-	.04	-	-	-	.11	-	.08	.03	.11	10
11	.23	.61	.03	-	-	-	.05	.09	-	-	1.22	.11	11
12	.30	.43	-	.06	.62	-	-	1.77	-	.09	.25	.01	12
13	.03	.43	-	-	.77	-	.05	.08	.09	-	.20	.05	13
14	.17	-	-	-	-	-	.48	.25	.15	.05	-	1.05	14
15	.35	.01	-	-	.34	-	.17	-	.04	-	.37	.13	15
16	.02	1.30	-	-	.19	-	.83	-	-	-	-	.02	16
17	-	.31	-	-	.14	-	-	-	-	-	-	-	17
18	-	.50	-	-	-	-	-	-	-	-	-	-	18
19	-	.02	-	-	.13	-	.27	-	-	-	-	.06	19
20	.35	-	-	.12	-	.03	-	-	.15	-	-	-	20
21	.30	.13	-	-	-	-	.06	-	-	.25	-	.21	21
22	.05	.03	.48	.07	-	.05	.28	-	.03	.02	-	.41	22
23	-	.02	.11	-	-	.10	.19	-	.02	.97	-	.78	23
24	-	-	-	-	-	-	.25	-	.05	.28	-	.33	24
25	-	-	-	-	-	.27	.41	-	-	-	-	.35	25
26	.02	.13	-	-	-	.06	-	-	.03	-	-	.84	26
27	-	.10	-	-	-	.15	.05	-	-	.45	-	.04	27
28	-	.06	-	-	-	.02	-	-	.59	(.15)	-	.03	28
29	-	-	-	-	-	.03	-	-	.02	-	.14	.19	29
30	.22	╳	-	-	-	-	.03	-	-	.50	.23	.52	30
31	-	╳	-	╳	-	╳	.10	.01	╳	.85	╳	.22	31
Total	4.76	6.65	.98	1.11	2.77	.72	3.91	3.94	1.24	4.22 ✓	2.94	9.64	YEAR'S TOTAL 42.88
Rain Days.	20	24	6	10	10	9	17	12	12	1~~3~~4	9	28	170

W. 8,000. X. 15.

2115

W DL

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
11 JAN

Kept at Culverhead, Wiveliscombe
in the County of Somerset
by T. Robertson Marsh

Lat. 52°.2'.24" N. Long. 3°.19'.10" W.
Time of Observation 9 a.m.
Nearest Railway Station Wiveliscombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	–	–	–	·59	·07	·35	–	·07	·26	·15	–	1
2	·50	·06	·02	–	·05	–	·01	–	·03	·35	·20	–	2
3	–	1·10	–	–	·26	·02	·08	–	·19	·46	·40	–	3
4	·24	·27	–	·02	·28	·78	–	–	·09	·21	·75	–	4
5	·06	·02	·10	–	·28	·12	–	–	–	·04	·48	–	5
6	·18	·21	·15	–	·25	·09	·44	–	–	·09	·71	–	6
7	·06	(·33)	·25	–	·18	–	·10	–	–	·01	·84	·13	7
8	–	·20	·06	–	·32	·30	–	–	–	–	·40	·15	8
9	–	·11	–	–	·17	·07	·04	–	–	·21	·11	·18	9
10	–	·50	–	·09	·06	–	–	–	–	·05	·01	·16	10
11	–	–	–	·15	(·08)	–	–	–	–	–	–	–	11
12	·09	·24	·11	·06	·20	–	·13	·10	–	·12	–	–	12
13	–	·48	·13	–	–	–	–	·48	–	·01	–	–	13
14	·02	·60	–	·02	·09	–	–	·02	–	·10	–	–	14
15	–	·65	·08	·10	–	–	–	·41	–	·09	–	–	15
16	·08	·20	–	·34	–	–	·07	·83	–	·12	–	–	16
17	·12	·25	–	·12	–	–	–	·01	·28	·19	·32	–	17
18	–	·38	·23	–	–	–	–	–	·20	·14	·25	–	18
19	·21	·02	·47	·18	–	–	–	–	–	–	·10	–	19
20	·20	·49	·18	–	–	–	–	–	–	–	·15	·65	20
21	·15	·09	·21	·03	·05	·02	–	–	–	–	–	·43	21
22	–	–	–	–	–	·07	–	–	–	·38	·02	·64	22
23	–	× ·25	–	·04	–	–	–	·19	–	·11	·17	·27	23
24	·03	× ·25	–	·05	·38	·04	–	·06	–	·74	·01	·23	24
25	–	× ·50	–	–	–	·01	–	·40	·06	·02	·22	·07	25
26	·03	× ·25	·33	–	–	·09	–	·29	·57	·60	·04	–	26
27	·03	× ·10	1·00	–	–	·08	–	·13	·32	·79	–	–	27
28	–	× ·15	·49	·03	·05	·01	–	·08	·22	·45	–	1·00	28
29	–	× ·10	·29	–	–	·32	–	2·80	·24	·34	–	·50	29
30	–	X	–	–	–	–	–	–	–	·22	–	·11	30
31	–	X	–	X	–	X	–	·06	X	·18	X	·08	31
Total	2·07	7·80	4·10	1·23	3·29	2·09	1·22	5·86	2·27	6·28	5·33	4·60	YEAR'S TOTAL 46·14
Rain Days.	16	26	16	13	16	15	8	14	11	26	19	14	194

W. 8,000, VIII. 16

× Snow. Estimated.

2019

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Culverhead. Wiveliscombe

in the County of Somerset

by T. Robertson Marsh

Lat. 52.2.24 N Long. 3.19.10. W.
Time of Observation 9 a.m.
Nearest Railway Station Wiveliscombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05	–	.18	.33	–	.23	–	.51	.07	–	.03	– –	1
2	.03	–	.02	.16	–	.18	–	.02	–	–	.03	–	2
3	.15	–	–	–	–	–	.47	–	–	.85	.90	–	3
4	.03	–	.23	–	–	–	.01	–	.05	.41	–	–	4
5	.24	–	.40	.47	–	.23	–	–	.12	.18	.21	–	5
6	–	–	.17	–	–	–	–	–	–	.06	.33	–	6
7	.30	–	–	–	–	.02	.48	.25	–	.36	.06	.09	7
8	.08	–	.20	.21	–	.21	1.00	.40	.02	.77	.10	.05	8
9	–	–	.20	.05	.01	.21	–	.16	–	.52	.16	–	9
10	.38	–	.37	.28	–	–	–	.41	–	.05	–	–	10
11	.05	–	1.08	.34	–	–	–	.32	.01	.22	.09	–	11
12	.23	–	–	.13	.75	–	–	.40	–	.72	–	–	12
13	.07	–	.28	.07	–	.03	–	.50	.11	.02	–	–	13
14	–	–	.02	.09	–	–	–	.11	.02	.02	–	–	14
15	–	–	–	.10	–	–	.01	.07	–	.17	–	.20	15
16	–	–	–	.20	–	–	.42	.03	–	.25	–	.36	16
17	–	–	–	.12	–	–	.58	.07	.35	.20	–	–	17
18	–	.10	–	–	.03	.02	–	.01	.65	.01	–	–	18
19	–	.40	.08	–	–	.19	.02	–	.04	–	.02	–	19
20	–	–	.02	–	.43	.05	–	.01	.03	–	–	.03	20
21	–	.02	.10	–	–	.17	–	–	–	.10	.02	–	21
22	–	–	.07	–	.23	.03	–	.67	–	.10	.01	–	22
23	–	.16	–	–	–	–	–	.76	–	.11	.02	–	23
24	–	–	–	–	–	.23	.09	.24	–	.30	.15	–	24
25	–	.05	.03	–	–	.02	–	.05	.03	.26	.12	–	25
26	–	–	–	–	.33	–	–	.93	.20	.13	.06	–	26
27	–	–	–	–	.28	.39	–	1.32	–	.25	.02	–	27
28	–	.05	.12	–	.08	4.00	–	.30	–	.37	.01	–	28
29	–	–	.41	–	–	.33	.03	.02	–	–	.07	–	29
30	–	X	.05	–	–	–	.16	.17	–	.12	–	.17	30
31	–	X	–	X	–	X	–	.02	X	.25	X	–	31
Total	1.61	.78	4.03	2.55	2.14	6.54	3.27	7.75	1.70	6.80	2.41	.90	YEAR'S TOTAL 40.48
Rain Days.	11	6	19	13	8	17	11	25	13	26	19	6	174

W. 8,000, IX. 17.

72

105

FORM A.
BRITISH RAINFALL.

7 . 1 . 19

[illegible]

REGISTER OF RAINFALL IN 1918

Kept at Culverhead. Wiveliscombe.

in the County of Somerset

by T. Robertson Marsh

Lat. 52° 2' 24" N. Long. 3° 19' 10" W.

Time of Observation 9 a.m.

Nearest Railway Station Wiveliscombe

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·13	·15	·13	·04	-	-	·75	-	·03	·83	·08	1
2	-	·06	-	·12	-	-	-	·48	-	·02	-	·20	2
3	-	·12	-	·18	·09	-	-	-	-	·07	·07	·02	3
4	-	·07	-	-	-	-	-	·11	·08	·03	·89	·27	4
5	-	-	-	-	-	-	-	·45	·30	·26	·02	·05	5
6	·15	·44	·10	·34	·02	-	-	-	·03 ~~·73~~	·30	-	·14	6
7	·27	·13	-	·02	·19	-	-	-	·73 ~~·57~~	·19	·40	·13	7
8	-	·05	-	-	-	-	·03	-	·57 ~~·52~~	·27	-	·04	8
9	-	·25	-	·05	-	·20	·25	-	·52 ~~·35~~	·06	-	·30	9
10	-	-	-	·17	-	·04	·76	-	·35 ~~·30~~	·06	-	·45	10
11	·01	·08	-	·01	-	-	·40	-	·30 ~~·05~~	·07	·05	·29	11
12	·78	·22	-	-	·26	-	·11	-	·05 ~~·54~~	-	-	·08	12
13	-	-	·13	-	-	-	·07	-	·54 ~~·33~~	-	-	·41	13
14	-	-	-	-	-	-	·52	-	·33	·13	-	·12	14
15	1·76	-	-	·16	·05	·06	·40	-	-	·12	-	·50	15
16	-	-	-	1·12	-	·03	·04	-	·33	-	-	·20	16
17	1·11	-	-	·20	-	-	·48	·10	·04	-	-	·26	17
18	·90	-	·06	-	-	·95	·15	-	·88	·22	-	·36	18
19	·07	-	·14	·01	-	-	·07	-	·14	·02	-	·20	19
20	·24	·16	-	·08	-	·02	·55	-	·29	·06	-	-	20
21	·09	-	-	·04	-	·03	·05	-	·72	·05	-	·37	21
22	-	-	-	-	·11	-	·46	-	·15	·05	-	·44	22
23	·06	-	-	-	·19	-	·17	-	·16	-	·02	·20	23
24	-	·16	-	·10	·17	-	·10	-	·12	-	·22	·03	24
25	-	-	-	-	-	-	·23	·79	-	·04	·12	·05	25
26	-	·03	-	-	-	-	·80	-	·12	·05	·27	·21	26
27	-	·10	·09	-	-	-	·03	·20	·28	-	·23	·11	27
28	-	-	-	-	-	-	-	-	·01	·01	·06	·21	28
29	-	-	·12	-	-	-	-	-	1·34	·01	-	·08	29
30	-	X	·29	-	-		-	-	·02	·05	-	·20	30
31	-	X	·13	X	-	X	-	·09	X	-	X	-	31
Total	5·44 ✓	2·00 ✓	1·21 ✓	2·73 ✓	1·12 ✓	1·13 ✓	5·67 ✓	2·97 ✓	8·40 ✓	2·17 ✓	3·18 ✓	6·00	YEAR'S TOTAL 42·02 ✓
Rain Days.	~~12~~ ~~11~~ 13	14 ✓	9 ✓	15 ✓	9 ✓	7 ✓	20 ✓	8 ✓	25 ✓	23 ✓	12 ✓	29 ✓	~~184~~ 184

W. 6,500. VII. 18. W W C

1894

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Culverhead. Wiveliscombe.
in the County of Somerset
by T. Robertson Marsh

Lat 52° 2′ 24″ N. Long 3° 19′ 10″ W.
Time of Observation 9 a.m.
Nearest Railway Station Wiveliscombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·74	.	·13	·17	·35	.	·40	.	·08	·51	–	·88	1
2	·17	.	·06	.	·06	.	·09	.	·12	.	·06	·11	2
3	·29	.	·27	.	·04	.	.	.	·08	.	·14	·12	3
4	·31	·39	·46	.	.	·13	·46	·12	·64	.	.	·14	4
5	·47	·36	·69	.	.	.	·08	.	·36	.	·03	·24	5
6	·55	·40	·17	.	.	.	.	.	.	.	.	·43	6
7	·20	·01	·22	·09	.	.	.	.	.	.	·02	·17	7
8	·21	.	·23	.	.	·03	.	.	.	.	.	.	8
9	·21	.	·02	.	·10	.	.	.	.	.	·39	.	9
10	·02	.	·30	·15	·02	.	.	.	.	·07	.	·35	10
11	·02	.	·34	·26	·14	.	·09	.	.	.	.	·21	11
12	·25	.	·29	·03	.	·18	.	.	.	·09	·10	.	12
13	·04	·05	·06	·54	.	.	.	.	.	.	.	·06	13
14	·47	·14	.	1·08	·50	.	.	.	.	.	.	·25	14
15	·46	·11	.	.	.	.	.	.	.	·10	.	·20	15
16	·11	·88	.	.	.	.	.	.	.	·09	.	.	16
17	.	·16	.	.	.	.	.	.	.	.	·52	.	17
18	·05	·49	·69	.	.	–	·07	·18	.	.	·35	·07	18
19	·55	·30	·47	.	.	·03	·71	·41	·65	.	·39	·06	19
20	·05	·14	·13	.	.	·14	.	·13	·47	.	·03	·15	20
21	·42	·78	·01	.	.	·02	·16	.	·05	.	.	·21	21
22	·03	·25	.	.	.	.	·06	.	·12	.	.	·20	22
23	·18	.	.	.	.	.	.	.	.	·84	·08	·04	23
24	.	.	.	·03	.	·07	.	·95	·05	1·47	·13	·52	24
25	·06	.	.	·06	.	·06	.	.	.	.	·07	·24	25
26	·18	.	·20	·02	.	.	.	·09	.	.	.	·45	26
27	·26	.	·02	·42	.	.	.	1·02	.	.	.	·06	27
28	·10	·05	·43	.	.	.	.	·18	.	.	·13	·70	28
29	·10	.	·02	·21	.	.	.	·18	.	·18	.	·12	29
30	.		.	·10	.	·14	.	·25	.	.	·70	·66	30
31	.		.		.		.	.		·02		·34	31
TOTAL	6·50 ~~6·51~~	4·51	5·21 ~~5·30~~	3·16	1·21	·80	2·12	3·51	2·62 ~~[illegible]~~	3·37	3·14	6·98	YEAR'S TOTAL ~~43·25~~ 43·13
Days with ·01 in. or more	27	15	21	13	7	9	9	10	10	9	15	26	171

VII Amb end 1807

REGISTER OF RAINFALL IN 1920

FORM A. BRITISH RAINFALL.

Kept at Culverhead. Wiveliscombe

in the County of Somerset

by T. R. Marsh.

Lat. 52° 2' 24" N. Long. 3° 19' 10" W.

Time of Observation 9. am.

Nearest Railway Station Wiveliscombe

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 12 ft. 0 in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. ~~Full~~ instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·33	-	-	·08	·32	-	·47	·15	·09	·17	·15	·56	1
2	·03	-	-	·17	-	-	·61	·23	·06	·05	-	·11	2
3	·29	·01	~~·07~~	~~·03~~	-	-	·17	-	-	·70	-	·12	3
4	·09	-	·07	·03	-	-	·01	·74	-	·12	-	-	4
5	-	-	·17	-	·20	-	·48	·06	-	·15	-	-	5
6	-	-	·29	-	·33	-	-	-	-	·15	-	-	6
7	·11	-	-	·26	-	-	·56	-	-	-	-	-	7
8	·26	·07	-	·36	·10	-	·32	-	-	-	-	-	8
9	1·37	·45	-	·17	-	·25	·82	-	·02	-	-	-	9
10	1·15	·45	·16	-	-	·22	·34	-	-	-	·02	-	10
11	·69	-	·17	·32	·40	·02	·46	-	-	-	-	-	11
12	·38	·14	·05	·37	-	·05	·63	-	-	-	·11	-	12
13	·35	·19	-	·09	-	·05	·18	-	-	-	-	-	13
14	·11	-	1·14	·63	-	-	·35	-	·05	·33	·60	-	14
15	·01	·17	·11	·48	·23	·24	-	-	·07	·63	·07	-	15
16	·07	-	·03	·03	-	·23	·75	-	·17	·33	-	-	16
17	·10	-	·06	·21	·32	·13	·10	-	·50	·02	-	-	17
18	·05	·03	-	·04	·10	·13	-	·37	·23	-	-	-	18
19	-	·12	-	·33	-	·11	·05	-	-	-	-	-	19
20	·01	·03	-	·49	·12	·20	[illegible]	-	-	-	-	·29	20
21	-	-	-	·04	-	-	·44	-	~~·07~~	-	-	·20	21
22	·03	-	-	·04	-	·02	·40	-	-	-	-	·57	22
23	-	-	-	-	-	-	·47	·14	-	-	-	·67	23
24	·10	-	·22	-	-	-	[illegible]	-	-	-	·15	·16	24
25	·02	-	·26	-	-	-	·70	-	-	-	-	·01	25
26	·29	·05	·42	·03	·09	-	·02	-	-	-	·16	·17	26
27	·36	·03	·19	·06	·19	·50	·48	-	-	-	·51	·25	27
28	·83	-	·14	·21	-	·14	·07	-	-	-	-	·03	28
29	·30	-	·45	-	·17	·07	·01	-	-	-	·26	·26	29
30	·16	X	-	·13	-	·15	·07	-	·38	-	·40	·39	30
31	·11	X	·50	X	-	X	-	-	X	·97	X	·17	31
Total	7·60	1·74	4·43	4·57	2·57	2·51	8·58	1·69	1·57	3·62	2·43	3·96	YEAR'S TOTAL 45·27
Rain Days.	26	12	17	22	12	16	25	6	9	11	10	15	181

21 8 17 20 14 22 6 8 10 9 13 160

W. 500, IX. 17,

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

WRINGTON
RECTORY
SOMERSET
1911 - 1920

REGI 911.

FORM A2. BRITISH RAINFALL. 3 APR 1912

Kept at Wrington

in the County of Some

by The Revd G. M. C

Alteration

op .... in.

above Ground .... ft. .... in.

, Sea Level .... ft.

on { Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·02	·09	·08	–	–	·08	–	–	·07	–	1
2	–	–	–	·27	·30	–	–	·20	–	·07	·38	·07	2
3	–	–	·02	–	·36	–	–	–	–	–	·08	·02	3
4	–	–	·25	·01	–	–	–	–	·03	·03	·27	·50	4
5	·52	–	·04					·36		·03	·47	·01	5
6	·62	–	·06					·08			·17	·84	6
7	·01										·51	–	7
8	·20		·19									·38	8
9	·23										·14	·45	9
10	·14	·01	·73		·27						·04	·35	10
11	·41		·01		·03						·71	·30	11
12			·77						·01		·43	·25	12
13			·01						·53	·31	·04	·37	13
14		·07									·04	1·00	14
15		·06				·07					·49	·02	15
16		·07				·08					·35	·22	16
17		·07				·03					·02	·22	17
18		·29	·10	·20		·40				·01	·01	·20	18
19		·06		·05		·13			·37	·12	·05	·31	19
20		·02	·09	·28		·01		·57	·37	·08		·36	20
21		·21	·01			·01			·02	·37		·28	21
22	·02	·02	·67	·06		1·12				·17		·46	22
23	·01	·12	·17			·08		·13	·06	·13		·25	23
24	·07	·20				·33				·60		·14	24
25		·06		·22		·16		·09		·03		·16	25
26		·05		·34	·04		·10	·18		·18	·09	·27	26
27		·36	·21					·22	·14		·02	·13	27
28		·55		·53		·01					·03	·01	28
29		×		·19		·45			·20	·36			29
30		×				·02				·17	·03	·05	30
31		×		×		×			×	·25	×		31
Total	2.17 ✓	2.22 ✓	3.35 ✓	2.24 ✓	1.08 ✓	2.90 ✓	·10 ✓	1.89 ✓	1.73 ✓	2.91 ✓	4.46 ✓	7.62 ✓	TOTAL for year 32.67
No. of Rain Days.	10 ✓	16 ✓	16 ✓	11 ✓	6 ✓	14 ✓	1 ✓	9 ✓	9 ✓	16 ✓	22	27 ✓	157 ✓

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
3 APR 1912

Kept at Wrington Rectory
in the County of Somerset 2
by The Revd G. M. Ashdown.

RAIN GAUGE { Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

No alteration

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·02	·09	·08	—	—	·08	—	—	·07	—	1
2	—	—	—	·27	·30	—	—	·20	—	·07	·38	·07	2
3	—	—	·02	—	·36	—	—	—	—	—	·08	·02	3
4	—	—	·25	·01	—	—	—	—	·03	·03	·27	·50	4
5	·52	—	·04					·36		·03	·47	·01	5
6	·62	—	·06					·08			·17	·84	6
7	·01										·51	—	7
8	·20		·19									·38	8
9	·23										·14	·45	9
10	·14	·01	·73		·27						·04	·35	10
11	·41		·01		·03						·71	·30	11
12			·77						·01		·43	·25	12
13			·01						·53	·31	·04	·37	13
14		·07									·04	1·00	14
15		·06				·07					·49	·02	15
16		·07				·08					·35	·22	16
17		·07				·03					·02	·22	17
18		·29	·10	·20		·40				·01	·01	·20	18
19		·06		·05		·13			·37	·12	·05	·31	19
20		·02	·09	·28		·01		·57	·37	·08		·36	20
21		·21	·01			·01			·02	·37		·28	21
22	·02	·02	·67	·06		1·12				·17		·46	22
23	·01	·12	·17			·08		·13	·06	·13		·25	23
24	·07	·20				·33				·60		·14	24
25		·06		·22		·16		·09		·03		·16	25
26		·05		·34	·04		·10	·18		·18	·09	·27	26
27		·36	·21					·22	·14		·52	·13	27
28		·55		·53		·01					·05	·01	28
29		×		·19		·45			·20	·36			29
30		×				·02				·17	·03	·05	30
31		×		×		×			×	·25	×		31
Total	2·17 ✓	2·22 ✓	3·35 ✓	2·24	1·08 ✓	2·90 ✓	·10 ✓	1·89 ✓	1·73 ✓	2·91 ✓	4·49 ✓	7·62 ✓	TOTAL for year 32·67
No. of Rain Days.	10 ✓	16 ✓	16 ✓	11 ✓	6 ✓	14 ✓	1 ✓	9 ✓	9 ✓	16 ✓	22	27 ✓	157 ✓

W. 8,000, X. '11.

Ex 86

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
7 - JAN 1913

Kept at *Wrington Rectory*
in the County of *Somerset* 2
by *The Revd G M Ashdown*

Lat. Long.
Time of Observation *9 am*
Nearest Railway Station *Wrington*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *5* ft. in.
" " " " Sea Level *69* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·23	—	—	·44	—	—	·01	·64	—	28	1
2	—	—	·11	—	—	·15	·36	—	—	·01	·02	—	2
3	·01	—	·15	·01	—	·17	·04	·47	·09	—	·02	·01	3
4	·35	—	·67	—	·04	·16	—	·17	—	—	·14	—	4
5	·53	·11	·11	—	—	—	—	·74	—	—	—	·18	5
6	·40	·10	·03	—	·04	—	·15	·42	—	—	·02	·05	6
7	·06	·28	·21	—	·17	·83	—	·16	—	—	·03	·08	7
8	·43	·24	·30	—	—	·04	·29	·14	—	—	—	·15	8
9	·04	·01	·07	·15	—	·03	·02	·03	—	—	·02	·55	9
10	·09	·11	·01	—	—	—	—	·02	—	—	·17	·06	10
11	·07	·04	·02	—	—	—	—	—	—	—	—	·52	11
12	·05	·71	·10	·12	·04	·07	·03	—	—	—	—	·10	12
13	·01	·01	·02	—	—	—	—	—	—	—	—	·19	13
14	·09	—	·92	—	·20	—	—	·05	—	·01	—	—	14
15	·10	·11	·03	—	·33	·72	—	·05	—	—	—	·65	15
16	·54	—	·45	—	·09	·05	—	·48	—	·10	·18	·10	16
17	·27	—	·28	—	·01	·22	—	·92	—	—	·03	·30	17
18	·37	·01	·50	—	—	—	—	·04	—	·12	·02	·27	18
19	·02	·05	·11	—	—	·02	·27	1.33	—	·35	—	·01	19
20	·01	·01	·33	—	·44	—	·04	·18	—	·67	—	—	20
21	—	·21	·22	—	·63	—	·03	·39	—	·16	—	—	21
22	·51	·37	·10	—	·35	·03	·12	·30	—	·06	·04	·13	22
23	·42	·70	·25	—	—	—	—	1·29	—	·10	·07	·39	23
24	·08	—	·08	—	—	·24	—	·03	—	·02	—	·13	24
25	—	—	—	—	—	·70	—	·86	—	·14	·45	·50	25
26	—	·05	—	—	—	—	·09	·13	—	·52	·72	·27	26
27	—	·01	—	—	—	·20	·76	—	—	·90	·07	·57	27
28	—	·09	—	—	—	·23	·30	·54	·05	·30	·58	·03	28
29	—	·26	—	—	—	—	·50	·06	·31	·43	—	·10	29
30	—	×	—	—	—	·10	·29	~~·08~~	·08	·50	—	·02	30
31	—	×	·33	×	—	×	·31	·02	×	—	×	·13	31
Total	4·45	3·48	5·63	·28	2·34	4·40	3.60	8·82	·54	5·03	2·58	5·77	YEAR'S TOTAL 46·92
Rain Days.	21	20	25	3	11	18	16	24	5	17	16	26	202

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
30 JAN 1914

Kept at Wrington Rectory
in the County of Somerset 2
by The Revd G. M. Ashdown

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Wrington G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. in.
" " " " Sea Level 69 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·15	·34	·05	·30				·31		·04	·22	1
2	·05	·13	·01	·18	·05				·02	·05	·25	·01	2
3	·15	·01	·12		·37					·10	·05	·54	3
4	1·33		·11		·28				·32	·22	·01	·19	4
5	·03	·09	·02		·17	·40	·30				·06	·09	5
6	·03	·09	·17		·05	·17				·71	·21	·45	6
7		·17	·04		·30	·27				·08	·24	·02	7
8		·03	·01		·31					·04	·01		8
9		·10	·03	·02	·05	·45		·19			·08	·02	9
10	·35			·04	·09			·14		·37	·10		10
11	·95	·02		·10	·17	·05		·05		·10	·75	·06	11
12	·16				·12		·05		·14		·10	·01	12
13	·15		·07				·06	·13	·55		·09		13
14	·10		·23	·05					·09	·12	·13	·03	14
15	·21	·04	·37	·85				·04	·18		·22	·07	15
16	·30		·37	·04					·16				16
17	·07		·03	·04			·06		·06		·21		17
18	·21		·18	·12							·08		18
19	·37		·04		·04				·31				19
20	·20		·12	·01		·10				·15	·09		20
21			·08	·15	·17		·16				·41		21
22	·60		·75	·12	·04	·06			·19	·08			22
23	·01					·03		·48	·03		·15	·28	23
24	·12	·01		·04				·03					24
25		·07		·17					·01		·04	·13	25
26		·03		·24				·09		·01	~~·04~~	·12	26
27	·08		·14	·40						·09	·01		27
28	·15		·08	·39						·16		·04	28
29		×	·58	·30				·12		·25			29
30	·54	×								·62	·11		30
31	·15	×	·04	×	·44	×		·15	×		×		31
Total	6·34	·94	3·93	3·31	2·95	1·53	·63	1·42	2·37	3·15	3·44	2·28	YEAR'S TOTAL 32·29
Rain Days.	24	13	23	19	16	8	5	10	13	16	23	16	186

W.7,000, XI, 13

Ex. m.g.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 JAN 1915

Kept at Wrington Rectory
in the County of Somerset 2
by The Revd G. M. Ashdown

Lat. Long.
Time of Observation 9.0 a.m
Nearest Railway Station Wrington
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. in.
" " " " Sea Level 69 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·15	–	·05	~~·52~~ .21	·52	–	–	·04	·02	1
2	–	–	–	·01	·02	–	·71	·06	–	–	·67	·56	2
3	–	–	·09	·18	·15	–	·04	1·03	–	–	·05	·14	3
4	–	–	·13	·36	·21	–	·12	·09	–	–	·60	·45	4
5	·09	–	·14	·45	·04	–	·17	·04	–	–	·10	·17	5
6	·03	·08	·05	·13	·03	–	·15	·14	–	–	·05	·22	6
7	·10	·72	·31	·37	·32	·02	·83	·08	–	–	–	·13	7
8	·14	·01	·83	·11	·07	·43	·20	·08	·10	–	–	·04	8
9	·18	–	·41	·11	·02	·75	–	·10	·14	–	–	–	9
10	–	·19	·02	·11	·09	–	–	–	·37	–	–	–	10
11	–	·10	·66	–	·13	·25	·19	–	–	–	·04	·40	11
12	–	·15	·10	–	–	–	–	–	·29	·35	·06	·15	12
13	–	·34	·44	–	–	–	·02	–	·35	–	·07	·27	13
14	–	·12	·09	–	–	–	–	·21	·03	–	·30	–	14
15	–	·03	·23	–	–	–	–	·34	·18	·17	·29	–	15
16	–	–	·01	–	–	–	·05	–	·15	–	–	–	16
17	–	·62	·25	–	–	–	–	–	·02	–	–	·48	17
18	–	·02	·05	–	–	–	·11	–	·02	–	–	·32	18
19	–	·09	·41	–	–	–	1·12	–	–	–	·06	·08	19
20	–	·31	·09	–	–	·23	–	–	–	·06	–	·23	20
21	–	·71	–	–	–	–	–	–	–	–	–	–	21
22	–	·03	·05	·02	·43	·23	–	·12	–	·16	–	–	22
23	–	·10	·25	–	·08	·02	–	–	–	·14	–	–	23
24	–	–	·03	–	·12	–	·53	·04	–	·12	·14	–	24
25	·07	–	·10	–	–	–	·03	·43	–	·47	–	·60	25
26	·02	–	·04	–	–	–	·06	·05	–	·10	·30	·45	26
27	·07	–	·07	–	–	–	–	–	–	·18	·28	·14	27
28	·04	·11	·17	–	·11	–	–	–	–	·03	·91	1·17	28
29	·19	×	·35	–	·13	–	–	–	–	·08	·14	–	29
30	–	X	·01	–	–	·04	–	–	–	·28	·34	·74	30
31	–	X	–	X	·05	X	·16	–	X	·23	X	·18	31
Total	·93	3.73	5.32	2.00	2.00	2.02	4.70	3.33	1.65	2.37	4.44	6.94	YEAR'S TOTAL 39·43
Rain Days.	10	17	27	11	16	9	17	15	10	13	18	21	184

W. 8,000. X. 14.

2144

FORM A.
BRITISH RAINFALL.
29 JAN 1916

Gauge

REGISTER OF RAINFALL IN 1915

Kept at Wrington Rectory

in the County of Somerset

by G. M. Ashdown

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Wrington

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. in.

" " " " Sea Level 69 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·38	·17	—	—	·16	—	—	·06	·19	·03	·03	·07	1
2	·12	·27	·10	·18	—	·01	·01	·47	·17	—	—	·20	2
3	·17	·06	·09	·25	·11	~~·01~~	·01	·02	—	—	—	·22	3
4	·02	·03	·07	—	·05	—	1·08	·07	—	—	—	·81	4
5	·14	·56	·01	·06	—	—	—	·12	—	—	—	·35	5
6	·40	·06	—	·31	—	—	·35	·11	—	—	—	·15	6
7	·38	·33	—	·08	—	—	·41	·02	—	—	—	·23	7
8	·33	·32	—	·04	—	—	—	·13	—	—	·13	—	8
9	·02	·03	—	·04	—	—	—	·10	—	·02	·34	·75	9
10	·26	·04	·12	·07	—	—	—	·04	—	—	—	·06	10
11	·02	—	·10	·03	·01	—	—	·11	—	·10	·71	—	11
12	·17	·35	—	·15	·40	—	—	·05	—	—	·20	—	12
13	·02	·64	—	—	·75	—	·07	·35	·20	—	—	·06	13
14	·07	—	—	—	—	—	·23	·67	·02	—	—	·93	14
15	·37	—	—	—	·10	—	·11	·09	·11	—	—	·03	15
16	—	·90	—	—	·34	—	·88	·05	—	—	—	·02	16
17	—	·20	—	—	·46	—	—	·07	—	—	—	—	17
18	—	·26	·07	—	—	—	—	—	—	—	—	—	18
19	—	·04	—	—	·05	—	·26	—	—	—	—	—	19
20	·36	—	—	·14	—	—	—	—	—	·03	—	·07	20
21	·04	·15	—	—	·05	—	—	—	—	·14	—	·08	21
22	·10	·24	·43	·03	—	—	·57	—	·03	—	—	·16	22
23	—	·02	·30	—	—	—	·16	—	·06	1·08	—	·56	23
24	—	—	·03	·02	—	—	·05	—	·26	·81	—	·33	24
25	—	—	·01	—	—	·24	·12	—	—	·01	—	·24	25
26	—	·03	—	—	—	·01	·28	—	·02	—	—	·42	26
27	—	—	—	—	—	·14	·81	—	—	·52	—	—	27
28	—	·06	—	—	—	·02	—	·07	·68	·09	—	—	28
29	—	—	—	—	—	·36	—	·02	·01	—	·06	·03	29
30	·30	X	—	·01	—	·15	—	—	·28	·31	·16	·27	30
31	·06	X	—	X	—	X	·02	·60	X	·83	X	·23	31
Total	3·73	4·76	1·21	1·41	2·48	·93	5·42	3·04	2·03	3·97	1·63	6·27	YEAR'S TOTAL 36·88
Rain Days.	20	21	11	14	11	7	17	20	12	12	7	23	175

W. 8,000. X. 15.

2053

FORM A.
BRITISH RAINFALL.

19 FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at The Rectory, Wrington

in the County of Somerset

by The Revd. G. M. Ashdown

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

No alteration

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	–	–	–	·15	·18	·27	–	·02	·39	–	–	1
2	·81	·06	·02	–	·03	–	–	–	–	·76	·03	–	2
3	–	·94	–	–	·15	–	·02	–	·03	·32	·16	–	3
4	·36	·13	–	·02	·2~~8~~5	·94	–	–	·20	·19	·48	–	4
5	·06	–	·02	–	·25	·15	–	–	–	·01	·10	–	5
6	·10	·29	·01	–	·38	·34	·36	–	–	·12	·60	–	6
7	·04	·18	·17	–	·08	–	–	–	–	·10	·55	·19	7
8	–	·17	·06	–	·25	·03	–	–	–	–	·13	·19	8
9	–	·05	–	–	·26	·36	–	–	–	·04	·05	·05	9
10	–	·42	·02	·12	·03	·02	·03	–	–	·06	–	·02	10
11	·03	–	·04	·25	·10	·07	–	–	–	–	–	–	11
12	·04	·18	·02	·03	·41	–	·26	–	–	·24	–	–	12
13	–	·50	·15	–	–	–	–	·16	–	·07	–	–	13
14	·07	·62	·05	·06	·28	–	–	·26	~~·03~~	~~·11~~	–	–	14
15	·04	·14	·06	·05	·05	–	–	·86	·08	·05	–	–	15
16	·04	·06	–	·48	–	–	·06	·63	–	·01	–	–	16
17	·12	·15	–	·04	–	–	–	·27	·47	·35	·12	–	17
18	–	·03	·19	·01	–	–	–	–	·04	·10	·29	·07	18
19	·12	–	·47	·18	–	–	–	–	–	·02	·14	–	19
20	·19	·11	·42	·01	–	–	–	–	–	–	·14	1·00	20
21	·19	·13	·68	–	·08	–	–	–	–	–	–	·38	21
22	–	–	–	·03	–	·12	–	–	–	·18	·08	·70	22
23	·06	–	–	·26	–	·05	–	·39	–	·15	·22	·25	23
24	–	·36	·04	·06	1·45	·02	–	·06	–	·57	–	·29	24
25	–	·42	·25	–	·07	–	–	·36	–	·08	·23	·10	25
26	·04	·23	·13	–	·02	·28	–	·72	·53	·47	·07	–	26
27	·09	·19	1·94	–	–	·06	–	·43	·31	·81	–	–	27
28	–	·35	·04	–	–	·07	–	–	·02	·90	–	·78	28
29	–	·49	·12	–	–	·35	–	1·61	·06	·56	–	·68	29
30	–	✗	–	–	–	–	–	·02	–	·45	–	·05	30
31	–	✗	–	✗	–	✗	–	·04	✗	·11	✗	·05	31
Total	2·43	6·20	4·90	1·60	4·23	3·04	1·00	5·81	1·76	7·16	3·39	4·80	YEAR'S TOTAL 46·32
Rain Days.	18	23	21	14	18	15	6	13	10	27	16	15	196

W. 8,000, VIII. 16

1991

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Wrington Rectory
in the County of Somerset
by The Revd G. M. Ashdown

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Wrington
Diameter of Funnel of Rain Gauge 5"
Height of top of Gauge above Ground 5 ft. in.
" " " " Sea Level 69 ft.

19 JAN. 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·28	·54	–	·15	–	·98	·42	–	·10	–	1
2	·04	–	·20	·05	–	·21	–	·17	–	·02	·09	–	2
3	·04	–	–	·01	–	–	·20	·01	–	1·32	·02	–	3
4	–	·16	·11	–	–	–	·09	–	–	·20	–	·01	4
5	·26	–	·20	·47	–	·19	–	–	·25	·40	·15	–	5
6	–	–	·18	–	–	–	–	–	–	·06	·35	–	6
7	·27	–	–	–	–	–	·13	·24	–	·30	–	·01	7
8	·03	–	·09	·13	–	·06	·72	·65	·08	·67	·17	·06	8
9	–	–	·03	·02	·06	–	–	·22	·12	·32	·04	–	9
10	·15	–	·16	·18	–	–	–	·19	·02	·03	–	–	10
11	·05	–	·50	·39	·07	–	–	·10	·21	·16	·04	–	11
12	–	–	–	–	·35	–	–	·44	–	·89	–	–	12
13	–	–	·09	·05	–	·09	–	·22	·15	·07	–	–	13
14	–	–	·15	·09	–	–	–	·68	·02	–	–	·02	14
15	–	–	–	·06	–	–	·06	–	–	·15	–	·17	15
16	–	·16	–	·07	–	–	–	–	–	·25	–	·15	16
17	–	·03	–	·12	·13	–	·38	·17	·39	·19	·03	–	17
18	–	·01	–	–	–	–	·28	·07	·83	·02	–	–	18
19	·03	·47	·04	–	–	·10	–	·53	·04	–	·04	–	19
20	–	·21	·03	–	·35	·20	–	–	·05	–	–	–	20
21	–	–	·47	–	–	·07	–	–	–	–	–	–	21
22	–	–	·03	–	–	·04	–	·07	–	·17	–	–	22
23	–	·16	–	–	·01	–	–	·30	–	·04	·01	·01	23
24	–	·03	–	–	–	·24	·03	·40	–	·20	–	–	24
25	–	·12	·02	–	–	·03	–	·02	–	·82	–	–	25
26	–	–	–	–	·13	–	–	·91	·26	·25	·06	–	26
27	–	–	–	–	·42	·08	–	·85	–	–	·01	–	27
28	–	–	·15	–	·02	1·88	–	·76	–	–	–	·02	28
29	–	–	·23	–	–	·26	·02	·03	–	·53	–	·24	29
30	–	×	·05	–	–	–	·22	·21	–	·17	–	–	30
31	–	×	·17	×	–	×	–	·05	×	·04	×	·04	31
Total	·87	1·35	3·18	2·28	1·54	3·60	2·13	8·27	2·84	7·27	1·11	·73	YEAR'S TOTAL 35·17
Rain Days.	8	9	20	13	9	14	10	24	13	24	13	10	167

W. 8,000, IX. 17.

Co X M C

77

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Wrington Rectory

in the County of Somerset

by Rev G Mashdown

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·03	—	·14	·09	—	—	·25	—	·05	·56	·04	1
2	—	·04	—	·07	—	—	—	·44	—	·02	·03	·47	2
3	—	·02	—	·16	·07	—	—	—	·05	·04	·05	—	3
4	—	·07	·01	·05	—	—	—	·03	·03	·07	·47	·15	4
5	—	—	—	·04	·11	—	—	·38	·14	·[illegible]9	·04	—	5
6	·14	·68	—	·37	—	—	—	·03	·12	·16	—	·11	6
7	—	·20	—	·06	·75	—	—	—	·34	·56	·30	—	7
8	—	·01	—	—	—	—	—	—	·97	·25	—	·03	8
9	—	·08	—	·39	—	·14	·22	—	·78	·09	·02	·20	9
10	·02	·01	—	·14	—	—	·53	—	·45	·12	·01	·33	10
11	·03	·25	·04	·01	—	—	·40	—	·63	·27	·07	·30	11
12	—	·11	·14	—	·20	—	·51	—	·07	—	—	·11	12
13	·15	·02	·01	—	—	—	·04	—	·40	·05	—	·45	13
14	·23	—	·04	—	—	—	·52	—	·20	·03	—	·09	14
15	1·16	—	—	·32	·15	—	·24	—	·02	·02	—	·43	15
16	·30	—	—	1·08	—	—	·02	·03	·14	—	—	·18	16
17	·27	—	—	·16	—	—	·31	·16	·19	·02	—	·37	17
18	·92	—	·01	—	—	·89	·29	—	1·10	·08	—	·18	18
19	·04	—	·10	·01	—	—	·09	·04	·63	·03	—	·03	19
20	·03	·18	—	·07	—	·03	·50	—	·30	·05	—	—	20
21	—	·05	—	·02	—	·01	·19	—	·57	·04	—	·06	21
22	·01	·01	—	—	·37	—	·55	—	·25	·03	—	·45	22
23	—	—	—	—	·17	—	·57	—	—	—	·01	·02	23
24	—	·15	—	—	—	·01	·07	·07	·21	—	·03	—	24
25	—	—	—	—	·04	—	·25	·94	—	·02	·02	—	25
26	—	—	—	·18	—	—	·38	·03	·08	·03	·08	·42	26
27	—	·04	—	—	—	—	·03	·25	·47	—	·10	·03	27
28	—	·12	·18	—	—	—	—	—	·01	—	·02	·13	28
29	—	X	·07	—	—	—	—	—	·99	·01	—	·04	29
30	—	X	·40	—	—	—	—	·01	·03	·03	·03	·08	30
31	—	X	·14	X	—	X	—	·01	X	—	X	—	31
Total	3.30	2.07	1.14	3.27	1.95	1.08	5.71	2.67	9.17	2.26	1.84	4.70	YEAR'S TOTAL 39·16
Rain Days.	12	18	11	17	9	5	19	14	26	24	16	24	195

W. 6,500. VII. 18. W W C

1865

12 JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at The Rectory, Wrington
in the County of Somerset
by The Revd G. M. Ashdown

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Wrington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. in.
" " " " Sea Level 69 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·59	—	·02	·03	·17	—	·30	—	·05 ~~·50~~	·50	—	·83	1
2	·16	—	—	—	·01	—	·42	—	·16 ~~—~~	—	·05	·38	2
3	·70	—	·20	—	·04	—	·19	—	·07 ~~—~~	—	·12	·67	3
4	·54	·15	·43	—	—	·10	·07	·07	·20 ~~—~~	—	—	·08	4
5	·04	·29	·73	—	·02	—	·02	—	·46 ~~—~~	—	·01	·44	5
6	·36	·09	·20	—	—	—	—	—	—	—	—	·16	6
7	·31	—	·37	·09	—	—	—	—	—	—	—	—	7
8	·24	—	·14	·03	—	·04	—	—	—	—	—	—	8
9	·12	—	·05	·07	—	—	—	—	—	—	—	—	9
10	·04	—	·28	·01	·02	—	—	—	—	—	·15	·28	10
11	·04	—	·20	·15	·14	—	·23	—	— ~~·01~~	·01	—	(·10)	11
12	·06	—	·09	·04	—	·37	—	—	~~·10~~	·10	—	—	12
13	·14	·04	·02	·35	—	—	·04	—	·02	—	—	·08	13
14	·72	—	—	·67	·04	—	·21	—	— ~~·02~~	·02	—	·06	14
15	·55	—	—	·04	—	—	—	—	— ~~·08~~	·08	—	·20	15
16	·21	·65	—	—	—	—	—	—	—	— ~~·20~~	·20	—	16
17	—	·38	—	·03	·01	·08	—	—	—	— ~~·22~~	·22	—	17
18	—	·07	·38	—	—	—	·11	·45	—	— ~~·21~~	·21	·04	18
19	·22	·25	·98	—	—	·18	·80	·27	·15 ~~—~~	— ~~·10~~	·10	·06	19
20	·39	—	·18	—	—	·23	—	·22	—	—	—	·05	20
21	·01	·72	·02	—	—	—	—	—	—	—	—	·09	21
22	—	·22	—	—	—	·02	·12	—	·24	~~·07~~	·07	·12	22
23	—	—	—	—	—	—	—	—	·03 ~~·80~~	·80 ~~·07~~	·09	·02	23
24	—	—	—	—	—	·16	—	—	— ~~1·14~~	1·14	·18	·74	24
25	·08	—	—	—	—	·06	—	·62	—	—	·07	·05	25
26	·11	·05	·06	·02	—	·02	—	·12	·75 ~~—~~	—	—	·65	26
27	·11	·07	·02	·37	—	·02	—	·45	—	—	—	·02	27
28	·03	—	·37	—	—	—	—	·24	—	—	·36	·39	28
29	·03	X	—	·15	—	—	—	—	—	·05	·05	·15	29
30	—	X	·05	·22	—	—	—	·47	—	·03	·19	·45	30
31	—	X	·04	X	—	X	·02	—	X	—	X	·26	31
Total	5·80	2·98	4·83	2·27	·45	1·28	2·53	2·91	1·53	2·73	2·01	6·37	Year's Total 35·69
Days with ·01 in. or more	24	12	21	15	8	11	12	9	10	9	15	25	171

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ex. Jh

1778

10 MAY 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Rectory Wrington
in the County of Somerset
by The Revd G. M. Ashdown

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Wrington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. in.
" " " " Sea Level 69 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·22	·32	—	·38	·03	·17	·16	·22	·53	1
2	·10	—	—	·11	—	—	·15	·40	·06	·16	—	·08	2
3	·04	·03	—	·05	·03	—	·38	—	·03	·28	—	·01	3
4	—	—	·03	·11	—	—	·09	·70	—	·24	—	—	4
5	—	—	·16	·15	·18	—	·54	—	—	·10	—	—	5
6	—	—	·18	·02	·48	—	·06	—	—	·11	—	—	6
7	·04	—	·03	·07	·06	—	·10	—	—	—	·07	—	7
8	·03	·04	—	·46	·16	—	·58	·83	—	—	—	—	8
9	·63	·17	·08	·59	—	·17	·06	·07	—	—	—	—	9
10	·54	·36	·06	·02	—	·18	·41	—	—	—	—	—	10
11	·40	—	·23	·37	·31	·02	·07	—	—	—	—	—	11
12	·22	·06	·01	·13	—	·55	·12	—	—	—	·11	—	12
13	·15	·10	·43	·17	—	—	—	—	—	—	—	—	13
14	·07	·04	·30	·55	—	·02	·03	—	·12	·29	·37	—	14
15	·05	·19	·03	·22	·11	·03	—	—	·19	·31	·12	—	15
16	—	—	—	·06	—	·70	·27	—	·45	·08	·58	—	16
17	·15	—	—	—	·24	·55	·86	·02	·44	—	—	—	17
18	·09	—	—	·21	·06	·05	·02	·45	·22	—	—	·02	18
19	·02	·32	—	·23	·06	·07	—	·04	—	—	—	—	19
20	·02	·05	—	·20	—	·29	·05	—	—	—	—	·22	20
21	—	—	—	·03	—	—	·10	—	—	—	—	·08	21
22	·02	—	—	·09	—	—	·07	·16	·01	—	—	·37	22
23	—	—	—	—	—	—	·61	·04	—	—	—	·35	23
24	·02	—	·19	—	—	—	—	·02	—	—	·07	·07	24
25	·01	·07	·09	—	·13	·02	·52	—	—	—	—	—	25
26	·31	—	·26	—	·01	·02	·05	—	—	—	·09	·08	26
27	·38	—	·06	·02	·02	·73	·01	—	—	—	—	·17	27
28	·79	·01	·16	—	·01	·03	·03	—	—	—	—	·02	28
29	·19	—	·22	—	·07	·02	·18	—	—	—	·23	·27	29
30	·04	╳	·02	·06	—	·37	·30	—	·29	—	·30	·28	30
31	·30	╳	·29	╳	·04	╳	—	—	╳	·42	╳	·23	31
TOTAL	4.56	1.44	2.83	4.14	2.29	3.82	5.24	2.76	1.98	2.15	2.16	2.78	YEAR'S TOTAL 36.15
Days with ·01 in. or more	24	12	19	23	17	17	26	11	10	10	10	16	194
Days with ·04 in. or more	~~24~~ 18	~~9~~ 10	14	19	~~12~~ 13	~~9~~ 10	~~21~~ 22	8	8	10	10	12	15~~0~~4 154

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WRINGTON
THE COTTAGE
SOMERSET
1911 - 1920

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

REGIS 911

Kept at The Cottage
in the County of Som
by Hubert C. Bristowe

rowdon
o 5 in.
bove Ground 1 ft. in.
„ Sea Level 100 ft.
9 a.m.

Name Wrington
Distance 1/4 mile Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·08	·05			·06			·06		1
2				·25	·23			·18		·07	·38	·05	2
3			·02		·31						·06	·01	3
4			·23						·01	·03	·25	·48	4
5	·38		·02	Snow ·01				·32		·02	·52		5
6	·68		·05								·18	·67	6
7	·02			R.S ·01							·45		7
8	·20		·16									·33	8
9	·25										·12	·38	9
10	·11	·02	·69		·23						·02	·28	10
11	·35		·01		·02						·62	·28	11
12			·73 R+S						·01		·40	·21	12
13			·01 S						·49	·28	·02	·37	13
14		·07								·01	·02	·87	14
15		·05				·05					·44	·02	15
16		·07				·07					·32	·15	16
17		·03				·03					·01	·20	17
18		·28	·07	·16		·33				·01	·01	·16	18
19		·04		·04		·12			·32	·12	·05	·30	19
20	·02	·02	·09	·24					·31	·07		·29	20
21		·18		·01		·01		·56	·02	·31		·30	21
22	·01	·02	·64	·03		1·06				·16		·42	22
23	·01	·11	·14			·06			·06	·12		·21	23
24		·20				·53		·13		·60		·12	24
25	·01	·05		·19		·14				·16		·16	25
26		·03		·28	·04		·09	·06			·08	·24	26
27		·40	·19	·02				·18	·15		·02	·12	27
28		·52		·52		·01		·19			·04	·01	28
29				·15		·43			·18	·30			29
30				·01		·01				·15	·01	·04	30
31										·29			31
Total	2·04	2·09	3·06	2·00	·88	2·85	·09	1·68	1·55	2·70	4·08	6·67	TOTAL for year 29·69
No. of Rain Days.	11	16	15	15	6	13	1	8	9	16	22	26	158

29·69

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at The Cottage Wrington

in the County of Somerset 2

by Hubert C. Bristowe M.D.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 100 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Wrington
Distance ¼ mile Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·08	·05			·06			·06		1
2				·25	·23			·18		·07	·38	·05	2
3			·02		·31						·06	·01	3
4			·23						·01	·03	·25	·48	4
5	·38		·02	Snow ·01				·32		·02	·52		5
6	·68		·05								·18	·67	6
7	·02			R.S ·01							·45		7
8	·20		·16									·33	8
9	·25										·12	·38	9
10	·11	·02	·69		·23						·02	·28	10
11	·35		·01		·02						·62	·28	11
12			·73 R&S						·01		·40	·21	12
13			·01 S						·49	·28	·02	·37	13
14		·07								·01	·02	·87	14
15		·05				·05					·44	·02	15
16		·07				·07					·32	·15	16
17		·03				·03					·01	·20	17
18		·28	·07	·16		·33				·01	·01	·16	18
19		·04		·04		·12			·32	·12	·05	·30	19
20	·02	·02	·09	·24					·31	·07		·29	20
21		·18		·01		·01		·56	·02	·31		·30	21
22	·01	·02	·64	·03		1·06				·16		·42	22
23	·01	·11	·14			·06			·06	·12		·21	23
24		·20				·53		·13		·60		·12	24
25	·01	·05		·19		·14				·16		·16	25
26		·03		·28	·04		·09	·06			·08	·24	26
27		·40	·19	·02				·18	·15		·02	·12	27
28		·52		·52		·01		·19			·04	·01	28
29				·15		·43			·18	·30			29
30				·01		·01				·15	·01	·04	30
31										·29			31
Total	2·04	2·09	3·06	2·00	·88	2·85	·09	1·68	1·55	2·70	4·08	6·67	TOTAL for year 29·69
No. of Rain Days.	11	16	15	15	6	13	1	8	9	16	22	26	158

2969

W. 8,000, X. '11.

[illegible] 20·11·13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
10 JAN 1913

Kept at The Cottage Wrington

in the County of Somerset 2

by Hubert C. Bristowe M.D

Lat. .... Long. ....

Time of Observation 9 a.m

Nearest Railway Station Wrington

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. .... in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	~~·03~~		·20			·35			·02			·25	1
2	~~·04~~		·09			·14	·30				·01		2
3	·01		·13	·01		·16		·40	·10		·02	·01	3
4	·32		·65		·03	·16		·14		·58	·13		4
5	·45	·10 R&S	·10					·68				·17	5
6	·37	·06	·02		·07		·14	·41			·02	·04	6
7	·04	·25	·16		·16	·81		·12			·02	·05	7
8	·37	·20	·21			·03	·29	·11				·17	8
9	·03		·05	·14		·02	·01	·02			·02	·53	9
10	·06	·09				·05		·01			·12	·05	10
11	·07	·03 ·03	·01			·01						·51	11
12	·01	·71	·08	·11	·03		·01					·11	12
13	·04		·02									·19	13
14	·08		·85		·17			·03					14
15	·09	·10	·02		·32	·71		·04				·60	15
16	·50		·38		·07	·05		·46		·09	·17	·11	16
17	R&S ·59		·27		·01	·20		·84			·02	·31	17
18	·13 R&S	·01	·42					·03		·11	·01	·27	18
19	·02	·04	·14			·01	·27	1·21		·34		·01	19
20	·01		·24		·43		·03	·17		·61			20
21		·18	·19		·58		·02	·37		·17	·01		21
22	·50	·31	·09		·29	·03	·09	·28		·05	·04	·11	22
23	·38	·65	·25			·01		1·23		·11	·06	·38	23
24	·08 ·08		·07			·20		·02				·14	24
25						·71		·82		·11	·45	·40	25
26		·03					·08	·12		·42	·72	·29	26
27		·01				·18	·74			·77	·07	·53	27
28		·08				·12	·21	·47	·04	·25	·53	·83	28
29		·23					·55	·05	·28	·40		·09	29
30						·08	·19		·07	·51			30
31			·33				·25					·12	31
Total	4·15 ✓	3·08 3·08	4·97	·26	2·16	4·04	3·18	8·03	·51	4·52	2·42	6·27	YEAR'S TOTAL 4359
Rain Days.	24	17	24	3	11	20	15	23	5	14	17	25	195

W. 7,500, XI. 12

✓ cord for arith 25.III.14 W

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.
22 JAN 1914

Kept at WRINGTON.
in the County of Somerset
by Hubert C. Bristowe M.D

2

Lat. Long.
Time of Observation 9·a·m
Nearest Railway Station Wrington G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 100 (estimated) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·13	·30	·07	·13				·26		·02	·16	1
2	·04	·12		·14	·06					·09	·27	·01	2
3	·13		·12		·35					·17		·44	3
4	1·21		·08		·27				·39	·21	·01	·18	4
5	·02	·09	·02		·14	·27	·30		·33		·05	·08	5
6	·03	·10	·16		·05	·15				·61	·17	·39	6
7		·15	·03		·55	·28	·01			·07	·20	·02	7
8		·02	·01			·04				·04			8
9		·09	·03	·01	·04	·39		·19	·11		·05		9
10	·22			·04	·07			·13		·21	·12		10
11	·87			·16	·14	·04		·04		·09	·82	·06	11
12	·19				·09			·01	·12		·19	·01	12
13	·08^{s}		·05				·04	·12	·54		·12		13
14	·13		·21	·06			·05	·01	·07	·10	·11	·02	14
15	·20	·04	·40	·81				·04	·19		·21	·08	15
16	·29		·35	·06					·14		·01		16
17	·07		·03	·03			·06		·07		·15		17
18	·20		·17	·12							·08		18
19	·31		·31		·03	·09	·02		·27				19
20	·19		·11	·01						·13	·09		20
21			·06	·12	·16		·15				·35		21
22	·45		·66	·14	·04	·06		·04	·19	·06			22
23						·02		·50	·07			·28	23
24	·13	·01		·03				·03			·11		24
25		·06		·16						·01	·04	·12	25
26		·02		·18				·09				·12	26
27	·06		·10	·37						·07	·01	·01	27
28	·13		·07	·36				·12		·12		R's ·08	28
29			·50	·25						·21			29
30	·46				·48			·12		·48	·08		30
31	·17 R's		·05										31
Total	5·61 5·61	·83	3·82	3·06 3·06	2·60	1·44	·63	1·44	2·75 2·75	2·67	3·26	2·06	YEAR'S TOTAL 30·17
Rain Days.	23	11	22	19	16	9	7	13	13	16	22	16	187

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.
16 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at The Cottage Wrington
in the County of Somerset 2
by Hubert C. Bristowe

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Wrington G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft. in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·14		·03	·21	·53			·02	·01	1
2				·02	·01	·01	·68	·05			·63	·49	2
3			·08	·16	·13		·02	·88			·04	·10	3
4	·20		·14	·29	·20		·11	·06			·61	·41	4
5	·08		·14	·43			·15	·04			·09	·14	5
6	·05	·08	·05	·10	·02		·13	·11			·04	·20	6
7	·01	·62	·30	·33	·36	·07	·80	·05				·11	7
8	·23		·90	·11	·02	·41	·23	·06	·08			·02	8
9	·19		·45	·08	·05	·70		·10	·13				9
10		·12		·07	·08				·38				10
11		·08	·58		·10	·22	·18				·03	·37	11
12		·12	·10						·31		·05	·13	12
13		·30	·34				·01		·35	·42	·08	·24	13
14		·10	·33					·25	·01		·17		14
15		·04	·23					·31	·20	·01	·27		15
16		·61					·05		·14				16
17			·20				·05		·01			·43	17
18		·02	·04				·10		·01			·32	18
19		·08	·38				1·02				·04	·07	19
20		·26	·12			·15						·02	20
21		·66								·13			21
22		·02	·06		·45	·30		·12		·05			22
23		·08	·22		·07					·12			23
24			·02		·11					·11	·13	·02	24
25	·09		·08		·01		·52	·02		·43	·02	·46	25
26			·02				·02	·40		·08	·26	·36	26
27	·08		·01				·05	·06		·16	·25	·11	27
28	~~·08~~	·09	·05		·09					·02	·89	1·03	28
29	·21		·40		·12					·08	·11		29
30	·02	✕	·01			·03				·28	·34	·63	30
31		✕		✕	·06	✕	·13		✕	·21	✕	·14	31
Total	1·16	3·28	5·25	1·73	1·88	1·87	4·46	3·04	1·62	2·10	4·07	5·81	YEAR'S TOTAL 36·27
Rain Days.	10	16	25	10	16	9	18	15	10	14	19	22	18~~5~~4

W. 8,000. X. 14.

W DL cwd for arith 6.V.16

2143

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

4. JAN 1916

2

Kept at The Cottage Wrington

in the County of Somerset

by Hubert. C. Bristowe

Lat. .... Long. ....

Time of Observation 9 a.m

Nearest Railway Station Wrington G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 7 ft. — in.

" " " " Sea Level 100 (estimated) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·26	·15			·12			·03	·19	·24	·02	·06	1
2	·24	·22	·08	·15				·47	·18	·03		·20	2
3	·17	·03	·08	·28	·10			·02				·25	3
4	·02	·01	·01		·04		* 1·04	·01				·80	4
5	·14	·51		·04				·11				·22	5
6	·37	·05		·30			·34	·08				·20	6
7	·35	·31		·08			·41	·03				·22	7
8	·31	·29		·01				·12			·12		8
9	·02	·02		·04				·07			·32	·71	9
10	·21	·04	·12	·08				·03		·02		·06	10
11			·10	·02				·07			·72	·01	11
12	·16	·32		·15	·39			·04		·08	·20	·02	12
13	·04	·57			·74		·04	·33					13
14	·07						·21	·82	·22			·83	14
15	·34			·04	·09		·09	·06	·02		·12	·03	15
16		·69			·33		·79	·04	·10			·01	16
17		·17			·47								17
18		·24											18
19					·03		·26						19
20	·39			·12						·04		·07	20
21	(snow) ·05	·20		·03	·03		·01			·12		·09	21
22	·10	·18	·42			·01	·53		·02			·15	22
23		·07	·24				·13		·04	·60		·56	23
24			·02				·03		·26	·83		·29	24
25						·21	·13					·21	25
26		·02				·02	·33		·02			·37	26
27		·02				·16	·76			·50			27
28		·06	(Snow) ·02			·02			·68	·09			28
29						·45					·05	·01	29
30	·28					·14				·29	·13	·16	30
31	·06						·02	·56		·86		·22	31
Total	3·58	4·17	1·09	1·34	2·34	~~·91~~ 1·01	5·12	2·89	1·73	3·70	1·68	5·75	YEAR'S TOTAL ~~34·40~~ 34·40
Rain Days.	19	21	9	13	10	7	16	17	10	12	8	24	166

W. 8,000. X. 15.

* see over

Exe D L

2082

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

24. JAN 1917

Kept at The Cottage Wrington

in the County of Somerset

by Hubert C. Bristowe M.D.

Lat. 51" 27' Long. 2"46' W

Time of Observation 9 a.m

Nearest Railway Station Wrington

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 6 ft. in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10				·13	·16	·27			·39	·14		1
2	·78	·04	·03^{s}		·03					·74	·08		2
3	·36	·86			·16				·04	·30	·10		3
4	·06	·13			·25	·86			·17	·17	·45		4
5		·01	·01^{s}		·24	·08					·07		5
6	·11	·28	·01^{s}		·37	·38	·33			·12	·55		6
7	·04	·16	·10^{s}		·07					·08	·51	·20	7
8		·12	·16^{s}		·19						·10	·12	8
9		·10			·27	·30				·04	·04		9
10		·48		·12	·02		·02			·06		·05	10
11	·02	·01	·01	·23	·09	·08						·02	11
12	·04	·16	·04	·03	·40		·21			·24			12
13		·49	·15					·04		·01			13
14		·56	·03	·06	·30			·10		·08			14
15	·02	·16	·05	·04	·04			·78	·08	·05			15
16	·03	·07		·43			·05	·43		·01			16
17	·10	·13		·06				·24	·50	·30	·05^{s}		17
18		·02	·20						·04	·10	·34	·08	18
19	·11		·45	·19						·02	·13		19
20		·11	·43								·14	·88	20
21	·17	·12	·68	·03	·09							·46	21
22	·20			·16		·11				·08	·09	·68	22
23		·38^{s}				·06		·45		·13	·17		23
24	·04	·11^{s}	·02	·09	1·36			·10		·54		·31	24
25		·61^{s}	·25^{RGS}			·02		·30		·09	·25	·11	25
26	·03	·12^{s}	·13^{s}			·28		·76	·30	·43	·08		26
27	·07	·18^{s}	2·20^{RGS}					·45	·30	·82			27
28		·41^{s}	·02			·02		·02	·06	1·05		·75	28
29		·53^{s}	·10			·33		1·68	·02	·52		·65	29
30		X						·02		·53		·03	30
31		X		X		X		·04	X	·08	X	·04	31
Total	2·28	6·35	5·07	1·44	4·01	2·68	·88	5·41	1·71	6·98	3·29	4·38	YEAR'S TOTAL 44·48
Rain Days.	17	26	20	11	16	12	5	14	9	26	17	14	187

W. 8,000, VIII. 16

1990

FORM A. BRITISH RAINFALL.

9 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at The Cottage Wrington

in the County of Somerset

by H. L. Bristowe M.D

Lat. 51°27′ Long. 2°46′

Time of Observation 9 a.m

Nearest Railway Station Wrington

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 6 ft. in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		·28	·50 s		·05		1·19	·29		·21		1
2	·04		·19	·07 R&S		·20		·05			·09		2
3	·02						·18			1·40			3
4	·20	·20 s	·11				·08			·33			4
5			·15	·43		·18			·25	·42	·15		5
6			·19							·07	·34		6
7	·21						·12	·23		·33			7
8	·03		·14 s	·13		·04	·67	·66	·08	·66	·17	·08	8
9					·04		·02	·21	·13	·30	·02		9
10	·12		·16					·18		·03			10
11	·05		·45	·43 s	·07			·04	·19	·15	·03		11
12					·34			·36		·85			12
13			·09	·04				·20	·17	·05			13
14			·16	·10		·08		·56					14
15				·06 s			·05			·12		·19	15
16		·15								·10		·14	16
17				·18	·12		·35	·16	·40	·32			17
18		·45					·34	·04	·78				18
19		·25	·05			·07		·56	·07				19
20					·36	·21					·06		20
21			·45 R&S			·06				·03			21
22			·02 s			·03		·06		·17			22
23		·10						·32					23
24						·20	·02	·41		·21			24
25		·13			·12			·03		·80			25
26					·94			·91	·29	·23	·08		26
27						·10		·82					27
28			·15			2·05		·83					28
29			·21			·10		·02		·53		·03	29
30		✕	·03				·22	·25		·19		·25	30
31		✕	·20	✕		✕		·16	✕	·05	✕		31
Total	·68	1·28	3·03	1·94	1·99	3·37	2·05	8·25	2·65	7·34	1·15	·69	YEAR'S TOTAL 34·42
Rain Days.	8	6	17	9	7	13	10	23	10	22	9	5	139

W. 8,000, IX. 17.

13

[illegible] 76

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 1:10

Kept at* The Cottage Wrington

in the County of Somerset

by Hubert C. Bristowe M.D

Lat. 51"27' Long. 2"46'

Time of Observation 9·a·m

Nearest Railway Station Wrington G.W.R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 6 ft. in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·02		·15	·08			·33		·03	·55		1
2		·03		·04				·31		·01	·04	·44	2
3		·01		·16	·09					·06	·04		3
4		·07		·05				·03	·07	·07	·42	·11	4
5				·09	·11			·33	·06	·18	·03		5
6	·14	·66		·28				·04	·17	·15		·10	6
7		·20		·05	·75				·36	·56			7
8									·87	·25		·03	8
9		·09		·38		·09	·21		·89	·07	·01	·17	9
10	·01	·28		·13			·69		·41	·05	·01	·31	10
11		·20					·29		·87	·33	·07		11
12		·02	·17		·24		·40		·09			·12	12
13	·19^{s}						·04		* ·23	·03		·46	13
14	·21					·01	·61		·30	·02		·08	14
15	1·18$^{R\&S}$			·45	·10	·03	·23		·01			·42	15
16	·28^{s}			·92			·01		·11			·15	16
17	·27		·07	·15			·31	·06	·08			·21	17
18	·85					·79	·20	·10	·97	·11		·12	18
19	·05						·20	·04	·76			·03	19
20		·17		·06		·03	·43		·17	·07			20
21	·02	·04			·40	·01	·21		·55	·02		·05	21
22					·10		·51		·20	·03		·43	22
23						·02	·61						23
24	·13	·15					·05		·21				24
25							·29	·06			·03		25
26				·20			·39	·87	·06		·12	·38	26
27			·14				·02		·40		·11	·04	27
28		R&S ·13	·06					·25				·03	28
29									·98	·05	·02	·12	29
30		✗	·37						·02		·04		30
31		✗	·12	✗		✗			✗		✗	·07	31
Total	3·36	2·07	·93	3·11	1·87	·98	5·70	2·42	~~8·74~~ 8·84	2·09	1·49	3·87	YEAR'S TOTAL ~~36·63~~ 36·73
Rain Days.	12	14	6	14	8	7	19	11	24	18	13	21	167

* this amount is correct for two days but inaccurate for each day

W, 6,500, VII. 18. W W C

1864

FORM A. I. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at The Cottage Wrington

in the County of Somerset

by Hubert C. Bristowe

Lat. 51° 27′ Long 2° 46′
Time of Observation 9 a.m.
Nearest Railway Station Wrington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft. in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·53		·06	·03	·18				·05	·51		·80	1
2	(·23)				·01		·41		·15		·06	·40	2
3	·63		·12		·03		·18		·05		·15	·69	3
4	R&S ·53	·15	·43			·09	·05	·08	·20			·08	4
5	·08	·28	·73						·40			·43	5
6	·31	·08	(·18) ·48				·01		·01		·02	·16	6
7	·32		·16	·09									7
8	·15		·05			·04							8
9	·12		·29	·08	·01						·17		9
10	·02		·21	·01	·13					·02		·27	10
11	·04		·05	·13			·23			·01		·13	11
12	·05			·04		·40				·09	Snow ·04		12
13	·11			·36								·07	13
14	·63			R&S ·61	·03		·25			·02		·06	14
15	·59			·05								·18	15
16	(·29)	·73									·20		16
17		·43				·08					·25		17
18		·07	·38				·10				(·18)	·04	18
19	·19	·23	·91			·20	·82	·47	·19		·12	·04	19
20	·36		·22			·18		·38				·07	20
21			·02			·01	·09	·12				·09	21
22		·66							·20		·02	·15	22
23		·21								·87	·07	·02	23
24									·02	1·15	·17	·75	24
25	·11					·15		·55			·07	·06	25
26	·12		·05	·07		(·05)		·07	·14			·56	26
27	·09		·02	R&S ·37		·01		·55				·02	27
28	S ·04		R&S ·49			·01		·08			R&S ·36	·38	28
29	·03			·14				·01		·04	·04	·15	29
30			·05	·21		·30		·50		·03	·19	·38	30
31			·04									·26	31
TOTAL	5·55	2·84	4·94	2·19	·39	1·52	2·14	2·81	1·41	2·74	2·11	6·26	YEAR'S TOTAL 34·90
Days with ·01 in. or more	23	9	21	13	6	12	9	10	10	9	16	25	~~161~~ 163

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

max fall 1·15 in on Oct 24

[illegible] 1777

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Cottage Wrington
in the County of Somerset
by Hubert C. Bristowe

Lat. 51°27' Long. 2°46'
Time of Observation 9 a-m
Nearest Railway Station Wrington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft. in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·19	·31		·38		·17	·11	·22	·47	1
2	·06			·15			·12	·49	·05	·13		·07	2
3	·03	·04		·05	·07		·37	·01	·02	·24			3
4			·03	·11			·08	·65		·21			4
5	·05		·13	·25	·23		·55			·14			5
6			·16	·01	·46		·04			·04			6
7			·01	·07	·07		·17				·07		7
8	·03	·04		·46	·16		·48	·09					8
9	·50	·16	·07	·57		·16	·07	·02					9
10	·96	·42	·04	·02		·17	·31						10
11	·32	·04	·26	·34	·30		·08						11
12	·19	·08	·44	·10		·57					·09		12
13	·15	·03		·16									13
14	·04	·19	·31	·51	·10		·64		·15	·31	·37		14
15	·05		·03	·18					·13	·33	·09		15
16				·08		·01	·33		·50	·07	·57		16
17	·17			·01	·28	·58	·05	·02	·56			·01	17
18	·07			·25	·01	·46		·42	·08			·02	18
19	·01	·24		·19	·07	·04						·20	19
20	·02	·15		·16		·12	·05						20
21				·03		·24	·09			·02		·09	21
22	·01	[illegible]					·05	·17				·37	22
23							·55	·02				·31	23
24	·01		·15				·04				·07	·06	24
25	·01	·08	·06		·07	·04	·42				·08		25
26	·29		·25				·01					·07	26
27	·33		·03	·01		·77	·01					·15	27
28	·78		·15		·01							·02	28
29	·12		·25		·07		·32				·21	·28	29
30	·03	╳	·03	·08		·36	·17		·29		·31	·25	30
31	·28	╳	·30	╳	·03	╳			╳	·35	╳	·21	31
TOTAL	4·53 ~~4·43~~	1·47	2·70 ~~2·40~~	3·98	2·24	3·51 ~~3·45~~	4·78 ~~4·58~~	1·89	1·95	1·95	2·08	2·58	YEAR'S TOTAL ~~[illegible]~~ 33·66
Days with ·01 in. or more	25	11	18	23	15	12	24	9	9	~~10~~	10	15	~~181~~ 182
Days with ·04 in. or more	16	10	13	18	12	11	22	5	8	~~9~~ 11 10	10	12	~~146~~ 147

(44.283). 10/19. (52.638). Wt.10.000—359. 10.000. (2). 7/20. Gp.132. A.&E.W.

WRINGTON
WEST HAY
SOMERSET
1916 - 1920

REGIST

6 from March 25-

FORM A.
BRITISH RAINFALL.
6 JAN 1917

Kept at West Hay - Wri
g. 9.30 a.m.
Wrington
in the County of Somers
ain Gauge 5 ins
by Miss M. C. Meade
bove Ground 2 ft. ~~in.~~
Sea Level 98 ft.

IMPORTANT NOTE.—R nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				–	.13	.16	.25	–	.02	normal time .51	.08	–	1
2				–	.03	–	–	–	.01	.67	.07	–	2
3				–	.23	–	–	–	.04	.29	.10	–	3
4				–	.22	.90	–	–	.19	.18	.47	–	4
5				.02	.24	.08	–	–	–	–	.05	–	5
6				–	.37	.38	.34	–	–	.18	.58	–	6
7				–	.11	–	–	–	–	.09	.50	.20	7
8				–	.18	.03	–	–	–	–	.09	.12	8
9				.13	.23	.28	.03	–	–	–	.05	.06	9
10				–	.04	.03	–	–	–	.06	.01	.02	10
11				} .36	.12	.08	–	–	–	–	–	–	11
12					.39	–	.21	.02	–	.26	.01	–	12
13				–	–	–	–	.12	–	.01	–	–	13
14				.06	.30	–	–	.21	–	.09	–	–	14
15				.08	.05	–	–	.93	.09	.07	–	–	15
16				.45	.01	–	.05	.38	–	.04	–	–	16
17				.06	–	–	–	.34	.49	.29	Snow .10	–	17
18				.01	–	–	–	–	.04	.11	.30	.05	18
19				.17	–	–	–	–	–	.02	.14	–	19
20				.02	10 a.m. Summer time	–	–	–	–	–	.18	Snow & rain .99	20
21				–	.09	–	–	–	–	–	–	Snow & rain .30	21
22			Beginning of record	.02	–	.13	–	–	–	.18	.10	.66	22
23				.24	–	.05	–	.56	–	.17	.19	.23	23
24				.06	thunder storm 1.39	.03	–	.05	–	.50	.01	.30	24
25			.26	–	–	–	–	.40		.10	.23	.11	25
26			hail .15	–	–	.28	–	.75	thunder .52	.40	.09	–	26
27			rain & snow 1.35	–	–	.08	–	.49	.30	thunder .77	–	–	27
28			.06	–	–	.07	–	–	.06	1.02	–	.77	28
29			.11	–	–	.36	–	1.59	.01	.55	–	.64	29
30		X	–	–	–	–	–	.02	–	thunder .60	–	.02	30
31		X	–	X	–	X	–	.04	X	.17	X	.03	31
Total			~~1.93~~	1.68	4.13	2.94	.88	5.90	1.77	7.33	3.35	4.50	YEAR'S TOTAL ~~34.41~~
Rain Days.			5	14	17	15	5	14	11	25	20	15	~~141~~

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1916 from March 25

FORM A. BRITISH RAINFALL. 6 JAN 1917

Kept at West Hay - Wrington

in the County of Somerset

by Miss M. C. Meade-King

Lat.

Long.

Time of Observation 9.30 a.m.

Nearest Railway Station Wrington

Diameter of Funnel of Rain Gauge 5 ins

Height of top of Gauge above Ground 2 ft. ~~in.~~

" " " " Sea Level 98 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				-	.13	.16	.25	-	.02	normal time .51	.08	-	1
2				-	.03	-	-	-	.01	.67	.07	-	2
3				-	.23	-	-	-	.04	.29	.10	-	3
4				-	.22	.90	-	-	.19	.18	.47	-	4
5				.02	.24	.08	-	-	-	-	.05	-	5
6				-	.37	.38	.34	-	-	.18	.58	-	6
7				-	.11	-	-	-	-	.09	.50	.20	7
8				-	.18	.03	-	-	-	-	.09	.12	8
9				.13	.23	.28	.03	-	-	-	.05	.06	9
10				-	.04	.03	-	-	-	.06	.01	.02	10
11				.36	.12	.08	-	-	-	-	-	-	11
12					.39	-	.21	.02	-	.26	.01	-	12
13				-	-	-	-	.12	-	.01	-	-	13
14				.06	.30	-	-	.21	-	.09	-	-	14
15				.08	.05	-	-	.93	.09	.07	-	-	15
16				.45	.01	-	.05	.38	-	.04		-	16
17				.06	-	-	-	.34	.49	.29	Snow .10	-	17
18				.01	-	-	-	-	.04	.11	.30	.05	18
19				.17	-	-	-	-	-	.02	.14	-	19
20			Beginning of record	.02	10 a.m. summer time	-	-	-	-	-	.18	Snow & rain .99	20
21				-	.09	-	-	-	-	-	-	Snow & rain .30	21
22				.02	-	.13	-	-	-	.18	.10	.66	22
23				.24	-	.05	-	.56	-	.17	.19	.23	23
24				.06	thunder storm 1.39	.03	-	.05	-	.50	.01	.30	24
25			.26	-	-	-	-	.40	-	.10	.23	.11	25
26			hail .15	-	-	.28	-	.75	thunder .52	.40	.09	-	26
27			rain & snow 1.35	-	-	.08	-	.49	.30	thunder .77	-	-	27
28			.06	-	-	.07	-	-	.06	1.02	-	.77	28
29			.11	-	-	.36	-	1.59	.01	.55	-	.64	29
30			-	-	-	-	-	.02	-	thunder .60	-	.02	30
31			-		-		-	.04		.17		.03	31
Total			~~1.93~~	1.68	4.13	2.94	.88	5.90	1.77	7.33	3.35	4.50	YEAR'S TOTAL ~~34.16~~
Rain Days.			5	14	17	15	5	14	11	25	20	15	~~141~~

W. 8,000, VIII. 16

written 23.III.18 cndfors Exd.

FORM A. BRITISH RAINFALL 5. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at West Hay - Wrington

in the County of Somerset

by Miss M. C. Meade-King

Lat. 51° 22′ Long. 2° 47′

Time of Observation 9.30 a.m.

Nearest Railway Station Wrington

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 98 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·05

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	-	.28	Snow .38	-	.34	-	1.10	.18	-	.12	.01	1
2	.01	-	.16	Snow .09	-		-	.12	-	-	.09	-	2
3	.01	-	-	Snow .01	-	-	thunder .22	-	-	1.51	-	-	3
4	-	3½ ins. of Snow ~~.70~~ X	.10	-	-	-	.10	.03	-	.05	-	-	4
5	.20	(.30)	.15	.47	-	thunder .18	-	-	.25	.74	.17	-	5
6	-	-	.14	-	-	-	-	-	-		.37	-	6
7	.24	-	-	-	-	-	.13	.19	-		-	-	7
8	.03	-	Snow .09	Summer time .14	-	.03	.80	.73	.08	.66	.18	.07	8
9	-	-		Snow .01	.06	-	.01	thunder .27	.15	.32	.03	-	9
10	.14	-	.14	-	-	-	-	.21	.01	.06	-	-	10
11	.03	-	.54	Snow .52	.06	-	-	thunder .06	.12	.17	.03	-	11
12	-	-	-	-	thunder .35	-	-	thunder .25	-	thunder .93	-	-	12
13	-	-	.09	.09	-	.07	-	.19	.15	.03	-	.02	13
14	-	-	.16	.03	-	-	-	thunder .46	.02	-	-	-	14
15	-	-	-	.07	-	-	thunder .07	-	-	.17	-	.20	15
16	Snow .01	.33	-	.16	.03	-	-	-	-	.16	-	.11	16
17	-	.02	-	.12	.10	-	.38	.11	normal time .42	.19	.03	-	17
18	-	.01	-	-	-	.02	.43	.04	.76	-	-	-	18
19	-	.50	.04	-	-	.03	-	.62	.05	-	.03	-	19
20	.01	.22	.03	-	.40	.35	-	-	.02	.02	-	-	20
21	-	-	.44	-	-	.08	-	.01	-	.01	-	-	21
22	-	-	-	-	-	.06	-	.10	-	.18	-	-	22
23	-	.09	-	-	.02	-	-	.37	-	.02	-	.01	23
24	-	.01	.02	-	-	.22	.02	.38	-	.19	.02	-	24
25	-	.11	.02	-	-	.04	-	.03	-	.64	-	-	25
26	-	-	.01	-	thunder .15	.02	-	.85	.26	.22	.04	-	26
27	-	-	-	-	.95	.08	-	.82	-	-	.01	-	27
28	-	.01	.15	-	.01	thunder 1.94	-	.83	-	.03	-	.02	28
29	-	X	.16	-	-	.16	.03	.02	-	.51	-	.26	29
30	-	X	.04	-	-	-	.18	.23	-	.21	-	-	30
31	-	X	.23	X	-	X	-	.23	X	.05	X	.05	31
Total	.69	(1.60) 2.00	2.99	2.09	2.13	3.62	2.37	8.25	2.47	7.07	1.12	.75	YEAR'S TOTAL 35.15 35.55
Rain Days.	10	10	21	12	10	16	11	25	13	25	12	9	174

W. 8,000, IX. 17.

X On Feb. 4th the raingauge was choked with snow so the .70 is a guess. The snow on the ground was 3½ inches deep

WRIN

POST CARD

$\frac{1}{2}$ HALFPENNY $\frac{1}{2}$
POSTAGE

Secretary
Brit. Rainfall Organizatn
62 Camden Square
London N.W.

West Hay - Wrington
Bristol

By all means correct my reading of snow on Feb. 4th 1917 to ·30 in. instead of ·70 as you suggest -

M. C. Meade-King

Mar. 24th

Excd 950

REGISTER ~~OF~~ RAINFALL IN 1918

78

FORM A.
BRITISH RAINFALL
7.1.19

Kept at West Hay - Wrington

in the County of Somerset

by Miss M. C. Meade-King

Lat. 51° 22′ Long. 2° 47′

Time of Observation 9:30 a.m.

Nearest Railway Station Wrington

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 98 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	–	–	–	–	–	–	–	–	–	–	–	–	
1	-	.03	-	.15	[illegible]	-	.	.31	.	.05	.42	-	1
2	-	-	-	.07	.10	-	.	.37	-	.02	.04	.44	2
3	-	.04	.01	.20	.08	-	.	.02	.09	-	.04	-	3
4	-	.08	-	.04	-	.	.	.03	-	.09	.37	.12	4
5	-	.03	-	.08	.12	-	.	.43	.16	.17	-	.01	5
6	.16	.61	-	.37	-	-	.	.09	thunder .22	.14	-	.11	6
7	-	.19	-	.06	.74	-	.	-	.34	.52	.31	-	7
8	-	-	-	.47	-	-	-	-	thunder 1.20	.27	.	.05	8
9	.01	.10	-	.12	-	.18	thunder .27	-	~~thunder~~ .89	.09	-	.19	9
10	.02	.03	-	-	-	-	.53	-	thunder .43	.11	-	.32	10
11	.04	.18	.04	.01	-	-	.37	-	thunder .77	.31	.09	.30	11
12	-	.12	.13	-	.25	-	.38	-	.07	-	-	.10	12
13	Snow .20	.02	-	-	-	-	.04	-	.37	.04	-	.33 53	13
14	.19	-	.04	-	-	.05	.55	-	.19	.02	-	.05	14
15	Snow & rain 1.14	-	-	.33	.10	.05	.24	-	.01	.02	-	.52	15
16	.35	-	-	.93	-	-	.02	.05	.14	-	-	.09	16
17	.23	-	.05	.15	-	-	.39	.13	.10	.02	-	.21	17
18	.97	-	.04	-	-	.83	.44	-	thunder .88	.08	-	.17	18
19	.04	-	.09	-	-	-	.05	.05	.71	.03	-	.04	19
20	.01	.18	-	.08	-	.02	.44	-	.19	.05	-	-	20
21	.01	.05	-	.02	-	.01	.20	-	.58	.06	-	.04	21
22	-	.01	-	-	thunder .35	-	.54	-	.20	.01	-	.43	22
23	.13	-	-	-	.10	.02	.59	-	-	-	.01	-	23
24	-	.16	-	-	-	-	.04	.11	.21	-	.04	-	24
25	.01	-	-	-	.03	-	.34	thunder .98	-	.04	.02	-	25
26	-	-	-	thunder .22	-	-	thunder .39	.03	.06	-	.10	-	26
27	-	.03	+ .01	-	-	-	.03	.28	.36	-	.11	-	27
28	-	.11	.13	-	-	-	-	-	-	-	.02	.50	28
29	-	-	.07	-	-	-	-	-	.95	.04	-	.10	29
30	-	X	.35	-	-	-	-	.01	+ .02	-	.06	.03	30
31	-	X	.19	X	-	X	-	.01	X	.03	X	.12	31
Total	3.51	1.97	1.15	3.30	1.87	1.16	5.85	2.90	9.14	2.19	1.63	4.47	YEAR'S TOTAL 39.74
Rain Days.	15	17	12	16	9	7	19	15	24	22	13	22	191

W, 6,500, VII. 18. W W C

+ Summer time

+ normal time

1866

8 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at West Hay - Wrington
in the County of Somerset
by Miss M. C. Meade-King

Lat. 51° 22′ Long. 2° 47′
Time of Observation 9.30 a.m.
Nearest Railway Station Wrington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 98 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·26

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·44	-	·01	-	·14	-	thunder ·40	-	·04	normal ·70	-	·77	1
2	·14	-	·01	-	·02	-	·21	-	·11	-	·07	·47	2
3	·66	-	·20	-	·04	-		-	·09	-	·09	·61	3
4	Snow & rain ·43	·17	·41	-	·01	·12	thunder ·13	·08	·19	-	-	·11	4
5	·05	·19	·63	-	·02	-	·01	-	·45	-	·02	·40	5
6	·33	·07		-	-	-	-	-	-	-	-	·17	6
7	·27	-	·35	·11	-	-	-	-	-	-	-	-	7
8	·15	-	·18	·05	-	-	-	-	-	-	-	-	8
9	·10	-	·05	·07	·02	·04	-	-	-	-	·14	-	9
10	·03	-	·31	·01	·01	-	-	-	-	-	-	·22	10
11	·10	-	·19	·15	·13	-	·25	-	-	-	-	·13	11
12	-	-	·08	·05	-	·40	-	-	·01	·15	Snow & rain ·05	-	12
13	·14	·01		·35	-	-	·04	-	-	-	-	·09	13
14	·67	·04		·62	-	-	·22	-	·03	-	-	·08	14
15	·55	-		·05	·05	-	-	-	-	·10	-	·16	15
16	·23	·68		-	-	-	-	-	-	-	·16	·01	16
17	-	·39		·02	-	·11	-	-	-	-	·23	-	17
18	·04	·01	·39	-	-	-	·04	·49	·02	-	·23	·04	18
19	·27	·20	·92	-	-	·26	·82	·31	·13	-	·06	·07	19
20	·27	·14	·18	-	-	·20	-	·20	-	-	-	·09	20
21	-	·79	·02	-	-	-	·06	·02	·01	-	-	·04	21
22	-	·02		-	-	·02	·11	-	·20	-	·01	·09	22
23	-	-		-	-	-	-	-	-	1.03	·08	·02	23
24	-	-		·03	-	·18	-	-	·04	·88	·18	thunder ·70	24
25	·14	-		-	-	·03	-	·51	-	-	·09	·05	25
26	·10	·03	·06	·05	-	·02	-	·08	-	-	-	·57	26
27	·10	·07		·30	-	-	-	·50	-	-	-	·03	27
28	·02	-	Snow & rain ·39	-	-	-	-	·18	-	-	·32	·40	28
29	·03	-		·13	-	·01	-	·01	-	·07	·04	·17	29
30	-	×	Summer time ·05	·23	-	·31	-	·36	-	·01	·16	·40	30
31	-	×	·03	×	-	×	·02		×	·02	×	·26	31
TOTAL	5.26	2.81	4.46	2.22	·44	1.70	2.31	2.44	1.32	2.96	1.93	6.15	YEAR'S TOTAL 34.30
Days with ·01 in. or more	23	14	19	15	9	12	12	11	12	8	16	26	177

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1779

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

3d (WMD)

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at West Hay, Wrington

in the County of Somerset

by Miss M. C. Meade-King

Lat. 51° 22′ Long. 2° 47′

Time of Observation 9.30 a.m.

Nearest Railway Station Wrington

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 98 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .24

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.01	-	.25	.34	-	.45	.11	.21	.09	.23	.50	1
2	.07	.04	.01	.11	-	-	.08	.37	.06	.10	-	.08	2
3	.04	-	-	.06	.06	-	.36	-		.20	-	-	3
4	-	-	.02	.12	-	-	.11	.69	.01	.20	-	-	4
5	-	-	.13	.16	.27	-	.57	-	-	.15	-	-	5
6	-	-	sleet .19	.02	.44	-	.05	-	-	.07	-	-	6
7	.04	-	-	.07	.09	-	.12	-	-	-	.06	-	7
8	.03	.04	-	.50	.18	-	.42	.04	-	-	-	-	8
9	.54	.20	.10	thunder .58	-	.22	.14	.05	.01	-	-	-	9
10	1.15	.37	.05	.02	-	.18	.30	-	-	-	-	-	10
11	.14	-	.24	.40	.30	.02	.08	-	-	-	-	-	11
12	.31	.07	.03	.11	-	.55	.14	-	-	-	.10	-	12
13		.11	.45	.24	-	-		-	-		-	-	13
14	.07	.03	.31	.49	-	-	.03	-	.15	thunder .38	.38	-	14
15	.06	.19	-	.21	.13	.03	-	-	.15	.42	.17	-	15
16	-	-	.0~~8~~4	.06	-	thunder .86	.27	.02	.50	.08	thunder .66	-	16
17	-	-	.01	.02	.26	.40	.07	.03	.45	-	.01	-	17
18	.24	-	-	.21	.08	.05	-	.45	.28	-	-	.03	18
19	-	.37	-	.20	.05	.15	-	.04	-	-	-	-	19
20	-	.05	-	.17	-	.26	.05	-	.01	-	-	.21	20
21	-	-	-	.03	-	-	.11	-	-	.03	-	.08	21
22	-	-	-	.09	-	.03	.09	.16	-	-	-	.35	22
23	-	-	-		-	-	.51	-	-	-	-	.30	23
24	-	-	.19	.01	-	-	.03	.06	-	-	.06	.07	24
25	-	.09	.08	-	.10	.04	.45	-	-	-	-	-	25
26	.39	-	.27	-	-	.07	.03	-	-	-	.08	.08	26
27	.30	.01	.08	.01	.04	.75	.01	-	-	-	-	.12	27
28	.76	-	summer time .16	-	-	.06	.03	-	-	-	-	.02	28
29	.14	.01	.22	-	.09		.25	-	-	-	.20	.31	29
30	.05		.03	.08	-	.39	.25	-	.30	-	.28	.25	30
31	.24		.31		-		-	-		.40		.24	31
TOTAL	4.60	1.59	2.9~~6~~2	4.22	2.43	4.06	5.02	2.02	2.13	2.12	2.23	2.64	YEAR'S TOTAL 35.98
Days with ·01 in. or more	18 ~~4~~	14 ~~4~~	20 ~~5~~	25 ~~6~~	14	16 ~~3~~	26 ~~5~~	11 ~~2~~	12 ~~5~~	11 ~~1~~	11 ~~1~~	14 ~~2~~	~~35~~ 192
Days with ·04 in. or more	14	10	15	19	14	13	21	9	~~1~~8	10	10	12	~~157~~ 158

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

YEOVIL

PEN HILL S. W.

SOMERSET

1911 -

FORM A2.
BRITISH RAINFALL.

6 - JAN 1912

R… …1

Kept at Yeovil Se… …5 in.

…Ground 1 ft. 0 in.

in the County of… …Sea Level 105 ft.

a.m

by Dr. Pag… …Name Pen Mill Yeovil

Distance 50yds Direction NW

IMPORTANT NO… …the result entered to the previous day. If an O… …versal rule, he is earnestly requested to add the re… …year in the space provided for it at the end of th… …ement of rain, the selection and plac… …British Rainfall Organization are given in… …application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01			·01				·03		·02		·04	1
2				·05	·36			·17		·06	·20	·25	2
3					·17						·08	·09	3
4		·01	·07					·01		·01	·17	·39	4
5	·05		·01					·25		·06	·14		5
6	·19		·16					·02		·04	·05	·92	6
7	·03			·01							·46	~~[illegible]~~	7
8	·02		·18							·01	·03	·73	8
9	·12										·08	·52	9
10	·02	·03	·22		·36						·02	·36	10
11	·36		·01		·06						·59	·05	11
12			·81					·01		·01	·07	·35	12
13									·15		·01	·30	13
14		·02								·02		·89	14
15	·01	·03				·10					·23	·04	15
16						·15					·43	·44	16
17		·02	·03			·09					·14	·74	17
18		·17	·08	·14		·22				·01	·04	·65	18
19		·14	·13			·61			·17	·17		·41	19
20	·05	·06	·02	·02		·01			·22	·07		·57	20
21	·01	·17	·06	·04		·01			·07	·49		·13	21
22	·13	·03	·12	·02					·02	·15		·32	22
23		·11		·01		·32			·04	·11	·03	·22	23
24	·02	·07				·52		·04		·42		·19	24
25	·01	·02				·09		·02	·03	·05		·11	25
26		·02		·26	·31			·02		·13		·20	26
27		·31	·08	·04				·08	·10	·15	·01	·16	27
28		·30		·37				·19			·09	·01	28
29		X		·99		·17	·08	·01	·08	·16	·01		29
30		X				·07		·03		·21	·07		30
31		X		X		X	·01		X	·02	X		31
Total	1·03	1·51	1·98	1·96	1·26	2·36	0·09	0·88	0·88	2.37	2·95	9·08	26·35 Total for year 26·35
No. of Rain Days.	14	16	14	12	5	12	2	13	9	21	21	26	165

W. 8,000, X. '11.

REGISTER OF RAINFA 1

FORM A2.
BRITISH RAINFALL.

6 - JAN 1912

Kept at Yeovil Sewage Works (Pen Mill)

in the County of Somerset 3

by Dr Page. M.O.H.

RAIN GAUGE
Pattern Howard's
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 105 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Pen Mill Yeovil
Distance 50yds. Direction NW

yes

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01			·01				·03		·02		·04	1
2				·05	·36			·17		·06	·20	·25	2
3					·17						·08	·09	3
4		·01	·07					·01		·01	·17	·39	4
5	·05		·01					·25		·06	·14		5
6	·19		·16					·02		·04	·05	·92	6
7	·03			·01							·46	~~[illegible]~~	7
8	·02		·18							·01	·03	·73	8
9	·12										·08	·52	9
10	·02	·03	·22		·36						·02	·36	10
11	·36	—	·01		·06						·59	·05	11
12			·81					·01		·01	·07	·35	12
13									·15		·01	·30	13
14		·02								·02		·89	14
15	·01	·03				·10					·23	·04	15
16						·15					·43	·44	16
17		·02	·03			·09					·14	·74	17
18		·17	·08	·14		·22				·01	·04	·65	18
19		·14	·13			·61			·17	·17		·41	19
20	·05	·06	·02	·02		·01			·22	·07		·57	20
21	·01	·17	·06	·04		·01			·07	·49		·13	21
22	·13	·03	·12	·02					·02	·15		·32	22
23		·11		·01		·32			·04	·11	·03	·22	23
24	·02	·07				·52		·04		·42		·19	24
25	·01	·02				·09		·02	·03	·05		·11	25
26		·02		·26	·31			·02		·13		·20	26
27		·31	·08	·04				·08	·10	·15	·01	·16	27
28		·30		·37				·19			·09	·01	28
29		X		·99		·17	·08	·01	·08	·16	·01		29
30		X				·07		·03		·21	·07		30
31		X		X		X	·01		X	·02	X		31
Total	1·03	1·51	1·98	1·96	1·26	2·36	0·09	0·88	0·88	2.37	2·95	9·08	Total for year 26·35 26·35
No. of Rain Days.	14	16	14	12	5	12	2	13	9	21	21	26	165

W. 8,000, X. '11.

Ex 26.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
-1 JAN 1913

Kept at Yeovil

in the County of Somerset 3

by Yeovil Corp Gas Works

RAIN GAUGE
Pattern
Diameter of top ___ in.
Height of top above Ground ___ ft. ___ in.
„ „ „ Sea Level ___ ft.

Time of Observation

Nearest Railway Station
Name
Distance ___ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·15		·02	·39	·04	·02	·05	·65		·37	1
2			·41		·01	·05	·18	·14			·02		2
3			·06			·30	·10	·43	·01		·01	·02	3
4	·19		·92		·02	·15		·01			·28		4
5	24	04	·17		·02	·02		·45	·02		·02	·07	5
6	·45	·17			·09		·55	·76				·16	6
7	04	·36	·11		·21	·75	·08	·05				·12	7
8	18	·26	·57			·37	·01	·32				·01	8
9	02		·33	·06		·04	·03	·10				·19	9
10		·09						·06			·02	·30	10
11	06	·04	·01					·03				·38	11
12		·51	·06	·07			·04	·09					12
13								·04				·01	13
14	10		·30		·03			·17					14
15	21	·05	·03	·02	·16	·61						·28	15
16	47		·19		·13			·03		·02	·06	·02	16
17	60		·09			·02		·72				·01	17
18	29	·02	·26					·23		·02	·03	·10	18
19	02	·02	·26			·08	·11	·24			·04	·04	19
20	01	·02	·27		·03		·03	·25		·32	·01	·01	20
21		·05	·12		·21			·13		·12			21
22	43	·22	·07		·14			·05		·05			22
23	13	·39	·15					·48		·11	·12	·16	23
24	08	·01				·12		·11				·23	24
25	07					·16		·38		·06	·23	·46	25
26		06					·09	·28		·36	·59	·18	26
27			·01			·17	·60			·92		·24	27
28		·07				·09	·05	·32	·04	·47	·48	·60	28
29		·11	·01			·09	·15	·06	·65	·57	·08	·03	29
30		X			·03	·16	·03		·30	·34			30
31		X	·32	X		X	·17		X	·02	X	·03	31
Total	3·59	2·49	4·87	·15	1·10	3·57	2·26	5·95	1·07	4·06	1·99	4·02	TOTAL for year 35·12
No. of Rain Days.	18	18	23	3	13	17	16	27	6	14	14	24	193

Cor. by Gas Works. 28.IV.14.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

22 MAY 1914

Kept at Sewage Works, Yeovil

in the County of Somerset 3

by R. C. Rummell Weaver M.D., F.R. Met. Soc. W. M.

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Pen Mill Yeovil

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·33	·10	·11	·13	·13	·00	·00	·22	·01	·27	·08	1
2	·04	·08	·01	·03	·07	·00	·06	·00	02	17	·11	·00	2
3	·23	·00	·03	·03	·34	·00	·00	·00	·08	·00	·01	·15	3
4	·81	·00	·03	·00	·49	·00	·07	·00	·49	·16	·02	·15	4
5	·04	·02	·00	·00	·11	·22	·04	·00	·44	·02	·11	·19	5
6	05	05	·12	·00	·15	·22	·07	·00	·01	1·13	·03	·52	6
7	·01	·31	·01	·00	·28	·02	·06	·00	·00	·63	·20	01	7
8	·00	·07	·00	·00	·31	·03	·03	·00	·00	·02	·00	·01	8
9	09	·02	·00	·00	·05	·02	·11	·49	·05	·01	·16	·02	9
10	·20	·01	·01	·00	·04	·00	·00	·04	·00	·12	·14	·00	10
11	·67	·01	·00	·21	05	·00	·00	·00	·00	·17	·23	·00	11
12	·02	·00	·01	·00	·28	·00	·00	·00	·02	·02	·23	·00	12
13	·06	·07	·00	·00	·00	·02	·00	·03	58	·00	·29	·00	13
14	·15	·00	·08	·01	·00	·00	·01	·00	·28	·02	·26	·00	14
15	·25	·03	·21	·41	·00	·00	·07	·04	·36	·00	·02	·02	15
16	·24	·00	·32	·06	·00	·00	·00	·00	·07	·00	·01	·00	16
17	·01	·00	·04	·06	·00	·00	·07	·00	01	·00	·00	·00	17
18	·10	·00	·26	·04	·07	·00	·00	·00	·00	·00	·07	·00	18
19	·66	·00	·14	·00	·01	·16	·01	·00	·39	·02	·00	·00	19
20	·03	·00	·11	·08	·00	·01	·00	·00	·01	·21	·21	·00	20
21	·00	·00	·14	·22	·04	·00	05	·00	·00	·06	·65	·00	21
22	54	·00	·33	·15	·00	·06	·01	·04	·23	·00	·02	·06	22
23	·02	·00	·02	·00	·00	·02	·00	·03	·00	·00	·05	·71	23
24	·02	01	·01	·05	·00	·00	·00	·00	·00	·00	·02	·00	24
25	·00	·09	·00	·14	·00	·00	·00	·00	01	·00	·02	·04	25
26	·00	·00	·00	·07	·00	·00	·00	·24	·00	·01	·00	·21	26
27	05	·00	·21	·30	·01	·00	·00	·01	·00	·05	·00	·04	27
28	·09	·00	·05	·24	·00	·00	·00	·00	·00	·16	·00	[illegible]	28
29	·11	×	·50	·30	·02	·00	·00	·14	·00	·35	·00	·02	29
30	·36	×	·01	·01	·00	·00	·00	·01	·00	·50	·00	·00	30
31	·09	×	·01	×	·00	×	·00	·75	×	·04	×	·00	31
Total	4·87	1·04	2·76	3·06	2·45	·91	·54	1·82	3·27	3·88	3·13	2·23	YEAR'S TOTAL 29·96
Rain Days.	26	13	24	19	17	11	13	11	17	21	22	15	209

W.7,000, XI, 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Sewage Works Yeovil

in the County of Somerset 3

by **Dr. A. E. REMMETT WEAVER**

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Pen Mill G.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·03	·00	·00	·02	·03	·31	·00	·00	·18	·06	1
2	·00	·00	·01	·01	·02	·00	·55	·01	·00	·00	1·21	·37	2
3	·02	·00	·07	·09	·39	·00	·12	·08	·00	·00	·19	·09	3
4	·12	·00	·04	·22	·09	·00	·12	·35	·00	·00	·40	·58	4
5	·04	·00	·16	·25	·06	·00	·09	·01	·00	·00	·14	·04	5
6	·00	·19	·03	·13	·02	·03	·01	·01	·00	·00	·05	·32	6
7	·01	1·05	·03	·04	·12	·02	·13	·07	·03	·00	·01	·19	7
8	·03	·02	·61	·12	·13	·11	·03	·08	·01	·00	·00	·05	8
9	·02	·01	·47	·25	·09	1·61	·00	·14	·94	·00	·00	·00	9
10	·01	·52	·03	·06	·05	·03	·00	·01	·36	·00	·01	·02	10
11	·00	·16	·28	·00	·07	·19	·14	·00	·01	·00	·02	·40	11
12	·00	·17	·09	·00	·01	·00	·01	·00	·21	·02	·01	·54	12
13	·00	·42	·38	·00	·00	·00	·00	·00	·15	·22	·27	·53	13
14	·00	·24	·24	·00	·00	·69	·02	·58	·01	·14	·31	·09	14
15	·02	·01	·13	·00	·00	·00	·55	·30	·02	·05	·09	·04	15
16	·00	·00	·02	·00	·00	·00	·04	·01	·18	·00	·00	·00	16
17	·00	·32	·18	·00	·00	·00	·01	·00	·02	·00	·00	·54	17
18	·00	·02	·08	·00	·00	·03	·36	·00	·07	·00	·00	·35	18
19	·00	·03	·47	·00	·00	·00	1·11	·00	·05	·00	·07	·02	19
20	·00	·33	·29	·00	·00	·01	·01	·00	·00	·00	·00	·26	20
21	·00	·70	·05	·00	·00	·37	·00	·00	·00	·14	·00	·02	21
22	·00	·05	·01	·00	·14	·09	·05	·02	·00	·32	·00	·00	22
23	·00	·09	·17	·00	·04	·06	·04	·00	·01	·15	·00	·03	23
24	·00	·03	·04	·00	·05	·01	·01	·00	·00	·36	·07	·06	24
25	·06	·00	·26	·00	·00	·00	·34	·19	·02	·23	·03	·19	25
26	·02	·00	·14	·00	·00	·00	·29	·05	·00	·04	·29	·73	26
27	·18	·00	·01	·00	·00	·00	·04	·00	·00	·05	·13	·15	27
28	·02	·07	·18	·00	·01	·00	·01	·00	·00	·04	·19	1·22	28
29	·09	X	·11	·00	·17	·00	·02	·00	·00	·19	·60	·05	29
30	·00	X	·08	·00	·00	·00	·00	·01	·00	·32	·34	1·06	30
31	·06	X	·00	X	·06	X	·07	·00	X	·61	X	·17	31
Total	·70	4·43	4·69	1·17	1·52	3·27	4·20	2·23	2·09	2·88	4·64	8·17	YEAR'S TOTAL 39·96
Rain Days.	~~14~~	~~19~~	~~30~~	~~9~~	~~17~~	~~14~~	~~26~~	~~17~~	~~15~~	~~15~~	~~21~~	~~28~~	~~225~~

W. 8,000. X. 14.

2165

FORM A.
BRITISH RAINFALL.

6 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Sewage Works, Yeovil

in the County of Somerset 3

by DR. A. E. REMMETT WEAVER

Lat. 50°56'50" Long. 2°37' W

Time of Observation 9 am

Nearest Railway Station Pen Mill, Yeovil

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·60	·13	·00	·00	·01	·00	·00	·23	·05	·23	·00	·18	1
2	·44	·18	·11	·08	·00	·05	·00	·43	·07	·07	·00	·31	2
3	·07	·17	·09	·09	·21	·00	·01	·00	·00	·01	·00	·35	3
4	·04	·02	·00	·00	·03	·00	·00	·01	·00	·00	·00	·23	4
5	·10	·83	·00	·18	·01	·00	·08	·06	·00	·00	·00	·36	5
6	·57	·11	·00	·37	·00	·00	·47	·05	·00	·01	·00	·21	6
7	·24	·41	·00	·06	·00	·00	·13	·00	·00	·01	·00	·26	7
8	·07	·36	·00	·00	·00	·00	·01	·10	·00	·00	·03	·03	8
9	·01	·03	·00	·06	·00	·00	·00	·00	·00	·00	·28	·46	9
10	·20	·11	·05	·04	·00	·00	·00	·00	·00	·03	·01	·09	10
11	·05	·07	·04	·06	·02	·00	·00	·01	·00	·01	·61	·02	11
12	·17	·48	·00	·11	·53	·00	·00	·05	·00	·11	·29	·00	12
13	·02	·44	·00	·00	·63	·00	·00	·14	·11	·00	·13	·03	13
14	·01	·15	·00	·00	·00	·00	·09	·36	·09	·02	·01	·67	14
15	·11	·00	·00	·00	·23	·00	·11	·02	·01	·06	·06	·16	15
16	·00	1·09	·00	·00	·34	·00	·61	·00	·00	·00	·00	·10	16
17	·00	·37	·00	·00	·30	·00	·00	·70	·00	·01	·00	·02	17
18	·00	·35	·00	·00	·07	·00	·00	·01	·00	·00	·00	·00	18
19	·00	·02	·00	·00	·10	·00	·17	·00	·00	·00	·00	·00	19
20	·14	·00	·00	·16	·01	·04	·00	·00	·00	·02	·00	·08	20
21	·13	·09	·00	·00	·00	·01	·03	·00	·02	·62	·00	·38	21
22	·11	·10	·39	·05	·00	·01	·48	·00	·01	·01	·00	·24	22
23	·00	·03	·03	·00	·00	·00	·20	·00	·13	1·40	·01	·26	23
24	·01	·00	·00	·05	·00	·00	·05	·00	·30	·66	·00	·34	24
25	·01	·00	·02	·03	·00	·29	·35	·00	·01	·01	·00	·17	25
26	·00	·08	·00	·00	·00	·11	·34	·00	·00	·00	·00	·81	26
27	·00	·05	·00	·00	·00	·76	·20	·00	·00	·46	·00	·02	27
28	·00	·07	·00	·00	·00	·08	·01	·01	·55	·15	·01	·01	28
29	·00		·00	·00	·00	·30	·08	·02	·00	·00	·20	·03	29
30	·08		·00	·00	·00	·07	·01	·00	·00	·53	51	·39	30
31	·02		·00		·00		·08	·00		·70		·36	31
Total	3·20	5·74	·73	1·34	2·49	1·72	3·51	2·23	1·35	5·13	2·15	6·57	YEAR'S TOTAL 36·16
Rain Days.	22	24	7	13	13	10	20	15	11	21	12	28	196

W. 8,000. X. 15.

2103

FORM A.
BRITISH RAINFALL.

4 JAN. 1917

REGISTER OF RAINFALL IN 1916

Ex Dl

Kept at Sewage Works Yeovil
in the County of Somerset
by Dr A. E. Remmett Weaver

Lat. 50°56'13" Long. 2°37' W
Time of Observation 9 am
Nearest Railway Station Pen Mill, Yeovil
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	—	·01	—	·58	·03	·01	—	·30	·14	·74	—	1
2	·22	·06	—	·01	·03	—	—	—	—	·23	·04	—	2
3	·03	1·40	—	—	·09	·05	—	—	·08	·52	·44	—	3
4	·15	·19	—	·01	·09	·07	—	—	·14	·07	85	—	4
5	·03	·01	·02	·01	·14	·09	—	—	—	·02	47	—	5
6	·01	·12	·03	—	·10	·04	·27	—	·01	·13	1·02	—	6
7	·05	·04	·15	—	·04	·04	·29	—	—	·08	·69	·17	7
8	·01	·06	·06	—	·09	·09	—	—	—	—	·18	·12	8
9	—	·13	—	—	·14	·10	·12	—	—	·09	·03	·20	9
10	·02	·52	—	·07	·07	·02	·02	—	—	·01	—	·13	10
11	—	·01	·01	·12	·01	·02	—	—	02	—	—	—	11
12	·04	·01	·04	·02	·05	—	·01	—	—	·05	—	—	12
13	—	·20	·11	·03	—	—	·17	·53	—	—	·01	—	13
14	·02	·46	·02	·01	·04	—	—	·13	—	·04	—	—	14
15	—	·07	·09	·03	—	—	—	17	·03	·02	—	—	15
16	·05	·17	·01	·19	·07	—	·04	·94	—	·07	—	—	16
17	·12	·19	—	·06	—	—	—	·58	·27	·64	·47	—	17
18	·02	·03	·12	·01	—	—	—	·01	·20	·08	·17	·11	18
19	·08	—	·55	·06	—	—	—	—	—	·01	·18	·07	19
20	·10	·21	·33	·01	—	—	—	—	—	—	·03	1·34	20
21	·05	·09	·10	—	·06	—	·07	—	—	—	·02	·36	21
22	·02	·01	—	—	·01	·01	—	—	—	·39	·02	·55	22
23	—	·08	—	·01	—	·07	—	·19	—	·06	·22	·07	23
24	—	·02	—	·05	·69	·11	—	·01	—	·99	·06	·28	24
25	—	·61	·11	—	·03	—	·01	·42	·02	—	·34	·01	25
26	—	·04	·04	—	—	·23	—	·16	1·10	·87	·01	—	26
27	—	·07	1·26	—	—	·01	—	·35	·24	·48	—	·02	27
28	—	·28	·01	·02	·02	—	—	·06	·36	·91	·01	·09	28
29	—	·77	·05	—	—	·14	—	2·54	·47	·33	—	·15	29
30	—	X	·02	—	—	—	—	—	—	·48	—	·04	30
31	—	X	—	X	—	X	—	·04	X	·15	X	·05	31
Total	1·12	5·85	3·14	·72	2·55	1·15	1·01	6·13	3·24	6·66	6·03	3·46	YEAR'S TOTAL 41·16
Rain Days.	18	27	21	17	19	16	10	14	13	25	21	17	218

W. 8,000, VIII. 16

Exd C79

2009

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1914

Kept at Sewage Works, Yeovil

in the County of Somerset

by DR. A. E. REMMETT WEAVER

Lat. 50°56" Long. 2°34' W

Time of Observation 9 am

Nearest Railway Station Pen Mill GWR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·11	·37	–	·17	–	·67	·03	–	·06	–	1
2	–	–	–	·12	–	·01	–	·13	–	·02	–	–	2
3	·02	–	–	·09	–	–	·63	·01	–	·09	·13	–	3
4	–	·09	·30	–	–	–	·01	·02	·01	·37	·01	–	4
5	·13	–	·22	·22	–	·03	–	·11	·14	·08	·06	–	5
6	–	–	·05	·01	–	·04	–	·01	–	·04	·16	·01	6
7	·19	–	–	–	–	–	·44	·34	–	·28	·03	·02	7
8	·11	–	·08	·05	–	–	·33	·69	·10	·21	·12	·13	8
9	–	–	·09	·02	·01	–	·03	·25	·07	–	·11	–	9
10	·17	–	·39	·24	–	–	–	·29	·02	·16	–	–	10
11	·02	–	·52	·37	·05	·01	–	·09	–	·11	·03	–	11
12	·03	–	–	–	·45	–	–	·01	–	·21	–	·01	12
13	–	–	·08	·06	–	·01	–	·45	·01	·10	–	–	13
14	–	–	·15	·10	–	–	·28	·06	–	–	–	·02	14
15	–	–	–	·01	–	–	·17	·21	–	·11	–	·37	15
16	·01	·15	·01	·09	·02	–	·03	·01	·01	·30	–	·20	16
17	–	·01	–	·22	·03	–	·33	·16	·57	·19	–	·01	17
18	·01	·07	–	–	·01	·01	·13	–	·34	–	–	–	18
19	–	·39	·12	–	–	·04	–	·01	·15	–	–	–	19
20	–	·07	·04	–	·26	·09	·01	·09	·19	–	–	·03	20
21	–	–	·83	–	–	·04	–	·02	–	·02	–	–	21
22	–	–	·02	–	–	–	–	·11	–	·04	·02	–	22
23	–	·19	–	–	·09	–	–	·18	–	·28	–	·01	23
24	–	·04	·02	–	–	·03	·08	·06	–	·11	·06	–	24
25	–	·11	·03	–	–	–	·09	·03	·07	·04	–	–	25
26	–	·01	–	–	·24	·12	–	·55	·12	·04	·01	–	26
27	–	–	–	–	·63	·20	–	·72	–	–	–	–	27
28	–	·02	·05	–	·09	1·57	–	·14	–	–	–	·04	28
29	–	X	·06	–	·01	·17	·06	·03	·02	·93	–	·10	29
30	–	X	·19	–	–	–	·44	·06	·01	·01	–	–	30
31	–	X	·03	X	–	X	·01	·01	X	·16	X	·03	31
Total	·69	1·15	2·89	1·97	1·89	2·54	3·07	5·52	1·86	3·90	·80	·98	YEAR'S TOTAL 27·26
Rain Days.	9	11	21	14	12	15	16	30	16	23	12	13	192

W. 8,000, VIII, 16

Exe D.L 96

FORM A.
BRITISH RAINFALL.

24 [illegible] 19

REGISTER OF RAINFALL IN 1918

Kept at Sewage Works. Yeovil
in the County of Somerset
by DR. A. E. REMMETT WEAVER

Lat. 50°56' Long. 2°34' W
Time of Observation 9 am
Nearest Railway Station Pen Mill G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·03	·00	·01	·10	·00	·00	·55	·00	·01	·89	·02	1
2	·00	·13	·00	·13	·00	·00	·00	·43	·00	·01	·05	·11	2
3	·00	·11	·01	·06	·18	·00	·00	·21	·01	·08	·04	·02	3
4	·00	·04	·01	·03	·00	·00	·00	·07	·36	·00	1·20	·19	4
5	·00	·00	·16	·00	·00	·00	·00	·25	·16	·15	·04	·02	5
6	·16	·07	·00	18	·00	·00	·00	·08	·17	·06	·00	·09	6
7	·02	·10	·00	·01	·29	·03	·00	·01	·23	·01	·34	·13	7
8	·02	·21	·00	·00	·00	·00	·00	·00	·14	·30	·00	·06	8
9	·00	·03	·00	·17	·00	·18	·57	·00	·42	·08	·01	·28	9
10	·05	·00	·00	·23	·00	·00	·26	·00	·08	·21	·02	·48	10
11	·00	·00	·08	·02	·00	·00	·58	·00	·17	·29	·05	·06	11
12	·00	·03	·07	·00	·31	·00	·09	·00	·07	·01	·00	·01	12
13	·44	·03	·00	·00	·33	·00	·32	·00	·37	·10	·00	·00	13
14	·12	·00	·01	·00	·04	·26	·02	·00	·16	·12	·00	·16	14
15	1·24	·00	·00	·40	·04	·10	·30	·00	·01	·01	·00	·17	15
16	·51	·00	·03	·23	·00	·02	·02	·00	·30	·00	·00	·08	16
17	·30	·00	·01	·18	·00	·00	·26	·00	·01	·00	·00	·13	17
18	·81	·00	·00	·01	·00	·37	·12	·00	·22	·03	·00	·12	18
19	·13	·03	·03	·02	·00	·00	·15	·00	·02	·02	·00	·04	19
20	·06	·05	·00	·17	·00	·01	·08	·00	·17	·06	·00	·00	20
21	·04	·01	·00	·01	·00	·02	·01	·00	·40	·05	·02	·13	21
22	·03	·00	·00	·00	·12	·00	·49	·00	·23	·04	·00	·01	22
23	·04	·00	·00	·00	·15	·00	·77	·03	·10	·00	·04	·06	23
24	·00	·18	·00	·02	·00	·01	·00	·00	·09	·00	·07	·00	24
25	·00	·00	·00	·03	·01	·00	·15	·66	·00	·01	·04	·00	25
26	·00	·00	·00	·01	·00	·00	·47	·00	·01	·01	·08	25	26
27	·00	·10	·05	·00	·00	·00	·01	·07	·08	·01	·12	·01	27
28	·00	·15	·16	·02	·00	·00	·00	·00	·01	·01	·02	·04	28
29	·00	X	·06	·00	·00	·00	·00	·00	1·09	·00	·02	·01	29
30	·00	X	·36	·00	·00	·00	·00	·02	·08	·09	·12	·02	30
31	·02	X	·02	X	·00	X	·00	·00	X	·03	X	·00	31
Total	3·99	1·30	1·06	1·94	1·57	1·00	4·67	2·38	5·16	1·80	3·17	2·70	YEAR'S TOTAL 30·44
Rain Days.		5·29	6·35	8·29	9·86	10·86	15·53	17·91	23·07	24·87	28·04	30·74	
Rain Days	16	16	14	~~19~~ 20	10	9	18	11	27	25	18	26	~~209~~ 210

6,500, VII. W W C

1885

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

12 JAN 20

Kept at the Sewage Works, Yeovil
in the County of Somerset
by the Attendant in charge of works

Lat 50° 56" Long 2° 37' W
Time of Observation 9 a.m.
Nearest Railway Station Pen Mill G. W. R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft in.
" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·42	·02	·09	·01	·02	·00	·55	·00	·03	·42	·00	1·19	1
2	·14	·00	·15	·00	·02	·00	·15	·00	·11	·00	·04	·02	2
3	1·05	·00	·42	·00	·08	·00	·00	·00	·17	·00	·07	·14	3
4	·15	·17	·18	·00	·02	·04	·00	·03	·53	·00	·02	·19	4
5	·05	·37	·75	·00	·01	·00	·18	·00	·22	·02	·03	·16	5
6	·57	·21	·09	·00	·00	·00	·01	·00	·00	·00	·00	·20	6
7	·25	·00	·31	·10	·00	·00	·00	·00	·00	·00	·00	·00	7
8	·29	·00	·20	·00	·00	·00	·00	·00	·00	·00	·00	·00	8
9	·03	·00	·01	·12	·07	·00	·00	·00	·00	·00	·18	·00	9
10	·20	·00	·14	·01	·01	·00	·00	·00	·00	·06	·00	·30	10
11	·01	·00	·12	·14	·18	·00	·27	·00	·00	·00	·00	·06	11
12	·08	·00	·01	·03	·00	·02	·02	·00	·00	·03	·07	·11	12
13	·06	·00	·02	·71	·00	·00	·05	·00	·00	·17	·00	·08	13
14	·42	·08	·00	·63	·15	·00	·14	·00	·03	·03	·00	·21	14
15	·20	·02	·00	·03	·00	·00	·00	·00	·00	·21	·00	·24	15
16	·05	·66	·00	·00	·01	·00	·00	·43	·00	·00	·16	·00	16
17	·06	·16	·00	·00	·00	·00	·00	·00	·00	·00	·09	·01	17
18	·03	·03	·62	·00	·00	·00	·23	·01	·01	·00	·05	·00	18
19	·46	·12	·74	·00	·00	·03	·87	·33	·34	·02	·09	·07	19
20	·33	·06	·01	·00	·00	·32	·00	·32	·00	·00	·00	·01	20
21	·04	·59	·00	·00	·00	·01	·11	·00	·02	·00	·01	·05	21
22	·00	·01	·00	·00	·00	·00	·16	·00	·40	·00	·00	·10	22
23	·00	·00	·00	·00	·00	·01	·01	·00	·00	·43	·01	·02	23
24	·00	·00	·00	·06	·00	·08	·01	·00	·07	1·01	·09	·37	24
25	·10	·02	·00	·02	·00	·02	·00	·23	·00	·00	·01	·14	25
26	·07	·02	·08	·01	·00	·02	·00	·05	·04	·00	·00	·22	26
27	·13	·03	·07	·29	·00	·00	·00	·63	·00	·00	·00	·04	27
28	·00	·00	·32	·00	·00	·00	·00	59	·00	·00	·39	·25	28
29	·00		·00	·07	·00	·00	·00	·19	·00	·06	·00	·02	29
30	·00		·01	·13	·00	·24	·00	·92	·00	·00	·54	58	30
31	·00		·02		·00		·02	·00		·00		·29	31
Total	5·19	2·57	4·36	2·36	·57	·79	2·78	3·73	1·91	2·46	1·85	5·01	Year's Total 33·58
Days with ·01 in. or more	24	16	21	15	10	10	15	11	12	11	16	26	187

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

YEOVIL
SOMERSET
1911, 1913 - 1920

REGIS 911

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

Kept at Yeovil

in the County of Som

by Edw Howell
Yeovil Gas

p in.
above Ground ft. in.
,, Sea Level ft.
All as last Year

on { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02			·03				·02				·06	1
2				·08	·23			13		·06	·20	·19	2
3			·01		·16						·06	·09	3
4			·07								·17	·33	4
5			·01					·25		·06	·13		5
6	·25		·18					·01		·03	·05	·82	6
7	·04										·44		7
8			·18								·02	·70	8
9	·14										·06	1·60	9
10	·01	·01	·20		·37						·02	·17	10
11	·32				·15						·57	·05	11
12			·77					·01			·02	·28	12
13									·16			·26	13
14												·82	14
15		·03				·09					·11	·07	15
16						·25					·41	·50	16
17		·01	·02			·10					·11	·65	17
18		·17	·07	·14		·21				·02	·05	·59	18
19		·15				·56			·16	·16	·15	·12	19
20	·03	·06	·12						·23	·04		·80	20
21	·01	·10	·03	·05		·01			·08	·45		·19	21
22	·10	·07	·07	·02					·02	·17		·30	22
23		·13	·03	·01		·28			·04	·07	·01	·18	23
24		·07				·51		·03		·41		·16	24
25				·07		·09		·02	·02			·09	25
26		·04		·18	·25			·01		·16		·16	26
27		·29	·09	·10				·08	·10	·15		·14	27
28		·28		·35				·19			·10		28
29				·93		·16	·05		·08	·12			29
30						·08				·18	·04		30
31										·01			31
Total	·92	1·41	1·85	1·96	1·16	2·34	·05	·75	·89	2·09	2·72	8·32	TOTAL for year 24·46
No. of Rain Days.	9	13	14	11	5	11	1	10	9	15	19	25	142

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Yeovil

in the County of Somerset 3

by Edw Howell Yeovil Gas Works.

RAIN GAUGE
Pattern All as last Year
Diameter of top in.
Height of top above Ground ft. in.
„ „ „ Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02			·03				·02				·06	1
2				·08	·23			·13		·06	·20	·19	2
3			·01		·16						·06	·09	3
4			·07								·17	·33	4
5			·01					·25		·06	·13		5
6	·25		·18					·01		·03	·05	·82	6
7	·04										·44		7
8			·18								·02	·70	8
9	·14										·06	·60	9
10	·01	·01	·20		·37						·02	·17	10
11	·32				·15						·57	·05	11
12			·77					·01			·02	·28	12
13									·16			·26	13
14												·82	14
15		·03				·09					·11	·07	15
16						·25					·41	·50	16
17		·01	·02			·10					·11	·65	17
18		·17	·07	·14		·21				·02	·05	·59	18
19		·15				·56			·16	·16	·15	·12	19
20	·03	·06	·12						·23	·04		·80	20
21	·01	·10	·03	·05		·01			·08	·45		·19	21
22	·10	·07	·07	·02					·02	·17		·30	22
23		·13	·03	·01		·28			·04	·07	·01	·18	23
24		·07				·51		·03		·41		·16	24
25				·07		·09		·02	·02			·09	25
26		·04		·18	·25			·01		·16		·16	26
27		·29	·09	·10				·08	·10	·15		·14	27
28		·28		·35				·19			·10		28
29				·93		·16	·05		·08	·12			29
30						·08				·18	·04		30
31										·01			31
Total	·92	1·41	1·85	1·96	1·16	2·34	·05	·75	·89	2·09	2·72	8·32	TOTAL for year 24·46
No. of Rain Days.	9	13	14	11	5	11	1	10	9	15	19	25	142

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Ed

REGISTER OF RAINFALL IN 1913

Kept at Yeovil

in the County of Somerset. 3

by Edw. Howell

Lat. .... Long. ....

Time of Observation all as last.

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		28	12	06	15	03			20		24	06	1
2	05	07		03	06		11		01	29	09		2
3	18		02	01	32				09			14	3
4	80		02		47				33	15	02	10	4
5	03	02			03	10	03		57	02	11	27	5
6	04	04	03		21	32	06			1·16	02	50	6
7	01	27	02		17	01	06			59	21		7
8		06			38	02				01		01	8
9		01			05		10	38	05		16	02	9
10	·11			01	04	02		04		13	15		10
11	70			19	02					25	31		11
12		01			24						22	01	12
13	06					02		03	49		26		13
14	15		08						04	02	25		14
15	24	03	17	42			03	03	42			01	15
16	24		30	06					26				16
17			03	03		01							17
18	07		22	03	05						06		18
19	61		14		01	09			35				19
20	07		12	06		04				16	10		20
21			12	19	03		01			06	73		21
22	·48		35	20			04	03	20				22
23	01		01					02			05	72	23
24	01			04							02		24
25		05		10							01	03	25
26		02		62				21				20	26
27	04		17	26						03		01	27
28	07		04	23						19		03	28
29	09		49	31	01			10		33		·02	29
30	35							~~10~~		84			30
31	09		02					69		05			31
Total	4.50	·86	2.47	2.85	2.24	·66	·44	1.53	3.01	4.28	3.01	2.13	YEAR'S TOTAL 27.98
Rain Days.	23	11	19	18	16	10	8	9	12.	16	18	15	175

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
9 - JAN 1915

Kept at Gas Works Yeovil

in the County of Somerset 3

by E Howell

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

all as last year

I[illegible] uld be mea[illegible] ly at 9 a.m. and the result entered to the previou[illegible] not to co[illegible] this almost universal rule, he is earnestly requeste[illegible] reading at 9 a.m. on 1st Jan[illegible] the following year in the space provided for it at [illegible] this paragraph. Full instructions for the measurement of rain, the selec[illegible] placing of rain gauges, and particulars as to the British Rainfall Organizati[illegible] given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			03			02	05	32			13	04	1
2			01	02	02		50				1·23	35	2
3			05	08	32		14	08			15	09	3
4	10		03	15	08		12	37			33	48	4
5	06		12	25	05		09				18	04	5
6		18	03	08	01	02					02	27	6
7	01	85	02	03	10	02	12	04	04			18	7
8	02		58	10	12	10	03	04	01			05	8
9	01		52	21	12	1·31		12	61				9
10		36	02	04	01	01		03	41				10
11		18	25	01	06	18	13		02		01	28	11
12		16	07						17			61	12
13		38	29						14	19	25	54	13
14		22	24			77	02	52		15	26	07	14
15	01		11				58	30	02	05	11	02	15
16			02				03		12				16
17		31	15						06			38	17
18			08				32		03			40	18
19		03	46				93		05		04	02	19
20		33	11									23	20
21		66	07			42				12		02	21
22		01			14	05	05			27			22
23		12	14		03	06	03			11			23
24		03	04		05					38	07	05	24
25	05		24				39	17		19	02	17	25
26	03		14				24	06		02	22	69	26
27	17						04			03	09	12	27
28		06	20		02					03	18	1·21	28
29	07	X	08		15		03			18	48	03	29
30		X	06							26	32	96	30
31	05	X		X	02	X	04		X	48	X	05	31
Total	·58	3·88	4·16	·97	1·30	2·96	3·88	2·05	1·68	2·46	4·09	7·35	YEAR'S TOTAL 35·36
Rain Days.	11	15	28	10	16	11	20	11	12	14	18	26	192

W. 8,000. X. 14.

~~47~~ 82 cwd 6.v.16 2164

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Yeovil
in the County of Somerset
by E. Howell

3

Lat. Long.
Time of Observation all as last Year
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·65	·11			·02			·07	·04	·20	(·01)	·18	1
2	·47	·14	·06			·05		·53	·06	·10		·18	2
3	·02	·14	·08	·15	·19					·01		·35	3
4	·02	·02			·01							·26	4
5	·09	·66		·01			·03	·05				·31	5
6	·51	·15		·46			·36	·05				·13	6
7	·26	·33		·10			·21					·32	7
8	·07	·33						·08				·02	8
9	·01	·02		·04				·02			·29	·42	9
10	·15	·17	·03	·04						·02		·09	10
11	·01	·06	·03	·08	·01						·47	·02	11
12	·15	·34		·13	·45			·04		·07	·29		12
13		·56			·74			·30	·07		·11		13
14		·03					·08	·51	·09			·52	14
15	·10				·22		·09	·01		·04	·06	·17	15
16		·87			·33		·61					·06	16
17		·45			·25			·76					17
18		·32			·08								18
19		·03			·08		·15						19
20	·12			·15		·03				·01		·05	20
21	·15	·06					·01		·01	·56		·37	21
22	·04	·09	·31				·43					·18	22
23		·02	·05				·20		·15	1·50		·24	23
24				·05			·09		·27	·54		·40	24
25			·02	·02		·20	·34					·10	25
26		·06				·09	·31					·75	26
27		·04				·93	·24			·45		·02	27
28		·06				·07			·56	·14			28
29		×				·40	·12				·18	·01	29
30	·09	×				·11				·44	·43	·23	30
31		×		×		×	·09		×	·64	×	·38	31
Total	2·91	5·06	·58	1·23	2·38	1·88	3·36	2·42	1·25	4·72	1·84✓	5·76	YEAR'S TOTAL 33·39✓
Rain Days.	17	24	7	11	11	8	16	11	8	14	8✓	25	160✓

W. 8,000. X. 15.

2102

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Yeovil
in the County of Somerset
by Edw Howell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13		·01		·62				·30	·11	·74		1
2	·18	·04			·03				·01	·23			2
3		1·35			·04	·04			·05	·48	·42		3
4	·15	·15			·13	·06			·12	·06	·86		4
5	·02	·01	·01	·02	·16	·08				·01	·32		5
6		·12	·01		·06	·03	·24			·09	·93		6
7	·04	·04	·15		·04	·03	·38			·10	·66	·15	7
8		·04	·02		·07	·06					·26	·12	8
9		·11			·13	·07	·12			·08	·02	·19	9
10	·02	·48		·06	·06		·02					·05	10
11		·02	·02	·11		·01			·01				11
12	·04	·01	·02	·04	·05					·06			12
13		·18	·13	·04			·17	·42					13
14	·01	·38	·01		·03			·20		·05			14
15		·08	·05	·07				·18		·02			15
16	·04	·12		·15	·05		·03	·72	·02	·06			16
17	·10	·11		·05				·89	·18	·60	·35		17
18	·01	·07	·15						·31	·09	·17	·10	18
19	·05		·47	·03							·18	·05	19
20	·10	·12	·27	·01							·02	1·00	20
21	·05	·14	·13		·04		·07					·75	21
22					·01					·36		·50	22
23		·05				·06		·17		·02	·18	·06	23
24		·05		·05	·73	·12		·01		·96	·02	·28	24
25		·57	·10		·02			·41			·35	·01	25
26		·05	·02			·21		·30	·95	·85			26
27		·03	·99			·01		·21	·19	·38			27
28		·27	·02		·01			·04	·31	·65		·06	28
29		·62	·05			·14		2·72	·43	·35		·15	29
30		X								·45		·02	30
31		X		X		X		·03	X	·11	X	·05	31
Total	·94	5·21	2·63	·63	2·28	·92	1·03	6·30	2·88	6·17	5·48	3·54	YEAR'S TOTAL 38·01
Rain Days.	14	26	19	11	18	13	7	13	12	23	15	16	187

W. 8,000, VIII. 16

2008

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Yeovil
in the County of Somerset
by Geo. Fenwick

Lat. Long.
Time of Observation
Nearest Railway Station All as last
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

8 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·13	·33		·15		·70	·04		·08		1
2				·08		·05		·16					2
3	·02			·11			·58			·04	·12		3
4		·10	·16				·01	·04	·03	·44			4
5	·14		·20	·23		·04		·09	·12	·09	·05		5
6			·05			·05				·05	·16		6
7	·18						·42	·27		·20	·04		7
8	·08		·05	·03			·34	·67	·10	·19	·12	·13	8
9			·04	·02	·01		·04	·25	·07	·18	·11		9
10	·16		·36	·20				·24	·03				10
11	·02		·48	·36	·04			·09		·19	·03		11
12	·06				·40					·21			12
13			·10	·06		·01		·40		·11			13
14			·14	·11				·10					14
15							·41	·35		·12		·46	15
16		·14		·08			·01			·28		·10	16
17	·01	·02		·21	·05		·30	·15	·57	·19			17
18		·07					·13		·28				18
19		·30	·15			·02			·16				19
20		·13	·05		·26	·12		·16	·23				20
21			·28			·11		·01					21
22								·09		·07			22
23		·18			·09			·18		·28		·03	23
24		·04	·04			·04	·06	·06		·09	·05		24
25		·14	·04				·03	·02	·04	·09			25
26					·23	·14		·51	·12		·03		26
27					·63	·20		·78		·05			27
28			·05		·18	1·63		·12				·05	28
29			·06			·36	·05	·05		·80		·11	29
30		X	·17				·45	·06		·02			30
31		X	·07	X		X			X	·14	X	·02	31
Total	·67	1·12	2·62	1·82	1·89	2·92	2·83	5·55	1·73	3·75	·79 9	·90	YEAR'S TOTAL 36·59
Rain Days.	8	9	19	12	9	13	13	24	12	21	10	7	157

W. 8,000, IX. 17.

Excl 982

95

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 3 . 1 . 19

Kept at Yeovil Gas Works

in the County of Somerset

by Mr G Fenwick

Lat. .... Long. ....

Time of Observation before

Nearest Railway Station 5 /

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					09			44			80		1
2		13		18				53	01		07	10	2
3		10	01	05	17			20		10	05	03	3
4		03						07	25		110	15	4
5			14		07			14	18	15	05	02	5
6	15	06		22				17	24			09	6
7		11			30	04			29	06	31	05	7
8	03	20							10	29		03	8
9				16		14	54		37	09		22	9
10	05			34			30		09	18	05	45	10
11			02				54		14	19	06	05	11
12		03	16		27		08		20				12
13	30	04			31		33		34	10			13
14	11				05	26			20	10		16	14
15	1·17			28	03	11	27					15	15
16	35			35			03		27			08	16
17	29		01	17			23					12	17
18	79					33	10		21	03		16	18
19	17		04				15		04	02		06	19
20		06		17			09		15	06			20
21	04					03			27	06		12	21
22	02						30		22	06		08	22
23	03				25		87		19		06	05	23
24		18							10		06	02	24
25				06			16	59			05		25
26							57				06	24	26
27		10	03					06	09		13		27
28		16	15									05	28
29			06						1·09		02		29
30		X	33					02	11	09	14	02	30
31		X		X		X		03	X	02	X		31
Total	3·50	1·20	·95	1·98	1·54	·91	4·56	2·25	5·15	1·60	3·01	2·50	YEAR'S TOTAL 29·15
Rain Days.	13	12	10	10	9	6	15	10	23	16	15	23	162

Sx. 456

1884

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919

8 JAN 20

Kept at Yeovil Gas Works
in the County of Somerset
by Geo. Fenwick.

Lat. Long.
Time of Observation 8.0 A.M.
Nearest Railway Station Yeovil Town.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 22 ft. 0 in.
" " " " Sea Level 122 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	36		10		02		58			43		1·22	1
2	15				03		20		10		04	01	2
3	98		24		08				17		08	13	3
4	14	18	73			06		05	39		02	19	4
5	05	36	73				21		22		04	13	5
6	40	20	08									19	6
7	21		32	12									7
8	23		20										8
9	01			10	05						19		9
10	21		13							07		24	10
11			20	15	19		27					05	11
12	10		04	02						02	06	08	12
13	04		02	63			09			20		06	13
14	41	07		57	14		17		01	03		15	14
15	20	02								23		19	15
16	05	49						52			16		16
17	09	16									07		17
18	10	12	56				16				05		18
19	25	02	72			04	96	30	36		10	06	19
20	26	58	11			31		38				02	20
21	06						12		03			02	21
22							21		43			10	22
23										38			23
24				06		09	03			93	11	34	24
25	13			02		03		20				28	25
26		04	07			02		07	05			20	26
27	14		04	27				57				04	27
28			36					67			31	26	28
29				07				18		08		01	29
30				15		23		98		02	46	52	30
31												27	31
TOTAL	4·57	2·24	4·65	2·16	·51	·78	3·00	3·92	1·76	2·39	1·69	4·76	YEAR'S TOTAL 32·43
Days with ·01 in. or more	22	11	17	11	6	7	11	10	9	10	13	24	151

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

£4 Rl

1798

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at The Yeovil Corporation Gas Dept

in the County of Somerset

by Geo. Fenwick

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Yeovil Town
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 22 ft. 0 in.
" " " " Sea Level 122 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
1920.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1920.
1				·12	·31		·31		·02	·29	·09	·47	1
2	·36			·14			·09	·74	·12	·03		·70	2
3	·12	·11		·08			·76		·03	·63			3
4			·02	·10			·22	·36		·15			4
5			·09				·34	·48		·10			5
6			·22		·12		·27			·07			6
7	·03			·34	·07		·28						7
8	·06	·10		·23			·32						8
9	·26		·02	·06		·11	·01						9
10	·70	·06	·16			·20	·28						10
11	·16		·09	·37	·16	·01	·11						11
12	·15		·04	·15	·01	·16							12
13	·18	·01	·47	·07							·13		13
14			·19	·55					·12	·35	·19		14
15		·12	·06	·49	·11	·09	·02		·02	·27	·07		15
16				·12			·18		·09	·06			16
17				·25	·18	·02	·02		·40				17
18	·08		·05	·04	·15	·19		·38	·15				18
19	·05			·17	·23	·16							19
20	·01	·17		·15		·42						·18	20
21							·10					·10	21
22				·21			·01	·01				·26	22
23							·47	·08				·17	23
24			·27								·15	·06	24
25		·09	·07	·03			·25					·01	25
26	·26		·17		·21	·02	·04				·08	·09	26
27	·55	·07		·31		·12					·01	·19	27
28	·77		·16	·07	·07	·01	·05					·05	28
29	·38		·20	·05							·16	·11	29
30	·07	✕		·04	·08	·11	·04		·26		·31	·27	30
31		✕	·27	✕		✕			✕	·45	✕	·17	31
TOTAL	4·19	·73	2·49	4·14	1·70	1·62	4·17	2·05	1·21	2·40	1·19	2·23	YEAR'S TOTAL 28·12
Days with ·01 in. or more	17	8	17	23	12	13	21	6	9	10	9	14	159
Days with ·04 in. or more	15	7	15	22	11	9	17	5	6	9	8	13	137

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.